

Spill Calculation Sheet

Date & Time Of Spill >>>>>>

Spill Location >>>>>>>>>>>

Porosity Factors			
Caliche	0.03%	Sand	0.20%
Clay	0.05%	Gravel	0.25%
Clay \ Sand	0.15%	Unknown	0.25%
(Use 1.0 If No Porosity - Total Fluid)			

Depth Factors (inches)							
Light Mist	0.000830	1/2	0.041667	7	0.583333	15	1.250000
Medium Mist	0.000080	3/4	0.062500	8	0.666666	16	1.333333
Heavy Mist	0.000830	1	0.083333	9	0.750000	17	1.416667
Skim	0.002604	2	0.166666	10	0.833333	18	1.500000
1/12	0.006944	3	0.250000	11	0.916666	19	1.583333
1/16	0.005208	4	0.333333	12	1.000000	20	1.666667
1/8	0.010416	5	0.416666	13	1.083333	(NOTE: For spills greater than on foot of depth use 12 inches as your depth, then multiply by the number feet of actual depth.)	
1/4	0.020803	6	0.500000	14	1.166667		

Spill Calculations						
Square Feet	X	Depth	X	Porosity	=	Volume
	X		X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
2,664	X	0.333333	X	0.03	=	4.74409185 porosity calc.
31,365	X	0.020803	X	0.03	=	3.48587507 porosity calc.
63,126	X	0.020803	X	0.03	=	7.01576118 porosity calc.
247,747	X	0.000830	X	0.03	=	1.09856828 porosity calc.
	X		X		=	porosity calc.
Total Spill						16.34429637
Recovered						0
Total Less Recovered						16.34429637
H2O %						90
Total H2O						14.70986674
Total Oil						1.634429637

Water %	
Tests	H2O %
Test #1	90
Test #2	90
Test #3	90
Test #4	90
Test #5	90
Total	450
Avg.	90

Standard Safety and Supply

August 11, 2026
<https://standardtx.com/>

Site Characterization, Remediation Closure Request, & Reclamation Report
A-14 Compressor Station
nOY1730036268
32.246228,-103.402059
I-06-24S-35E

Introduction

Standard Safety and Supply (Standard) on behalf of ET Gathering & Processing LLC (Energy Transfer) is pleased to submit this Site Characterization, Remediation Closure Request, & Reclamation Report.

Based on the Notification of Release, for nOY1730036268, the spill was discovered on October 18th, 2017, and was attributed to a pipeline failure. There was an approximate net loss of eighteen (18) bbls of condensate. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

Site Characterization

Based on a site characterization desktop review the area is within a Low Karst area. There are no known water wells within a half mile radius of the site. The depth to groundwater of the site is estimated to be between one hundred (100) to five hundred (500) ft below ground surface (bgs). Additionally, there are no other receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. Based on the site characterization the following closure criteria will be utilized:

	NMAC Closure Criteria Remediation and Reclamation				
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
* value must not exceed TPH (GRO-DRO-MRO) value					

Standard Safety and Supply

<https://standardtx.com/>

The soils surrounding the site are characterized as Kimbrough gravelly loam, dry, 0 to 3 percent slopes.

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Initial Assessment

On May 18, 2026, Standard performed an initial assessment to characterize impacts associated with nOY1730036268. Seven (7) test pits (TP-2 to TP-6, NW-1 and EW) were installed, and soil samples were collected from surface (0) to four and a half (4.5) ft bgs in half foot intervals. Soil samples collected were jarred, placed on ice, and the remaining material was field screened for soil contamination. Soil samples were delivered to Cardinal Laboratories in Hobbs, New Mexico for the analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX by 8021B), total petroleum hydrocarbons (TPH by 8015M) and chlorides (4500-CL B). Analytical results indicated chloride and TPH impacts in TP-3 and EW at surface to half a foot (0.5) ft bgs above allowable limits.

On June 5, 2026, Standard returned to the site to investigate potential impacts north & east of the pad. A total of seven (7) vertical delineation sample points (V-1 to V-7) were collected starting from surface (0) to half a foot (0.5) ft bgs. Samples were delivered to Cardinal for the analysis of BTEX, TPH, and chloride. Analytical results indicated that no impacts were present.

The delineation data and excavation sampling data can be found in this report under Attachment A: Table 1 Delineation Assessment Analytical Data Table, and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

The sample locations are located under Attachment B: Figure 3 Delineation Assessment Map while photographs of the impacted area are under Attachment D: Photographic Log.

Remedial Actions Activities and Confirmation Sampling

Standard began remedial actions at the Site on May 20th, 2026, to remove the impacted soils identified in previous delineation efforts. Furthermore, reclamation activities occurred concurrently, and all surface caliche was removed down to the native material. The excavation depth across the entire pad was approximately one (1) ft bgs.



Standard Safety and Supply

<https://standardtx.com/>

On June 5, 2026, Standard was onsite to perform a confirmation sampling event where nineteen (19) base samples (CS-1 to CS-19) were collected. Soil samples were jarred in lab provided containers, placed on ice then transported under proper chain-of-custody to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that three (3) samples (CS-8, CS-10, and CS-14) exhibited TPH and/or chloride concentrations above NMOCD closure criteria. All other samples were below NMOCD closure criteria for the Site.

On June 17, 2026, after further excavation was completed, Standard was onsite to perform a confirmation sampling event where three (3) base samples (CS-8, CS-10, and CS-14) and two (2) sidewall samples (SW-1 and SW-2) were collected. Additionally, two (2) backfill samples (BF-1 and BF-2) were collected at a local backfill pit. All soil samples were jarred in lab provided containers, placed on ice then transported under proper chain-of-custody to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that all samples were below NMOCD closure criteria for the site.

Between July 16 and July 21 to July 23, 2026, Standard was onsite to conduct a confirmation sampling event in the pasture where two thousand six hundred twenty two (2,622) samples (CS-1 to CS-2,622) were collected. Samples were delivered to Cardinal laboratories for the analysis of BTEX, TPH, and chloride. Analytical results indicated that all samples were below the closure criteria for the site.

Soil samples were collected as a five-point composite and represented an area no greater than 200 square feet. There was one thousand and five hundred and fifty five (1,555) cubic yards of impacted material that was excavated and transported to the closest approved disposal facility.

The confirmation sampling data can be found in this report under Attachment A: Table 2 Confirmation Sampling Analytical Data Table, Table 3 Pasture Confirmation Sampling Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody. The confirmation sample locations are located under Attachment B: Figure 4 Confirmation Sampling Map while photographs of the excavation area are under Attachment D: Photographic Log.

Reclamation Activities

Per 19.15.29.13 (D) NMAC, once remediation activities were concluded, the excavation was backfilled with proven non-waste containing earthen material, matching the local lithology. All ancillary equipment that was present on site was removed. The areas subjected to reclamation were the entire pad and access road. Two areas south of the pad were not



Standard Safety and Supply

<https://standardtx.com/>

reclaimed at this time due to the active risers within the vicinity. On June 25, 2026, Standard was onsite to conduct reclamation and reseeding activities in all areas disturbed by remediation and reclamation activities. A dozer was utilized to prepare the seedbed. Furrows were installed perpendicular to the natural gradient of the site as the primary form of erosion control. A tractor with a seed drill box was utilized to reseed the site with BLM Seed mix #3 Shallow.

The extent of reclamation activities can be seen under Attachment B: Figure 5 Reclamation Map.

When revegetation efforts meet NMOCD approval for administrative site release, a final Revegetation Report will be submitted.

Closing

If you have any questions regarding the Site Characterization, Remediation Closure, & Reclamation Report for [nOY1730036268] – A-14 Compressor Station, please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761

Contact: 254-266-5456



Standard Safety and Supply

<https://standardtx.com/>

Attachments

- Attachment A: Analytical Data Tables
 1. Table 1: Delineation Assessment Analytical Data Table
 2. Table 2: Confirmation Sampling Analytical Data Table
 3. Table 3: Pasture Sampling Analytical Data Table
- Attachment B: Figures
 1. Site Location Map
 2. Topographic Map
 3. Delineation Assessment Map
 4. Confirmation Sampling Map
 5. Reclamation Map
- Attachment C: Site Characterization
 1. OCD Well map and Karst Potential
 2. OSE POD
 3. Open Environment Wetlands
 4. Wetlands Inventory
 5. National Flood Hazard Layer
 6. Web Soil Survey
- Attachment D: Photographic Documentation
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT A: ANALYTICAL DATA TABLES



Table 1: Delineation Assessment Analytical Data Table

Energy Transfer
A-14 Compressor Station
Lea County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	***	***	***	***	10 mg/Kg	*	*	*	50 mg/Kg
Sample ID	Depth	Date											
TP-2	0-6"	5/18/2026	208	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1-1.5'	5/18/2026	192	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2-2.5'	5/18/2026	400	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
TP-3	0-6"	5/18/2026	1,220	37.1	<10.0	26.7	26.7	10.4	<0.050	<0.050	<0.050	<0.050	<0.050
	1-1.5'	5/18/2026	560	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
TP-4	0-6"	5/18/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
	1-1.5'	5/18/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
	2-2.5'	5/18/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
	3-3.5'	5/18/2026	144	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
TP-5	0-6"	5/18/2026	80.0	30.4	<10.0	10.0	10.0	20.4	<0.050	<0.050	<0.050	<0.050	<0.050
	1-1.5'	5/18/2026	80.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
TP-6	0-6"	5/18/2026	208	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
	1-1.5'	5/18/2026	208	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
NW-1	0-6"	5/18/2026	368	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
	1-1.5'	5/18/2026	400	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
	2-2.5'	5/18/2026	96.0	20.6	<10.0	20.6	20.6	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
EW	0-6"	5/18/2026	512	866	<10.0	390	390	476	<0.050	<0.050	<0.050	<0.050	<0.050
	1-1.5'	5/18/2026	432	51.5	<10.0	31.1	31.1	20.4	<0.050	<0.050	<0.050	<0.050	<0.050
V-1	0-6"	6/5/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
V-2	0-6"	6/5/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
V-3	0-6"	6/5/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
V-4	0-6"	6/5/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
V-5	0-6"	6/5/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
V-6	0-6"	6/5/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050
V-7	0-6"	6/5/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.050

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample

11. Remediation Limits

12. Reclamation Limits (0-4ft below ground surface)

13. NW = North Wall Sample Point

14. EW = East Wall Sample Point

Table 2: Confirmation Sampling Analytical Data Table
Energy Transfer
A-14 Compressor Station
Lea County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	***	***	***	***	10 mg/Kg	*	*	*	50 mg/Kg
Sample ID	Depth	Date											
CS-1	1	6/5/2026	80.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-2	1	6/5/2026	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-3	1	6/5/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-4	1	6/5/2026	64.0	46.2	<10.0	14.0	14.0	32.2	<0.050	<0.050	<0.050	<0.150	<0.300
CS-5	1	6/5/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-6	1	6/5/2026	112	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-7	1	6/5/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-8	1	6/5/2026	224	121.8	<10.0	27.8	27.8	94.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-9	1	6/5/2026	544	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-10	1	6/5/2026	896	214.9	<10.0	132	132	82.9	<0.050	<0.050	<0.050	<0.150	<0.300
	2	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-11	1	6/5/2026	160	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-12	1	6/5/2026	448	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-13	1	6/5/2026	240	54.6	<10.0	26.8	26.8	27.8	<0.050	<0.050	<0.050	<0.150	<0.300
CS-14	1	6/5/2026	416	108.6	<10.0	78.1	78.1	30.5	<0.050	<0.050	<0.050	<0.150	<0.300
	2	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-15	1	6/5/2026	256	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-16	1	6/5/2026	576	58.3	<10.0	39.8	39.8	18.5	<0.050	<0.050	<0.050	<0.150	<0.300
CS-17	1	6/5/2026	272	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-18	1	6/5/2026	128	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-19	1	6/5/2026	160	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-1	0-2	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-2	0-2	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
BF-1	Surface	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
BF-2	Surface	6/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal to or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample

11. Remediation Limits

12. Reclamation Limits (0-4ft below ground surface)

13. NW = North Wall Sample Point

14. EW = East Wall Sample Point


Standard Safety and Supply


<https://standardtx.com/>





ATTACHMENT B: FIGURES












	A-14 COMPRESSOR STATION ET Gathering & Processing, LLC		
	Figure 4. (Pad Confirmation Sampling Map) Release Date: 10/18/2017 Lea County, New Mexico	07/01/2026	
	Coordinates: 32.246228,-103.402059		



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026




A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC



Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059

08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



**A-14 COMPRESSOR STATION
ET GATHERING & PROCESSING, LLC**




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



**A-14 COMPRESSOR STATION
ET GATHERING & PROCESSING, LLC**





Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026





**A-14 COMPRESSOR STATION
ET GATHERING & PROCESSING, LLC**




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



**A-14 COMPRESSOR STATION
ET GATHERING & PROCESSING, LLC**




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



**A-14 COMPRESSOR STATION
ET GATHERING & PROCESSING, LLC**





Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026





A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC





Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026





A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC





Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026





A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC





Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026





A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



A-14 COMPRESSOR STATION ET GATHERING & PROCESSING, LLC




Figure 4. (Confirmation Sampling Map)
Release Date: 10/18/2017
Lea County, New Mexico

Coordinates: 32.246228,-103.402059



08/11/2026



Standard Safety and Supply


<https://standardtx.com/>



ATTACHMENT C: SITE CHARACTERIZATION




A-14 OCD Wells and Karst



7/1/2026, 8:27:19 AM

-  Override 1
-  Karst Occurrence Potential Low
-  PLSS First Division
-  Oil, Plugged
-  PLSS Second Division



Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., BLM, OCD, New Mexico Tech, OCD, BLM, Vantor

A-14 OSE Wells



7/1/2026, 8:22:38 AM

GIS WATERS PODs

● Pending

World Imagery

World Imagery

Low Resolution 15m Imagery

Low Resolution 15m Imagery

High Resolution 60cm Imagery

High Resolution 60cm Imagery

High Resolution 30cm Imagery

High Resolution 30cm Imagery


Citations

Citations

4.8m Resolution Metadata

4.8m Resolution Metadata

1:18,786



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Vantor

Legend

Basemap

Query

1:9,028

Legend

All Layers On/Off

All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

Riverine

Hydrogeomorphic Mapping (HGM)

Polygons

Depressional

Flats

Lacustrine Fringe

Riverine

Slope

Landscape Position and Water Body

(LLWW) Linears

Lentic (LE)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)

Terrene (TE)

Landscape Position and Water Body

(LLWW) Polygons

Lentic (LE)

Lake (LK)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)

Terrene (TE)

Landform (LLWW)

Basin

Flat

Floodplain





U.S. Fish and Wildlife Service

National Wetlands Inventory

A-14 NWI



July 2, 2026

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond


- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Flood Hazard Layer FIRMMette



103°24'26"W 32°15'2"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

103°23'49"W 32°14'31"N

Released to Imaging: 9/16/2026 3:10:01 PM

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 7/1/2026 at 2:21 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Soil Map—Lea County, New Mexico
(A-14 Compressor Station)Natural Resources
Conservation ServiceWeb Soil Survey
National Cooperative Soil Survey7/1/2026
Page 1 of 3

Soil Map—Lea County, New Mexico
(A-14 Compressor Station)

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



Natural Resources
Conservation Service

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KO	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	15.7	100.0%
Totals for Area of Interest		15.7	100.0%

Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT D: PHOTOGRAPHIC DOCUMENTATION



A-14 Compressor Station



View of delineation test pit



View of pad condition



A-14 Compressor Station



View of excavation



View of excavation



A-14 Compressor Station



View of excavation



View of excavation



A-14 Compressor Station



View of reclamation



View of reclamation



A-14 Compressor Station



View of reclamation



View of reclamation



A-14 Compressor Station




View of reclamation




View of reclamation



A-14 Compressor Station




View of Pasture Sampling




View of Pasture Sampling



A-14 Compressor Station



View of Pasture Sampling



View of Pasture Sampling



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN- OF-CUSTODY





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 22, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: LINE A - 14

Enclosed are the results of analyses for samples received by the laboratory on 05/21/26 13:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 2 0-6" (H262897-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93	
Total BTX	<0.300	0.300	05/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	05/22/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 67.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 2 1-1.5' (H262897-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93	
Total BTEX	<0.300	0.300	05/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	05/22/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 90.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 2 2-2.5' (H262897-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93	
Total BTEX	<0.300	0.300	05/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 94.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 3 0-6" (H262897-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1220	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	26.7	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	10.4	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 3 1-1.5' (H262897-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93	
Total BTEX	<0.300	0.300	05/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	560	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 4 0-6" (H262897-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 88.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 4 1-1.5' (H262897-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93	
Total BTEX	<0.300	0.300	05/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 4 2-2.5' (H262897-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 4 3-3.5' (H262897-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93	
Total BTEX	<0.300	0.300	05/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	05/22/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 92.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 4 4-4.5' (H262897-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	05/22/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 97.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 5 0-6" (H262897-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	20.4	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 5 1-1.5' (H262897-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 89.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 6 0-6" (H262897-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 66.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: TP - 6 1-1.5' (H262897-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/21/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/21/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/21/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/21/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: NW - 1 0-6" (H262897-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/22/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/22/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/22/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/22/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	368	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 70.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: NW - 1 1-1.5' (H262897-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/22/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/22/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/22/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/22/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	<10.0	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: NW - 1 2-2.5' (H262897-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2026	ND	2.15	108	2.00	2.95	
Toluene*	<0.050	0.050	05/22/2026	ND	2.06	103	2.00	2.40	
Ethylbenzene*	<0.050	0.050	05/22/2026	ND	1.98	99.0	2.00	2.83	
Total Xylenes*	<0.150	0.150	05/22/2026	ND	5.81	96.8	6.00	2.93	
Total BTEX	<0.300	0.300	05/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	05/22/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	20.6	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	<10.0	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 65.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: EW 0-6" (H262897-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/22/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/22/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/22/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/22/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/21/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	390	10.0	05/21/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	476	10.0	05/21/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 05/21/2026
 Reported: 05/22/2026
 Project Name: LINE A - 14
 Project Number: NONE GIVEN
 Project Location: ETC- LEA CO NM

Sampling Date: 05/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: EW 1-1.5' (H262897-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/22/2026	ND	2.15	108	2.00	2.95		
Toluene*	<0.050	0.050	05/22/2026	ND	2.06	103	2.00	2.40		
Ethylbenzene*	<0.050	0.050	05/22/2026	ND	1.98	99.0	2.00	2.83		
Total Xylenes*	<0.150	0.150	05/22/2026	ND	5.81	96.8	6.00	2.93		
Total BTEX	<0.300	0.300	05/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	432	16.0	05/22/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2026	ND	198	99.1	200	2.90	
DRO >C10-C28*	31.1	10.0	05/22/2026	ND	185	92.3	200	2.64	
EXT DRO >C28-C36	20.4	10.0	05/22/2026	ND					

Surrogate: 1-Chlorooctane 98.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Mailin Office: 4524 Frank Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardsx.com/>

Page 1 of 2

Page 22 of 23

Work Order Comments

Work Order Comments
DUPLICATE

[illegible]

TP	Depth	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time
TP-2	1-1.5'	5/18/2026	10:02	Soil	Grab 1
TP-2	2-2.5'	5/18/2026	10:34	Soil	Grab 1
TP-3	0-6"	5/18/2026	10:36	Soil	Grab 1
TP-3	1-1.5'	5/18/2026	10:48	Soil	Grab 1
TP-4	0-6"	5/18/2026	11:00	Soil	Grab 1
TP-4	1-1.5'	5/18/2026	11:02	Soil	Grab 1
TP-4	2-2.5'	5/18/2026	11:30	Soil	Grab 1
TP-4	3-3.5'	5/18/2026	11:32	Soil	Grab 1
TP-4	4-4.5'	5/18/2026	11:48	Soil	Grab 1
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
Josh James		[Signature]		5/21/26 11:00	
[Signature]		[Signature]		2	
[Signature]		[Signature]		4	
[Signature]		[Signature]		6	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
[Signature]		[Signature]		5/21-24	
[Signature]		[Signature]		1:335	

The document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Page 2 of 2

Page 23 of 23

Work Order Comments	
---------------------	--

Project Name:	Line A-14	Turn Around	☐ Routine ☒ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:															None: NO	
Project Location:	Lea County, New Mexico	Due Date:	24hr												DI Water: H ₂ O	
Sampler's Name:	Josh James	TAT may vary based on lab start time.													Cool: Cool	
PO #:	E-26029-GS-2130037														HCL: HC	
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₂ SO ₄ : H ₂
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														H ₃ PO ₄ : HP
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														NaHSO ₄ : NABIS
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Na ₂ S ₂ O ₃ : NaSO ₃
Total Containers:	9	Corrected Temperature:														Zn Acetate+NaOH: Zn
																NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments									
11 TP-5	0-6"	5/18/2026	1:00	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
12 TP-5	1-1.5'	5/18/2026	1:02	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
13 TP-6	0-6"	5/18/2026	1:30	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
14 TP-6	1-1.5'	5/18/2026	1:32	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
15 NW-1	0-6"	5/18/2026	2:00	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
16 NW-1	1-1.5'	5/18/2026	2:02	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
17 NW-1	2-2.5'	5/18/2026	2:30	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
18 EW	0-6"	5/18/2026	3:30	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										
19 EW	1-1.5'	5/18/2026	3:32	Soil	Grab	1	X	X	X	X	X	X	X	X	X	X										

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josh James		5/21/26 11:00			



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 11, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 06/05/26 15:52.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1 (H263228-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 132 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	06/08/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	211	106	200	0.174	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	205	102	200	2.46	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 47.1-117

Surrogate: 1-Chlorooctadecane 59.2 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 2 (H263228-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 84.1 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/08/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	211	106	200	0.174	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	205	102	200	2.46	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 47.1-117

Surrogate: 1-Chlorooctadecane 68.1 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 3 (H263228-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	06/08/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	211	106	200	0.174	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	205	102	200	2.46	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 47.1-117

Surrogate: 1-Chlorooctadecane 67.6 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 4 (H263228-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 133 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/08/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/09/2026	ND	211	106	200	0.174	
DRO >C10-C28*	14.0	10.0	06/09/2026	ND	205	102	200	2.46	
EXT DRO >C28-C36	32.2	10.0	06/09/2026	ND					

Surrogate: 1-Chlorooctane 93.2 % 47.1-117

Surrogate: 1-Chlorooctadecane 94.8 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 5 (H263228-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/08/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 47.1-117

Surrogate: 1-Chlorooctadecane 91.8 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 6 (H263228-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 125 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 47.1-117

Surrogate: 1-Chlorooctadecane 86.5 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 7 (H263228-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 136 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 47.1-117

Surrogate: 1-Chlorooctadecane 75.9 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 8 (H263228-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	27.8	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	94.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 47.1-117

Surrogate: 1-Chlorooctadecane 82.9 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 9 (H263228-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 135 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	544	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 47.1-117

Surrogate: 1-Chlorooctadecane 81.0 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 10 (H263228-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 134 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	896	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	132	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	82.9	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 89.6 % 47.1-117

Surrogate: 1-Chlorooctadecane 103 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 11 (H263228-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 47.1-117

Surrogate: 1-Chlorooctadecane 81.2 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 12 (H263228-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92	
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 132 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	448	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 47.1-117

Surrogate: 1-Chlorooctadecane 81.5 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 13 (H263228-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 136 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	26.8	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	27.8	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 47.1-117

Surrogate: 1-Chlorooctadecane 84.0 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 14 (H263228-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.16	108	2.00	4.92		
Toluene*	<0.050	0.050	06/08/2026	ND	1.83	91.7	2.00	16.4		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	1.86	93.0	2.00	17.2		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	5.55	92.4	6.00	15.9		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 141 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	78.1	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	30.5	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 67.2 % 47.1-117

Surrogate: 1-Chlorooctadecane 69.0 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 15 (H263228-15)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	256	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 65.3 % 47.1-117

Surrogate: 1-Chlorooctadecane 63.5 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 16 (H263228-16)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	576	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	39.8	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	18.5	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 56.5 % 47.1-117

Surrogate: 1-Chlorooctadecane 54.8 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 17 (H263228-17)

BTX 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 61.2 % 47.1-117

Surrogate: 1-Chlorooctadecane 59.3 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 18 (H263228-18)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 64.4 % 47.1-117

Surrogate: 1-Chlorooctadecane 61.3 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 19 (H263228-19)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 66.5 % 47.1-117

Surrogate: 1-Chlorooctadecane 64.3 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V - 1 0-6" (H263228-21)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 47.1-117

Surrogate: 1-Chlorooctadecane 64.5 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 2 0-6" (H263228-22)

BTEx 8021B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693		
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 54.2 % 47.1-117

Surrogate: 1-Chlorooctadecane 50.8 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V - 3 0-6" (H263228-23)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 47.1-117

Surrogate: 1-Chlorooctadecane 69.6 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 4 0-6" (H263228-24)

BTEx 8021B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693		
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 47.1-117

Surrogate: 1-Chlorooctadecane 78.0 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/05/2026	Sampling Date:	06/05/2026
Reported:	06/11/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 0-6" (H263228-25)

BTEx 8021B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693		
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447		
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978		
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793		
Total BTEX	<0.300	0.300	06/08/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/08/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	219	110	200	3.16	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	209	104	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 47.1-117

Surrogate: 1-Chlorooctadecane 69.5 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V - 6 0-6" (H263228-26)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	190	95.1	200	3.48	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	191	95.7	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 47.1-117

Surrogate: 1-Chlorooctadecane 78.4 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/05/2026
 Reported: 06/11/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/05/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V - 7 0-6" (H263228-27)

BTEx 8021B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/08/2026	ND	2.05	103	2.00	0.693	
Toluene*	<0.050	0.050	06/08/2026	ND	2.12	106	2.00	0.447	
Ethylbenzene*	<0.050	0.050	06/08/2026	ND	2.05	102	2.00	0.978	
Total Xylenes*	<0.150	0.150	06/08/2026	ND	6.32	105	6.00	0.793	
Total BTEX	<0.300	0.300	06/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/08/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2026	ND	190	95.1	200	3.48	
DRO >C10-C28*	<10.0	10.0	06/08/2026	ND	191	95.7	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	06/08/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 47.1-117

Surrogate: 1-Chlorooctadecane 78.1 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code	
Project Number:				☒ Routine ☐ Rush			
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Josh James		TAT may vary based on lab start time.			
PO #:		E-26029-GS-21300037		Wet Ice:		Yes ☒ No ☐	
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Thermometer ID:	
Samples Received Intact:		Yes ☒ No ☐		Correction Factor:		1012	
Cooler Custody Seals:		Yes ☒ No ☐		Temperature Reading:		8.8-	
Sample Custody Seals:		Yes ☒ No ☐		Corrected Temperature:		8.9-	
Total Containers:		10					
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont
CS-1			6/5/2026	9:00	Soil	Com	1
CS-2			6/5/2026	9:02	Soil	Com	1
CS-3			6/5/2026	9:04	Soil	Com	1
CS-4			6/5/2026	9:06	Soil	Com	1
CS-5			6/5/2026	9:08	Soil	Com	1
CS-6			6/5/2026	9:10	Soil	Com	1
CS-7			6/5/2026	9:12	Soil	Com	1
CS-8			6/5/2026	9:14	Soil	Com	1
CS-9			6/5/2026	9:16	Soil	Com	1
CS-10			6/5/2026	9:18	Soil	Com	1
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
1 Josh James		[Signature]		6/5/2026 1552		2	
3						4	
5						6	
ANALYSIS REQUEST BTEX 8012B TPH 8015M (GRO-DRO-MRO) Chloride 4500 or EPA 300							
Preservative Codes None: NO DI Water: H₂O Cool: Cool MeOH: Me HCL: HC HNO₃: HN H₂SO₄: H₂ NaOH: Na H₃PO₄: HP NaHSO₄: NABIS Na₂S₂O₃: NaSO₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC							
Sample Comments							
Work Order Comments 418032285-							

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 3



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

42103225

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 2 of 3

Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST				Preservative Codes		
11	CS-11				6/5/2026	10:00	Soil	Com	1	X	X	X	X	X	None: NO	DI Water: H ₂ O
12	CS-12				6/5/2026	10:02	Soil	Com	1	X	X	X	X	X	Cool: Cool	MeOH: Me
13	CS-13				6/5/2026	10:04	Soil	Com	1	X	X	X	X	X	HCL: HC	HNO ₃ : HN
14	CS-14				6/5/2026	10:06	Soil	Com	1	X	X	X	X	X	H ₂ SO ₄ : H ₂	NaOH: Na
15	CS-15				6/5/2026	10:08	Soil	Com	1	X	X	X	X	X	H ₃ PO ₄ : HP	
16	CS-16				6/5/2026	10:10	Soil	Com	1	X	X	X	X	X	NaHSO ₄ : NABIS	
17	CS-17				6/5/2026	10:12	Soil	Com	1	X	X	X	X	X	Na ₂ S ₂ O ₃ : NaSO ₃	
18	CS-18				6/5/2026	10:14	Soil	Com	1	X	X	X	X	X	Zn Acetate+NaOH: Zn	
19	CS-19				6/5/2026	10:16	Soil	Com	1	X	X	X	X	X	NaOH+Ascorbic Acid: SAPC	
Relinquished by: (Signature)										Received by: (Signature)		Date/Time				
1 Josh James										OS-alc		1552				
5										6						

Sample Comments

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code	
Project Number:				☒ Routine ☐ Rush			
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Josh James		TAT may vary based on lab start time.			
PO #:		E-26029-GS-21300037		Temp Blank:		Yes ☒ No ☐	
SAMPLE RECEIPT		Temp Blank:		Wet Ice:		Yes ☒ No ☐	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:		140	
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:		+0.1	
Sample Custody Seals:		Yes ☒ No ☐		Temperature Reading:		8.8	
Total Containers:		7		Corrected Temperature:		2.9	
Sample Identification		Depth		Date Sampled		Time Sampled	
Matrix		Grab Com		# of Cont		Parameters	
BTX 8012B		TPH 8015M (GRO-DRO-MRO)		Chloride 4500 or ERA 300			
ANALYSIS REQUEST		Preservative Codes		Sample Comments			
None: NO		DI Water: H ₂ O					
Cool: Cool		MeOH: Me					
HCL: HC		HNO ₃ : HN					
H ₂ SO ₄ : H ₂		NaOH: Na					
H ₃ PO ₄ : HP							
NaHSO ₄ : NABIS							
Na ₂ S ₂ O ₃ : NaSO ₃							
Zn Acetate+NaOH: Zn							
NaOH+Ascorbic Acid: SAPC							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
Date/Time		Date/Time		Date/Time		Date/Time	
1 Josh James		6/5/2026		1:00		6/5/2026	
2		6/5/2026		1:02		6/5/2026	
3		6/5/2026		1:04		6/5/2026	
4		6/5/2026		1:06		6/5/2026	
5		6/5/2026		1:08		6/5/2026	
6		6/5/2026		1:10		6/5/2026	
7		6/5/2026		1:12		6/5/2026	
8		6/5/2026		1:14		6/5/2026	
9		6/5/2026		1:16		6/5/2026	
10		6/5/2026		1:18		6/5/2026	
11		6/5/2026		1:20		6/5/2026	
12		6/5/2026		1:22		6/5/2026	
13		6/5/2026		1:24		6/5/2026	
14		6/5/2026		1:26		6/5/2026	
15		6/5/2026		1:28		6/5/2026	
16		6/5/2026		1:30		6/5/2026	
17		6/5/2026		1:32		6/5/2026	
18		6/5/2026		1:34		6/5/2026	
19		6/5/2026		1:36		6/5/2026	
20		6/5/2026		1:38		6/5/2026	
21		6/5/2026		1:40		6/5/2026	
22		6/5/2026		1:42		6/5/2026	
23		6/5/2026		1:44		6/5/2026	
24		6/5/2026		1:46		6/5/2026	
25		6/5/2026		1:48		6/5/2026	
26		6/5/2026		1:50		6/5/2026	
27		6/5/2026		1:52		6/5/2026	
28		6/5/2026		1:54		6/5/2026	
29		6/5/2026		1:56		6/5/2026	
30		6/5/2026		1:58		6/5/2026	
31		6/5/2026		2:00		6/5/2026	
32		6/5/2026		2:02		6/5/2026	
33		6/5/2026		2:04		6/5/2026	
34		6/5/2026		2:06		6/5/2026	
35		6/5/2026		2:08		6/5/2026	
36		6/5/2026		2:10		6/5/2026	
37		6/5/2026		2:12		6/5/2026	
38		6/5/2026		2:14		6/5/2026	
39		6/5/2026		2:16		6/5/2026	
40		6/5/2026		2:18		6/5/2026	
41		6/5/2026		2:20		6/5/2026	
42		6/5/2026		2:22		6/5/2026	
43		6/5/2026		2:24		6/5/2026	
44		6/5/2026		2:26		6/5/2026	
45		6/5/2026		2:28		6/5/2026	
46		6/5/2026		2:30		6/5/2026	
47		6/5/2026		2:32		6/5/2026	
48		6/5/2026		2:34		6/5/2026	
49		6/5/2026		2:36		6/5/2026	
50		6/5/2026		2:38		6/5/2026	
51		6/5/2026		2:40		6/5/2026	
52		6/5/2026		2:42		6/5/2026	
53		6/5/2026		2:44		6/5/2026	
54		6/5/2026		2:46		6/5/2026	
55		6/5/2026		2:48		6/5/2026	
56		6/5/2026		2:50		6/5/2026	
57		6/5/2026		2:52		6/5/2026	
58		6/5/2026		2:54		6/5/2026	
59		6/5/2026		2:56		6/5/2026	
60		6/5/2026		2:58		6/5/2026	
61		6/5/2026		3:00		6/5/2026	
62		6/5/2026		3:02		6/5/2026	
63		6/5/2026		3:04		6/5/2026	
64		6/5/2026		3:06		6/5/2026	
65		6/5/2026		3:08		6/5/2026	
66		6/5/2026		3:10		6/5/2026	
67		6/5/2026		3:12		6/5/2026	
68		6/5/2026		3:14		6/5/2026	
69		6/5/2026		3:16		6/5/2026	
70		6/5/2026		3:18		6/5/2026	
71		6/5/2026		3:20		6/5/2026	
72		6/5/2026		3:22		6/5/2026	
73		6/5/2026		3:24		6/5/2026	
74		6/5/2026		3:26		6/5/2026	
75		6/5/2026		3:28		6/5/2026	
76		6/5/2026		3:30		6/5/2026	
77		6/5/2026		3:32		6/5/2026	
78		6/5/2026		3:34		6/5/2026	
79		6/5/2026		3:36		6/5/2026	
80		6/5/2026		3:38		6/5/2026	
81		6/5/2026		3:40		6/5/2026	
82		6/5/2026		3:42		6/5/2026	
83		6/5/2026		3:44		6/5/2026	
84		6/5/2026		3:46		6/5/2026	
85		6/5/2026		3:48		6/5/2026	
86		6/5/2026		3:50		6/5/2026	
87		6/5/2026		3:52		6/5/2026	
88		6/5/2026		3:54		6/5/2026	
89		6/5/2026		3:56		6/5/2026	
90		6/5/2026		3:58		6/5/2026	
91		6/5/2026		4:00		6/5/2026	
92		6/5/2026		4:02		6/5/2026	
93		6/5/2026		4:04		6/5/2026	
94		6/5/2026		4:06		6/5/2026	
95		6/5/2026		4:08		6/5/2026	
96		6/5/2026		4:10		6/5/2026	
97		6/5/2026		4:12		6/5/2026	
98		6/5/2026		4:14		6/5/2026	
99		6/5/2026		4:16		6/5/2026	
100		6/5/2026		4:18		6/5/2026	

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 3 of 3

Work Order Comments

Page 31 of 31



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 18, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 06/17/26 14:06.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/17/2026
 Reported: 06/18/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 8 (H263464-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55	
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52	
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92	
Total BTX	<0.300	0.300	06/18/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 65.3 % 47.1-117

Surrogate: 1-Chlorooctadecane 59.2 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/17/2026
 Reported: 06/18/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 10 (H263464-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55	
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52	
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92	
Total BTEX	<0.300	0.300	06/18/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 62.0 % 47.1-117

Surrogate: 1-Chlorooctadecane 55.9 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/17/2026
 Reported: 06/18/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 14 (H263464-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55	
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52	
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92	
Total BTEX	<0.300	0.300	06/18/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 69.0 % 47.1-117

Surrogate: 1-Chlorooctadecane 62.6 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/17/2026
 Reported: 06/18/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: SW - 1 (H263464-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55		
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10		
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52		
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92		
Total BTEX	<0.300	0.300	06/18/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 61.5-142

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 47.1-117

Surrogate: 1-Chlorooctadecane 69.8 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	06/17/2026	Sampling Date:	06/17/2026
Reported:	06/18/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: SW - 2 (H263464-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55		
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10		
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52		
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92		
Total BTEX	<0.300	0.300	06/18/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: SA						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 47.1-117

Surrogate: 1-Chlorooctadecane 73.7 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/17/2026
 Reported: 06/18/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BF - 1 (H263464-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55		
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10		
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52		
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92		
Total BTEX	<0.300	0.300	06/18/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: SA						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 47.1-117

Surrogate: 1-Chlorooctadecane 73.3 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 06/17/2026
 Reported: 06/18/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 06/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BF - 2 (H263464-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2026	ND	2.12	106	2.00	3.55	
Toluene*	<0.050	0.050	06/18/2026	ND	2.08	104	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/18/2026	ND	1.97	98.5	2.00	2.52	
Total Xylenes*	<0.150	0.150	06/18/2026	ND	5.75	95.8	6.00	1.92	
Total BTEX	<0.300	0.300	06/18/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 61.5-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: SA						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	06/18/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/17/2026	ND	208	104	200	6.72	
DRO >C10-C28*	<10.0	10.0	06/17/2026	ND	225	113	200	7.31	
EXT DRO >C28-C36	<10.0	10.0	06/17/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 47.1-117

Surrogate: 1-Chlorooctadecane 64.3 % 37.2-119

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

1463464

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 1 of 2	
Work Order Comments	
04024011	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST			Preservative Codes
							Pres. Code			
1 CS-8		6/17/2026	10:00	Soil	Com	1	X	X	X	None: NO DI Water: H ₂ O
2 CS-10		6/17/2026	10:02	Soil	Com	1	X	X	X	Cool: Cool MeOH: Me
3 CS-14		6/17/2026	10:04	Soil	Com	1	X	X	X	HCL: HC HNO ₃ : HN
4 SW-1		6/17/2026	10:06	Soil	Com	1	X	X	X	H ₂ SO ₄ : H ₂
5 SW-2		6/17/2026	10:08	Soil	Com	1	X	X	X	H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature) Received by: (Signature) Date/Time Relinquished by: (Signature) Received by: (Signature) Date/Time



Chain of Custody

H263464

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79/61

Contact: (432) 653-0393

<https://standardtx.com/>

Page 2 of 2

Page 11 of 11

Work Order Comments	P.
0402401K	

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 27, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/21/26 15:06.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' at the beginning.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 01 (H264084-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816	
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 02 (H264084-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816		
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 03 (H264084-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816		
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 86.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 04 (H264084-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816		
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 76.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 05 (H264084-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816		
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 64.6 % 48-117

Surrogate: 1-Chlorooctadecane 60.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 06 (H264084-06)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816		
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653		
Total BTX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 07 (H264084-07)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.05	103	2.00	0.816	
Toluene*	<0.050	0.050	07/23/2026	ND	1.94	96.9	2.00	1.39	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	1.96	98.0	2.00	0.804	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.70	95.1	6.00	0.653	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 08 (H264084-08)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 09 (H264084-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTEX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 51.9 % 48-117

Surrogate: 1-Chlorooctadecane 47.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 10 (H264084-10)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTX	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 63.0 % 48-117

Surrogate: 1-Chlorooctadecane 56.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 11 (H264084-11)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	189	94.6	200	2.98	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	192	95.8	200	0.329	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 12 (H264084-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 13 (H264084-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 56.7 % 48-117

Surrogate: 1-Chlorooctadecane 53.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 14 (H264084-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 15 (H264084-15)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTX	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 69.4 % 48-117

Surrogate: 1-Chlorooctadecane 64.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 16 (H264084-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 62.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 17 (H264084-17)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 72.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 18 (H264084-18)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 19 (H264084-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 62.6 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 20 (H264084-20)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 21 (H264084-21)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 64.9 % 48-117

Surrogate: 1-Chlorooctadecane 60.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 22 (H264084-22)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 23 (H264084-23)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 24 (H264084-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEX	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 61.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 97 (H264084-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61		
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 98 (H264084-26)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 99 (H264084-27)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.91	95.6	2.00	6.61	
Toluene*	<0.050	0.050	07/22/2026	ND	1.92	96.0	2.00	6.09	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.15	108	2.00	4.25	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.45	107	6.00	4.45	
Total BTX	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 100 (H264084-28)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/22/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/22/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.55	109	6.00	1.71	
Total BTEx	<0.300	0.300	07/22/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 101 (H264084-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/22/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.55	109	6.00	1.71		
Total BTEX	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 102 (H264084-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/22/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/22/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/22/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/22/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/22/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 84.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 103 (H264084-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTEx	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	191	95.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	195	97.4	200	1.60	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 104 (H264084-32)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 105 (H264084-33)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 106 (H264084-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 107 (H264084-35)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 108 (H264084-36)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 109 (H264084-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 110 (H264084-38)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 111 (H264084-39)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 95.1 % 48-117

Surrogate: 1-Chlorooctadecane 95.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 112 (H264084-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 86.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 113 (H264084-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 114 (H264084-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTEx	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 115 (H264084-43)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 116 (H264084-44)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 117 (H264084-45)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 118 (H264084-46)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66	
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 119 (H264084-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.3	2.00	2.66		
Toluene*	<0.050	0.050	07/23/2026	ND	1.97	98.6	2.00	2.26		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.19	110	2.00	1.94		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.55	109	6.00	1.71		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 92.3 % 48-117

Surrogate: 1-Chlorooctadecane 91.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 120 (H264084-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 48-117

Surrogate: 1-Chlorooctadecane 84.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 121 (H264084-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 122 (H264084-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 93.2 % 48-117

Surrogate: 1-Chlorooctadecane 90.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 123 (H264084-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	0.183	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	193	96.7	200	0.821	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 124 (H264084-52)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 55.8 % 48-117

Surrogate: 1-Chlorooctadecane 53.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 125 (H264084-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 126 (H264084-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 127 (H264084-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 128 (H264084-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89		
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07		
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND						

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 129 (H264084-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 65.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 130 (H264084-58)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 131 (H264084-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 132 (H264084-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 133 (H264084-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 72.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 134 (H264084-62)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.2 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 135 (H264084-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 136 (H264084-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 61.4 % 48-117

Surrogate: 1-Chlorooctadecane 59.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 137 (H264084-65)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19	
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 138 (H264084-66)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 139 (H264084-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.19	109	2.00	1.19		
Toluene*	<0.050	0.050	07/23/2026	ND	2.10	105	2.00	0.912		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.667		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.85	97.5	6.00	0.562		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 140 (H264084-68)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 141 (H264084-69)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 142 (H264084-70)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 143 (H264084-71)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	206	103	200	5.89	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	197	98.7	200	4.07	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 73.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 144 (H264084-72)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 59.2 % 48-117

Surrogate: 1-Chlorooctadecane 54.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 145 (H264084-73)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 60.0 % 48-117

Surrogate: 1-Chlorooctadecane 55.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 146 (H264084-74)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 147 (H264084-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 148 (H264084-76)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 66.0 % 48-117

Surrogate: 1-Chlorooctadecane 60.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 149 (H264084-77)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 150 (H264084-78)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 73.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 151 (H264084-79)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 152 (H264084-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 70.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 153 (H264084-81)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 60.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 154 (H264084-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 155 (H264084-83)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26		
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 58.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 156 (H264084-84)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 60.5 % 48-117

Surrogate: 1-Chlorooctadecane 55.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 157 (H264084-85)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 158 (H264084-86)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 159 (H264084-87)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	3.26	
Toluene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.04	102	2.00	4.81	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.02	100	6.00	6.13	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 160 (H264084-88)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 70.1 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 161 (H264084-89)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: NONE GIVEN
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 162 (H264084-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 61.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Handwritten signature

Project Name:		Turn Around		Pres. Code	ANALYSIS REQUEST										Preservative Codes			
Project Location:		Due Date:																
Sample's Name:		TAT may vary based on lab start time.																
PO #:		E-26029-GS-21300037																
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:														
Samples Received In/Intact:		Yes ☒ No ☐	Thermometer ID:															
Cooler Custody Seals:		Yes ☒ No ☐ N/A	Correction Factor:															
Sample Custody Seals:		Yes ☒ No ☐ N/A	Temperature Reading:															
Total Containers:		268																
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-01			7/16/2026	9:30	S	Com	1	X	X	X	X	X	X	X	X			
CS-02			7/16/2026	9:31	S	Com	1	X	X	X	X	X	X	X	X			
CS-03			7/16/2026	9:32	S	Com	1	X	X	X	X	X	X	X	X			
CS-04			7/16/2026	9:33	S	Com	1	X	X	X	X	X	X	X	X			
CS-05			7/16/2026	9:34	S	Com	1	X	X	X	X	X	X	X	X			
CS-06			7/16/2026	9:35	S	Com	1	X	X	X	X	X	X	X	X			
CS-07			7/16/2026	9:36	S	Com	1	X	X	X	X	X	X	X	X			
CS-08			7/16/2026	9:37	S	Com	1	X	X	X	X	X	X	X	X			
CS-09			7/16/2026	9:38	S	Com	1	X	X	X	X	X	X	X	X			
CS-10			7/16/2026	9:39	S	Com	1	X	X	X	X	X	X	X	X			
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov		<i>Handwritten signature</i>		7.8.19.10		15010						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Name:		Turn Around		Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:	Project Location:	☒ Routine	☐ Rush		Due Date:											None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico				TAT may vary based on lab start time.											Cool: Cool	MeOH: Me
Sampler's Name:	Edward Bartlett, Douglas Crossgrove															HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP	
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:														NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Zn Acetate+NaOH: Zn	
Total Containers:	268	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-11		7/16/2026	9:40	S	Com	1	X	X	X	X							
CS-12		7/16/2026	9:41	S	Com	1	X	X	X	X							
CS-13		7/16/2026	9:42	S	Com	1	X	X	X	X							
CS-14		7/16/2026	9:43	S	Com	1	X	X	X	X							
CS-15		7/16/2026	9:44	S	Com	1	X	X	X	X							
CS-16		7/16/2026	9:45	S	Com	1	X	X	X	X							
CS-17		7/16/2026	9:46	S	Com	1	X	X	X	X							
CS-18		7/16/2026	9:47	S	Com	1	X	X	X	X							
CS-19		7/16/2026	9:48	S	Com	1	X	X	X	X							
CS-20		7/16/2026	9:49	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov		[Signature]		7:21:20		1500					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Page 3 of 27
 Work Order Comments

Project Name: A-14 Surface Pad Reclaim				Turn Around		Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:	Project Location:	Sample Name:	PO #:	Temp Blank:	Wet Ice:		Due Date:	Parameters	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300								
Lea County, New Mexico				Yes		TAT may vary based on lab start time.												None: NO	
Edward Bartlett, Douglas Crossgrove				Yes														Cool: Cool	
E-26029-GS-21300037				No														HCL: HC	
				Yes														H ₂ SO ₄ : H ₂	
				No														H ₃ PO ₄ : HP	
				Yes														NaHSO ₄ : NABIS	
				No														Na ₂ S ₂ O ₃ : NaSO ₃	
				Yes														Zn Acetate+NaOH: Zn	
				No														NaOH+Ascorbic Acid: SAPC	
Total Containers: 268				Corrected Temperature:															
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
CS-21			7/16/2026	9:50	S	Com	1	X	X	X	X								
CS-22			7/16/2026	9:51	S	Com	1	X	X	X	X								
CS-23			7/16/2026	9:52	S	Com	1	X	X	X	X								
CS-24			7/16/2026	9:53	S	Com	1	X	X	X	X								
CS-97			7/16/2026	9:54	S	Com	1	X	X	X	X								
CS-98			7/16/2026	9:55	S	Com	1	X	X	X	X								
CS-99			7/16/2026	9:56	S	Com	1	X	X	X	X								
CS-100			7/16/2026	9:57	S	Com	1	X	X	X	X								
CS-101			7/16/2026	9:58	S	Com	1	X	X	X	X								
CS-102			7/16/2026	9:59	S	Com	1	X	X	X	X								
Relinquished by: (Signature)			Received by: (Signature)			Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time				
Edward Bartlett			Dmitri Nikanorov			7/17/26 08:30am			2 Dmitri Nikanorov			Ethan Sessums			7-21-26				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 4 of 27

Work Order Comments

Turn Around				ANALYSIS REQUEST												Preservative Codes	
Project Name:	A-14 Surface Pad Reclaim	☒ Routine ☐ Rush	Due Date:	Pres. Code												None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico															Cool: Cool	MeOH: Me
Sampler's Name:	Edward Bartlett, Douglas Crossgrove		TAT may vary based on lab start time.													HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT				Parameters												H ₃ PO ₄ : HP	
Samples Received Intact:	Yes	No	Thermometer ID:													NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes	No	Correction Factor:													Na ₂ S ₂ O ₃ : NASO ₃	
Sample Custody Seals:	Yes	No	Temperature Reading:													Zn Acetate+NaOH: Zn	
Total Containers:	268		Corrected Temperature:													NaOH+Ascorbic Acid: SAPC	
Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont								Sample Comments
31	CS-103				7/16/2026	10:00	S	Com	1	X	X	X	X				
32	CS-104				7/16/2026	10:01	S	Com	1	X	X	X	X				
33	CS-105				7/16/2026	10:02	S	Com	1	X	X	X	X				
34	CS-106				7/16/2026	10:03	S	Com	1	X	X	X	X				
35	CS-107				7/16/2026	10:04	S	Com	1	X	X	X	X				
36	CS-108				7/16/2026	10:05	S	Com	1	X	X	X	X				
37	CS-109				7/16/2026	10:06	S	Com	1	X	X	X	X				
38	CS-110				7/16/2026	10:07	S	Com	1	X	X	X	X				
39	CS-111				7/16/2026	10:08	S	Com	1	X	X	X	X				
40	CS-112				7/16/2026	10:09	S	Com	1	X	X	X	X				
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)	
Edward Bartlett				Dmitri Nikanorov				7/17/26 08:30am				2 Dmitri Nikanorov				A. B. B. B. B.	
																7.21.2010	
																1550	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 5 of 27

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 5 of 27
Work Order Comments

Project Name:		A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine	☐ Rush											None: NO	DI Water: H ₂ O		
Project Location:	Lea County, New Mexico	Due Date:		TAT may vary based on lab start time.										Cool: Cool	MeOH: Me		
Sample's Name:	Edward Bartlett, Douglas Crossgrove													HCl: HC	HNO ₃ : HN		
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT				Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐							H ₃ PO ₄ : HP			
Samples Received Intact:		Yes ☒ No ☐	Thermometer ID:							NaHSO ₄ : NABIS							
Cooler Custody Seals:		Yes ☒ No ☐ N/A	Correction Factor:							Na ₂ S ₂ O ₃ : NaSO ₃							
Sample Custody Seals:		Yes ☒ No ☐ N/A	Temperature Reading:							Zn Acetate+NaOH: Zn							
Total Containers:		268	Corrected Temperature:							NaOH+Ascorbic Acid: SAPC							
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters						Sample Comments			
41	CS-113		7/16/2026	10:10	S	Com	1	BTX 8012B									
42	CS-114		7/16/2026	10:11	S	Com	1	TPH 8015M (GRO-DRO-MRO)									
43	CS-115		7/16/2026	10:12	S	Com	1	Chloride 4500 or EPA 300									
44	CS-116		7/16/2026	10:13	S	Com	1										
45	CS-117		7/16/2026	10:14	S	Com	1										
46	CS-118		7/16/2026	10:15	S	Com	1										
47	CS-119		7/16/2026	10:16	S	Com	1										
48	CS-120		7/16/2026	10:17	S	Com	1										
49	CS-121		7/16/2026	10:18	S	Com	1										
50	CS-122		7/16/2026	10:19	S	Com	1										
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov		Captains		7:21 a/c							
						4						15:00					
						6											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 6 of 27

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 6 of 27
Work Order Comments

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

18244084

Work Order Comments

Page 7 of 27

Project Name: A-14 Surface Pad Reclaim				Turn Around		ANALYSIS REQUEST										Preservative Codes					
Project Location: Lea County, New Mexico				Due Date:																	
Sampler's Name: Edward Bartlett, Douglas Crossgrove				TAT may vary based on lab start time.																	
PO #: E-26029-GS-21300037																					
SAMPLE RECEIPT				Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐														
Samples Received Intact:				Yes ☒ No ☐	Thermometer ID:																
Cooler Custody Seals:				Yes ☒ No ☐ N/A	Correction Factor:																
Sample Custody Seals:				Yes ☒ No ☐ N/A	Temperature Reading:																
Total Containers:				268	Corrected Temperature:																
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments			
101	CS-133		7/16/2026	10:30	S	Com	1	X	X	X	X	X	X	X	X						
102	CS-134		7/16/2026	10:31	S	Com	1	X	X	X	X	X	X	X	X						
103	CS-135		7/16/2026	10:32	S	Com	1	X	X	X	X	X	X	X	X						
104	CS-136		7/16/2026	10:33	S	Com	1	X	X	X	X	X	X	X	X						
105	CS-137		7/16/2026	10:34	S	Com	1	X	X	X	X	X	X	X	X						
106	CS-138		7/16/2026	10:35	S	Com	1	X	X	X	X	X	X	X	X						
107	CS-139		7/16/2026	10:36	S	Com	1	X	X	X	X	X	X	X	X						
108	CS-140		7/16/2026	10:37	S	Com	1	X	X	X	X	X	X	X	X						
109	CS-141		7/16/2026	10:38	S	Com	1	X	X	X	X	X	X	X	X						
110	CS-142		7/16/2026	10:39	S	Com	1	X	X	X	X	X	X	X	X						
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time	
Edward Bartlett				Dmitri Nikanorov				7/17/26 08:30am				2 Dmitri Nikanorov				7-21-26				1500	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT				Parameters				ANALYSIS REQUEST												Preservative Codes			
Samples Received Intact:	Yes	No	Thermometer ID:	Wet Ice:	Yes	No														None: NO	DI Water: H ₂ O		
Cooler Custody Seals:	Yes	No	N/A	Correction Factor:																Cool: Cool	MeOH: Me		
Sample Custody Seals:	Yes	No	N/A	Temperature Reading:																HCL: HC	HNO ₃ : HN		
Total Containers:	268		Corrected Temperature:																	H ₂ SO ₄ : H ₂	NaOH: Na		
																				H ₃ PO ₄ : HP			
																				NaHSO ₄ : NABIS			
																				Na ₂ S ₂ O ₃ : NaSO ₃			
																				Zn Acetate+NaOH: Zn			
																				NaOH+Ascorbic Acid: SAPC			
Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont													Sample Comments	
71	CS-143				7/16/2026	10:40	S	Com	1	X	X	X	X										
72	CS-144				7/16/2026	10:41	S	Com	1	X	X	X	X										
73	CS-145				7/16/2026	10:42	S	Com	1	X	X	X	X										
74	CS-146				7/16/2026	10:43	S	Com	1	X	X	X	X										
75	CS-147				7/16/2026	10:44	S	Com	1	X	X	X	X										
76	CS-148				7/16/2026	10:45	S	Com	1	X	X	X	X										
77	CS-149				7/16/2026	10:46	S	Com	1	X	X	X	X										
78	CS-150				7/16/2026	10:47	S	Com	1	X	X	X	X										
79	CS-151				7/16/2026	10:48	S	Com	1	X	X	X	X										
80	CS-152				7/16/2026	10:49	S	Com	1	X	X	X	X										

Relinquished by: (Signature) Received by: (Signature) Date/Time

Edward Bartlett Dmitri Nikanorov 7/17/26 08:30am 2 Dmitri Nikanorov



Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393
<https://standardtx.com/>

Page 9 of 27

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 9 of 27
Work Order Comments

Preservative Codes	
None: NO	DI Water: 1
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Comments

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 27, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/21/26 15:06.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 163 (H264085-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	207	103	200	3.84	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	201	101	200	5.25	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 164 (H264085-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 64.4 % 48-117

Surrogate: 1-Chlorooctadecane 57.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 165 (H264085-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 66.7 % 48-117

Surrogate: 1-Chlorooctadecane 59.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 166 (H264085-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 167 (H264085-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 168 (H264085-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 63.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 241 (H264085-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 242 (H264085-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 243 (H264085-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 66.3 % 48-117

Surrogate: 1-Chlorooctadecane 57.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 244 (H264085-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 245 (H264085-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 246 (H264085-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 247 (H264085-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97		
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND						

Surrogate: 1-Chlorooctane 62.6 % 48-117

Surrogate: 1-Chlorooctadecane 54.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 248 (H264085-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 249 (H264085-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 72.1 % 48-117

Surrogate: 1-Chlorooctadecane 64.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 250 (H264085-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24	
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 251 (H264085-17)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	1.24		
Toluene*	<0.050	0.050	07/23/2026	ND	2.02	101	2.00	1.63		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	102	2.00	1.78		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.10	102	6.00	1.75		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 70.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 252 (H264085-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 253 (H264085-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 254 (H264085-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 255 (H264085-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	202	101	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.0	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 256 (H264085-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 62.1 % 48-117

Surrogate: 1-Chlorooctadecane 59.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 257 (H264085-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 258 (H264085-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 259 (H264085-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 260 (H264085-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 261 (H264085-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 262 (H264085-28)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 263 (H264085-29)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 67.7 % 48-117

Surrogate: 1-Chlorooctadecane 65.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 264 (H264085-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 265 (H264085-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 62.3 % 48-117

Surrogate: 1-Chlorooctadecane 59.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 266 (H264085-32)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 267 (H264085-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 268 (H264085-34)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 269 (H264085-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 270 (H264085-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 271 (H264085-37)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.24	112	2.00	0.978	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.418	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.03	101	2.00	0.526	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.11	102	6.00	0.0992	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 272 (H264085-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 82.3 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 273 (H264085-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 274 (H264085-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 275 (H264085-41)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	192	96.1	200	3.26	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	4.65	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 73.5 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 276 (H264085-42)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 277 (H264085-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 94.2 % 48-117

Surrogate: 1-Chlorooctadecane 97.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 278 (H264085-44)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 98.5 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 279 (H264085-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 92.0 % 48-117

Surrogate: 1-Chlorooctadecane 94.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 280 (H264085-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/22/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/22/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/22/2026	ND					

Surrogate: 1-Chlorooctane 94.4 % 48-117

Surrogate: 1-Chlorooctadecane 98.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 281 (H264085-47)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 282 (H264085-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 93.7 % 48-117

Surrogate: 1-Chlorooctadecane 96.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 283 (H264085-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18		
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875		
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND						

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 284 (H264085-50)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 285 (H264085-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 286 (H264085-52)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 90.7 % 48-117

Surrogate: 1-Chlorooctadecane 92.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 287 (H264085-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 288 (H264085-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 48-117

Surrogate: 1-Chlorooctadecane 88.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 409 (H264085-55)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 91.9 % 48-117

Surrogate: 1-Chlorooctadecane 95.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 410 (H264085-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15		
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 48-117

Surrogate: 1-Chlorooctadecane 89.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 411 (H264085-57)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	1.15	
Toluene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.649	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.12	106	2.00	0.427	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.40	107	6.00	0.358	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 412 (H264085-58)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 413 (H264085-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 91.4 % 48-117

Surrogate: 1-Chlorooctadecane 93.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 414 (H264085-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 95.1 % 48-117

Surrogate: 1-Chlorooctadecane 97.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 415 (H264085-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	203	101	200	0.875	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 87.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 416 (H264085-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 417 (H264085-63)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 56.9 % 48-117

Surrogate: 1-Chlorooctadecane 52.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 418 (H264085-64)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 419 (H264085-65)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 68.3 % 48-117

Surrogate: 1-Chlorooctadecane 63.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 420 (H264085-66)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 421 (H264085-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 65.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 422 (H264085-68)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 48-117

Surrogate: 1-Chlorooctadecane 64.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 423 (H264085-69)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 424 (H264085-70)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 425 (H264085-71)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 65.5 % 48-117

Surrogate: 1-Chlorooctadecane 61.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 426 (H264085-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 68.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 427 (H264085-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 65.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 428 (H264085-74)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 64.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 429 (H264085-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 430 (H264085-76)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02	
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 431 (H264085-77)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	1.02		
Toluene*	<0.050	0.050	07/23/2026	ND	2.14	107	2.00	0.404		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.06	103	2.00	1.45		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.01	100	6.00	1.60		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 432 (H264085-78)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 433 (H264085-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 434 (H264085-80)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 435 (H264085-81)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279		
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	196	98.2	200	2.07	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	210	105	200	2.41	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 436 (H264085-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/22/2026	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 437 (H264085-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279		
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 79.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 438 (H264085-84)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 439 (H264085-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279		
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 440 (H264085-86)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 68.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 441 (H264085-87)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 442 (H264085-88)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279		
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 443 (H264085-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 444 (H264085-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 10 of 2

Work Order Comments

0403401K

Turn Around				ANALYSIS REQUEST												Preservative Codes					
Project Name:	A-14 Surface Pad Reclaim	☒ Routine ☐ Rush	Pres. Code													None: NO	DI Water: H ₂ O				
Project Location:	Lea County, New Mexico	Due Date:	TAT may vary based on lab start time.													Cool: Cool	MeOH: Me				
Sampler's Name:	Edward Bartlett, Douglas Crossgrove															HCL: HC	HNO ₃ : HN				
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na				
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐													H ₃ PO ₄ : HP			
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	100													NaHSO ₄ : NABIS					
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	101													Na ₂ S ₂ O ₃ : NaSO ₃					
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	145													Zn Acetate+NaOH: Zn					
Total Containers:	268	Corrected Temperature:	5.0													NaOH+Ascorbic Acid: SAPC					
Parameters																Sample Comments					
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont															
CS-163		7/16/2026	11:00	S	Com	1	X	X	X	X											
CS-164		7/16/2026	11:01	S	Com	1	X	X	X	X											
CS-165		7/16/2026	11:02	S	Com	1	X	X	X	X											
CS-166		7/16/2026	11:03	S	Com	1	X	X	X	X											
CS-167		7/16/2026	11:04	S	Com	1	X	X	X	X											
CS-168		7/16/2026	11:05	S	Com	1	X	X	X	X											
CS-241		7/16/2026	11:06	S	Com	1	X	X	X	X											
CS-242		7/16/2026	11:07	S	Com	1	X	X	X	X											
CS-243		7/16/2026	11:08	S	Com	1	X	X	X	X											
CS-244		7/16/2026	11:09	S	Com	1	X	X	X	X											
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time	
1 Edward Bartlett				Dmitri Nikanorov				7/17/26 08:30am				2 Dmitri Nikanorov				0403401K				7-21-26	
3																				1504	
5																					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 11 of 27

Work Order Comments

Turn Around				ANALYSIS REQUEST												Preservative Codes					
Project Name:	A-14 Surface Pad Reclaim	☒ Routine ☐ Rush	Pres. Code													None: NO	DI Water: H ₂ O				
Project Location:	Lea County, New Mexico	Due Date:	TAT may vary based on lab start time.													Cool: Cool	MeOH: Me				
Sampler's Name:	Edward Bartlett, Douglas Crossgrove															HCL: HC	HNO ₃ : HN				
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na				
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐													H ₃ PO ₄ : HP			
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														NaHSO ₄ : NABIS					
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃					
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Zn Acetate+NaOH: Zn					
Total Containers:	268	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC					
Parameters																Sample Comments					
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont															
11 CS-245		7/16/2026	11:10	S	Com	1	X	X	X	X											
12 CS-246		7/16/2026	11:11	S	Com	1	X	X	X	X											
13 CS-247		7/16/2026	11:12	S	Com	1	X	X	X	X											
14 CS-248		7/16/2026	11:13	S	Com	1	X	X	X	X											
15 CS-249		7/16/2026	11:14	S	Com	1	X	X	X	X											
16 CS-250		7/16/2026	11:15	S	Com	1	X	X	X	X											
17 CS-251		7/16/2026	11:16	S	Com	1	X	X	X	X											
18 CS-252		7/16/2026	11:17	S	Com	1	X	X	X	X											
19 CS-253		7/16/2026	11:18	S	Com	1	X	X	X	X											
20 CS-254		7/16/2026	11:19	S	Com	1	X	X	X	X											
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time	
1 Edward Bartlett				Dmitri Nikanorov				7/17/26 08:30am				2 Dmitri Nikanorov				O.P. 11:00				7:21:00	
3												4								1:50	
5												6									

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 12 of 21

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes			
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O		
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me		
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN		
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:												NaHSO ₄ : NABIS			
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:												Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:												Zn Acetate+NaOH: Zn			
Total Containers:	268	Corrected Temperature:												NaOH+Ascorbic Acid: SAPC			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Sample Comments
CS-255		7/16/2026	11:20	S	Com	1	X	X	X	X							
CS-256		7/16/2026	11:21	S	Com	1	X	X	X	X							
CS-257		7/16/2026	11:22	S	Com	1	X	X	X	X							
CS-258		7/16/2026	11:23	S	Com	1	X	X	X	X							
CS-259		7/16/2026	11:24	S	Com	1	X	X	X	X							
CS-260		7/16/2026	11:25	S	Com	1	X	X	X	X							
CS-261		7/16/2026	11:26	S	Com	1	X	X	X	X							
CS-262		7/16/2026	11:27	S	Com	1	X	X	X	X							
CS-263		7/16/2026	11:28	S	Com	1	X	X	X	X							
CS-264		7/16/2026	11:29	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
1 Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov		Opanov		7/21/26		1500					
3						4											
5						6											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 13 of 27

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes							
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O						
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me						
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN						
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na						
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP						
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:													NaHSO ₄ : NABIS						
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:													Na ₂ S ₂ O ₅ : NaSO ₃						
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:													Zn Acetate+NaOH: Zn						
Total Containers:	268	Corrected Temperature:													NaOH+Ascorbic Acid: SAPC						
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments				
CS-265		7/16/2026	11:30	S	Com	1	X	X	X	X											
CS-266		7/16/2026	11:31	S	Com	1	X	X	X	X											
CS-267		7/16/2026	11:32	S	Com	1	X	X	X	X											
CS-268		7/16/2026	11:33	S	Com	1	X	X	X	X											
CS-269		7/16/2026	11:34	S	Com	1	X	X	X	X											
CS-270		7/16/2026	11:35	S	Com	1	X	X	X	X											
CS-271		7/16/2026	11:36	S	Com	1	X	X	X	X											
CS-272		7/16/2026	11:37	S	Com	1	X	X	X	X											
CS-273		7/16/2026	11:38	S	Com	1	X	X	X	X											
CS-274		7/16/2026	11:39	S	Com	1	X	X	X	X											
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time	
1 Edward Bartlett				Dmitrii Nikanorov				7/17/26 08:30am				2 Dmitrii Nikanorov				Opanko				7-31-30	
3												4								1530	
5												6									

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 14 of 21

Work Order Comments

Turn Around				ANALYSIS REQUEST				Preservative Codes				
Project Name:	A-14 Surface Pad Reclaim	☒ Routine ☐ Rush	Pres. Code									
Project Number:		Due Date:										
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.										
Sampler's Name:	Edward Bartlett, Douglas Crossgrove											
PO #:	E-26029-GS-21300037											
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters						
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140									
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.1									
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.9									
Total Containers:	268	Corrected Temperature:	5.0									
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont						Sample Comments
41 CS-275		7/16/2026	11:40	S	Com	1	X	X	X	X		
42 CS-276		7/16/2026	11:41	S	Com	1	X	X	X	X		
43 CS-277		7/16/2026	11:42	S	Com	1	X	X	X	X		
44 CS-278		7/16/2026	11:43	S	Com	1	X	X	X	X		
45 CS-279		7/16/2026	11:44	S	Com	1	X	X	X	X		
46 CS-280		7/16/2026	11:45	S	Com	1	X	X	X	X		
47 CS-281		7/16/2026	11:46	S	Com	1	X	X	X	X		
48 CS-282		7/16/2026	11:47	S	Com	1	X	X	X	X		
49 CS-283		7/16/2026	11:48	S	Com	1	X	X	X	X		
50 CS-284		7/16/2026	11:49	S	Com	1	X	X	X	X		
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time		
1 Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov		Dmitri Nikanorov		7/18/26 1:30pm		
3						4				6		
5						6						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page	15 of 2

Turn Around				ANALYSIS REQUEST												Preservative Codes		
Project Name:	A-14 Surface Pad Reclaim	Due Date:	Project Number:	Project Location:	Lea County, New Mexico	Due Date:	Project Number:	Project Location:	Lea County, New Mexico	Due Date:	Project Number:	Project Location:	Lea County, New Mexico	Due Date:	Project Number:	Project Location:	Lea County, New Mexico	
Project Location:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	Project Location:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	Project Location:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	Project Location:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	Project Location:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	Project Location:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	PO #:	E-26029-GS-21300037	
Temp Blank:	Yes	No	Wet Ice:	Yes	No	Thermometer ID:	Yes	No	Correction Factor:	Yes	No	Temperature Reading:	Yes	No	Corrected Temperature:	Yes	No	
Samples Received Intact:	Yes	No	Thermometer ID:	Yes	No	Correction Factor:	Yes	No	Temperature Reading:	Yes	No	Corrected Temperature:	Yes	No	Corrected Temperature:	Yes	No	
Cooler Custody Seals:	Yes	No	Thermometer ID:	Yes	No	Correction Factor:	Yes	No	Temperature Reading:	Yes	No	Corrected Temperature:	Yes	No	Corrected Temperature:	Yes	No	
Sample Custody Seals:	Yes	No	Thermometer ID:	Yes	No	Correction Factor:	Yes	No	Temperature Reading:	Yes	No	Corrected Temperature:	Yes	No	Corrected Temperature:	Yes	No	
Total Containers:	268		Thermometer ID:	Yes	No	Correction Factor:	Yes	No	Temperature Reading:	Yes	No	Corrected Temperature:	Yes	No	Corrected Temperature:	Yes	No	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300									Sample Comments
CS-285		7/16/2026	11:50	S	Com	1	X	X	X									
CS-286		7/16/2026	11:51	S	Com	1	X	X	X									
CS-287		7/16/2026	11:52	S	Com	1	X	X	X									
CS-288		7/16/2026	11:53	S	Com	1	X	X	X									
CS-409		7/16/2026	11:54	S	Com	1	X	X	X									
CS-410		7/16/2026	11:55	S	Com	1	X	X	X									
CS-411		7/16/2026	11:56	S	Com	1	X	X	X									
CS-412		7/16/2026	11:57	S	Com	1	X	X	X									
CS-413		7/16/2026	11:58	S	Com	1	X	X	X									
CS-414		7/16/2026	11:59	S	Com	1	X	X	X									
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time												
1 Edward Bartlett		Dmitri Nikanorov	7/17/26 08:30am	2 Dmitri Nikanorov														
3			4															
5			6															

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 16 of 27

Work Order Comments

Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine	☐ Rush	Due Date:													None: NO	DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.																	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove																		
PO #:	E-26029-GS-21300037																		
SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No	Parameters											
Samples Received Intact:	Yes	No	Thermometer ID:																
Cooler Custody Seals:	Yes	No	N/A	Correction Factor:															
Sample Custody Seals:	Yes	No	N/A	Temperature Reading:															
Total Containers:	268			Corrected Temperature:															
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
101	CS-415		7/16/2026	12:00	S	Com	1	X	X	X	X								
102	CS-416		7/16/2026	12:01	S	Com	1	X	X	X	X								
103	CS-417		7/16/2026	12:02	S	Com	1	X	X	X	X								
104	CS-418		7/16/2026	12:03	S	Com	1	X	X	X	X								
105	CS-419		7/16/2026	12:04	S	Com	1	X	X	X	X								
106	CS-420		7/16/2026	12:05	S	Com	1	X	X	X	X								
107	CS-421		7/16/2026	12:06	S	Com	1	X	X	X	X								
108	CS-422		7/16/2026	12:07	S	Com	1	X	X	X	X								
109	CS-423		7/16/2026	12:08	S	Com	1	X	X	X	X								
110	CS-424		7/16/2026	12:09	S	Com	1	X	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		Dmitri Nikanorov		O.P. Nikanorov		7.21.26								1300	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 17 of 27	
Work Order Comments	

15204085

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes									
Project Number:		☒ Routine ☐ Rush												None: NO									
Project Location:	Lea County, New Mexico	Due Date:												DI Water: H ₂ O									
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												Cool: Cool									
PO #:	E-26029-GS-21300037													HCL: HC									
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No	Wet Ice:	Yes ☒ No											H ₂ SO ₄ : H ₂								
	Samples Received Intact:	Yes ☒ No	Thermometer ID:	140											H ₃ PO ₄ : HP								
	Cooler Custody Seals:	Yes ☒ No	Correction Factor:	101											NaHSO ₄ : NABIS								
	Sample Custody Seals:	Yes ☒ No	Temperature Reading:	49											Na ₂ S ₂ O ₃ : NaSO ₃								
	Total Containers:	268	Corrected Temperature:	5.0											Zn Acetate+NaOH: Zn								
														NaOH+Ascorbic Acid: SAPC									
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments						
CS-425		7/16/2026	12:10	S	Com	1	X	X	X	X													
CS-426		7/16/2026	12:11	S	Com	1	X	X	X	X													
CS-427		7/16/2026	12:12	S	Com	1	X	X	X	X													
CS-428		7/16/2026	12:13	S	Com	1	X	X	X	X													
CS-429		7/16/2026	12:14	S	Com	1	X	X	X	X													
CS-430		7/16/2026	12:15	S	Com	1	X	X	X	X													
CS-431		7/16/2026	12:16	S	Com	1	X	X	X	X													
CS-432		7/16/2026	12:17	S	Com	1	X	X	X	X													
CS-433		7/16/2026	12:18	S	Com	1	X	X	X	X													
CS-434		7/16/2026	12:19	S	Com	1	X	X	X	X													
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time			
1 Edward Bartlett				Dmitri Nikanorov				7/17/26 08:30am				2 Dmitri Nikanorov				C. P. ...				7.21.26			
3																							
5																							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 18 of 2

Page 101 of 101

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code	
Project Number:				☒ Routine ☐ Rush			
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Edward Bartlett, Douglas Crossgrove		TAT may vary based on lab start time.			
PO #:		E-26029-CS-21300037					
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice: Yes ☒ No ☐	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:		140	
Cooler Custody Seals:		Yes ☒ No ☐ N/A		Correction Factor:		10.1	
Sample Custody Seals:		Yes ☒ No ☐ N/A		Temperature Reading:		49.2	
Total Containers:		268		Corrected Temperature:		50.2	
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont
CS-435			7/16/2026	12:20	S	Com	1
CS-436			7/16/2026	12:21	S	Com	1
CS-437			7/16/2026	12:22	S	Com	1
CS-438			7/16/2026	12:23	S	Com	1
CS-439			7/16/2026	12:24	S	Com	1
CS-440			7/16/2026	12:25	S	Com	1
CS-441			7/16/2026	12:26	S	Com	1
CS-442			7/16/2026	12:27	S	Com	1
CS-443			7/16/2026	12:28	S	Com	1
CS-444			7/16/2026	12:29	S	Com	1
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
1 Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov	
3						4	
5						6	
Work Order Comments None: NO DI Water: H₂O Cool: Cool MeOH: Me HCL: HC HNO₃: HN H₂SO₄: H₂ NaOH: Na H₃PO₄: HP NaHSO₄: NABIS Na₂S₂O₃: NaSO₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC							
Sample Comments							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
1 Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am		2 Dmitri Nikanorov	
3						4	
5						6	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 27, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/21/26 15:06.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 445 (H264086-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 446 (H264086-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 62.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 447 (H264086-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.1 % 48-117

Surrogate: 1-Chlorooctadecane 71.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 448 (H264086-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 449 (H264086-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 450 (H264086-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 451 (H264086-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	2.09	104	2.00	0.279	
Toluene*	<0.050	0.050	07/23/2026	ND	1.98	99.0	2.00	0.248	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.01	101	2.00	0.267	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	5.84	97.3	6.00	0.0803	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 452 (H264086-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	205	102	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	207	103	200	1.04	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 453 (H264086-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	213	107	200	1.13		
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	240	120	200	1.61		
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND						

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 454 (H264086-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	213	107	200	1.13	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	240	120	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 455 (H264086-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/22/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	213	107	200	1.13	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	240	120	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 456 (H264086-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 93.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 457 (H264086-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 88.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 458 (H264086-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 94.6 % 48-117

Surrogate: 1-Chlorooctadecane 90.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 459 (H264086-15)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09		
Total BTX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 69.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 460 (H264086-16)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 461 (H264086-17)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 462 (H264086-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 463 (H264086-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 91.1 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 464 (H264086-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 465 (H264086-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 95.7 % 48-117

Surrogate: 1-Chlorooctadecane 91.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 466 (H264086-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 99.5 % 48-117

Surrogate: 1-Chlorooctadecane 96.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 467 (H264086-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 95.4 % 48-117

Surrogate: 1-Chlorooctadecane 90.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 468 (H264086-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09		
Total BTEx	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 97.6 % 48-117

Surrogate: 1-Chlorooctadecane 93.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 469 (H264086-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 70.6 % 48-117

Surrogate: 1-Chlorooctadecane 65.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 470 (H264086-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89	
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865	
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751	
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09	
Total BTEX	<0.300	0.300	07/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 471 (H264086-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/23/2026	ND	1.99	99.5	2.00	2.89		
Toluene*	<0.050	0.050	07/23/2026	ND	2.01	100	2.00	0.865		
Ethylbenzene*	<0.050	0.050	07/23/2026	ND	2.23	111	2.00	0.751		
Total Xylenes*	<0.150	0.150	07/23/2026	ND	6.68	111	6.00	1.09		
Total BTEX	<0.300	0.300	07/23/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 472 (H264086-28)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 473 (H264086-29)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 96.4 % 48-117

Surrogate: 1-Chlorooctadecane 90.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 474 (H264086-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 475 (H264086-31)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	211	105	200	12.0	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	231	115	200	4.46	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 94.2 % 48-117

Surrogate: 1-Chlorooctadecane 89.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 476 (H264086-32)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 477 (H264086-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 99.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 478 (H264086-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 100 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 479 (H264086-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 93.0 % 48-117

Surrogate: 1-Chlorooctadecane 92.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 480 (H264086-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 88.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 481 (H264086-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 482 (H264086-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 92.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 483 (H264086-39)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 484 (H264086-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 485 (H264086-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 96.9 % 48-117

Surrogate: 1-Chlorooctadecane 96.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 486 (H264086-42)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 89.5 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 487 (H264086-43)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 94.7 % 48-117

Surrogate: 1-Chlorooctadecane 92.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 488 (H264086-44)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 96.2 % 48-117

Surrogate: 1-Chlorooctadecane 97.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 489 (H264086-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 94.7 % 48-117

Surrogate: 1-Chlorooctadecane 97.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 490 (H264086-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03		
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 92.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 491 (H264086-47)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	4.03	
Toluene*	<0.050	0.050	07/24/2026	ND	1.89	94.4	2.00	6.41	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	6.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.21	104	6.00	6.97	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 492 (H264086-48)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 96.4 % 48-117

Surrogate: 1-Chlorooctadecane 95.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 493 (H264086-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 98.8 % 48-117

Surrogate: 1-Chlorooctadecane 91.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 494 (H264086-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 495 (H264086-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	172	86.1	200	7.68	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	190	94.8	200	5.80	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 92.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 496 (H264086-52)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 99.5 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 497 (H264086-53)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 96.3 % 48-117

Surrogate: 1-Chlorooctadecane 96.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 498 (H264086-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 499 (H264086-55)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 91.2 % 48-117

Surrogate: 1-Chlorooctadecane 93.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 500 (H264086-56)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 108 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 501 (H264086-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 92.5 % 48-117

Surrogate: 1-Chlorooctadecane 95.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 502 (H264086-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 108 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 503 (H264086-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 98.8 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 504 (H264086-60)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 108 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 505 (H264086-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 104 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 506 (H264086-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 108 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 507 (H264086-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 110 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 508 (H264086-64)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 109 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 509 (H264086-65)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 510 (H264086-66)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89		
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 92.9 % 48-117

Surrogate: 1-Chlorooctadecane 95.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 511 (H264086-67)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.23	112	2.00	3.89	
Toluene*	<0.050	0.050	07/24/2026	ND	2.01	100	2.00	4.47	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.99	99.3	2.00	3.74	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.96	99.3	6.00	4.05	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 105 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 512 (H264086-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 99.6 % 48-117

Surrogate: 1-Chlorooctadecane 104 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 513 (H264086-69)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 96.1 % 48-117

Surrogate: 1-Chlorooctadecane 99.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 514 (H264086-70)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 91.0 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 515 (H264086-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	187	93.6	200	2.24	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	193	96.3	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 516 (H264086-72)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	QR-03
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	QR-03
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 99.6 % 48-117

Surrogate: 1-Chlorooctadecane 97.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 517 (H264086-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 98.0 % 48-117

Surrogate: 1-Chlorooctadecane 92.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 518 (H264086-74)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 98.4 % 48-117

Surrogate: 1-Chlorooctadecane 94.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 519 (H264086-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 520 (H264086-76)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 521 (H264086-77)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 522 (H264086-78)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 523 (H264086-79)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 524 (H264086-80)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 525 (H264086-81)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 64.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 526 (H264086-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/21/2026
 Reported: 07/27/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E - 26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/16/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS - 527 (H264086-83)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/21/2026	Sampling Date:	07/16/2026
Reported:	07/27/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E - 26029-GS-21300037	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 528 (H264086-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.687		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	0.416		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.15	108	2.00	0.471		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.59	110	6.00	0.650		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	183	91.7	200	1.66	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	182	91.1	200	0.761	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 85.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 19 of 27

Work Order Comments

Work Order Comments
04084917.

Preservative Codes		
None: NO	DI Water:	
Cool: Cool	MeOH: Me	
HCL: HC	HNO ₃ : HN	
H ₂ SO ₄ : H ₂	NaOH: Na	
H ₃ PO ₄ : HP		
NaHSO ₄ : NABIS		
Na ₂ S ₂ O ₃ : NaSO ₃		
Zn Acetate+NaOH: Zn		
NaOH+Ascorbic Acid: SAPC		

[illegible]

any information contained herein is confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Page 20 of 2

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes			
Project Number:															None: NO			
Project Location:	Lea County, New Mexico	Due Date:													DI Water: H ₂ O			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.													Cool: Cool			
PO #:	E-26029-GS-21300037														HCL: HC			
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₂ SO ₄ : H ₂			
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:												H ₃ PO ₄ : HP			
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:												NaHSO ₄ : NABIS			
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:												Na ₂ S ₂ O ₃ : NaSO ₃			
	Total Containers:	268	Corrected Temperature:												Zn Acetate+NaOH: Zn			
				Parameters														NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300											Sample Comments
11 CS-455		7/16/2026	12:40	S	Com	1	X	X	X											
12 CS-456		7/16/2026	12:41	S	Com	1	X	X	X											
13 CS-457		7/16/2026	12:42	S	Com	1	X	X	X											
14 CS-458		7/16/2026	12:43	S	Com	1	X	X	X											
15 CS-459		7/16/2026	12:44	S	Com	1	X	X	X											
16 CS-460		7/16/2026	12:45	S	Com	1	X	X	X											
17 CS-461		7/16/2026	12:46	S	Com	1	X	X	X											
18 CS-462		7/16/2026	12:47	S	Com	1	X	X	X											
19 CS-463		7/16/2026	12:48	S	Com	1	X	X	X											
20 CS-464		7/16/2026	12:49	S	Com	1	X	X	X											
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time										
Edward Bartlett		Dmitri Nikanorov		7/17/26 08:30am				2 Dmitri Nikanorov												7/17/26 15:00
																				15:00

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Page 21 of 2

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-Z1300037				

Preservative Codes


None: NO DI Water: H₂O
 Cool: Cool MeOH: Me
 HCL: HC HNO₃: HN
 H₂SO₄: H₂ NaOH: Na
 H₃PO₄: HP
 NaHSO₄: NABIS
 Na₂S₂O₃: NaSO₃
 Zn Acetate+NaOH: Zn
 NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Sample Comments
21 CS-465		7/16/2026	12:50	S	Com	1	X	X	X
22 CS-466		7/16/2026	12:51	S	Com	1	X	X	X
23 CS-467		7/16/2026	12:52	S	Com	1	X	X	X
24 CS-468		7/16/2026	12:53	S	Com	1	X	X	X
25 CS-469		7/16/2026	12:54	S	Com	1	X	X	X
26 CS-470		7/16/2026	12:55	S	Com	1	X	X	X
27 CS-471		7/16/2026	12:56	S	Com	1	X	X	X
28 CS-472		7/16/2026	12:57	S	Com	1	X	X	X
29 CS-473		7/16/2026	12:58	S	Com	1	X	X	X
30 CS-474		7/16/2026	12:59	S	Com	1	X	X	X

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Edward Bartlett	Dmitri Nikanorov	7/17/26 08:30am

Received by: (Signature) *[Signature]* Date/Time 7/21/26 15:20

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed




Page 22 of 22

Page 90 of 95

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 22 of 2
Work Order Comments

[illegible][illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 23 of 2

Page 91 of 95

Work Order Comments

Work Order Comments	

Preservative Codes	
None: NO	DI Water:
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate:NaOH, Zn	

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com


Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST												Preservative Codes		
Project Number:		Due Date:															None: NO DI Water: H ₂ O		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.															Cool: Cool MeOH: Me		
Sampler's Name:	Edward Bartlett, Douglas Crossgrove																HCL: HC HNO ₃ : HN		
PO #:	E-26029-GS-21300037																H ₂ SO ₄ : H ₂ NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐													H ₃ PO ₄ : HP	
Samples Received In/Out:	Yes ☒ No ☐	Thermometer ID:														NaHSO ₄ : NABIS			
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Zn Acetate+NaOH: Zn			
Total Containers:	268	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300													Sample Comments
51 CS-495		7/16/2026	13:10	S	Com	1	X	X	X													
52 CS-496		7/16/2026	13:11	S	Com	1	X	X	X													
53 CS-497		7/16/2026	13:12	S	Com	1	X	X	X													
54 CS-498		7/16/2026	13:13	S	Com	1	X	X	X													
55 CS-499		7/16/2026	13:14	S	Com	1	X	X	X													
56 CS-500		7/16/2026	13:15	S	Com	1	X	X	X													
57 CS-501		7/16/2026	13:16	S	Com	1	X	X	X													
58 CS-502		7/16/2026	13:17	S	Com	1	X	X	X													
59 CS-503		7/16/2026	13:18	S	Com	1	X	X	X													
60 CS-504		7/16/2026	13:19	S	Com	1	X	X	X													
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time																
Edward Bartlett		Dmitri Nikanorov	7/17/26 08:30am		2 Dmitri Nikanorov																	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Page 25 of 2

Page 93 of 95


Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 25 of 21
Work Order Comments

Page 93 of 100

Preservative Codes	
None: NO	DI Water:
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : h ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	

Sample Comments





<https://standardtx.com/>

Page 94 of 95

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 26 of 2
Work Order Comments

Page 94 of 100

[illegible][illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 27 of 27

Page 95 of 95

Work Order Comments	

Preservative Codes	
None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCl: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	

[illegible]

Notwithstanding, this document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 28, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/22/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Coley D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 529 (H264115-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	0.841	
Toluene*	<0.050	0.050	07/24/2026	ND	1.98	99.0	2.00	3.49	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	3.60	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.04	101	6.00	3.22	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 52.6 % 48-117

Surrogate: 1-Chlorooctadecane 45.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 530 (H264115-02)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 531 (H264115-03)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 532 (H264115-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 64.7 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 533 (H264115-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 534 (H264115-06)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 535 (H264115-07)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 536 (H264115-08)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 68.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 537 (H264115-09)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 538 (H264115-10)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 539 (H264115-11)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 69.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 540 (H264115-12)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 541 (H264115-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	185	92.7	200	0.142	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	175	87.6	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 72.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 542 (H264115-14)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 543 (H264115-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281		
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 544 (H264115-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 545 (H264115-17)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 546 (H264115-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 547 (H264115-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 79.4 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 548 (H264115-20)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 549 (H264115-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.08	104	2.00	0.0281	
Toluene*	<0.050	0.050	07/24/2026	ND	2.13	107	2.00	0.0510	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.18	109	2.00	0.348	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.62	110	6.00	0.427	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 550 (H264115-22)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 551 (H264115-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 552 (H264115-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 553 (H264115-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.6 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 554 (H264115-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 48-117

Surrogate: 1-Chlorooctadecane 88.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 555 (H264115-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 556 (H264115-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 66.5 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 557 (H264115-29)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 558 (H264115-30)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 559 (H264115-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 48-117

Surrogate: 1-Chlorooctadecane 84.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 560 (H264115-32)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 561 (H264115-33)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	190	94.9	200	2.50	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	195	97.3	200	1.62	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 86.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 562 (H264115-34)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 94.6 % 48-117

Surrogate: 1-Chlorooctadecane 92.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 563 (H264115-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 98.1 % 48-117

Surrogate: 1-Chlorooctadecane 98.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 564 (H264115-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 97.6 % 48-117

Surrogate: 1-Chlorooctadecane 96.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 565 (H264115-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 97.8 % 48-117

Surrogate: 1-Chlorooctadecane 98.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 566 (H264115-38)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 100 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 567 (H264115-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 568 (H264115-40)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13	
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 93.1 % 48-117

Surrogate: 1-Chlorooctadecane 90.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 569 (H264115-41)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.13		
Toluene*	<0.050	0.050	07/24/2026	ND	2.07	103	2.00	1.18		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.96	98.1	2.00	2.30		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.74	95.7	6.00	1.82		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 95.5 % 48-117

Surrogate: 1-Chlorooctadecane 94.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 570 (H264115-42)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 571 (H264115-43)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 95.9 % 48-117

Surrogate: 1-Chlorooctadecane 93.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 572 (H264115-44)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 91.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 573 (H264115-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 93.8 % 48-117

Surrogate: 1-Chlorooctadecane 93.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 574 (H264115-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 72.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 575 (H264115-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 48-117

Surrogate: 1-Chlorooctadecane 87.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 576 (H264115-48)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 577 (H264115-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.3 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 578 (H264115-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 579 (H264115-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10	
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 580 (H264115-52)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10	
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 581 (H264115-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.5	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	183	91.6	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 582 (H264115-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10	
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 89.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 583 (H264115-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10	
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 584 (H264115-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 585 (H264115-57)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 586 (H264115-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10	
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 587 (H264115-59)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 588 (H264115-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10		
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 589 (H264115-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.02	101	2.00	1.10	
Toluene*	<0.050	0.050	07/24/2026	ND	1.92	96.0	2.00	1.31	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.95	97.5	2.00	1.03	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.66	94.3	6.00	1.34	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 590 (H264115-62)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 86.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 591 (H264115-63)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 592 (H264115-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 93.2 % 48-117

Surrogate: 1-Chlorooctadecane 91.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 593 (H264115-65)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.4 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 594 (H264115-66)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 595 (H264115-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 596 (H264115-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 597 (H264115-69)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 598 (H264115-70)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 60.1 % 48-117

Surrogate: 1-Chlorooctadecane 55.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 599 (H264115-71)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 600 (H264115-72)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 601 (H264115-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	215	108	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	188	94.2	200	2.14	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 91.5 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 602 (H264115-74)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 603 (H264115-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 604 (H264115-76)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 605 (H264115-77)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 606 (H264115-78)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 93.7 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 607 (H264115-79)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 89.1 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 608 (H264115-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 609 (H264115-81)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.6	2.00	0.00280	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	1.34	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.16	108	2.00	1.58	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.49	108	6.00	2.10	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 610 (H264115-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 93.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 611 (H264115-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 612 (H264115-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 613 (H264115-85)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 614 (H264115-86)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 615 (H264115-87)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 616 (H264115-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 85.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 617 (H264115-89)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/23/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 618 (H264115-90)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 95.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

HA264115

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	☒ Routine ☐ Rush	Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.		
Sampler's Name:	Edward Bartlett, Douglas Crossgrove			
PO #:	E-26029-GS-21300037			

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Thermometer ID:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒ No ☐	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	Yes ☒ No ☐	Sample Custody Seals:	Yes ☒ No ☐
Total Containers:	216	Temperature Reading:	24.1	Corrected Temperature:	24.5		

Parameters
BTEX 8012B
TPH 8015M (GRO-DRO-MRO)
Chloride 4500 or EPA 300

ANALYSIS REQUEST

None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab # of Cont	Pres. Code	ANALYSIS REQUEST										Preservative Codes
1 CS-529		7/21/2026	9:30	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
2 CS-530		7/21/2026	9:31	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
3 CS-531		7/21/2026	9:32	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
4 CS-532		7/21/2026	9:33	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
5 CS-533		7/21/2026	9:34	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
6 CS-534		7/21/2026	9:35	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
7 CS-535		7/21/2026	9:36	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
8 CS-536		7/21/2026	9:37	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
9 CS-537		7/21/2026	9:38	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	
10 CS-538		7/21/2026	9:39	S	Com 1	X	X	X	X	X	X	X	X	X	X	X	

Relinquished by: (Signature)
Edward Bartlett

James Walker

Received by: (Signature)

Date/Time
7/22/26 08:30am

Relinquished by: (Signature)

2 James Walker

Received by: (Signature)

Date/Time

Signature
7/22/26 1300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264115

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 2 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	PO #:	E-26029-GS-21300037
SAMPLE RECEIPT			
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:	140
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.1
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	8.4
Total Containers:	216	Corrected Temperature:	8.5

Parameters

BTEX 8012B
 TPH 8015M (GRO-DRO-MRO)
 Chloride 4500 or EPA 300

ANALYSIS REQUEST

Preservative Codes
 None: NO
 DI Water: H₂O
 Cool: Cool
 MeOH: Me
 HCL: HC
 HNO₃: HN
 H₂SO₄: H₂
 NaOH: Na
 H₃PO₄: HP
 NaHSO₄: NABIS
 Na₂S₂O₃: NaSO₃
 Zn Acetate+NaOH: Zn
 NaOH+Ascorbic Acid: SAPC

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
11 CS-539		7/21/2026	9:40	S	Com	1	X	X	X	
12 CS-540		7/21/2026	9:41	S	Com	1	X	X	X	
13 CS-541		7/21/2026	9:42	S	Com	1	X	X	X	
14 CS-542		7/21/2026	9:43	S	Com	1	X	X	X	
15 CS-543		7/21/2026	9:44	S	Com	1	X	X	X	
16 CS-544		7/21/2026	9:45	S	Com	1	X	X	X	
17 CS-545		7/21/2026	9:46	S	Com	1	X	X	X	
18 CS-546		7/21/2026	9:47	S	Com	1	X	X	X	
19 CS-547		7/21/2026	9:48	S	Com	1	X	X	X	
20 CS-548		7/21/2026	9:49	S	Com	1	X	X	X	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Date/Time
1 Edward Bartlett	James Walker	7/22/26 08:30am	2 James Walker							
3										
5										
6										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264115

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 3 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Encson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456		
Project Name:	A-14 Surface Pad Reclaim	Email:	Ethan.Sessums@standardtx.com
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	
Samples Received Intact:	Temp Blank: Yes ☒ No ☐
Cooler Custody Seals:	Yes ☒ No ☐ N/A
Sample Custody Seals:	Yes ☒ No ☐ N/A
Total Containers:	216
Thermometer ID:	140
Correction Factor:	0.4
Temperature Reading:	2.4
Corrected Temperature:	2.5

Parameters

BTEX 8012B

TPH 8015M (GRO-DRO-MRO)

Chloride 4500 or EPA 300

ANALYSIS REQUEST

Preservative Codes

None: NO DI Water: H₂O

Cool: Cool MeOH: Me

HCL: HC HNO₃: HN

H₂SO₄: H₂ NaOH: Na

H₃PO₄: HP

NaHSO₄: NABIS

Na₂S₂O₃: NaSO₃

Zn Acetate+NaOH: Zn

NaOH+Ascorbic Acid: SAPC

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	ANALYSIS REQUEST	Preservative Codes
21 CS-549		7/21/2026	9:50	S	Com	1	X	X	
22 CS-550		7/21/2026	9:51	S	Com	1	X	X	
23 CS-551		7/21/2026	9:52	S	Com	1	X	X	
24 CS-552		7/21/2026	9:53	S	Com	1	X	X	
25 CS-553		7/21/2026	9:54	S	Com	1	X	X	
26 CS-554		7/21/2026	9:55	S	Com	1	X	X	
27 CS-555		7/21/2026	9:56	S	Com	1	X	X	
28 CS-556		7/21/2026	9:57	S	Com	1	X	X	
29 CS-557		7/21/2026	9:58	S	Com	1	X	X	
30 CS-558		7/21/2026	9:59	S	Com	1	X	X	

Relinquished by: (Signature)

Edward Bartlett

James Walker

Received by: (Signature)

7/22/26 08:30am

2 James Walker

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

Standard Safety & Supply 7/26/2026 1300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264115

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 4 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas 79761	City, State ZIP:	
Phone:	254-268-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	☒ Routine ☐ Rush
Project Number:		Due Date:
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	
PO #:	E-26029-GS-21300037	
SAMPLE RECEIPT		
Samples Received Intact:	Temp Blank: Yes ☒ No ☐	Wet Ice: Yes ☒ No ☐
Cooler Custody Seals:	Yes ☒ No ☐	Thermometer ID: 140
Sample Custody Seals:	Yes ☒ No ☐	Correction Factor: 10.4
Total Containers:	216	Temperature Reading: 2.4
		Corrected Temperature: 2.5

Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters				Sample Comments	
1	CS-559				7/21/2026	10:00	S	Com	1	X	X	X			Zn Acetate+NaOH: Zn
2	CS-560				7/21/2026	10:01	S	Com	1	X	X	X			NaOH+Ascorbic Acid: SAPC
3	CS-561				7/21/2026	10:02	S	Com	1	X	X	X			
4	CS-562				7/21/2026	10:03	S	Com	1	X	X	X			
5	CS-563				7/21/2026	10:04	S	Com	1	X	X	X			
6	CS-564				7/21/2026	10:05	S	Com	1	X	X	X			
7	CS-565				7/21/2026	10:06	S	Com	1	X	X	X			
8	CS-566				7/21/2026	10:07	S	Com	1	X	X	X			
9	CS-567				7/21/2026	10:08	S	Com	1	X	X	X			
10	CS-568				7/21/2026	10:09	S	Com	1	X	X	X			
Relinquished by: (Signature)				Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time			
James Bartlett				James Walker		7/22/26 08:30am		2 James Walker							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Page 97 of 101

Project Manager: Ethan Sessums
Company Name: Standard Safety & Supply
Address: 2425 Trunk St.
City, State ZIP: Odessa, Texas, 79761
Phone: 254-266-5456

Bill to: (if different)
Company Name: Dean Ericson
Address: Energy Transfer
City, State ZIP:

Work Order Comments
Page 5 of 22

Project Name: A-14 Surface Pad Reclaim
Project Number:
Project Location: Lea County, New Mexico
Sampler's Name: Edward Bartlett, Douglas Crossgrove
PO #: E-26029-GS-21300037

Turn Around
☒ Routine ☐ Rush
Due Date:
TAT may vary based on lab start time.

SAMPLE RECEIPT
Samples Received Intact: Yes ☒ No ☐
Cooler Custody Seals: Yes ☒ No ☐
Sample Custody Seals: Yes ☒ No ☐
Total Containers: 216

Temp Blank: Yes ☒ No ☐
Thermometer ID: 140
Correction Factor: 10.1
Temperature Reading: 2.4
Corrected Temperature: 2.5

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters
41 CS-569		7/21/2026	10:10	S	Com	1	BTEX 8012B
42 CS-570		7/21/2026	10:11	S	Com	1	TPH 8015M (GRO-DRO-MRO)
43 CS-571		7/21/2026	10:12	S	Com	1	Chloride 4500 or EPA 300
44 CS-572		7/21/2026	10:13	S	Com	1	
45 CS-573		7/21/2026	10:14	S	Com	1	
46 CS-574		7/21/2026	10:15	S	Com	1	
47 CS-575		7/21/2026	10:16	S	Com	1	
48 CS-576		7/21/2026	10:17	S	Com	1	
49 CS-577		7/21/2026	10:18	S	Com	1	
50 CS-578		7/21/2026	10:19	S	Com	1	

Relinquished by: (Signature) James Walker
Received by: (Signature)
Date/Time 7/22/26 08:30am

Relinquished by: (Signature)
Received by: (Signature)
Date/Time 7/22/26 12:00 PM



Chain of Custody

H264115

Main Office: 2824 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>Page 6 of 22
Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456		

Project Name:	A-14 Surface Pad Reclaim	Email:	Ethan.Sessums@standardtx.com
Project Number:			
Project Location:	Lea County, New Mexico		
Sampler's Name:	Edward Bartlett, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Samples Received Intact:	Temp Blank:	Yes/No	Wet Ice:	Yes/No
	Cooler Custody Seals:	Yes/No	Thermometer ID:	Yes/No	
	Sample Custody Seals:	Yes/No	Correction Factor:	Yes/No	
	Total Containers:	216	Temperature Reading:	2.4	
			Corrected Temperature:	2.5	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab	# of	Parameters		ANALYSIS REQUEST
							Com	Cont	

CS-579		7/21/2026	10:20	S	Com	1	X	X	X											
CS-580		7/21/2026	10:21	S	Com	1	X	X	X											
CS-581		7/21/2026	10:22	S	Com	1	X	X	X											
CS-582		7/21/2026	10:23	S	Com	1	X	X	X											
CS-583		7/21/2026	10:24	S	Com	1	X	X	X											
CS-584		7/21/2026	10:25	S	Com	1	X	X	X											
CS-585		7/21/2026	10:26	S	Com	1	X	X	X											
CS-586		7/21/2026	10:27	S	Com	1	X	X	X											
CS-587		7/21/2026	10:28	S	Com	1	X	X	X											
CS-588		7/21/2026	10:29	S	Com	1	X	X	X											

Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
James Walker		James Walker		7/22/26 08:30am		2 James Walker		Shaliquay		7/22/26 13:00	

Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
James Walker		James Walker		7/22/26 08:30am		2 James Walker		Shaliquay		7/22/26 13:00	

Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
James Walker		James Walker		7/22/26 08:30am		2 James Walker		Shaliquay		7/22/26 13:00	



Chain of Custody

H264115

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 7 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Tum Around	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	740		
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10-1		
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4		
Total Containers:	216	Corrected Temperature:	2.5		

Parameters

BTEX 8012B
TPH 8015M (GRO-DRO-MRO)
Chloride 4500 or EPA 300

ANALYSIS REQUEST

Preservative Codes

None: NO DI Water: H₂O
Cool: Cool MeOH: Me
HCL: HC HNO₃: HN
H₂SO₄: H₂ NaOH: Na
H₃PO₄: HP
NaHSO₄: NABIS
Na₂S₂O₅: NaSO₃
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes
61 CS-589		7/21/2026	10:30	S	Com	1	X	X	X
62 CS-590		7/21/2026	10:31	S	Com	1	X	X	X
63 CS-591		7/21/2026	10:32	S	Com	1	X	X	X
64 CS-592		7/21/2026	10:33	S	Com	1	X	X	X
65 CS-593		7/21/2026	10:34	S	Com	1	X	X	X
66 CS-594		7/21/2026	10:35	S	Com	1	X	X	X
67 CS-595		7/21/2026	10:36	S	Com	1	X	X	X
68 CS-596		7/21/2026	10:37	S	Com	1	X	X	X
69 CS-597		7/21/2026	10:38	S	Com	1	X	X	X
70 CS-598		7/21/2026	10:39	S	Com	1	X	X	X
Relinquished by: (Signature)	Edward Bartlett	Received by: (Signature)	James Walker	Date/Time	7/22/26 08:30am	Relinquished by: (Signature)	2 James Walker	Received by: (Signature)	Date/Time
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed						4	6	Stacking 7/22/26 1300	



Chain of Custody

Handwritten: 7/26/15

Main Office: 2824 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456		

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	
Samples Received Intact:	Temp Blank: Yes ☒ No ☐
Cooler Custody Seals:	Yes ☒ No ☐
Sample Custody Seals:	Yes ☒ No ☐
Total Containers:	216

Thermometer ID:	Wet Ice:	Yes ☒ No ☐
Correction Factor:		
Temperature Reading:		
Corrected Temperature:		

Parameters	Pres. Code	ANALYSIS REQUEST
BTEX 8012B		
TPH 8015M (GRO-DRO-MRO)		
Chloride 4500 or EPA 300		

None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Sample Comments
71 CS-599		7/21/2026	10:40	S	Com	1	
72 CS-600		7/21/2026	10:41	S	Com	1	
73 CS-601		7/21/2026	10:42	S	Com	1	
74 CS-602		7/21/2026	10:43	S	Com	1	
75 CS-603		7/21/2026	10:44	S	Com	1	
76 CS-604		7/21/2026	10:45	S	Com	1	
77 CS-605		7/21/2026	10:46	S	Com	1	
78 CS-606		7/21/2026	10:47	S	Com	1	
79 CS-607		7/21/2026	10:48	S	Com	1	
80 CS-608		7/21/2026	10:49	S	Com	1	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Edward Bartlett	James Walker	7/22/26 08:30am	2 James Walker	Stadripping	7/26/26 1300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H264115

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments
Page 9 of 22

Project Name:	A-14 Surface Pad Reclaim	☒ Turn Around	Pres. Code
Project Number:		☐ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	150		
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	9.4		
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.5		
Total Containers:	216	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
81 CS-609		7/21/2026	10:50	S	Com	1	X	X	X	
82 CS-610		7/21/2026	10:51	S	Com	1	X	X	X	
83 CS-611		7/21/2026	10:52	S	Com	1	X	X	X	
84 CS-612		7/21/2026	10:53	S	Com	1	X	X	X	
85 CS-613		7/21/2026	10:54	S	Com	1	X	X	X	
86 CS-614		7/21/2026	10:55	S	Com	1	X	X	X	
87 CS-615		7/21/2026	10:56	S	Com	1	X	X	X	
88 CS-616		7/21/2026	10:57	S	Com	1	X	X	X	
89 CS-617		7/21/2026	10:58	S	Com	1	X	X	X	
90 CS-618		7/21/2026	10:59	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
1 Edward Bartlett		James Walker		7/22/26 08:30am		2 James Walker		Scavigney		7/22/26 1300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 28, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/22/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 619 (H264116-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 620 (H264116-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 91.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 621 (H264116-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	204	102	200	1.89	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	99.2	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 93.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 622 (H264116-04)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/24/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.55	109	6.00	1.25	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 97.5 % 48-117

Surrogate: 1-Chlorooctadecane 92.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 623 (H264116-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 96.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 624 (H264116-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 625 (H264116-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25	
Total BTEx	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 48-117

Surrogate: 1-Chlorooctadecane 90.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 626 (H264116-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 98.3 % 48-117

Surrogate: 1-Chlorooctadecane 94.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 627 (H264116-09)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80	
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 99.4 % 48-117

Surrogate: 1-Chlorooctadecane 96.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 628 (H264116-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 96.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 629 (H264116-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	2.80		
Toluene*	<0.050	0.050	07/25/2026	ND	1.95	97.7	2.00	3.06		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.19	109	2.00	1.53		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.55	109	6.00	1.25		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 630 (H264116-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.6 % 48-117

Surrogate: 1-Chlorooctadecane 83.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 631 (H264116-13)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 92.7 % 48-117

Surrogate: 1-Chlorooctadecane 88.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 632 (H264116-14)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 87.2 % 48-117

Surrogate: 1-Chlorooctadecane 82.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 633 (H264116-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 91.0 % 48-117

Surrogate: 1-Chlorooctadecane 85.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 634 (H264116-16)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 99.9 % 48-117

Surrogate: 1-Chlorooctadecane 94.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 635 (H264116-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 97.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 636 (H264116-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 97.6 % 48-117

Surrogate: 1-Chlorooctadecane 95.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 637 (H264116-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 97.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 638 (H264116-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 639 (H264116-21)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 640 (H264116-22)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 641 (H264116-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	225	112	200	0.548	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	233	117	200	0.0703	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 642 (H264116-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 643 (H264116-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 84.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 644 (H264116-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 645 (H264116-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 91.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 646 (H264116-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/23/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/23/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/23/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 647 (H264116-29)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 648 (H264116-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 649 (H264116-31)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.92	95.8	2.00	1.27	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.4	2.00	3.26	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	3.34	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.26	104	6.00	3.42	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 65.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 650 (H264116-32)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 65.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 651 (H264116-33)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 652 (H264116-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 653 (H264116-35)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 654 (H264116-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 655 (H264116-37)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 656 (H264116-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 657 (H264116-39)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 658 (H264116-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 91.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 659 (H264116-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 660 (H264116-42)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 62.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 661 (H264116-43)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	96.8	200	1.21	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	185	92.4	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 662 (H264116-44)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	QM-07
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	QM-07
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 663 (H264116-45)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 664 (H264116-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 665 (H264116-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82		
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 666 (H264116-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 92.5 % 48-117

Surrogate: 1-Chlorooctadecane 90.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 667 (H264116-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 668 (H264116-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 669 (H264116-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.27	114	2.00	2.82	
Toluene*	<0.050	0.050	07/24/2026	ND	1.90	95.1	2.00	4.80	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	1.89	94.5	2.00	3.13	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	5.69	94.9	6.00	2.44	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 670 (H264116-52)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75	
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 671 (H264116-53)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75	
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 99.3 % 48-117

Surrogate: 1-Chlorooctadecane 96.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 672 (H264116-54)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75	
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 673 (H264116-55)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 674 (H264116-56)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75	
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 675 (H264116-57)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 75.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 676 (H264116-58)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 677 (H264116-59)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75	
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65	
Total BTX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 678 (H264116-60)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 70.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 679 (H264116-61)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 65.6 % 48-117

Surrogate: 1-Chlorooctadecane 65.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 680 (H264116-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 57.4 % 48-117

Surrogate: 1-Chlorooctadecane 55.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 681 (H264116-63)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.4	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	197	98.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 50.8 % 48-117

Surrogate: 1-Chlorooctadecane 48.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 682 (H264116-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75	
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13	
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78	
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65	
Total BTEX	<0.300	0.300	07/24/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 683 (H264116-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 684 (H264116-66)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 685 (H264116-67)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 48-117

Surrogate: 1-Chlorooctadecane 81.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 686 (H264116-68)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 687 (H264116-69)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 688 (H264116-70)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 110 % 48-117

Surrogate: 1-Chlorooctadecane 113 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 689 (H264116-71)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	2.75		
Toluene*	<0.050	0.050	07/24/2026	ND	2.04	102	2.00	3.13		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.03	102	2.00	3.78		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.05	101	6.00	3.65		
Total BTEx	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 64.1 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 690 (H264116-72)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 691 (H264116-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 60.2 % 48-117

Surrogate: 1-Chlorooctadecane 57.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 692 (H264116-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 65.4 % 48-117

Surrogate: 1-Chlorooctadecane 62.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 693 (H264116-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 694 (H264116-76)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 695 (H264116-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 73.3 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 696 (H264116-78)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 697 (H264116-79)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 698 (H264116-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 53.8 % 48-117

Surrogate: 1-Chlorooctadecane 50.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 699 (H264116-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 65.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 700 (H264116-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 65.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 701 (H264116-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	198	98.8	200	0.691	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 60.1 % 48-117

Surrogate: 1-Chlorooctadecane 57.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 702 (H264116-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 703 (H264116-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 66.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 704 (H264116-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 705 (H264116-87)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 706 (H264116-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 707 (H264116-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 708 (H264116-90)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09		
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 48-117

Surrogate: 1-Chlorooctadecane 86.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 10 of 22

Work Order Comments

11804118

Project Manager:		Ethan Sessums	Bill to: (if different)		Dean Ericson
Company Name:		Standard Safety & Supply	Company Name:		Energy Transfer
Address:		2425 Trunk St.	Address:		
City, State ZIP:		Odessa, Texas, 79761	City, State ZIP:		
Phone:		254-266-5456	Email:		Ethan.Sessums@standardtx.com
Project Name:		A-14 Surface Pad Reclaim	Turn Around		
Project Number:			☒ Routine ☐ Rush		
Project Location:		Lea County, New Mexico	Due Date:		
Sampler's Name:		Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.		
PO #:		E-26029-GS-21300037			
SAMPLE RECEIPT		Temp Blank:	Yes	No	
Samples Received Intact:		Yes	No	Thermometer ID:	740
Cooler Custody Seals:		Yes	No	Correction Factor:	10.1
Sample Custody Seals:		Yes	No	Temperature Reading:	8.4
Total Containers:		216	Corrected Temperature:		2.5
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix
CS-619			7/21/2026	11:00	S
CS-620			7/21/2026	11:01	S
CS-621			7/21/2026	11:02	S
CS-622			7/21/2026	11:03	S
CS-623			7/21/2026	11:04	S
CS-624			7/21/2026	11:05	S
CS-625			7/21/2026	11:06	S
CS-626			7/21/2026	11:07	S
CS-627			7/21/2026	11:08	S
CS-628			7/21/2026	11:09	S
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
1 Edward Bartlett		James Walker		7/22/26 08:30am	
3		4		6	
5		6			
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed					

Sample Comments

Preservative Codes
None: NO DI Water: H₂O
Cool: Cool MeOH: Me
HCL: HC HNO₃: HN
H₂SO₄: H₂ NaOH: Na
H₃PO₄: HP
NaHSO₄: NABIS
Na₂S₂O₃: NaSO₃
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 11 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037	Wet Ice:	☒ Yes ☐ No		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Thermometer ID:	140	
	Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	+0.1	
	Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4	
	Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:	2.5	
Total Containers:	216				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-629		7/21/2026	11:10	S	Com	1	X	X	X	11
CS-630		7/21/2026	11:11	S	Com	1	X	X	X	12
CS-631		7/21/2026	11:12	S	Com	1	X	X	X	13
CS-632		7/21/2026	11:13	S	Com	1	X	X	X	14
CS-633		7/21/2026	11:14	S	Com	1	X	X	X	15
CS-634		7/21/2026	11:15	S	Com	1	X	X	X	16
CS-635		7/21/2026	11:16	S	Com	1	X	X	X	17
CS-636		7/21/2026	11:17	S	Com	1	X	X	X	18
CS-637		7/21/2026	11:18	S	Com	1	X	X	X	19
CS-638		7/21/2026	11:19	S	Com	1	X	X	X	20
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)		Received by: (Signature)	Date/Time			
1 Edward Bartlett	James Walker		7/22/26 08:30am	2 James Walker						
3				4						
5				6						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 12 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	10.1
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	2.4
	Total Containers:	216	Corrected Temperature:	2.5

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-639		7/21/2026	11:20	S	Com	1	X	X	X	21
CS-640		7/21/2026	11:21	S	Com	1	X	X	X	20
CS-641		7/21/2026	11:22	S	Com	1	X	X	X	23
CS-642		7/21/2026	11:23	S	Com	1	X	X	X	24
CS-643		7/21/2026	11:24	S	Com	1	X	X	X	25
CS-644		7/21/2026	11:25	S	Com	1	X	X	X	26
CS-645		7/21/2026	11:26	S	Com	1	X	X	X	27
CS-646		7/21/2026	11:27	S	Com	1	X	X	X	28
CS-647		7/21/2026	11:28	S	Com	1	X	X	X	29
CS-648		7/21/2026	11:29	S	Com	1	X	X	X	30
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
1 Edward Bartlett		James Walker		7/22/26 06:30am		2 James Walker		Edward Bartlett		7/22/26 1:30
3						4				
5						6				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Main Office: 2524 Trunk Street, Odessa, Texas 79761

Contact: (432) 553-0393

<https://standardtx.com/>

Page 14 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove		
PO #:	E-28029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	110
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4
	Total Containers:	216	Corrected Temperature:	2.5

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-659		7/21/2026	11:40	S	Com	1	X	X	X	41
CS-660		7/21/2026	11:41	S	Com	1	X	X	X	42
CS-661		7/21/2026	11:42	S	Com	1	X	X	X	43
CS-662		7/21/2026	11:43	S	Com	1	X	X	X	44
CS-663		7/21/2026	11:44	S	Com	1	X	X	X	45
CS-664		7/21/2026	11:45	S	Com	1	X	X	X	46
CS-665		7/21/2026	11:46	S	Com	1	X	X	X	47
CS-666		7/21/2026	11:47	S	Com	1	X	X	X	48
CS-667		7/21/2026	11:48	S	Com	1	X	X	X	49
CS-668		7/21/2026	11:49	S	Com	1	X	X	X	50
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
1 Edward Bartlett	James Walker			7/22/26 08:30am		2 James Walker				
3						4				
5						6				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 15 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4	
	Total Containers:	216	Corrected Temperature:	2.5	

Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	8012B	Chloride											Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
CS-669					7/21/2026	11:50	S	Com	1	X	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 17 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sampler's Name:	Edward Bartlett, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	70.1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4
Total Containers:	216	Corrected Temperature:	2.5	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-689		7/21/2026	12:10	S	Com	1	X	X	X	71
CS-690		7/21/2026	12:11	S	Com	1	X	X	X	72
CS-691		7/21/2026	12:12	S	Com	1	X	X	X	73
CS-692		7/21/2026	12:13	S	Com	1	X	X	X	74
CS-693		7/21/2026	12:14	S	Com	1	X	X	X	75
CS-694		7/21/2026	12:15	S	Com	1	X	X	X	76
CS-695		7/21/2026	12:16	S	Com	1	X	X	X	77
CS-696		7/21/2026	12:17	S	Com	1	X	X	X	78
CS-697		7/21/2026	12:18	S	Com	1	X	X	X	79
CS-698		7/21/2026	12:19	S	Com	1	X	X	X	80
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Date/Time		
1 Edward Bartlett	James Walker		7/22/26 08:30am		2 James Walker					
3					4					
5					6					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 18 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4
Total Containers:	216	Corrected Temperature:	2.5	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-699		7/21/2026	12:20	S	Com	1	X	X	X	
CS-700		7/21/2026	12:21	S	Com	1	X	X	X	
CS-701		7/21/2026	12:22	S	Com	1	X	X	X	
CS-702		7/21/2026	12:23	S	Com	1	X	X	X	
CS-703		7/21/2026	12:24	S	Com	1	X	X	X	
CS-704		7/21/2026	12:25	S	Com	1	X	X	X	
CS-705		7/21/2026	12:26	S	Com	1	X	X	X	
CS-706		7/21/2026	12:27	S	Com	1	X	X	X	
CS-707		7/21/2026	12:28	S	Com	1	X	X	X	
CS-708		7/21/2026	12:29	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
1 Edward Bartlett	James Walker		7/22/26 08:30am	2 James Walker						
3				4						
5				6						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 28, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/22/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 709 (H264117-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	1.09	
Toluene*	<0.050	0.050	07/25/2026	ND	1.91	95.7	2.00	1.13	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.93	96.5	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.63	93.9	6.00	1.05	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 51.7 % 48-117

Surrogate: 1-Chlorooctadecane 49.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 710 (H264117-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 711 (H264117-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 712 (H264117-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 713 (H264117-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 714 (H264117-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 715 (H264117-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 716 (H264117-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 717 (H264117-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 73.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 718 (H264117-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 719 (H264117-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 61.8 % 48-117

Surrogate: 1-Chlorooctadecane 58.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 720 (H264117-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 721 (H264117-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	206	103	200	3.43	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	208	104	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 722 (H264117-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 723 (H264117-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 48-117

Surrogate: 1-Chlorooctadecane 82.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 724 (H264117-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 725 (H264117-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 726 (H264117-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 48-117

Surrogate: 1-Chlorooctadecane 90.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 727 (H264117-19)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 728 (H264117-20)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680		
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 729 (H264117-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	0.680	
Toluene*	<0.050	0.050	07/25/2026	ND	2.00	100	2.00	0.964	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.04	102	2.00	0.638	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.94	99.1	6.00	0.610	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 730 (H264117-22)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/24/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/24/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/24/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/24/2026	ND	6.41	107	6.00	2.84		
Total BTEX	<0.300	0.300	07/24/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 731 (H264117-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 732 (H264117-24)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 62.1 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 733 (H264117-25)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 734 (H264117-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 59.7 % 48-117

Surrogate: 1-Chlorooctadecane 57.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 735 (H264117-27)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 736 (H264117-28)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 85.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 737 (H264117-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 75.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 738 (H264117-30)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 739 (H264117-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 66.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 740 (H264117-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 741 (H264117-33)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	187	93.7	200	2.57	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	200	99.9	200	0.559	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 742 (H264117-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	97.0	200	1.29	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	95.0	200	0.00631	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 743 (H264117-35)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50	
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	97.0	200	1.29	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	95.0	200	0.00631	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 744 (H264117-36)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.46	123	2.00	3.50		
Toluene*	<0.050	0.050	07/25/2026	ND	2.12	106	2.00	2.86		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.13	106	2.00	2.91		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.41	107	6.00	2.84		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	194	97.0	200	1.29	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	95.0	200	0.00631	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 59.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Page 39 of 42



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 20 of 22

Work Order Comments

4204117

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around			
Project Number:				☒ Routine ☐ Rush		Pres. Code	
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Edward Bartlett, Douglas Crossgrove		TAT may vary based on lab start time.			
PO #:		E-26029-GS-21300037					
SAMPLE RECEIPT		Temp Blank:		Yes No		Wet Ice:	
Samples Received Intact:		Yes No		Thermometer ID:		Yes No	
Cooler Custody Seals:		Yes No		Correction Factor:		Yes No	
Sample Custody Seals:		Yes No		Temperature Reading:		Yes No	
Total Containers:		216		Corrected Temperature:		Yes No	
Sample Identification		Depth		Date Sampled		Time Sampled	
CS-719				7/21/2026		12:40	
CS-720				7/21/2026		12:41	
CS-721				7/21/2026		12:42	
CS-722				7/21/2026		12:43	
CS-723				7/21/2026		12:44	
CS-724				7/21/2026		12:45	
CS-725				7/21/2026		12:46	
CS-726				7/21/2026		12:47	
CS-727				7/21/2026		12:48	
CS-728				7/21/2026		12:49	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
1 Edward Bartlett		James Walker		7/22/26 08:30am		2 James Walker	
3						4	
5						6	
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed							

Sample Comments

Preservative Codes

None: NO DI Water: H₂O
Cool: Cool MeOH: Me
HCL: HC HNO₃: HN
H₂SO₄: H₂ NaOH: Na
H₃PO₄: HP
NaHSO₄: NABIS
Na₂S₂O₃: NaSO₃
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature) Received by: (Signature) Date/Time



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 853-0393

<https://standardtx.com/>

Page 21 of 22

Work Order Comments

7/26/17

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code
Project Number:		Due Date:		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.		
Sampler's Name:	Edward Bartlett, Douglas Crossgrove			
PO #:	E-26029-GS-21300037			

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:		
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:		
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:		
Total Containers:	216	Corrected Temperature:		

Parameters

BTEX 8012B

TPH 8015M (GRO-DRO-MRO)

Chloride 4500 or EPA 300

ANALYSIS REQUEST

Preservative Codes

None: NO DI Water: H₂O

Cool: Cool MeOH: Me

HCL: HC HNO₃: HN

H₂SO₄: H₂ NaOH: Na

H₃PO₄: HP

NaHSO₄: NABIS

Na₂S₂O₃: NaSO₃

Zn Acetate+NaOH: Zn

NaOH+Ascorbic Acid: SAPC

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Preservative Codes	Sample Comments
CS-729		7/21/2026	12:50	S	Com	1	X	X	X		21
CS-730		7/21/2026	12:51	S	Com	1	X	X	X		22
CS-731		7/21/2026	12:52	S	Com	1	X	X	X		23
CS-732		7/21/2026	12:53	S	Com	1	X	X	X		24
CS-733		7/21/2026	12:54	S	Com	1	X	X	X		25
CS-734		7/21/2026	12:55	S	Com	1	X	X	X		26
CS-735		7/21/2026	12:56	S	Com	1	X	X	X		27
CS-736		7/21/2026	12:57	S	Com	1	X	X	X		28
CS-737		7/21/2026	12:58	S	Com	1	X	X	X		29
CS-738		7/21/2026	12:59	S	Com	1	X	X	X		30
Relinquished by: (Signature)		Received by: (Signature)									
1 Edward Bartlett	James Walker	7/22/26 08:30am									
3											
5											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 22 of 22

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sampler's Name:	Edward Bartlett, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Due Date: TAT may vary based on lab start time.	

SAMPLE RECEIPT	
Samples Received Intact:	Yes ☒ No ☐
Cooler Custody Seals:	Yes ☒ No ☐
Sample Custody Seals:	Yes ☒ No ☐
Total Containers:	216
Temp Blank:	Yes ☒ No ☐
Thermometer ID:	140
Correction Factor:	-0.1
Temperature Reading:	2.4
Corrected Temperature:	2.5

Parameters	Pres. Code
BTEX 8012B	
TPH 8015M (GRO-DRO-MRO)	
Chloride 4500 or EPA 300	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
-----------------------	-------	--------------	--------------	--------	----------	-----------	------------------	--------------------	-----------------

CS-739		7/21/2026	13:00	S	Com	1	X	X	X	31
CS-740		7/21/2026	13:01	S	Com	1	X	X	X	32
CS-741		7/21/2026	13:02	S	Com	1	X	X	X	33
CS-742		7/21/2026	13:03	S	Com	1	X	X	X	34
CS-743		7/21/2026	13:04	S	Com	1	X	X	X	35
CS-744		7/21/2026	13:05	S	Com	1	X	X	X	36

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Edward Bartlett	James Walker	7/22/26 08:30am	2 James Walker	Standard Safety & Supply	7/22/26 7:30
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 28, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/22/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 25 (H264130-01)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	1.55		
Toluene*	<0.050	0.050	07/25/2026	ND	1.98	99.0	2.00	1.07		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.37		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.90	98.3	6.00	1.47		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 51.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 26 (H264130-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	1.55	
Toluene*	<0.050	0.050	07/25/2026	ND	1.98	99.0	2.00	1.07	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.37	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.90	98.3	6.00	1.47	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 70.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 27 (H264130-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	1.55	
Toluene*	<0.050	0.050	07/25/2026	ND	1.98	99.0	2.00	1.07	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.37	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.90	98.3	6.00	1.47	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 59.0 % 48-117

Surrogate: 1-Chlorooctadecane 51.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 28 (H264130-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.10	105	2.00	1.55	
Toluene*	<0.050	0.050	07/25/2026	ND	1.98	99.0	2.00	1.07	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.37	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.90	98.3	6.00	1.47	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 29 (H264130-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 30 (H264130-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 31 (H264130-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 60.7 % 48-117

Surrogate: 1-Chlorooctadecane 51.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 32 (H264130-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 33 (H264130-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 34 (H264130-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177		
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 60.0 % 48-117

Surrogate: 1-Chlorooctadecane 60.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 35 (H264130-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 56.0 % 48-117

Surrogate: 1-Chlorooctadecane 47.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 36 (H264130-12)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 37 (H264130-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177		
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 38 (H264130-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 52.2 % 48-117

Surrogate: 1-Chlorooctadecane 43.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 39 (H264130-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 40 (H264130-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	191	95.3	200	4.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.4	200	4.63	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 41 (H264130-17)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 42 (H264130-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177		
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 43 (H264130-19)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 44 (H264130-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 70.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 45 (H264130-21)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177		
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 46 (H264130-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 47 (H264130-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177	
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 48 (H264130-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	0.177		
Toluene*	<0.050	0.050	07/26/2026	ND	1.95	97.5	2.00	0.771		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.00	99.8	2.00	0.266		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.82	96.9	6.00	0.0691		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 49 (H264130-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 50 (H264130-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 51 (H264130-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 64.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 52 (H264130-28)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 53 (H264130-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 52.2 % 48-117

Surrogate: 1-Chlorooctadecane 48.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 54 (H264130-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 55 (H264130-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 57.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 56 (H264130-32)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 57 (H264130-33)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 58 (H264130-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 59 (H264130-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 60 (H264130-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	91.0	200	0.181	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	183	91.6	200	1.73	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 57.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 61 (H264130-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 62.2 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 62 (H264130-38)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 66.7 % 48-117

Surrogate: 1-Chlorooctadecane 61.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 63 (H264130-39)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 64 (H264130-40)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 69.6 % 48-117

Surrogate: 1-Chlorooctadecane 65.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 65 (H264130-41)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 66 (H264130-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 67 (H264130-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 68 (H264130-44)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.09	105	2.00	0.439	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.7	2.00	1.44	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	1.74	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.85	97.6	6.00	1.36	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 48-117

Surrogate: 1-Chlorooctadecane 66.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 69 (H264130-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 59.9 % 48-117

Surrogate: 1-Chlorooctadecane 55.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 70 (H264130-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 61.6 % 48-117

Surrogate: 1-Chlorooctadecane 57.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 71 (H264130-47)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 68.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 72 (H264130-48)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 58.0 % 48-117

Surrogate: 1-Chlorooctadecane 55.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 73 (H264130-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 66.9 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 74 (H264130-50)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 75 (H264130-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 73.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 76 (H264130-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 77 (H264130-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 78 (H264130-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 53.1 % 48-117

Surrogate: 1-Chlorooctadecane 50.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 79 (H264130-55)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 80 (H264130-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	205	103	200	5.55	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	1.45	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 106 % 48-117

Surrogate: 1-Chlorooctadecane 108 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 81 (H264130-57)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 82 (H264130-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 83 (H264130-59)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 75.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 84 (H264130-60)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 85 (H264130-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 88.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 86 (H264130-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38		
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 87 (H264130-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 88 (H264130-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.15	107	2.00	4.38	
Toluene*	<0.050	0.050	07/25/2026	ND	2.06	103	2.00	3.62	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	1.98	98.8	2.00	3.40	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.78	96.4	6.00	3.42	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 89 (H264130-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25	
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 90 (H264130-66)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25	
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 90.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 91 (H264130-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 92 (H264130-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25	
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 93 (H264130-69)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 94 (H264130-70)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25	
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 95 (H264130-71)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 96 (H264130-72)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 169 (H264130-73)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 170 (H264130-74)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 171 (H264130-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 172 (H264130-76)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	215	108	200	5.29	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	202	101	200	0.0139	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 89.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 173 (H264130-77)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 174 (H264130-78)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 175 (H264130-79)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 176 (H264130-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 177 (H264130-81)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 178 (H264130-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 179 (H264130-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 49.7 % 48-117

Surrogate: 1-Chlorooctadecane 46.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 180 (H264130-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.20	110	2.00	2.25		
Toluene*	<0.050	0.050	07/25/2026	ND	2.11	105	2.00	2.33		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.01	100	2.00	2.94		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	5.86	97.7	6.00	2.77		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 181 (H264130-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 182 (H264130-86)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 183 (H264130-87)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 184 (H264130-88)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 88.4 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 185 (H264130-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 90.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 186 (H264130-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 2

Page 93 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments	
43264130	

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST												Preservative Codes
Project Location:	Lea County, New Mexico	Due Date:															None: NO
Sampler's Name:	Josafat Aguirre	TAT may vary based on lab start time.															DI Water: H ₂ O
PO #:	E-26029-GS-21300037																Cool: Cool
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐													HCL: HC
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														H ₂ SO ₄ : H ₂
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														H ₃ PO ₄ : HP
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														NaHSO ₄ : NABIS
Total Containers:	264	Corrected Temperature:	8.5														Na ₂ S ₂ O ₃ : NaSO ₃
																	Zn Acetate+NaOH: Zn
																	NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 801: B	TPH 8015: (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST												Preservative Codes	Sample Comments
CS-25		7/21/2026	9:30	S	Com	1	X	X	X														
CS-26		7/21/2026	9:31	S	Com	1	X	X	X														
CS-27		7/21/2026	9:32	S	Com	1	X	X	X														
CS-28		7/21/2026	9:33	S	Com	1	X	X	X														
CS-29		7/21/2026	9:34	S	Com	1	X	X	X														
CS-30		7/21/2026	9:35	S	Com	1	X	X	X														
CS-31		7/21/2026	9:36	S	Com	1	X	X	X														
CS-32		7/21/2026	9:37	S	Com	1	X	X	X														
CS-33		7/21/2026	9:38	S	Com	1	X	X	X														
CS-34		7/21/2026	9:39	S	Com	1	X	X	X														

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	James Walker	7/22/26 08:30am
		2 James Walker
		4
		6

Relinquished by: (Signature) *Shackleton* Received by: (Signature) *Shackleton* Date/Time 7/22/26 1300

claimant: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 553-0393
<https://standardtx.com/>

Work Order Comments

HAZ 4130

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes				
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300												
11 CS-35		7/21/2026	9:40	S	Com	1	X	X	X												
12 CS-36		7/21/2026	9:41	S	Com	1	X	X	X												
13 CS-37		7/21/2026	9:42	S	Com	1	X	X	X												
14 CS-38		7/21/2026	9:43	S	Com	1	X	X	X												
15 CS-39		7/21/2026	9:44	S	Com	1	X	X	X												
16 CS-40		7/21/2026	9:45	S	Com	1	X	X	X												
17 CS-41		7/21/2026	9:46	S	Com	1	X	X	X												
18 CS-42		7/21/2026	9:47	S	Com	1	X	X	X												
19 CS-43		7/21/2026	9:48	S	Com	1	X	X	X												
20 CS-44		7/21/2026	9:49	S	Com	1	X	X	X												
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time											
Josafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		Seddiequary		7/22/26 130											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 3 of 27

Page 95 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre
PO #:	E-26029-GS-21300037
Turn Around	☒ Routine ☐ Rush
Due Date:	TAT may vary based on lab start time.

Samples Received Intact: Yes ☒ No ☐ Cooler Custody Seals: Yes ☒ No ☐ Sample Custody Seals: Yes ☒ No ☐ Total Containers: 264	Temp Blank: Yes ☒ No ☐ Thermometer ID: 1490 Correction Factor: +0.1 Temperature Reading: 2.4 Corrected Temperature: 2.5	Wet Ice: Yes ☒ No ☐ Parameters
---	--	--

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
21 CS-45		7/21/2026	9:50	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
22 CS-46		7/21/2026	9:51	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
23 CS-47		7/21/2026	9:52	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
24 CS-48		7/21/2026	9:53	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
25 CS-49		7/21/2026	9:54	S	Com	1		H ₃ PO ₄ : HP	
26 CS-50		7/21/2026	9:55	S	Com	1		NaHSO ₄ : NABIS	
27 CS-51		7/21/2026	9:56	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
28 CS-52		7/21/2026	9:57	S	Com	1		Zn Acetate+NaOH: Zn	
29 CS-53		7/21/2026	9:58	S	Com	1		NaOH+Ascorbic Acid: SAPC	
30 CS-54		7/21/2026	9:59	S	Com	1			

Relinquished by: (Signature) James Walker Date/Time: 7/22/26 08:30am

Received by: (Signature) Josafat Aguirre Date/Time: 7/22/26 13:00



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments	1264130
---------------------	---------

Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code		ANALYSIS REQUEST										Preservative Codes					
Project Number:				☒ Routine ☐ Rush														None: NO DI Water: H ₂ O					
Project Location:		Lea County, New Mexico		Due Date:		TAT may vary based on lab start time.												Cool: Cool MeOH: Me					
Sampler's Name:		Josafat Aguirre																HCL: HC HNO ₃ : HN					
PO #:		E-26029-GS-21300037																H ₂ SO ₄ : H ₂ NaOH: Na					
SAMPLE RECEIPT				Temp Blank:		Yes ☒ No ☒		Thermometer ID:		Wet Ice:		Yes ☒ No ☒											
Samples Received Intact:				Yes ☒ No ☒																			
Cooler Custody Seals:				Yes ☒ No ☒		N/A		Correction Factor:															
Sample Custody Seals:				Yes ☒ No ☒		N/A		Temperature Reading:															
Total Containers:				264		Corrected Temperature:																	
Sample Identification		Depth		Date Sampled		Time Sampled		Matrix		Grab Com		# of Cont		Parameters									
31 CS-55				7/21/2026		10:00		S		Com		1		BTEX 8015 B									
32 CS-56				7/21/2026		10:01		S		Com		1		TPH 80151 (GRO-DRO-MRO)									
33 CS-57				7/21/2026		10:02		S		Com		1		Chloride 4300 or EPA 300									
34 CS-58				7/21/2026		10:03		S		Com		1											
35 CS-59				7/21/2026		10:04		S		Com		1											
36 CS-60				7/21/2026		10:05		S		Com		1											
37 CS-61				7/21/2026		10:06		S		Com		1											
38 CS-62				7/21/2026		10:07		S		Com		1											
39 CS-63				7/21/2026		10:08		S		Com		1											
40 CS-64				7/21/2026		10:09		S		Com		1											
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time			
Josafat Aguirre				James Walker				7/22/26 08:30am				2 James Walker				7/22/26 13:01							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardix.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardix.com/>

Work Order Comments

4264130

Project Name:	A-14 Surface Pad Reclaim		Turn Around		Pres. Code	ANALYSIS REQUEST										Preservative Codes				
Project Number:			☒ Routine	☐ Rush												None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC				
Project Location:	Lea County, New Mexico		Due Date:													DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na				
Sampler's Name:	Josafat Aguirre		TAT may vary based on lab start time.																	
PO #:	E-26029-GS-21300037																			
SAMPLE RECEIPT			Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐														
Samples Received In tact:	Yes ☒ No ☐		Thermometer ID:																	
Cooler Custody Seals:	Yes ☒ No ☐ N/A		Correction Factor:																	
Sample Custody Seals:	Yes ☒ No ☐ N/A		Temperature Reading:																	
Total Containers:	204		Corrected Temperature:																	
Sample Identification			Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
41	CS-65			7/21/2026	10:10	S	Com	1	X	X	X	X								
42	CS-66			7/21/2026	10:11	S	Com	1	X	X	X	X								
43	CS-67			7/21/2026	10:12	S	Com	1	X	X	X	X								
44	CS-68			7/21/2026	10:13	S	Com	1	X	X	X	X								
45	CS-69			7/21/2026	10:14	S	Com	1	X	X	X	X								
46	CS-70			7/21/2026	10:15	S	Com	1	X	X	X	X								
47	CS-71			7/21/2026	10:16	S	Com	1	X	X	X	X								
48	CS-72			7/21/2026	10:17	S	Com	1	X	X	X	X								
49	CS-73			7/21/2026	10:18	S	Com	1	X	X	X	X								
50	CS-74			7/21/2026	10:19	S	Com	1	X	X	X	X								
Relinquished by: (Signature)			Received by: (Signature)			Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time					
Josafat Aguirre			James Walker			7/22/26 08:30am			2 James Walker			Relinquishing			7-22-26 13:00					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 6 of 27

Page 98 of 101

Work Order Comments

HAZ 4130

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEx 80	TPH 801	Chloride	Sample Comments			
51	CS-75		7/21/2026	10:20	S	Com	1	X	X	X				
52	CS-76		7/21/2026	10:21	S	Com	1	X	X	X				
53	CS-77		7/21/2026	10:22	S	Com	1	X	X	X				
54	CS-78		7/21/2026	10:23	S	Com	1	X	X	X				
55	CS-79		7/21/2026	10:24	S	Com	1	X	X	X				
56	CS-80		7/21/2026	10:25	S	Com	1	X	X	X				
57	CS-81		7/21/2026	10:26	S	Com	1	X	X	X				
58	CS-82		7/21/2026	10:27	S	Com	1	X	X	X				
59	CS-83		7/21/2026	10:28	S	Com	1	X	X	X				
60	CS-84		7/21/2026	10:29	S	Com	1	X	X	X				
Relinquished by: (Signature)			Received by: (Signature)			Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time		
James Walker			James Walker			7/22/26 08:30am		2 James Walker		S. Rodriguez		7-22-26 1300		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments	H264130
---------------------	---------

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet log:	Yes ☒ No ☐
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	204	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-85		7/21/2026	10:30	S	Com	1	X	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-86		7/21/2026	10:31	S	Com	1	X	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-87		7/21/2026	10:32	S	Com	1	X	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-88		7/21/2026	10:33	S	Com	1	X		H ₂ SO ₄ : H ₂	NaOH: Na
CS-89		7/21/2026	10:34	S	Com	1	X		H ₃ PO ₄ : HP	
CS-90		7/21/2026	10:35	S	Com	1	X		NaHSO ₄ : NABIS	
CS-91		7/21/2026	10:36	S	Com	1	X		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-92		7/21/2026	10:37	S	Com	1	X		Zn Acetate+NaOH: Zn	
CS-93		7/21/2026	10:38	S	Com	1	X		NaOH+Ascorbic Acid: SAFC	
CS-94		7/21/2026	10:39	S	Com	1	X			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		James Walker	7/22/26 08:30am		2 James Walker					

Relinquished by: *Standard Safety & Supply* Date/Time: 7/22/26 13:00

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments	Page 8 of 27
---------------------	--------------

4364130

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:															None: NO		
Project Location:	Lea County, New Mexico	Due Date:													DI Water: H ₂ O		
Sampler's Name:	Josafat Aguirre	TAT may vary based on lab start time.													Cool: Cool		
PO #:	E-26029-GS-21300037														HCL: HC		
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₂ SO ₄ : H ₂		
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140											H ₃ PO ₄ : HP		
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.12											NaHSO ₄ : NABIS		
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4											Na ₂ S ₂ O ₃ : NaSO ₃		
	Total Containers:	264	Corrected Temperature:	2.5											Zn Acetate+NaOH: Zn		
															NaOH+Ascorbic Acid: SAPC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
71 CS-95		7/21/2026	10:40	S	Com	1	X	X	X	X							
72 CS-96		7/21/2026	10:41	S	Com	1	X	X	X	X							
73 CS-169		7/21/2026	10:42	S	Com	1	X	X	X	X							
74 CS-170		7/21/2026	10:43	S	Com	1	X	X	X	X							
75 CS-171		7/21/2026	10:44	S	Com	1	X	X	X	X							
76 CS-172		7/21/2026	10:45	S	Com	1	X	X	X	X							
77 CS-173		7/21/2026	10:46	S	Com	1	X	X	X	X							
78 CS-174		7/21/2026	10:47	S	Com	1	X	X	X	X							
79 CS-175		7/21/2026	10:48	S	Com	1	X	X	X	X							
80 CS-176		7/21/2026	10:49	S	Com	1	X	X	X	X							
Relinquished by: (Signature)	Received by: (Signature)	Date/Time											Relinquished by: (Signature)				
Josafat Aguirre	James Walker	7/22/26 08:30am											2 James Walker				
													4				
													6				
													Relinquished by: (Signature)				
													Received by: (Signature)				
													Date/Time				
													7/22/26 1300				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Page 9 of 27

14264130

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		Due Date:													None: NO	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													DI Water: H ₂ O	
Sampler's Name:	Josafat Aguirre														Cool: Cool	
PO #:	E-26029-GS-21300037														HCL: HC	
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₂ SO ₄ : H ₂
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														H ₃ PO ₄ : HP
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														NaHSO ₄ : NABIS
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Na ₂ S ₂ O ₃ : NaSO ₃
Total Containers:	204	Corrected Temperature:														Zn Acetate+NaOH: Zn
																NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes
CS-177		7/21/2026	10:50	S	Com	1	BTEX 8012B		
CS-178		7/21/2026	10:51	S	Com	1	TPH 8015M (GRO-DRO-MRO)		
CS-179		7/21/2026	10:52	S	Com	1	Chloride 4500 or EPA 300		
CS-180		7/21/2026	10:53	S	Com	1			
CS-181		7/21/2026	10:54	S	Com	1			
CS-182		7/21/2026	10:55	S	Com	1			
CS-183		7/21/2026	10:56	S	Com	1			
CS-184		7/21/2026	10:57	S	Com	1			
CS-185		7/21/2026	10:58	S	Com	1			
CS-186		7/21/2026	10:59	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time			
Josafat Aguirre		James Walker	7/22/26 08:30am	2 James Walker					

Relinquished by: (Signature)

Date/Time

7-22-26 1305

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 28, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/22/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 187 (H264131-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 188 (H264131-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 189 (H264131-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 54.8 % 48-117

Surrogate: 1-Chlorooctadecane 49.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 190 (H264131-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 191 (H264131-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 192 (H264131-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	207	103	200	4.45	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	205	102	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 193 (H264131-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 194 (H264131-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 195 (H264131-09)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 67.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 196 (H264131-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 197 (H264131-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 90.8 % 48-117

Surrogate: 1-Chlorooctadecane 88.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 198 (H264131-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 199 (H264131-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 200 (H264131-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.18	109	2.00	3.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.10	105	2.00	1.67	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.01	100	2.00	2.10	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	5.86	97.6	6.00	2.06	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 83.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 201 (H264131-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 202 (H264131-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 203 (H264131-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 204 (H264131-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 70.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 205 (H264131-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31		
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 206 (H264131-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 207 (H264131-21)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31		
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 208 (H264131-22)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 209 (H264131-23)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 210 (H264131-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31		
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 82.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 211 (H264131-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 91.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 212 (H264131-26)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	211	106	200	3.38	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	211	106	200	1.57	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 90.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 213 (H264131-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31		
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 214 (H264131-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 215 (H264131-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31		
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 216 (H264131-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31		
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 217 (H264131-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 218 (H264131-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 219 (H264131-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 220 (H264131-34)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.31	
Toluene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.38	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.07	104	2.00	2.29	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.04	101	6.00	2.30	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 221 (H264131-35)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 222 (H264131-36)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 79.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 223 (H264131-37)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 224 (H264131-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 79.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 225 (H264131-39)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 226 (H264131-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 87.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 227 (H264131-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 88.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 228 (H264131-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 48-117

Surrogate: 1-Chlorooctadecane 89.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 229 (H264131-43)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 230 (H264131-44)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.4 % 48-117

Surrogate: 1-Chlorooctadecane 84.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 231 (H264131-45)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 86.7 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 232 (H264131-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	1.06	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	1.70	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 233 (H264131-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 234 (H264131-48)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 235 (H264131-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 236 (H264131-50)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 237 (H264131-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTEX	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 238 (H264131-52)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56		
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 239 (H264131-53)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 240 (H264131-54)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	1.94	97.0	2.00	4.56	
Toluene*	<0.050	0.050	07/25/2026	ND	1.92	96.0	2.00	6.99	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.14	107	2.00	5.68	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.35	106	6.00	6.45	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 82.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 289 (H264131-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.71	112	6.00	2.09	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 290 (H264131-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.71	112	6.00	2.09		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 291 (H264131-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.71	112	6.00	2.09	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 64.9 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 292 (H264131-58)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.71	112	6.00	2.09	
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 66.9 % 48-117

Surrogate: 1-Chlorooctadecane 62.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 293 (H264131-59)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.71	112	6.00	2.09		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 72.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 294 (H264131-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/25/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/25/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.71	112	6.00	2.09		
Total BTEx	<0.300	0.300	07/25/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 295 (H264131-61)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 67.7 % 48-117

Surrogate: 1-Chlorooctadecane 62.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 296 (H264131-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.4 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 297 (H264131-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 298 (H264131-64)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 75.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 299 (H264131-65)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 79.4 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 300 (H264131-66)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	186	93.2	200	4.52	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	186	93.2	200	8.86	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 62.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 301 (H264131-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/24/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/24/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/24/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 54.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 302 (H264131-68)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 48-117

Surrogate: 1-Chlorooctadecane 58.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 303 (H264131-69)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/24/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 48-117

Surrogate: 1-Chlorooctadecane 64.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 304 (H264131-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 57.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 305 (H264131-71)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 58.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 306 (H264131-72)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 307 (H264131-73)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10	
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 308 (H264131-74)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.01	101	2.00	2.10		
Toluene*	<0.050	0.050	07/26/2026	ND	2.03	101	2.00	2.11		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.24	112	2.00	1.67		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.71	112	6.00	2.09		
Total BTX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 55.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 309 (H264131-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 310 (H264131-76)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 60.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 311 (H264131-77)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.5 % 48-117

Surrogate: 1-Chlorooctadecane 58.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 312 (H264131-78)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 66.1 % 48-117

Surrogate: 1-Chlorooctadecane 50.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 313 (H264131-79)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 67.9 % 48-117

Surrogate: 1-Chlorooctadecane 52.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 314 (H264131-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 72.6 % 48-117

Surrogate: 1-Chlorooctadecane 56.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 315 (H264131-81)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 56.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 316 (H264131-82)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 54.8 % 48-117

Surrogate: 1-Chlorooctadecane 39.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 317 (H264131-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 54.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 318 (H264131-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.5 % 48-117

Surrogate: 1-Chlorooctadecane 54.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 319 (H264131-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 57.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 320 (H264131-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	200	100	200	1.20	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	196	98.1	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 56.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 321 (H264131-87)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	3.37	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.5	200	4.11	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 63.4 % 48-117

Surrogate: 1-Chlorooctadecane 51.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 322 (H264131-88)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	3.37	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.5	200	4.11	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 67.1 % 48-117

Surrogate: 1-Chlorooctadecane 53.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 323 (H264131-89)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585	
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	3.37	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.5	200	4.11	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 55.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/22/2026
 Reported: 07/28/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/21/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: CS - 324 (H264131-90)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	1.99	99.5	2.00	0.585		
Toluene*	<0.050	0.050	07/26/2026	ND	1.97	98.6	2.00	0.288		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.17	108	2.00	1.30		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.46	108	6.00	1.27		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	195	97.3	200	3.37	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	187	93.5	200	4.11	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 59.9 % 48-117

Surrogate: 1-Chlorooctadecane 47.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	264-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 553-0393	
https://standardtx.com/	
Page 10 of 27	
Work Order Comments	
H2041131	

Turn Around				ANALYSIS REQUEST				Preservative Codes	
Project Name:	A-14 Surface Pad Reclaim	Due Date:	☒ Routine ☐ Rush	Pres. Code					
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.							
Sample's Name:	Josafat Aguirre								
PO #:	E-26029-CS-21300037								
SAMPLE RECEIPT				Parameters					
Samples Received Intact:	Temp Blank:	Yes	No	Wet Ice:	Yes	No			
Cooler Custody Seals:	Yes	No	N/A	Thermometer ID:	140				
Sample Custody Seals:	Yes	No	N/A	Correction Factor:	+0.1				
	Temperature Reading:	2.4							
	Corrected Temperature:	2.5							
Total Containers:				204					
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont			
CS-187		7/21/2026	11:00	S	Com	1	X	X	X
CS-188		7/21/2026	11:01	S	Com	1	X	X	X
CS-189		7/21/2026	11:02	S	Com	1	X	X	X
CS-190		7/21/2026	11:03	S	Com	1	X	X	X
CS-191		7/21/2026	11:04	S	Com	1	X	X	X
CS-192		7/21/2026	11:05	S	Com	1	X	X	X
CS-193		7/21/2026	11:06	S	Com	1	X	X	X
CS-194		7/21/2026	11:07	S	Com	1	X	X	X
CS-195		7/21/2026	11:08	S	Com	1	X	X	X
CS-196		7/21/2026	11:09	S	Com	1	X	X	X
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)			
Jasafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker			
						4			
						6			
						10			
						7			
						8			
						9			
						10			
						11			
						12			
						13			
						14			
						15			
						16			
						17			
						18			
						19			
						20			
						21			
						22			
						23			
						24			
						25			
						26			
						27			
						28			
						29			
						30			
						31			
						32			
						33			
						34			
						35			
						36			
						37			
						38			
						39			
						40			
						41			
						42			
						43			
						44			
						45			
						46			
						47			
						48			
						49			
						50			
						51			
						52			
						53			
						54			
						55			
						56			
						57			
						58			
						59			
						60			
						61			
						62			
						63			
						64			
						65			
						66			
						67			
						68			
						69			
						70			
						71			
						72			
						73			
						74			
						75			
						76			
						77			
						78			
						79			
						80			
						81			
						82			
						83			
						84			
						85			
						86			
						87			
						88			
						89			
						90			
						91			
						92			
						93			
						94			
						95			
						96			
						97			
						98			
						99			
						100			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 553-0393

<https://standardtx.com/>

Page 11 of 27

Work Order Comments

#264131

Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine	☐ Rush	Due Date:													None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.															Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre																HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037																H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:															NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:															Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:															Zn Acetate+NaOH: Zn	
Total Containers:	264	Corrected Temperature:															NaOH+Ascorbic Acid: SAPC	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
CS-197		7/21/2026	11:10	S	Com	1	X	X	X	X							11	
CS-198		7/21/2026	11:11	S	Com	1	X	X	X	X							13	
CS-199		7/21/2026	11:12	S	Com	1	X	X	X	X							14	
CS-200		7/21/2026	11:13	S	Com	1	X	X	X	X							15	
CS-201		7/21/2026	11:14	S	Com	1	X	X	X	X							16	
CS-202		7/21/2026	11:15	S	Com	1	X	X	X	X							17	
CS-203		7/21/2026	11:16	S	Com	1	X	X	X	X							18	
CS-204		7/21/2026	11:17	S	Com	1	X	X	X	X							19	
CS-205		7/21/2026	11:18	S	Com	1	X	X	X	X							20	
CS-206		7/21/2026	11:19	S	Com	1	X	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
Jasafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		Shadrach		7:22:10/1300								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



SAFETY & SUPPLY

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 553-0393
<https://standardtx.com/>
Page 12 of 27

4244131





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 13 of 27	
Work Order Comments	
4204131	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	
CS-217			7/21/2026	11:30	S	Com	1	X	X	X	X	X	X	X	X	X	X	None: NO	DI Water: H ₂ O
CS-218			7/21/2026	11:31	S	Com	1	X	X	X	X	X	X	X	X	X	X	Cool: Cool	MeOH: Me
CS-219			7/21/2026	11:32	S	Com	1	X	X	X	X	X	X	X	X	X	X	HCL: HC	HNO ₃ : HN
CS-220			7/21/2026	11:33	S	Com	1	X	X	X	X	X	X	X	X	X	X	H ₂ SO ₄ : H ₂	NaOH: Na
CS-221			7/21/2026	11:34	S	Com	1	X	X	X	X	X	X	X	X	X	X	H ₃ PO ₄ : HP	
CS-222			7/21/2026	11:35	S	Com	1	X	X	X	X	X	X	X	X	X	X	NaHSO ₄ : NABIS	
CS-223			7/21/2026	11:36	S	Com	1	X	X	X	X	X	X	X	X	X	X	Na ₂ S ₂ O ₃ : NaSO ₃	
CS-224			7/21/2026	11:37	S	Com	1	X	X	X	X	X	X	X	X	X	X	Zn Acetate+NaOH: Zn	
CS-225			7/21/2026	11:38	S	Com	1	X	X	X	X	X	X	X	X	X	X	IndOH+Ascorbic Acid: SAFC	
CS-226			7/21/2026	11:39	S	Com	1	X	X	X	X	X	X	X	X	X	X		
Relinquished by: (Signature)			Received by: (Signature)			Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time				
safari Aguirre			James Walker			7/22/26 08:30am			2 James Walker			safari Aguirre			7:23:26 1300				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2624 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 14 of 27	
Work Order Comments	
1804131	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments
							BTEX 8015	TPH 8015	Chloride 400 or EPA 300									
CS-227		7/21/2026	11:40	S	Com	1	X	X	X	X							41	
CS-228		7/21/2026	11:41	S	Com	1	X	X	X	X							42	
CS-229		7/21/2026	11:42	S	Com	1	X	X	X	X							43	
CS-230		7/21/2026	11:43	S	Com	1	X	X	X	X							44	
CS-231		7/21/2026	11:44	S	Com	1	X	X	X	X							45	
CS-232		7/21/2026	11:45	S	Com	1	X	X	X	X							46	
CS-233		7/21/2026	11:46	S	Com	1	X	X	X	X							47	
CS-234		7/21/2026	11:47	S	Com	1	X	X	X	X							48	
CS-235		7/21/2026	11:48	S	Com	1	X	X	X	X							49	
CS-236		7/21/2026	11:49	S	Com	1	X	X	X	X							50	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
sajafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		sajafat Aguirre		7/22/26 08:30am								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

7244131



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

HA04131

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim		Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:																None: NO	
Project Location:	Lea County, New Mexico		Due Date:	TAT may vary based on lab start time.												Cool: Cool	
Sampler's Name:	Josafat Aguirre															HCL: HC	
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	
SAMPLE RECEIPT	Temp Blank:	Yes/No	Wet Ice:	Yes/No												H ₃ PO ₄ : HP	
	Samples Received Intact:	Yes/No	Thermometer ID:													NaHSO ₄ : NABIS	
	Cooler Custody Seals:	Yes/No	Correction Factor:													Na ₂ S ₂ O ₃ : NaSO ₃	
	Sample Custody Seals:	Yes/No	Temperature Reading:													Zn Acetate+NaOH: Zn	
	Total Containers:	264	Corrected Temperature:													NaOH+Ascorbic Acid: S&P-C	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-295		7/21/2026	12:00	S	Com	1	X	X	X	X	X	X	X	X	X	101	
CS-296		7/21/2026	12:01	S	Com	1	X	X	X	X	X	X	X	X	X	102	
CS-297		7/21/2026	12:02	S	Com	1	X	X	X	X	X	X	X	X	X	103	
CS-298		7/21/2026	12:03	S	Com	1	X	X	X	X	X	X	X	X	X	104	
CS-299		7/21/2026	12:04	S	Com	1	X	X	X	X	X	X	X	X	X	105	
CS-300		7/21/2026	12:05	S	Com	1	X	X	X	X	X	X	X	X	X	106	
CS-301		7/21/2026	12:06	S	Com	1	X	X	X	X	X	X	X	X	X	107	
CS-302		7/21/2026	12:07	S	Com	1	X	X	X	X	X	X	X	X	X	108	
CS-303		7/21/2026	12:08	S	Com	1	X	X	X	X	X	X	X	X	X	109	
CS-304		7/21/2026	12:09	S	Com	1	X	X	X	X	X	X	X	X	X	110	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
Josafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		Josafat Aguirre		7/22/26 13:00							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 17 of 27

Work Order Comments

Project Manager: Ethan Sessums

Company Name: Standard Safety & Supply

Address: 2425 Trunk St.

City, State ZIP: Odessa, Texas, 79761

Phone: 254-266-5456

Bill to: (if different) Dean Ericson

Company Name: Energy Transfer

Address:

City, State ZIP:

Email: Ethan.Sessums@standardtx.com

Project Name: A-14 Surface Pad Reclaim

Project Number:

Project Location: Lea County, New Mexico

Sample's Name: Josafat Aguirre

PO #: E-26029-GS-21300037

Turn Around
☒ Routine ☐ Rush
Due Date:
TAT may vary based on lab start time.

Pres. Code

SAMPLE RECEIPT

Samples Received In tact: Yes ☒ No ☐ Thermometer ID: 140

Cooler Custody Seals: Yes ☒ No ☐ Correction Factor: +0.1

Sample Custody Seals: Yes ☒ No ☐ Temperature Reading: 2.4

Total Containers: 264 Corrected Temperature: 2.5

Parameters

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST												Preservative Codes
							BTEX 8012/B	TPH 8015/ (GRO-DRO-MRO)	Chloride 4500 or EPA 300										
CS-305		7/21/2026	12:10	S	Com	1	X	X	X										
CS-306		7/21/2026	12:11	S	Com	1	X	X	X										
CS-307		7/21/2026	12:12	S	Com	1	X	X	X										
CS-308		7/21/2026	12:13	S	Com	1	X	X	X										
CS-309		7/21/2026	12:14	S	Com	1	X	X	X										
CS-310		7/21/2026	12:15	S	Com	1	X	X	X										
CS-311		7/21/2026	12:16	S	Com	1	X	X	X										
CS-312		7/21/2026	12:17	S	Com	1	X	X	X										
CS-313		7/21/2026	12:18	S	Com	1	X	X	X										
CS-314		7/21/2026	12:19	S	Com	1	X	X	X										

Relinquished by: (Signature) James Walker

Received by: (Signature)

Date/Time 7/22/26 08:30am

Relinquished by: (Signature)

Received by: (Signature)

Date/Time 7:22:26 1300

Sample Comments

71

72

73

74

75

76

77

78

79

80

Work Order Comments

42424131



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments
 Page 18 of 27

4241131

Project Name: A-14 Surface Pad Reclaim				Turn Around		Parameters		ANALYSIS REQUEST										Preservative Codes		
Project Number:	Project Location:	Due Date:	☒ Routine ☐ Rush	TAT may vary based on lab start time.	Wet Ice:	Yes/No	Thermometer ID:	Pras. Code											None: NO	DI Water: H ₂ O
PO #:	Lea County, New Mexico																		Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre																		HCL: HC	HNO ₃ : HN
Temp Blank:	E-26029-GS-21300037																		H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT																			H ₃ PO ₄ : HP	
Samples Received Intact:	Yes	No																	NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes	No																	Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes	No																	Zn Acetate+NaOH: Zn	
Total Containers:	204																		NaOH+Ascorbic Acid: S&P-C	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments			
CS-315		7/21/2026	12:20	S	Com	1	X	X	X	X							41			
CS-316		7/21/2026	12:21	S	Com	1	X	X	X	X							42			
CS-317		7/21/2026	12:22	S	Com	1	X	X	X	X							43			
CS-318		7/21/2026	12:23	S	Com	1	X	X	X	X							44			
CS-319		7/21/2026	12:24	S	Com	1	X	X	X	X							45			
CS-320		7/21/2026	12:25	S	Com	1	X	X	X	X							46			
CS-321		7/21/2026	12:26	S	Com	1	X	X	X	X							47			
CS-322		7/21/2026	12:27	S	Com	1	X	X	X	X							48			
CS-323		7/21/2026	12:28	S	Com	1	X	X	X	X							49			
CS-324		7/21/2026	12:29	S	Com	1	X	X	X	X							50			
Relinquished by: (Signature)	Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time												
Josafat Aguirre	James Walker		7/22/26 08:30am	2 James Walker		Stokvisney 7/22/26 1306														
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed																				



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 28, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/22/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CS - 325	H264132-01	Soil	21-Jul-26 12:30	22-Jul-26 13:00
CS - 326	H264132-02	Soil	21-Jul-26 12:31	22-Jul-26 13:00
CS - 327	H264132-03	Soil	21-Jul-26 12:32	22-Jul-26 13:00
CS - 328	H264132-04	Soil	21-Jul-26 12:33	22-Jul-26 13:00
CS - 329	H264132-05	Soil	21-Jul-26 12:34	22-Jul-26 13:00
CS - 330	H264132-06	Soil	21-Jul-26 12:35	22-Jul-26 13:00
CS - 331	H264132-07	Soil	21-Jul-26 12:36	22-Jul-26 13:00
CS - 332	H264132-08	Soil	21-Jul-26 12:37	22-Jul-26 13:00
CS - 333	H264132-09	Soil	21-Jul-26 12:38	22-Jul-26 13:00
CS - 334	H264132-10	Soil	21-Jul-26 12:39	22-Jul-26 13:00
CS - 335	H264132-11	Soil	21-Jul-26 12:40	22-Jul-26 13:00
CS - 336	H264132-12	Soil	21-Jul-26 12:41	22-Jul-26 13:00
CS - 337	H264132-13	Soil	21-Jul-26 12:42	22-Jul-26 13:00
CS - 338	H264132-14	Soil	21-Jul-26 12:43	22-Jul-26 13:00
CS - 339	H264132-15	Soil	21-Jul-26 12:44	22-Jul-26 13:00
CS - 340	H264132-16	Soil	21-Jul-26 12:45	22-Jul-26 13:00
CS - 341	H264132-17	Soil	21-Jul-26 12:46	22-Jul-26 13:00
CS - 342	H264132-18	Soil	21-Jul-26 12:47	22-Jul-26 13:00
CS - 343	H264132-19	Soil	21-Jul-26 12:48	22-Jul-26 13:00
CS - 344	H264132-20	Soil	21-Jul-26 12:49	22-Jul-26 13:00
CS - 345	H264132-21	Soil	21-Jul-26 12:50	22-Jul-26 13:00
CS - 346	H264132-22	Soil	21-Jul-26 12:51	22-Jul-26 13:00
CS - 347	H264132-23	Soil	21-Jul-26 12:52	22-Jul-26 13:00
CS - 348	H264132-24	Soil	21-Jul-26 12:53	22-Jul-26 13:00
CS - 349	H264132-25	Soil	21-Jul-26 12:54	22-Jul-26 13:00
CS - 350	H264132-26	Soil	21-Jul-26 12:55	22-Jul-26 13:00
CS - 351	H264132-27	Soil	21-Jul-26 12:56	22-Jul-26 13:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 352	H264132-28	Soil	21-Jul-26 12:57	22-Jul-26 13:00
CS - 353	H264132-29	Soil	21-Jul-26 12:58	22-Jul-26 13:00
CS - 354	H264132-30	Soil	21-Jul-26 12:59	22-Jul-26 13:00
CS - 355	H264132-31	Soil	21-Jul-26 12:50	22-Jul-26 13:00
CS - 356	H264132-32	Soil	21-Jul-26 12:51	22-Jul-26 13:00
CS - 357	H264132-33	Soil	21-Jul-26 12:52	22-Jul-26 13:00
CS - 358	H264132-34	Soil	21-Jul-26 12:53	22-Jul-26 13:00
CS - 359	H264132-35	Soil	21-Jul-26 12:54	22-Jul-26 13:00
CS - 360	H264132-36	Soil	21-Jul-26 12:55	22-Jul-26 13:00
CS - 361	H264132-37	Soil	21-Jul-26 12:56	22-Jul-26 13:00
CS - 362	H264132-38	Soil	21-Jul-26 12:57	22-Jul-26 13:00
CS - 363	H264132-39	Soil	21-Jul-26 12:58	22-Jul-26 13:00
CS - 364	H264132-40	Soil	21-Jul-26 12:59	22-Jul-26 13:00
CS - 365	H264132-41	Soil	21-Jul-26 13:10	22-Jul-26 13:00
CS - 366	H264132-42	Soil	21-Jul-26 13:11	22-Jul-26 13:00
CS - 367	H264132-43	Soil	21-Jul-26 13:12	22-Jul-26 13:00
CS - 368	H264132-44	Soil	21-Jul-26 13:13	22-Jul-26 13:00
CS - 369	H264132-45	Soil	21-Jul-26 13:14	22-Jul-26 13:00
CS - 370	H264132-46	Soil	21-Jul-26 13:15	22-Jul-26 13:00
CS - 371	H264132-47	Soil	21-Jul-26 13:16	22-Jul-26 13:00
CS - 372	H264132-48	Soil	21-Jul-26 13:17	22-Jul-26 13:00
CS - 373	H264132-49	Soil	21-Jul-26 13:18	22-Jul-26 13:00
CS - 374	H264132-50	Soil	21-Jul-26 13:19	22-Jul-26 13:00
CS - 375	H264132-51	Soil	21-Jul-26 13:20	22-Jul-26 13:00
CS - 376	H264132-52	Soil	21-Jul-26 13:21	22-Jul-26 13:00
CS - 377	H264132-53	Soil	21-Jul-26 13:22	22-Jul-26 13:00
CS - 378	H264132-54	Soil	21-Jul-26 13:23	22-Jul-26 13:00
CS - 379	H264132-55	Soil	21-Jul-26 13:24	22-Jul-26 13:00
CS - 380	H264132-56	Soil	21-Jul-26 13:25	22-Jul-26 13:00
CS - 381	H264132-57	Soil	21-Jul-26 13:26	22-Jul-26 13:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 382	H264132-58	Soil	21-Jul-26 13:27	22-Jul-26 13:00
CS - 383	H264132-59	Soil	21-Jul-26 13:28	22-Jul-26 13:00
CS - 384	H264132-60	Soil	21-Jul-26 13:29	22-Jul-26 13:00
CS - 385	H264132-61	Soil	21-Jul-26 13:30	22-Jul-26 13:00
CS - 386	H264132-62	Soil	21-Jul-26 13:31	22-Jul-26 13:00
CS - 387	H264132-63	Soil	21-Jul-26 13:32	22-Jul-26 13:00
CS - 388	H264132-64	Soil	21-Jul-26 13:33	22-Jul-26 13:00
CS - 389	H264132-65	Soil	21-Jul-26 13:34	22-Jul-26 13:00
CS - 390	H264132-66	Soil	21-Jul-26 13:35	22-Jul-26 13:00
CS - 391	H264132-67	Soil	21-Jul-26 13:36	22-Jul-26 13:00
CS - 392	H264132-68	Soil	21-Jul-26 13:37	22-Jul-26 13:00
CS - 393	H264132-69	Soil	21-Jul-26 13:38	22-Jul-26 13:00
CS - 394	H264132-70	Soil	21-Jul-26 13:39	22-Jul-26 13:00
CS - 395	H264132-71	Soil	21-Jul-26 13:40	22-Jul-26 13:00
CS - 396	H264132-72	Soil	21-Jul-26 13:41	22-Jul-26 13:00
CS - 397	H264132-73	Soil	21-Jul-26 13:42	22-Jul-26 13:00
CS - 398	H264132-74	Soil	21-Jul-26 13:43	22-Jul-26 13:00
CS - 399	H264132-75	Soil	21-Jul-26 13:44	22-Jul-26 13:00
CS - 400	H264132-76	Soil	21-Jul-26 13:45	22-Jul-26 13:00
CS - 401	H264132-77	Soil	21-Jul-26 13:46	22-Jul-26 13:00
CS - 402	H264132-78	Soil	21-Jul-26 13:47	22-Jul-26 13:00
CS - 403	H264132-79	Soil	21-Jul-26 13:48	22-Jul-26 13:00
CS - 404	H264132-80	Soil	21-Jul-26 13:49	22-Jul-26 13:00
CS - 405	H264132-81	Soil	21-Jul-26 13:50	22-Jul-26 13:00
CS - 406	H264132-82	Soil	21-Jul-26 13:51	22-Jul-26 13:00
CS - 407	H264132-83	Soil	21-Jul-26 13:52	22-Jul-26 13:00
CS - 408	H264132-84	Soil	21-Jul-26 13:53	22-Jul-26 13:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CASE NARRATIVE:

No labels with lot numbers on sample containers of -29 and -30 for traceability.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 325
H264132-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072325	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129 6072325 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 78.8 % 48-117 6072316 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 66.0 % 39-120 6072316 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 326
H264132-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072325	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129 6072325 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 82.4 % 48-117 6072316 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 68.6 % 39-120 6072316 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 327
H264132-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072325	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129 6072325 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 77.5 % 48-117 6072316 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 63.0 % 39-120 6072316 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 328**H264132-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072325	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072325	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			101 %		70.7-129	6072325	JH	26-Jul-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			79.1 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			64.4 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 329
H264132-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			97.0 %		70.7-129	6072326	JH	25-Jul-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			85.1 %		48-117	6072316	JF	25-Jul-26	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			70.1 %		39-120	6072316	JF	25-Jul-26	8015B	
--------------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 330
H264132-06 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.8 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			76.2 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			62.0 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 331
H264132-07 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.2 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			83.0 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			68.2 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 332
H264132-08 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 83.0 % 48-117 6072316 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 68.5 % 39-120 6072316 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 333
H264132-09 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 90.5 % 48-117 6072316 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 74.6 % 39-120 6072316 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 334
H264132-10 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.6 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			82.1 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			69.0 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 335
H264132-11 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			93.6 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			75.7 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			59.0 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 336
H264132-12 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			94.9 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			87.9 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			70.7 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 337
H264132-13 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			90.9 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			83.7 %		48-117	6072316	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			66.5 %		39-120	6072316	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 338
H264132-14 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.3 %		70.7-129	6072326	JH	25-Jul-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			71.2 %		48-117	6072316	JF	25-Jul-26	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			55.6 %		39-120	6072316	JF	25-Jul-26	8015B	
--------------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 339
H264132-15 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			95.0 %	70.7-129		6072326	JH	25-Jul-26	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			82.9 %	48-117		6072316	JF	25-Jul-26	8015B	
----------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			65.5 %	39-120		6072316	JF	25-Jul-26	8015B	
--------------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 340
H264132-16 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072316	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 74.9 % 48-117 6072316 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 59.1 % 39-120 6072316 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 341
H264132-17 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.0 %	70.7-129		6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			86.3 %	48-117		6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			78.6 %	39-120		6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 342
H264132-18 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 80.6 % 48-117 6072317 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 73.2 % 39-120 6072317 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 343
H264132-19 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072353	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.9 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			91.3 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.8 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 344
H264132-20 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 89.4 % 48-117 6072317 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 82.3 % 39-120 6072317 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 345
H264132-21 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 67.1 % 48-117 6072317 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 61.3 % 39-120 6072317 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 346
H264132-22 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			94.8 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			75.2 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			68.7 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 347
H264132-23 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129 6072326 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 77.2 % 48-117 6072317 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 71.7 % 39-120 6072317 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 348
H264132-24 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072326	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072326	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			94.0 %		70.7-129	6072326	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			86.7 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			79.5 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 349
H264132-25 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.9 %		70.7-129	6072327	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			91.1 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.3 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 350
H264132-26 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.2 %		70.7-129	6072327	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			81.4 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			74.8 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 351
H264132-27 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.2 %		70.7-129	6072327	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			84.8 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			77.5 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 352
H264132-28 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.1 %	70.7-129		6072327	JH	25-Jul-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			79.4 %	48-117		6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			72.4 %	39-120		6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 353
H264132-29 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	25-Jul-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			96.1 %	70.7-129		6072327	JH	25-Jul-26	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
Surrogate: 1-Chlorooctane			60.5 %	48-117		6072317	JF	25-Jul-26	8015B	
Surrogate: 1-Chlorooctadecane			54.9 %	39-120		6072317	JF	25-Jul-26	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 354
H264132-30 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			98.5 %		70.7-129	6072327	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			84.6 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			77.6 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 355
H264132-31 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.0 %		70.7-129	6072327	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			86.5 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			80.9 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 356
H264132-32 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			98.8 %		70.7-129	6072327	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			82.8 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			76.2 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 357
H264132-33 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.3 %		70.7-129	6072327	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			88.9 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.0 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 358
H264132-34 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 74.0 % 48-117 6072317 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 70.8 % 39-120 6072317 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 359**H264132-35 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.3 %		70.7-129	6072327	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			88.8 %		48-117	6072317	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			82.6 %		39-120	6072317	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 360
H264132-36 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072317	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 84.9 % 48-117 6072317 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 78.6 % 39-120 6072317 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 361
H264132-37 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 90.4 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 84.9 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 362
H264132-38 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 84.5 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 78.3 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 363
H264132-39 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072354	HM	26-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 87.8 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 81.9 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 364
H264132-40 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 88.2 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 82.2 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 365
H264132-41 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 75.0 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 70.8 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 366
H264132-42 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.3 %		70.7-129	6072327	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			67.5 %		48-117	6072318	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			62.8 %		39-120	6072318	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 367
H264132-43 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 79.0 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 73.9 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 368
H264132-44 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072327	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072327	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129 6072327 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 80.3 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 75.4 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 369
H264132-45 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 85.7 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 80.7 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 370**H264132-46 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 68.4 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 61.8 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 371
H264132-47 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 87.9 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 82.8 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 372
H264132-48 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 77.5 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 72.3 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 373
H264132-49 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			100 %	70.7-129		6072328	JH	26-Jul-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			81.4 %	48-117		6072318	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			76.1 %	39-120		6072318	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 374
H264132-50 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 84.1 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 78.4 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 375
H264132-51 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			98.6 %		70.7-129	6072328	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			78.8 %		48-117	6072318	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			72.7 %		39-120	6072318	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 376
H264132-52 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 81.9 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 76.8 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 377
H264132-53 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 86.6 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 81.1 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 378
H264132-54 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 94.0 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 88.2 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 379
H264132-55 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.4 %		70.7-129	6072328	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			85.7 %		48-117	6072318	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			80.1 %		39-120	6072318	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 380
H264132-56 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072318	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 82.7 % 48-117 6072318 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 76.5 % 39-120 6072318 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 381
H264132-57 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.1 %	70.7-129		6072328	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane			65.2 %	48-117		6072319	JF	24-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			64.9 %	39-120		6072319	JF	24-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 382
H264132-58 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.0 %	70.7-129		6072328	JH	26-Jul-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane			87.2 %	48-117		6072319	JF	24-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			87.5 %	39-120		6072319	JF	24-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 383
H264132-59 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072355	KH	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 73.8 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 73.2 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 384
H264132-60 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 83.3 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 84.8 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 385
H264132-61 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	28-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	28-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	28-Jul-26	8015B	

Surrogate: 1-Chlorooctane 94.8 % 48-117 6072319 JF 28-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 92.0 % 39-120 6072319 JF 28-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 386
H264132-62 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 94.9 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 95.5 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 387
H264132-63 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 97.0 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 97.9 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 388
H264132-64 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072328	JH	26-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072328	JH	26-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129 6072328 JH 26-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 97.3 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 98.1 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 389
H264132-65 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 80.4 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 80.8 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 390
H264132-66 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 83.5 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 82.2 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 391
H264132-67 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	24-Jul-26	8015B	

Surrogate: 1-Chlorooctane 48.3 % 48-117 6072319 JF 24-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 48.1 % 39-120 6072319 JF 24-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 392
H264132-68 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 87.3 % 48-117 6072319 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 89.4 % 39-120 6072319 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 393
H264132-69 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			111 %		70.7-129	6072329	JH	25-Jul-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			89.2 %		48-117	6072319	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			89.7 %		39-120	6072319	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 394
H264132-70 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 93.6 % 48-117 6072319 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 93.2 % 39-120 6072319 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 395
H264132-71 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 70.5 % 48-117 6072319 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 68.3 % 39-120 6072319 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 396
H264132-72 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 85.6 % 48-117 6072319 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 86.1 % 39-120 6072319 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 397
H264132-73 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			110 %		70.7-129	6072329	JH	25-Jul-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			88.0 %		48-117	6072319	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			85.2 %		39-120	6072319	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 398
H264132-74 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 77.5 % 48-117 6072319 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 74.5 % 39-120 6072319 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 399
H264132-75 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 78.0 % 48-117 6072319 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 75.8 % 39-120 6072319 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 400
H264132-76 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			110 %	70.7-129		6072329	JH	25-Jul-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072319	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			94.6 %	48-117		6072319	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			93.8 %	39-120		6072319	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 401
H264132-77 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 78.4 % 48-117 6072320 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 76.8 % 39-120 6072320 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 402
H264132-78 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 80.3 % 48-117 6072320 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 78.3 % 39-120 6072320 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 403
H264132-79 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0		16.0	mg/kg	4	6072356	ED	27-Jul-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 80.7 % 48-117 6072320 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 77.4 % 39-120 6072320 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 404
H264132-80 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072357	HM	24-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 88.0 % 48-117 6072320 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 84.8 % 39-120 6072320 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 405
H264132-81 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072357	HM	24-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129 6072329 JH 25-Jul-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane 93.6 % 48-117 6072320 JF 25-Jul-26 8015B

Surrogate: 1-Chlorooctadecane 90.8 % 39-120 6072320 JF 25-Jul-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 406
H264132-82 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072357	HM	24-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			111 %	70.7-129		6072329	JH	25-Jul-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			84.2 %	48-117		6072320	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			82.1 %	39-120		6072320	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 407
H264132-83 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072357	HM	24-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			112 %	70.7-129		6072329	JH	25-Jul-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			93.0 %	48-117		6072320	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			90.2 %	39-120		6072320	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

CS - 408
H264132-84 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6072357	HM	24-Jul-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6072329	JH	25-Jul-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6072329	JH	25-Jul-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			111 %	70.7-129		6072329	JH	25-Jul-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6072320	JF	25-Jul-26	8015B	

Surrogate: 1-Chlorooctane			94.9 %	48-117		6072320	JF	25-Jul-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			91.0 %	39-120		6072320	JF	25-Jul-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6072353 - 1:4 DI Water**Blank (6072353-BLK1)**

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6072353-BS1)

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	448	16.0	mg/kg	400		112	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (6072353-BSD1)

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120	3.64	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 6072354 - 1:4 DI Water**Blank (6072354-BLK1)**

Prepared & Analyzed: 26-Jul-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6072354-BS1)

Prepared & Analyzed: 26-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (6072354-BSD1)

Prepared & Analyzed: 26-Jul-26

Chloride	448	16.0	mg/kg	400		112	80-120	3.64	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 6072355 - 1:4 DI Water**Blank (6072355-BLK1)**

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6072355-BS1)

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6072355 - 1:4 DI Water**LCS Dup (6072355-BSD1)**

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	448	16.0	mg/kg	400		112	80-120	3.64	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 6072356 - 1:4 DI Water**Blank (6072356-BLK1)**

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6072356-BS1)

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (6072356-BSD1)

Prepared: 23-Jul-26 Analyzed: 27-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 6072357 - 1:4 DI Water**Blank (6072357-BLK1)**

Prepared & Analyzed: 24-Jul-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6072357-BS1)

Prepared & Analyzed: 24-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (6072357-BSD1)

Prepared & Analyzed: 24-Jul-26

Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6072325 - Volatiles**Blank (6072325-BLK1)**

Prepared: 23-Jul-26 Analyzed: 26-Jul-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		98.6	70.7-129			

LCS (6072325-BS1)

Prepared: 23-Jul-26 Analyzed: 26-Jul-26

Benzene	1.99	0.050	mg/kg	2.00		99.5	93.2-121			
Toluene	1.97	0.050	mg/kg	2.00		98.6	88.7-117			
Ethylbenzene	2.17	0.050	mg/kg	2.00		108	81.4-123			
m,p-Xylene	4.33	0.100	mg/kg	4.00		108	76.3-126			
o-Xylene	2.13	0.050	mg/kg	2.00		107	76.2-125			
Total Xylenes	6.46	0.150	mg/kg	6.00		108	76.6-125			
Surrogate: 4-Bromofluorobenzene (PID)	0.0492		mg/kg	0.0500		98.3	70.7-129			

LCS Dup (6072325-BS1)

Prepared: 23-Jul-26 Analyzed: 26-Jul-26

Benzene	1.98	0.050	mg/kg	2.00		98.9	93.2-121	0.585	7.62	
Toluene	1.98	0.050	mg/kg	2.00		98.9	88.7-117	0.288	9.57	
Ethylbenzene	2.19	0.050	mg/kg	2.00		110	81.4-123	1.30	11	
m,p-Xylene	4.38	0.100	mg/kg	4.00		109	76.3-126	1.19	11.2	
o-Xylene	2.16	0.050	mg/kg	2.00		108	76.2-125	1.41	11	
Total Xylenes	6.54	0.150	mg/kg	6.00		109	76.6-125	1.27	11.1	
Surrogate: 4-Bromofluorobenzene (PID)	0.0512		mg/kg	0.0500		102	70.7-129			

Batch 6072326 - Volatiles**Blank (6072326-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6072326 - Volatiles**Blank (6072326-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		94.3	70.7-129			

LCS (6072326-BS1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	2.33	0.050	mg/kg	2.00		117	93.2-121			
Toluene	2.04	0.050	mg/kg	2.00		102	88.7-117			
Ethylbenzene	2.09	0.050	mg/kg	2.00		105	81.4-123			
m,p-Xylene	4.21	0.100	mg/kg	4.00		105	76.3-126			
o-Xylene	2.07	0.050	mg/kg	2.00		103	76.2-125			
Total Xylenes	6.28	0.150	mg/kg	6.00		105	76.6-125			
Surrogate: 4-Bromofluorobenzene (PID)	0.0448		mg/kg	0.0500		89.7	70.7-129			

LCS Dup (6072326-BS1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	2.33	0.050	mg/kg	2.00		117	93.2-121	0.0142	7.62	
Toluene	2.10	0.050	mg/kg	2.00		105	88.7-117	3.31	9.57	
Ethylbenzene	2.09	0.050	mg/kg	2.00		105	81.4-123	0.0726	11	
m,p-Xylene	4.19	0.100	mg/kg	4.00		105	76.3-126	0.388	11.2	
o-Xylene	2.08	0.050	mg/kg	2.00		104	76.2-125	0.343	11	
Total Xylenes	6.27	0.150	mg/kg	6.00		104	76.6-125	0.147	11.1	
Surrogate: 4-Bromofluorobenzene (PID)	0.0467		mg/kg	0.0500		93.4	70.7-129			

Batch 6072327 - Volatiles**Blank (6072327-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		93.5	70.7-129			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6072327 - Volatiles**LCS (6072327-BS1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	2.35	0.050	mg/kg	2.00		118	93.2-121			
Toluene	2.15	0.050	mg/kg	2.00		107	88.7-117			
Ethylbenzene	2.14	0.050	mg/kg	2.00		107	81.4-123			
m,p-Xylene	4.28	0.100	mg/kg	4.00		107	76.3-126			
o-Xylene	2.12	0.050	mg/kg	2.00		106	76.2-125			
Total Xylenes	6.40	0.150	mg/kg	6.00		107	76.6-125			

Surrogate: 4-Bromofluorobenzene (PID) 0.0479 mg/kg 0.0500 95.9 70.7-129

LCS Dup (6072327-BSD1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	2.33	0.050	mg/kg	2.00		117	93.2-121	0.685	7.62	
Toluene	2.12	0.050	mg/kg	2.00		106	88.7-117	1.34	9.57	
Ethylbenzene	2.11	0.050	mg/kg	2.00		106	81.4-123	1.21	11	
m,p-Xylene	4.22	0.100	mg/kg	4.00		105	76.3-126	1.47	11.2	
o-Xylene	2.09	0.050	mg/kg	2.00		104	76.2-125	1.70	11	
Total Xylenes	6.31	0.150	mg/kg	6.00		105	76.6-125	1.55	11.1	

Surrogate: 4-Bromofluorobenzene (PID) 0.0468 mg/kg 0.0500 93.6 70.7-129

Batch 6072328 - Volatiles**Blank (6072328-BLK1)**

Prepared: 23-Jul-26 Analyzed: 26-Jul-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							

Surrogate: 4-Bromofluorobenzene (PID) ND mg/kg 0.0500 96.4 70.7-129

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6072328 - Volatiles**LCS (6072328-BS1)**

Prepared: 23-Jul-26 Analyzed: 26-Jul-26

Benzene	2.41	0.050	mg/kg	2.00		120	93.2-121			
Toluene	2.18	0.050	mg/kg	2.00		109	88.7-117			
Ethylbenzene	2.17	0.050	mg/kg	2.00		108	81.4-123			
m,p-Xylene	4.32	0.100	mg/kg	4.00		108	76.3-126			
o-Xylene	2.17	0.050	mg/kg	2.00		108	76.2-125			
Total Xylenes	6.49	0.150	mg/kg	6.00		108	76.6-125			

Surrogate: 4-Bromofluorobenzene (PID) 0.0487 mg/kg 0.0500 97.4 70.7-129

LCS Dup (6072328-BS1)

Prepared: 23-Jul-26 Analyzed: 26-Jul-26

Benzene	2.38	0.050	mg/kg	2.00		119	93.2-121	1.29	7.62	
Toluene	2.17	0.050	mg/kg	2.00		108	88.7-117	0.435	9.57	
Ethylbenzene	2.19	0.050	mg/kg	2.00		109	81.4-123	0.836	11	
m,p-Xylene	4.36	0.100	mg/kg	4.00		109	76.3-126	0.909	11.2	
o-Xylene	2.17	0.050	mg/kg	2.00		108	76.2-125	0.00189	11	
Total Xylenes	6.53	0.150	mg/kg	6.00		109	76.6-125	0.607	11.1	

Surrogate: 4-Bromofluorobenzene (PID) 0.0490 mg/kg 0.0500 98.1 70.7-129

Batch 6072329 - Volatiles**Blank (6072329-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							

Surrogate: 4-Bromofluorobenzene (PID) 0.109 mg/kg 0.100 109 70.7-129

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6072329 - Volatiles**LCS (6072329-BS1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	2.18	0.050	mg/kg	2.00		109	93.2-121		
Toluene	2.26	0.050	mg/kg	2.00		113	88.7-117		
Ethylbenzene	2.25	0.050	mg/kg	2.00		113	81.4-123		
m,p-Xylene	4.53	0.100	mg/kg	4.00		113	76.3-126		
o-Xylene	2.25	0.050	mg/kg	2.00		112	76.2-125		
Total Xylenes	6.78	0.150	mg/kg	6.00		113	76.6-125		

Surrogate: 4-Bromofluorobenzene (PID)

0.105

mg/kg

0.100

105

70.7-129

LCS Dup (6072329-BSD1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

Benzene	2.21	0.050	mg/kg	2.00		110	93.2-121	1.31	7.62
Toluene	2.28	0.050	mg/kg	2.00		114	88.7-117	1.21	9.57
Ethylbenzene	2.27	0.050	mg/kg	2.00		114	81.4-123	0.853	11
m,p-Xylene	4.61	0.100	mg/kg	4.00		115	76.3-126	1.79	11.2
o-Xylene	2.29	0.050	mg/kg	2.00		115	76.2-125	1.98	11
Total Xylenes	6.91	0.150	mg/kg	6.00		115	76.6-125	1.85	11.1

Surrogate: 4-Bromofluorobenzene (PID)

0.105

mg/kg

0.100

105

70.7-129

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6072316 - General Prep - Organics**Blank (6072316-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	46.5		mg/kg	50.0		93.0	48-117			
Surrogate: 1-Chlorooctadecane	41.0		mg/kg	50.0		82.0	39-120			

LCS (6072316-BS1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	195	10.0	mg/kg	200		97.3	80.3-117			
DRO >C10-C28	187	10.0	mg/kg	200		93.5	73.6-125			
Total TPH C6-C28	382	10.0	mg/kg	400		95.4	78.1-120			
Surrogate: 1-Chlorooctane	48.3		mg/kg	50.0		96.6	48-117			
Surrogate: 1-Chlorooctadecane	44.8		mg/kg	50.0		89.7	39-120			

LCS Dup (6072316-BS1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	201	10.0	mg/kg	200		101	80.3-117	3.37	7.91	
DRO >C10-C28	195	10.0	mg/kg	200		97.5	73.6-125	4.11	9.09	
Total TPH C6-C28	396	10.0	mg/kg	400		99.1	78.1-120	3.73	8.12	
Surrogate: 1-Chlorooctane	49.6		mg/kg	50.0		99.1	48-117			
Surrogate: 1-Chlorooctadecane	45.5		mg/kg	50.0		91.1	39-120			

Batch 6072317 - General Prep - Organics**Blank (6072317-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	47.2		mg/kg	50.0		94.4	48-117			
Surrogate: 1-Chlorooctadecane	44.4		mg/kg	50.0		88.8	39-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6072317 - General Prep - Organics**LCS (6072317-BS1)**

Prepared: 23-Jul-26 Analyzed: 24-Jul-26

GRO C6-C10	187	10.0	mg/kg	200		93.6	80.3-117		
DRO >C10-C28	186	10.0	mg/kg	200		92.9	73.6-125		
Total TPH C6-C28	373	10.0	mg/kg	400		93.2	78.1-120		
Surrogate: 1-Chlorooctane	49.0		mg/kg	50.0		98.0	48-117		
Surrogate: 1-Chlorooctadecane	47.3		mg/kg	50.0		94.6	39-120		

LCS Dup (6072317-BS1)

Prepared: 23-Jul-26 Analyzed: 24-Jul-26

GRO C6-C10	193	10.0	mg/kg	200		96.7	80.3-117	3.25	7.91
DRO >C10-C28	186	10.0	mg/kg	200		92.9	73.6-125	0.0624	9.09
Total TPH C6-C28	379	10.0	mg/kg	400		94.8	78.1-120	1.61	8.12
Surrogate: 1-Chlorooctane	50.6		mg/kg	50.0		101	48-117		
Surrogate: 1-Chlorooctadecane	48.3		mg/kg	50.0		96.6	39-120		

Batch 6072318 - General Prep - Organics**Blank (6072318-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	ND	10.0	mg/kg						
DRO >C10-C28	ND	10.0	mg/kg						
EXT DRO >C28-C36	ND	10.0	mg/kg						
Surrogate: 1-Chlorooctane	47.2		mg/kg	50.0		94.3	48-117		
Surrogate: 1-Chlorooctadecane	44.5		mg/kg	50.0		89.0	39-120		

LCS (6072318-BS1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	182	10.0	mg/kg	200		91.0	80.3-117		
DRO >C10-C28	174	10.0	mg/kg	200		87.2	73.6-125		
Total TPH C6-C28	356	10.0	mg/kg	400		89.1	78.1-120		
Surrogate: 1-Chlorooctane	47.2		mg/kg	50.0		94.4	48-117		
Surrogate: 1-Chlorooctadecane	45.4		mg/kg	50.0		90.8	39-120		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6072318 - General Prep - Organics**LCS Dup (6072318-BSD1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	187	10.0	mg/kg	200		93.5	80.3-117	2.73	7.91	
DRO >C10-C28	177	10.0	mg/kg	200		88.7	73.6-125	1.78	9.09	
Total TPH C6-C28	364	10.0	mg/kg	400		91.1	78.1-120	2.27	8.12	
Surrogate: 1-Chlorooctane	48.6		mg/kg	50.0		97.2	48-117			
Surrogate: 1-Chlorooctadecane	46.4		mg/kg	50.0		92.7	39-120			

Batch 6072319 - General Prep - Organics**Blank (6072319-BLK1)**

Prepared: 23-Jul-26 Analyzed: 24-Jul-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	51.5		mg/kg	50.0		103	48-117			
Surrogate: 1-Chlorooctadecane	52.4		mg/kg	50.0		105	39-120			

LCS (6072319-BS1)

Prepared: 23-Jul-26 Analyzed: 24-Jul-26

GRO C6-C10	194	10.0	mg/kg	200		97.2	80.3-117			
DRO >C10-C28	185	10.0	mg/kg	200		92.7	73.6-125			
Total TPH C6-C28	380	10.0	mg/kg	400		95.0	78.1-120			
Surrogate: 1-Chlorooctane	52.1		mg/kg	50.0		104	48-117			
Surrogate: 1-Chlorooctadecane	53.7		mg/kg	50.0		107	39-120			

LCS Dup (6072319-BSD1)

Prepared: 23-Jul-26 Analyzed: 24-Jul-26

GRO C6-C10	204	10.0	mg/kg	200		102	80.3-117	4.67	7.91	
DRO >C10-C28	192	10.0	mg/kg	200		95.9	73.6-125	3.32	9.09	
Total TPH C6-C28	395	10.0	mg/kg	400		98.8	78.1-120	4.02	8.12	
Surrogate: 1-Chlorooctane	53.9		mg/kg	50.0		108	48-117			
Surrogate: 1-Chlorooctadecane	55.0		mg/kg	50.0		110	39-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: A-14 SURFACE PAD RECLAIM
Project Number: E-26029-GS-21300037
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
28-Jul-26 17:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6072320 - General Prep - Organics**Blank (6072320-BLK1)**

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	ND	10.0	mg/kg						
DRO >C10-C28	ND	10.0	mg/kg						
EXT DRO >C28-C36	ND	10.0	mg/kg						
Surrogate: 1-Chlorooctane	51.6		mg/kg	50.0		103	48-117		
Surrogate: 1-Chlorooctadecane	51.3		mg/kg	50.0		103	39-120		

LCS (6072320-BS1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	198	10.0	mg/kg	200		98.8	80.3-117		
DRO >C10-C28	189	10.0	mg/kg	200		94.7	73.6-125		
Total TPH C6-C28	387	10.0	mg/kg	400		96.8	78.1-120		
Surrogate: 1-Chlorooctane	52.6		mg/kg	50.0		105	48-117		
Surrogate: 1-Chlorooctadecane	53.4		mg/kg	50.0		107	39-120		

LCS Dup (6072320-BSD1)

Prepared: 23-Jul-26 Analyzed: 25-Jul-26

GRO C6-C10	201	10.0	mg/kg	200		100	80.3-117	1.53	7.91
DRO >C10-C28	192	10.0	mg/kg	200		96.1	73.6-125	1.51	9.09
Total TPH C6-C28	393	10.0	mg/kg	400		98.2	78.1-120	1.52	8.12
Surrogate: 1-Chlorooctane	53.5		mg/kg	50.0		107	48-117		
Surrogate: 1-Chlorooctadecane	54.2		mg/kg	50.0		108	39-120		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 19 of 27	
Work Order Comments	
H264132	

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		Due Date:													None: NO		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													DI Water: H ₂ O		
Sampler's Name:	Josafat Aguirre														Cool: Cool		
PO #:	E-26029-GS-21300037														HCL: HC		
SAMPLE RECEIPT	Temp Blank:	Yes	No	Wet Ice:	Yes	No											H ₂ SO ₄ : H ₂
Samples Received In tact:	Yes	No	Thermometer ID:													H ₃ PO ₄ : HP	
Cooler Custody Seals:	Yes	No	Correction Factor:													NaHSO ₄ : NABIS	
Sample Custody Seals:	Yes	No	Temperature Reading:													Na ₂ S ₂ O ₅ : NaSO ₃	
Total Containers:	204	Corrected Temperature:													Zn Acetate+NaOH: Zn		
															NaOH+ascorbic Acid: SAFC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-325		7/21/2026	12:30	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-326		7/21/2026	12:31	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-327		7/21/2026	12:32	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-328		7/21/2026	12:33	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-329		7/21/2026	12:34	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-330		7/21/2026	12:35	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-331		7/21/2026	12:36	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-332		7/21/2026	12:37	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-333		7/21/2026	12:38	S	Com	1	X	X	X	X	X	X	X	X	X		
CS-334		7/21/2026	12:39	S	Com	1	X	X	X	X	X	X	X	X	X		
Relinquished by: (Signature)	Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
Josafat Aguirre	James Walker		7/22/26 08:30am	2 James Walker		4		6									

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Work Order Comments

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 20 of 27

Work Order Comments
H364132



P:

Page 21 of 27

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

Page 21 of 27

Work Order Comments

Hal 4/32





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 22 of 27	
Work Order Comments	
H264130	

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		Due Date:													None: NO		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													DI Water: H ₂ O		
Sampler's Name:	Josafat Aguirre														Cool: Cool		
PO #:	E-26029-GS-21300037														HCL: HC		
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)											H ₂ SO ₄ : H ₂		
Samples Received Inact:	Yes (No)	Thermometer ID:													H ₃ PO ₄ : HP		
Cooler Custody Seals:	Yes (No)	Correction Factor:													NaHSO ₄ : NABIS		
Sample Custody Seals:	Yes (No)	Temperature Reading:													Na ₂ S ₂ O ₅ : NaSO ₃		
Total Containers:	264	Corrected Temperature:													Zn Acetate+NaOH: Zn		
															NaOH+Ascorbic Acid: SnFC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
31 CS-355		7/21/2026	12:50	S	Com	1	X	X	X	X	X	X	X	X			
32 CS-356		7/21/2026	12:51	S	Com	1	X	X	X	X	X	X	X	X			
33 CS-357		7/21/2026	12:52	S	Com	1	X	X	X	X	X	X	X	X			
34 CS-358		7/21/2026	12:53	S	Com	1	X	X	X	X	X	X	X	X			
35 CS-359		7/21/2026	12:54	S	Com	1	X	X	X	X	X	X	X	X			
36 CS-360		7/21/2026	12:55	S	Com	1	X	X	X	X	X	X	X	X			
37 CS-361		7/21/2026	12:56	S	Com	1	X	X	X	X	X	X	X	X			
38 CS-362		7/21/2026	12:57	S	Com	1	X	X	X	X	X	X	X	X			
39 CS-363		7/21/2026	12:58	S	Com	1	X	X	X	X	X	X	X	X			
40 CS-364		7/21/2026	12:59	S	Com	1	X	X	X	X	X	X	X	X			
Relinquished by: (Signature)	Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
Josafat Aguirre	James Walker		7/22/26 08:30am	2 James Walker		Shadrighy		7/22/26 1300									
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed																	



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

4264132

Project Name:		Turn Around		Pres. Code		ANALYSIS REQUEST										Preservative Codes											
Project Number:	Project Location:	Due Date:	☒ Routine ☐ Rush	Temp Blank:	Wet Ice:	Thermometer ID:	Correction Factor:	Temperature Reading:	Connected Temperature:	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont												
A-14	Surface Pad Reclaim																										
Lea County, New Mexico	Josafat Aguirre	TAT may vary based on lab start time.		Yes	No	190		2.4	2.5																		
PO #:	E-26029-GS-21300037																										
SAMPLE RECEIPT																											
Samples Received Inact:	Yes	No																									
Cooler Custody Seals:	Yes	No																									
Sample Custody Seals:	Yes	No																									
Total Containers:	204																										
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments									
41	CS-365		7/21/2026	13:10	S	Com	1	X	X	X	X	X	X	X	X	X											
42	CS-366		7/21/2026	13:11	S	Com	1	X	X	X	X	X	X	X	X	X											
43	CS-367		7/21/2026	13:12	S	Com	1	X	X	X	X	X	X	X	X	X											
44	CS-368		7/21/2026	13:13	S	Com	1	X	X	X	X	X	X	X	X	X											
45	CS-369		7/21/2026	13:14	S	Com	1	X	X	X	X	X	X	X	X	X											
46	CS-370		7/21/2026	13:15	S	Com	1	X	X	X	X	X	X	X	X	X											
47	CS-371		7/21/2026	13:16	S	Com	1	X	X	X	X	X	X	X	X	X											
48	CS-372		7/21/2026	13:17	S	Com	1	X	X	X	X	X	X	X	X	X											
49	CS-373		7/21/2026	13:18	S	Com	1	X	X	X	X	X	X	X	X	X											
50	CS-374		7/21/2026	13:19	S	Com	1	X	X	X	X	X	X	X	X	X											
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time																	
Josafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		Shodapung		7:22:26 1300																	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

1/26/24/32

Project Name:		Turn Around		Parameters		ANALYSIS REQUEST												Preservative Codes	
Project Number:	Project Location:	Due Date:	Wet Ice:	Thermometer ID:	Correction Factor:	Pres. Code													
A-14 Surface Pad Reclaim	Lea County, New Mexico																None: NO		
Project's Name:	Josafat Aguirre	TAT may vary based on lab start time.															DI Water: H ₂ O		
PO #:	E-26029-GS-21300037																Cool: Cool		
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Yes														HCL: HC		
Samples Received Inact:	Yes (No)	No															H ₂ SO ₄ : H ₂		
Cooler Custody Seals:	Yes (No)	N/A															NaOH: Na		
Sample Custody Seals:	Yes (No)	N/A															H ₃ PO ₄ : HP		
Total Containers:	204	Corrected Temperature:	2.5														NaHSO ₄ : NABIS		
																	Na ₂ S ₂ O ₃ : NaSO ₃		
																	Zn Acetate+NaOH: Zn		
																	NaOH+Ascorbic Acid: SARC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments		
CS-375		7/21/2026	13:20	S	Com	1													
CS-376		7/21/2026	13:21	S	Com	1													
CS-377		7/21/2026	13:22	S	Com	1													
CS-378		7/21/2026	13:23	S	Com	1													
CS-379		7/21/2026	13:24	S	Com	1													
CS-380		7/21/2026	13:25	S	Com	1													
CS-381		7/21/2026	13:26	S	Com	1													
CS-382		7/21/2026	13:27	S	Com	1													
CS-383		7/21/2026	13:28	S	Com	1													
CS-384		7/21/2026	13:29	S	Com	1													
Relinquished by: (Signature)	Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)													
Josafat Aguirre	James Walker		7/22/26 08:30am	2 James Walker															
			4																
			6																

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Standard Safety & Supply 7/22/26 13:00



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 25 of 27

Work Order Comments

H2604/32

Project Name:	A-14 Surface Pad Reclaim		Turn Around		Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number:			☒ Routine ☐ Rush														None: NO DI Water: H ₂ O Cool: Cool MeOH: Me HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ NaOH: Na H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SARC	
Project Location:	Lea County, New Mexico		Due Date:		TAT may vary based on lab start time.													
Sampler's Name:	Josafat Aguirre																	
PO #:	E-26029-GS-21300037																	
SAMPLE RECEIPT			Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒												
Samples Received In tact:	Yes ☒	No ☒	Thermometer ID:															
Cooler Custody Seals:	Yes ☒	No ☒	Correction Factor:															
Sample Custody Seals:	Yes ☒	No ☒	Temperature Reading:															
Total Containers:	264		Corrected Temperature:															
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments	
161 CS-385		7/21/2026	13:30	S	Com	1	BTEX 8012B											
162 CS-386		7/21/2026	13:31	S	Com	1	TPH 8015M (GRO-DRO-MRO)											
163 CS-387		7/21/2026	13:32	S	Com	1	Chloride 4500 or EPA 300											
164 CS-388		7/21/2026	13:33	S	Com	1												
165 CS-389		7/21/2026	13:34	S	Com	1												
166 CS-390		7/21/2026	13:35	S	Com	1												
167 CS-391		7/21/2026	13:36	S	Com	1												
168 CS-392		7/21/2026	13:37	S	Com	1												
169 CS-393		7/21/2026	13:38	S	Com	1												
170 CS-394		7/21/2026	13:39	S	Com	1												
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
Josafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		Ethan Sessums		7/22/26 10:00								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Handwritten: 4264132

Project Name:		A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST		Preservative Codes	
Project Number:		☒ Routine	☐ Rush	Due Date:		Parameters			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.							
Sampler's Name:	Josafat Aguirre								
PO #:	E-26029-GS-21300037								
SAMPLE RECEIPT		Tamp Blank:	Yes	No	Wet Ice:	Yes	No		
Samples Received In tact:	Yes	No	Thermometer ID:						
Cooler Custody Seals:	Yes	No	Correction Factor:						
Sample Custody Seals:	Yes	No	Temperature Reading:						
Total Containers:	464	Corrected Temperature:							
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont			
71 CS-395		7/21/2026	13:40	S	Com	1	X	X	X
72 CS-396		7/21/2026	13:41	S	Com	1	X	X	X
73 CS-397		7/21/2026	13:42	S	Com	1	X	X	X
74 CS-398		7/21/2026	13:43	S	Com	1	X	X	X
75 CS-399		7/21/2026	13:44	S	Com	1	X	X	X
76 CS-400		7/21/2026	13:45	S	Com	1	X	X	X
77 CS-401		7/21/2026	13:46	S	Com	1	X	X	X
78 CS-402		7/21/2026	13:47	S	Com	1	X	X	X
79 CS-403		7/21/2026	13:48	S	Com	1	X	X	X
80 CS-404		7/21/2026	13:49	S	Com	1	X	X	X
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)	
Josafat Aguirre		James Walker		7/22/26 08:30am		2 James Walker		Handwritten: 7:20:26 1300	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 27 of 27

Work Order Comments

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 27 of 27
Work Order Comments



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 29, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 745 (H264181-01)

BTX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/25/2026	ND	2.32	116	2.00	0.817	QM-07
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.33	117	2.00	1.55	QM-07
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.97	116	6.00	2.45	QM-07
Total BTX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B			mg/kg		Analyzed By: ED				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64	

TPH 8015M			mg/kg		Analyzed By: JF				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 746 (H264181-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/25/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/25/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/25/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/25/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/25/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 94.2 % 48-117

Surrogate: 1-Chlorooctadecane 98.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 747 (H264181-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 748 (H264181-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 749 (H264181-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 90.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 750 (H264181-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 751 (H264181-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 93.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 752 (H264181-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 753 (H264181-09)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 91.2 % 48-117

Surrogate: 1-Chlorooctadecane 95.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 754 (H264181-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 93.3 % 48-117

Surrogate: 1-Chlorooctadecane 98.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 755 (H264181-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 87.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 756 (H264181-12)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 48-117

Surrogate: 1-Chlorooctadecane 92.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 757 (H264181-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 758 (H264181-14)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 759 (H264181-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 82.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 760 (H264181-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15		
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 90.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 761 (H264181-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.8	200	3.17	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	192	96.1	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 762 (H264181-18)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 763 (H264181-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 764 (H264181-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.23	111	2.00	1.15	
Toluene*	<0.050	0.050	07/26/2026	ND	2.32	116	2.00	0.817	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.33	117	2.00	1.55	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.97	116	6.00	2.45	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 765 (H264181-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 114 % 48-117

Surrogate: 1-Chlorooctadecane 119 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 766 (H264181-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 767 (H264181-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46		
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 112 % 48-117

Surrogate: 1-Chlorooctadecane 118 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 768 (H264181-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 111 % 48-117

Surrogate: 1-Chlorooctadecane 115 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 769 (H264181-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 770 (H264181-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46		
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 114 % 48-117

Surrogate: 1-Chlorooctadecane 113 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 771 (H264181-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 772 (H264181-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 108 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 773 (H264181-29)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 774 (H264181-30)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 112 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 775 (H264181-31)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 110 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 776 (H264181-32)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 117 % 48-117

Surrogate: 1-Chlorooctadecane 120 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 777 (H264181-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 108 % 48-117

Surrogate: 1-Chlorooctadecane 113 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 778 (H264181-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46		
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92		
Total BTEx	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 114 % 48-117

Surrogate: 1-Chlorooctadecane 110 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 779 (H264181-35)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46		
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92		
Total BTX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 780 (H264181-36)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46		
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92		
Total BTX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 106 % 48-117

Surrogate: 1-Chlorooctadecane 110 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 781 (H264181-37)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	5.71	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	188	94.1	200	4.91	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 782 (H264181-38)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 783 (H264181-39)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 115 % 48-117

Surrogate: 1-Chlorooctadecane 118 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 784 (H264181-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	4.46	
Toluene*	<0.050	0.050	07/26/2026	ND	2.27	114	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.26	113	2.00	6.46	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.78	113	6.00	7.92	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 86.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 785 (H264181-41)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.39	120	2.00	1.35	QM-07
Toluene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	2.01	QM-07
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	1.57	QM-07
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.69	112	6.00	1.82	QM-07
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 786 (H264181-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 109 % 48-117

Surrogate: 1-Chlorooctadecane 110 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 787 (H264181-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 90.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 788 (H264181-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 108 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 789 (H264181-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 790 (H264181-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 100 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 791 (H264181-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 97.0 % 48-117

Surrogate: 1-Chlorooctadecane 95.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 792 (H264181-48)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 793 (H264181-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 82.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 794 (H264181-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35		
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 795 (H264181-51)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 115 % 48-117

Surrogate: 1-Chlorooctadecane 105 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 796 (H264181-52)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35		
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 112 % 48-117

Surrogate: 1-Chlorooctadecane 109 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 797 (H264181-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35		
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 798 (H264181-54)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 799 (H264181-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 96.5 % 48-117

Surrogate: 1-Chlorooctadecane 93.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 800 (H264181-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35		
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 801 (H264181-57)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35		
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	185	92.3	200	1.90	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	190	94.9	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 111 % 48-117

Surrogate: 1-Chlorooctadecane 105 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 802 (H264181-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 803 (H264181-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35	
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 114 % 48-117

Surrogate: 1-Chlorooctadecane 119 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 804 (H264181-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.39	120	2.00	1.35		
Toluene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	2.01		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.20	110	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.69	112	6.00	1.82		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 114 % 48-117

Surrogate: 1-Chlorooctadecane 118 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 805 (H264181-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 106 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 806 (H264181-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 115 % 48-117

Surrogate: 1-Chlorooctadecane 120 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 807 (H264181-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 112 % 48-117

Surrogate: 1-Chlorooctadecane 118 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 808 (H264181-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 809 (H264181-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 109 % 48-117

Surrogate: 1-Chlorooctadecane 114 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 810 (H264181-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 114 % 48-117

Surrogate: 1-Chlorooctadecane 117 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 811 (H264181-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552		
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 113 % 48-117

Surrogate: 1-Chlorooctadecane 105 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 812 (H264181-68)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552		
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 99.2 % 48-117

Surrogate: 1-Chlorooctadecane 100 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 813 (H264181-69)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 92.3 % 48-117

Surrogate: 1-Chlorooctadecane 92.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 814 (H264181-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 96.4 % 48-117

Surrogate: 1-Chlorooctadecane 97.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 815 (H264181-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 98.6 % 48-117

Surrogate: 1-Chlorooctadecane 98.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 816 (H264181-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 92.2 % 48-117

Surrogate: 1-Chlorooctadecane 91.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 817 (H264181-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 85.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 818 (H264181-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 82.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 819 (H264181-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552		
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 100 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 820 (H264181-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 821 (H264181-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	179	89.7	200	6.48	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	189	94.5	200	2.50	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 90.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 822 (H264181-78)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 59.0 % 48-117

Surrogate: 1-Chlorooctadecane 47.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 823 (H264181-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 54.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 824 (H264181-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	0.552	
Toluene*	<0.050	0.050	07/27/2026	ND	2.09	104	2.00	0.716	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.92	95.9	2.00	0.0131	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.66	94.3	6.00	0.692	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 67.0 % 48-117

Surrogate: 1-Chlorooctadecane 51.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 825 (H264181-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 52.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 826 (H264181-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 48.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 827 (H264181-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366		
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 52.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 828 (H264181-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366		
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 53.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 829 (H264181-85)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.4 % 48-117

Surrogate: 1-Chlorooctadecane 53.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 830 (H264181-86)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 58.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 831 (H264181-87)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 60.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 832 (H264181-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 61.7 % 48-117

Surrogate: 1-Chlorooctadecane 47.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 833 (H264181-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.4 % 48-117

Surrogate: 1-Chlorooctadecane 53.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 834 (H264181-90)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366		
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 63.2 % 48-117

Surrogate: 1-Chlorooctadecane 47.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H264181

1 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardix.com/>

Work Order Comments

0402 401k
all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardix.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank: Yes ☒ No ☐	Wet Ice: Yes ☒ No ☐			
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1		
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.2		
Total Containers:	1613	Corrected Temperature:	4.9		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-745		7/22/2026	8:00	S	Com	1	X	X	X	
CS-746		7/22/2026	8:01	S	Com	1	X	X	X	
CS-747		7/22/2026	8:02	S	Com	1	X	X	X	
CS-748		7/22/2026	8:03	S	Com	1	X	X	X	
CS-749		7/22/2026	8:04	S	Com	1	X	X	X	
CS-750		7/22/2026	8:05	S	Com	1	X	X	X	
CS-751		7/22/2026	8:06	S	Com	1	X	X	X	
CS-752		7/22/2026	8:07	S	Com	1	X	X	X	
CS-753		7/22/2026	8:08	S	Com	1	X	X	X	
CS-754		7/22/2026	8:09	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett		7/23/2026 8:30				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

14264181

2 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:	TAT may vary based on lab start time.		
Project Location:	Lea County, New Mexico				
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-755		7/22/2026	8:09	S	Com	1	X	X	X	
CS-756		7/22/2026	8:09	S	Com	1	X	X	X	
CS-757		7/22/2026	8:10	S	Com	1	X	X	X	
CS-758		7/22/2026	8:10	S	Com	1	X	X	X	
CS-759		7/22/2026	8:10	S	Com	1	X	X	X	
CS-760		7/22/2026	8:11	S	Com	1	X	X	X	
CS-761		7/22/2026	8:11	S	Com	1	X	X	X	
CS-762		7/22/2026	8:11	S	Com	1	X	X	X	
CS-763		7/22/2026	8:12	S	Com	1	X	X	X	
CS-764		7/22/2026	8:12	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

7/23/26 16:30



Chain of Custody


H064181

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes			
Project Number:		☒ Routine ☐ Rush														None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:														Cool: Cool	MeOH: Me
Sample's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters										H ₃ PO ₄ : HP	
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:														NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:														NaOH+Ascorbic Acid: S APC	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chlorid	Sample Comments									
CS-765			7/22/2026	8:13	S	Com	1	X	X	X										
CS-766			7/22/2026	8:13	S	Com	1	X	X	X										
CS-767			7/22/2026	8:13	S	Com	1	X	X	X										
CS-768			7/22/2026	8:14	S	Com	1	X	X	X										
CS-769			7/22/2026	8:14	S	Com	1	X	X	X										
CS-770			7/22/2026	8:14	S	Com	1	X	X	X										
CS-771			7/22/2026	8:15	S	Com	1	X	X	X										
CS-772			7/22/2026	8:15	S	Com	1	X	X	X										
CS-773			7/22/2026	8:15	S	Com	1	X	X	X										
CS-774			7/22/2026	8:16	S	Com	1	X	X	X										
Relinquished by: (Signature)		Received by: (Signature)					Date/Time		Relinquished by: (Signature)					Received by: (Signature)					Date/Time	
Josafat Aguirre		Edward Bartlett					7/23/2026 8:30AM		Edward Bartlett										7/23/2026 11:35	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

4264181

4 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		Due Date:														None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₅ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															
PO #:	E-26029-GS-21300037															
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)	Thermometer ID:											
Samples Received Intact:	Yes (No)				Correction Factor:											
Cooler Custody Seals:	Yes (No)				Temperature Reading:											
Sample Custody Seals:	Yes (No)				Corrected Temperature:											
Total Containers:	1613															

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST										Sample Comments
CS-775		7/12/2026	8:16	S	Com	1	X	BTEX 8012B	X	X	X							
CS-776		7/12/2026	8:17	S	Com	1	X	TPH 8015M (GRO-DRO-MRO)	X	X	X							
CS-777		7/12/2026	8:17	S	Com	1	X	Chloride 4500 or EPA 300	X	X	X							
CS-778		7/12/2026	8:17	S	Com	1	X											
CS-779		7/12/2026	8:18	S	Com	1	X											
CS-780		7/12/2026	8:18	S	Com	1	X											
CS-781		7/12/2026	8:18	S	Com	1	X											
CS-782		7/12/2026	8:19	S	Com	1	X											
CS-783		7/12/2026	8:19	S	Com	1	X											
CS-784		7/12/2026	8:20	S	Com	1	X											
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time												
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett														

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2604181

5 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Due Date:	TAT may vary based on lab start time.

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	149
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	0.1				
Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8				
Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:	4.7				
Total Containers:	1613						

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-785		7/22/2026	8:20	S	Com	1	X	X	X	
CS-786		7/22/2026	8:20	S	Com	1	X	X	X	
CS-787		7/22/2026	8:21	S	Com	1	X	X	X	
CS-788		7/22/2026	8:21	S	Com	1	X	X	X	
CS-789		7/22/2026	8:21	S	Com	1	X	X	X	
CS-790		7/22/2026	8:22	S	Com	1	X	X	X	
CS-791		7/22/2026	8:22	S	Com	1	X	X	X	
CS-792		7/22/2026	8:22	S	Com	1	X	X	X	
CS-793		7/22/2026	8:23	S	Com	1	X	X	X	
CS-794		7/22/2026	8:23	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

10264181

10264

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	TAT may vary based on lab start time.
Project Location:	Lea County, New Mexico		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒
	Samples Received Intact:	Yes ☒ No ☒	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☒	Correction Factor:	0.1
	Sample Custody Seals:	Yes ☒ No ☒	Temperature Reading:	4.8
	Total Containers:	1613	Corrected Temperature:	4.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-795		7/22/2026	8:24	S	Com	1	X	X	X	
CS-796		7/22/2026	8:24	S	Com	1	X	X	X	
CS-797		7/22/2026	8:24	S	Com	1	X	X	X	
CS-798		7/22/2026	8:25	S	Com	1	X	X	X	
CS-799		7/22/2026	8:25	S	Com	1	X	X	X	
CS-800		7/22/2026	8:25	S	Com	1	X	X	X	
CS-801		7/22/2026	8:26	S	Com	1	X	X	X	
CS-802		7/22/2026	8:26	S	Com	1	X	X	X	
CS-803		7/22/2026	8:26	S	Com	1	X	X	X	
CS-804		7/22/2026	8:27	S	Com	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	7/23/2026 8:30AM	



Chain of Custody

14264181

7479

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>


Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-805		7/22/2026	8:27	S	Com	1	X	X	X	
CS-806		7/22/2026	8:28	S	Com	1	X	X	X	
CS-807		7/22/2026	8:28	S	Com	1	X	X	X	
CS-808		7/22/2026	8:28	S	Com	1	X	X	X	
CS-809		7/22/2026	8:29	S	Com	1	X	X	X	
CS-810		7/22/2026	8:29	S	Com	1	X	X	X	
CS-811		7/22/2026	8:29	S	Com	1	X	X	X	
CS-812		7/22/2026	8:30	S	Com	1	X	X	X	
CS-813		7/22/2026	8:30	S	Com	1	X	X	X	
CS-814		7/22/2026	8:31	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)								
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



H 264181

825

<https://standardtx.com/>

Page 100 of 101

Work Order Comments

Page 100 of 101Page 100 of 101



Chain of Custody

H264181

9089

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		Due Date:														None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	(Yes) ☒ No ☐												H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:														Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-825		7/22/2026	8:35	S	Com	1	X	X	X	X							
CS-826		7/22/2026	8:35	S	Com	1	X	X	X	X							
CS-827		7/22/2026	8:35	S	Com	1	X	X	X	X							
CS-828		7/22/2026	8:36	S	Com	1	X	X	X	X							
CS-829		7/22/2026	8:36	S	Com	1	X	X	X	X							
CS-830		7/22/2026	8:36	S	Com	1	X	X	X	X							
CS-831		7/22/2026	8:37	S	Com	1	X	X	X	X							
CS-832		7/22/2026	8:37	S	Com	1	X	X	X	X							
CS-833		7/22/2026	8:37	S	Com	1	X	X	X	X							
CS-834		7/22/2026	8:38	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)					Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett								7/23/26 16:30				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 29, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 835 (H264182-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 49.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 836 (H264182-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 55.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 837 (H264182-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 50.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 838 (H264182-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 48-117

Surrogate: 1-Chlorooctadecane 50.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 839 (H264182-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 73.4 % 48-117

Surrogate: 1-Chlorooctadecane 53.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 840 (H264182-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 47.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 841 (H264182-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	175	87.3	200	3.95	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	181	90.3	200	0.125	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 67.1 % 48-117

Surrogate: 1-Chlorooctadecane 48.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 842 (H264182-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366		
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 53.7 % 48-117

Surrogate: 1-Chlorooctadecane 47.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 843 (H264182-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 70.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 844 (H264182-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.366	
Toluene*	<0.050	0.050	07/27/2026	ND	1.91	95.3	2.00	0.155	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	1.91	95.7	2.00	0.204	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	5.57	92.8	6.00	0.321	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 73.4 % 48-117

Surrogate: 1-Chlorooctadecane 64.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 845 (H264182-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 846 (H264182-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 847 (H264182-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.1 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 848 (H264182-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291		
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 849 (H264182-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291		
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 63.4 % 48-117

Surrogate: 1-Chlorooctadecane 56.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 850 (H264182-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 851 (H264182-17)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291		
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 62.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 852 (H264182-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 55.1 % 48-117

Surrogate: 1-Chlorooctadecane 49.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 853 (H264182-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 64.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 854 (H264182-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291		
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 59.8 % 48-117

Surrogate: 1-Chlorooctadecane 52.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 855 (H264182-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 62.8 % 48-117

Surrogate: 1-Chlorooctadecane 56.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 856 (H264182-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 58.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 857 (H264182-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 53.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 858 (H264182-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 61.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 859 (H264182-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 860 (H264182-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 65.0 % 48-117

Surrogate: 1-Chlorooctadecane 58.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 861 (H264182-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	181	90.5	200	1.88	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.5	200	2.87	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 862 (H264182-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 863 (H264182-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 55.7 % 48-117

Surrogate: 1-Chlorooctadecane 50.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 864 (H264182-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.02	101	2.00	0.291	
Toluene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	2.76	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.22	111	2.00	4.33	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.63	110	6.00	4.45	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 865 (H264182-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 866 (H264182-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 71.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 867 (H264182-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 62.2 % 48-117

Surrogate: 1-Chlorooctadecane 57.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 868 (H264182-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 63.8 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 869 (H264182-35)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 870 (H264182-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 57.7 % 48-117

Surrogate: 1-Chlorooctadecane 52.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 871 (H264182-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 872 (H264182-38)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 96.1 % 48-117

Surrogate: 1-Chlorooctadecane 93.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 873 (H264182-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 99.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 874 (H264182-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 94.0 % 48-117

Surrogate: 1-Chlorooctadecane 90.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 875 (H264182-41)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 876 (H264182-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 99.2 % 48-117

Surrogate: 1-Chlorooctadecane 97.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 877 (H264182-43)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 106 % 48-117

Surrogate: 1-Chlorooctadecane 104 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 878 (H264182-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 95.7 % 48-117

Surrogate: 1-Chlorooctadecane 93.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 879 (H264182-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 880 (H264182-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 95.7 % 48-117

Surrogate: 1-Chlorooctadecane 92.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 881 (H264182-47)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	182	90.9	200	7.60	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	163	81.7	200	10.3	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 882 (H264182-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 883 (H264182-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20	
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 91.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 884 (H264182-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.32	116	2.00	3.20		
Toluene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	3.87		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.08	104	2.00	4.27		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.29	105	6.00	4.17		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 84.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 885 (H264182-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 886 (H264182-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 48-117

Surrogate: 1-Chlorooctadecane 85.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 887 (H264182-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 91.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 888 (H264182-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 889 (H264182-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 890 (H264182-56)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 97.3 % 48-117

Surrogate: 1-Chlorooctadecane 97.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 891 (H264182-57)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 98.1 % 48-117

Surrogate: 1-Chlorooctadecane 98.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 892 (H264182-58)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 94.3 % 48-117

Surrogate: 1-Chlorooctadecane 95.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 893 (H264182-59)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 894 (H264182-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 895 (H264182-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 94.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 896 (H264182-62)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 59.2 % 48-117

Surrogate: 1-Chlorooctadecane 57.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 897 (H264182-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 898 (H264182-64)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 96.4 % 48-117

Surrogate: 1-Chlorooctadecane 96.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 899 (H264182-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 90.9 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 900 (H264182-66)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 88.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 901 (H264182-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	198	99.2	200	0.0862	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	206	103	200	0.591	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 902 (H264182-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 903 (H264182-69)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86		
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14		
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41		
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78		
Total BTEX	<0.300	0.300	07/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 97.9 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 904 (H264182-70)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/26/2026	ND	2.14	107	2.00	1.86	
Toluene*	<0.050	0.050	07/26/2026	ND	2.23	112	2.00	2.14	
Ethylbenzene*	<0.050	0.050	07/26/2026	ND	2.20	110	2.00	3.41	
Total Xylenes*	<0.150	0.150	07/26/2026	ND	6.61	110	6.00	2.78	
Total BTEX	<0.300	0.300	07/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 108 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 905 (H264182-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/25/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/25/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/25/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 906 (H264182-72)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34		
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06		
Total BTX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 92.2 % 48-117

Surrogate: 1-Chlorooctadecane 94.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 907 (H264182-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 908 (H264182-74)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 107 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 909 (H264182-75)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 98.1 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 910 (H264182-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 111 % 48-117

Surrogate: 1-Chlorooctadecane 115 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 911 (H264182-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 110 % 48-117

Surrogate: 1-Chlorooctadecane 116 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 912 (H264182-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 97.3 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 913 (H264182-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 104 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 914 (H264182-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34		
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 915 (H264182-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 99.5 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 916 (H264182-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 107 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 917 (H264182-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 108 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 918 (H264182-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 91.9 % 48-117

Surrogate: 1-Chlorooctadecane 94.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 919 (H264182-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 98.0 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 920 (H264182-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 106 % 48-117

Surrogate: 1-Chlorooctadecane 111 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 921 (H264182-87)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	172	85.8	200	5.23	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.3	200	5.51	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 97.1 % 48-117

Surrogate: 1-Chlorooctadecane 97.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 922 (H264182-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 923 (H264182-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 924 (H264182-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	108	2.00	2.34	
Toluene*	<0.050	0.050	07/27/2026	ND	2.24	112	2.00	2.22	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.25	112	2.00	2.34	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.83	114	6.00	2.06	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



0402401K all

Chain of Custody

H0264182

1477

Main Office: 2524 Trunk Street, Odessa, Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

0402401K all

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine ☐ Rush												None: NO	
Project Location:	Lea County, New Mexico	Due Date:												DI Water: H ₂ O	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												Cool: Cool	
PO #:	E-26029-GS-21300037													HCL: HC	
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₂ SO ₄ : H ₂
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140											H ₃ PO ₄ : HP
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1											NaHSO ₄ : NABIS
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8											Na ₂ S ₂ O ₃ : NaSO ₃
	Total Containers:	1613	Corrected Temperature:	4.9											Zn Acetate+NaOH: Zn
														NaOH+Ascorbic Acid: SAPC	

ED: 9/15/2026 7:03:40 AM

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments									
CS-835		7/22/2026	8:38	S	Com	1	X	X	X										
CS-836		7/22/2026	8:39	S	Com	1	X	X	X										
CS-837		7/22/2026	8:39	S	Com	1	X	X	X										
CS-838		7/22/2026	8:39	S	Com	1	X	X	X										
CS-839		7/22/2026	8:40	S	Com	1	X	X	X										
CS-840		7/22/2026	8:40	S	Com	1	X	X	X										
CS-841		7/22/2026	8:40	S	Com	1	X	X	X										
CS-842		7/22/2026	8:41	S	Com	1	X	X	X										
CS-843		7/22/2026	8:41	S	Com	1	X	X	X										
CS-844		7/22/2026	8:42	S	Com	1	X	X	X										
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Non-Commed		7/23/24 11:23									
3						4													
5						6													

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264182

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

2049

Page 94 of 101

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Thermometer ID:	#140			
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	1.1			
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8			
	Total Containers:	1613	Corrected Temperature:	4.9			
	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont

CS-845		7/22/2026	8:42	S	Com	1	X	X	X											
CS-846		7/22/2026	8:42	S	Com	1	X	X	X											
CS-847		7/22/2026	8:43	S	Com	1	X	X	X											
CS-848		7/22/2026	8:43	S	Com	1	X	X	X											
CS-849		7/22/2026	8:43	S	Com	1	X	X	X											
CS-850		7/22/2026	8:44	S	Com	1	X	X	X											
CS-851		7/22/2026	8:44	S	Com	1	X	X	X											
CS-852		7/22/2026	8:44	S	Com	1	X	X	X											
CS-853		7/22/2026	8:45	S	Com	1	X	X	X											
CS-854		7/22/2026	8:45	S	Com	1	X	X	X											
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time															
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett		7/23/2026 10:30															

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2064182

3 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes
Project Number:		Due Date:														None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															
PO #:	E-26029-GS-21300037															
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														
Total Containers:	1613	Corrected Temperature:														

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST										Preservative Codes
CS-855		7/22/2026	8:46	S	Com	1	BTEX 8012B											
CS-856		7/22/2026	8:46	S	Com	1	TPH 8015M (GRO-DRO-MRO)											
CS-857		7/22/2026	8:46	S	Com	1	Chloride 4500 or EPA 300											
CS-858		7/22/2026	8:47	S	Com	1												
CS-859		7/22/2026	8:47	S	Com	1												
CS-860		7/22/2026	8:47	S	Com	1												
CS-861		7/22/2026	8:48	S	Com	1												
CS-862		7/22/2026	8:48	S	Com	1												
CS-863		7/22/2026	8:48	S	Com	1												
CS-864		7/22/2026	8:49	S	Com	1												
Relinquished by: (Signature)		Received by: (Signature)					Date/Time											
Josafat Aguirre		Edward Bartlett					7/23/2026 8:30AM											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

18210421

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>


Page 96 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		P

[illegible][illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



4264182


5 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79766
Contact: (432) 653-0393
<https://standardix.com/>

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST								Preservative Codes			
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐									H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			#140									NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ N/A ☐	Correction Factor:			+1									Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ N/A ☐	Temperature Reading:			4.8									Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:			4.9									NaOH+Ascorbic Acid: SAPC	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Page 98 of 101



Chain of Custody

H264182

7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	TAT may vary based on lab start time.
Project Location:	Lea County, New Mexico		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140	
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	+1	
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-895		7/22/2026	9:00	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-896		7/22/2026	9:01	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-897		7/22/2026	9:01	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-898		7/22/2026	9:01	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-899		7/22/2026	9:02	S	Com	1		H ₃ PO ₄ : HP	
CS-900		7/22/2026	9:02	S	Com	1		NaHSO ₄ : NABIS	
CS-901		7/22/2026	9:02	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-902		7/22/2026	9:03	S	Com	1		Zn Acetate+NaOH: Zn	
CS-903		7/22/2026	9:03	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-904		7/22/2026	9:04	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Don Connor	7/23/2026 1:13



Chain of Custody

H2604182

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 100 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 100 of 100

[illegible]

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chloride										Sample Comments
CS-905		7/22/2026	9:04	S	Com	1	X	X	X										
CS-906		7/22/2026	9:04	S	Com	1	X	X	X										
CS-907		7/22/2026	9:05	S	Com	1	X	X	X										
CS-908		7/22/2026	9:05	S	Com	1	X	X	X										
CS-909		7/22/2026	9:05	S	Com	1	X	X	X										
CS-910		7/22/2026	9:06	S	Com	1	X	X	X										
CS-911		7/22/2026	9:06	S	Com	1	X	X	X										
CS-912		7/22/2026	9:06	S	Com	1	X	X	X										
CS-913		7/22/2026	9:07	S	Com	1	X	X	X										
CS-914		7/22/2026	9:07	S	Com	1	X	X	X										
Relinquished by: (Signature)		Received by: (Signature)					Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time			
Josafat Aguirre	Edward Bartlett						7/23/2026 8:30AM			Edward Bartlett			<i>[Handwritten Signature]</i>			7/23/2026 10:15			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H 2064182

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	TAT may vary based on lab start time.
Project Location:	Lea County, New Mexico		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:	#140
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	+1
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8
	Total Containers:	1613	Corrected Temperature:	4.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-915		7/22/2026	9:08	S	Com	1	X	X	X	
CS-916		7/22/2026	9:08	S	Com	1	X	X	X	
CS-917		7/22/2026	9:08	S	Com	1	X	X	X	
CS-918		7/22/2026	9:09	S	Com	1	X	X	X	
CS-919		7/22/2026	9:09	S	Com	1	X	X	X	
CS-920		7/22/2026	9:09	S	Com	1	X	X	X	
CS-921		7/22/2026	9:10	S	Com	1	X	X	X	
CS-922		7/22/2026	9:10	S	Com	1	X	X	X	
CS-923		7/22/2026	9:10	S	Com	1	X	X	X	
CS-924		7/22/2026	9:11	S	Com	1	X	X	X	

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre

Edward Bartlett

7/23/2026 8:30AM

Edward Bartlett

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

7/23/2026





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 29, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 925 (H264183-01)

BTX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B			mg/kg		Analyzed By: ED				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M			mg/kg		Analyzed By: JF				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 52.5 % 48-117

Surrogate: 1-Chlorooctadecane 50.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 926 (H264183-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 63.9 % 48-117

Surrogate: 1-Chlorooctadecane 60.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 927 (H264183-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 67.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 928 (H264183-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 929 (H264183-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 930 (H264183-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 931 (H264183-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53		
Total BTEx	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 932 (H264183-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 933 (H264183-09)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 66.4 % 48-117

Surrogate: 1-Chlorooctadecane 64.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 934 (H264183-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 61.0 % 48-117

Surrogate: 1-Chlorooctadecane 58.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 935 (H264183-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 936 (H264183-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53		
Total BTEX	<0.300	0.300	07/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 937 (H264183-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/27/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 938 (H264183-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 939 (H264183-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 940 (H264183-16)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 61.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 941 (H264183-17)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	197	98.5	200	0.663	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 942 (H264183-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 56.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 943 (H264183-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858	
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 67.1 % 48-117

Surrogate: 1-Chlorooctadecane 51.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 944 (H264183-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.858		
Toluene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	0.945		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.26	113	2.00	1.38		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.74	112	6.00	1.53		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 58.4 % 48-117

Surrogate: 1-Chlorooctadecane 42.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 945 (H264183-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 57.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 946 (H264183-22)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 49.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 947 (H264183-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 66.5 % 48-117

Surrogate: 1-Chlorooctadecane 50.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 948 (H264183-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.3 % 48-117

Surrogate: 1-Chlorooctadecane 49.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 949 (H264183-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324		
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 52.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 950 (H264183-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324		
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 50.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 951 (H264183-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.9 % 48-117

Surrogate: 1-Chlorooctadecane 54.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 952 (H264183-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.0 % 48-117

Surrogate: 1-Chlorooctadecane 54.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 953 (H264183-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 47.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 954 (H264183-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324		
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 50.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 955 (H264183-31)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 52.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 956 (H264183-32)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	480	120	400	10.5	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 49.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 957 (H264183-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 61.5 % 48-117

Surrogate: 1-Chlorooctadecane 42.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 958 (H264183-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 47.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 959 (H264183-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324		
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 52.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 960 (H264183-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.2 % 48-117

Surrogate: 1-Chlorooctadecane 41.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 961 (H264183-37)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	94.1	200	0.383	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	189	94.3	200	0.868	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 50.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 962 (H264183-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 65.5 % 48-117

Surrogate: 1-Chlorooctadecane 58.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 963 (H264183-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 66.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 964 (H264183-40)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.324	
Toluene*	<0.050	0.050	07/28/2026	ND	2.00	99.9	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.20	110	2.00	2.55	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.56	109	6.00	2.76	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 66.3 % 48-117

Surrogate: 1-Chlorooctadecane 58.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 965 (H264183-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/27/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 60.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 966 (H264183-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/27/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 967 (H264183-43)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/27/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.01	100	6.00	1.43	
Total BTX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 61.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 968 (H264183-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/27/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/27/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/27/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/27/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 70.1 % 48-117

Surrogate: 1-Chlorooctadecane 62.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 969 (H264183-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 970 (H264183-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 971 (H264183-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 56.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 972 (H264183-48)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 973 (H264183-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 71.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 974 (H264183-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 66.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 975 (H264183-51)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 976 (H264183-52)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 68.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 977 (H264183-53)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 60.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 978 (H264183-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 979 (H264183-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 55.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 980 (H264183-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 981 (H264183-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.12	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	173	86.6	200	2.01	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 982 (H264183-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 983 (H264183-59)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 984 (H264183-60)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.15	107	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.04	102	2.00	0.955	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.07	104	2.00	1.36	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.01	100	6.00	1.43	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 985 (H264183-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 986 (H264183-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37		
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 987 (H264183-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 988 (H264183-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 989 (H264183-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.9 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 990 (H264183-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 991 (H264183-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 992 (H264183-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 993 (H264183-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 49.6 % 48-117

Surrogate: 1-Chlorooctadecane 44.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 994 (H264183-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 995 (H264183-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 996 (H264183-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 997 (H264183-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 998 (H264183-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.1 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 999 (H264183-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1000 (H264183-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1001 (H264183-77)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.272	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.4	200	0.891	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1002 (H264183-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 87.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1003 (H264183-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37	
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 90.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1004 (H264183-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.17	108	2.00	2.37		
Toluene*	<0.050	0.050	07/28/2026	ND	2.06	103	2.00	2.61		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.98	98.9	2.00	1.98		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.85	97.4	6.00	1.94		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1005 (H264183-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1006 (H264183-82)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 92.2 % 48-117

Surrogate: 1-Chlorooctadecane 89.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1007 (H264183-83)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1008 (H264183-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1009 (H264183-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1010 (H264183-86)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 55.5 % 48-117

Surrogate: 1-Chlorooctadecane 50.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1011 (H264183-87)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1012 (H264183-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1013 (H264183-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1014 (H264183-90)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 87.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



<https://standardtx.com/>

Work Order Comments	P
0402401K all	

1049



Chain of Custody

H264183

2 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 94 of 101

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Due Date:	TAT may vary based on lab start time.

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.2	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-935		7/22/2026	9:15	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-936		7/22/2026	9:15	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-937		7/22/2026	9:16	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-938		7/22/2026	9:16	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-939		7/22/2026	9:16	S	Com	1		H ₃ PO ₄ : HP	
CS-940		7/22/2026	9:17	S	Com	1		NaHSO ₄ : NABIS	
CS-941		7/22/2026	9:17	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-942		7/22/2026	9:17	S	Com	1		Zn Acetate+NaOH: Zn	
CS-943		7/22/2026	9:18	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-944		7/22/2026	9:18	S	Com	1			
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



H264183

369

Contact: (432) 653-0393

<https://standardtx.com/>

Page 95 of 101

Work Order Comments

Page 95 of 101Page 95 of 101Page 95 of 101

Page 95 of 101



Chain of Custody

4264183

4 of 9


Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (Yes)	No
	Samples Received Intact:	Yes (Yes)	Thermometer ID:	140	
	Cooler Custody Seals:	Yes (No)	Correction Factor:	0.1	
	Sample Custody Seals:	Yes (No)	Temperature Reading:	4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST			Sample Comments
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	
CS-955		7/22/2026	9:22	S	Com	1	X	X	X	
CS-956		7/22/2026	9:23	S	Com	1	X	X	X	
CS-957		7/22/2026	9:23	S	Com	1	X	X	X	
CS-958		7/22/2026	9:23	S	Com	1	X	X	X	
CS-959		7/22/2026	9:24	S	Com	1	X	X	X	
CS-960		7/22/2026	9:24	S	Com	1	X	X	X	
CS-961		7/22/2026	9:24	S	Com	1	X	X	X	
CS-962		7/22/2026	9:25	S	Com	1	X	X	X	
CS-963		7/22/2026	9:25	S	Com	1	X	X	X	
CS-964		7/22/2026	9:26	S	Com	1	X	X	X	
Relinquished by: (Signature)	Received by: (Signature)		Date/Time		Relinquished by: (Signature)	Received by: (Signature)		Date/Time		
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett			7/23/26 11:30		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Edgheere 7/23/26 16:30



Chain of Custody

14264183

5 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-965		7/22/2026	9:26	S	Com	1	X	X	X	
CS-966		7/22/2026	9:26	S	Com	1	X	X	X	
CS-967		7/22/2026	9:27	S	Com	1	X	X	X	
CS-968		7/22/2026	9:27	S	Com	1	X	X	X	
CS-969		7/22/2026	9:27	S	Com	1	X	X	X	
CS-970		7/22/2026	9:28	S	Com	1	X	X	X	
CS-971		7/22/2026	9:28	S	Com	1	X	X	X	
CS-972		7/22/2026	9:28	S	Com	1	X	X	X	
CS-973		7/22/2026	9:29	S	Com	1	X	X	X	
CS-974		7/22/2026	9:29	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Relinquished by: (Signature) *Ed Aguirre* Date/Time 7/23/26 16:30



Chain of Custody

H264183

6 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-975		7/22/2026	9:30	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-976		7/22/2026	9:30	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-977		7/22/2026	9:30	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-978		7/22/2026	9:31	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-979		7/22/2026	9:31	S	Com	1		H ₃ PO ₄ : HP	
CS-980		7/22/2026	9:31	S	Com	1		NaHSO ₄ : NABIS	
CS-981		7/22/2026	9:32	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-982		7/22/2026	9:32	S	Com	1		Zn Acetate+NaOH: Zn	
CS-983		7/22/2026	9:32	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-984		7/22/2026	9:33	S	Com	1			
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

7/23/26 11:30



Chain of Custody

H264183

7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140			
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1			
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.7			
	Total Containers:	1613	Corrected Temperature:	4.9			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEx 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-985		7/22/2026	9:33	S	Com	1	X	X	X		None: NO	DI Water: H ₂ O
CS-986		7/22/2026	9:34	S	Com	1	X	X	X		Cool: Cool	MeOH: Me
CS-987		7/22/2026	9:34	S	Com	1	X	X	X		HCL: HC	HNO ₃ : HN
CS-988		7/22/2026	9:34	S	Com	1	X	X	X		H ₂ SO ₄ : H ₂	NaOH: Na
CS-989		7/22/2026	9:35	S	Com	1	X	X	X		H ₃ PO ₄ : HP	
CS-990		7/22/2026	9:35	S	Com	1	X	X	X		NaHSO ₄ : NABIS	
CS-991		7/22/2026	9:35	S	Com	1	X	X	X		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-992		7/22/2026	9:36	S	Com	1	X	X	X		Zn Acetate+NaOH: Zn	
CS-993		7/22/2026	9:36	S	Com	1	X	X	X		NaOH+Ascorbic Acid: SAPC	
CS-994		7/22/2026	9:37	S	Com	1	X	X	X			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time						
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by: (Signature) *C. Moore* Date/Time 7/26/26 16:30



Chain of Custody

H2064183

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐										
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:												
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:												
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:												
Total Containers:	1613	Corrected Temperature:												

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 80	TPH 801	Chloride	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
CS-995			7/22/2026	9:37	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

17264183

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

9 of 9

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:				
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1			
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8			
	Total Containers:	1613	Corrected Temperature:	4.9			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST										Preservative Codes	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
CS-1005		7/22/2026	9:41	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Calderone

7/23/26 16:30



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 29, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1015 (H264184-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	QM-07
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	QM-07
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 89.2 % 48-117

Surrogate: 1-Chlorooctadecane 85.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1016 (H264184-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28		
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1017 (H264184-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1018 (H264184-04)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1019 (H264184-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.9 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1020 (H264184-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28		
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 89.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1021 (H264184-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28		
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	183	91.3	200	1.00	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	188	94.1	200	4.05	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1022 (H264184-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28		
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 48-117

Surrogate: 1-Chlorooctadecane 66.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1023 (H264184-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28		
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1024 (H264184-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 65.4 % 48-117

Surrogate: 1-Chlorooctadecane 58.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1025 (H264184-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 71.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1026 (H264184-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1027 (H264184-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/26/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/26/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/26/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1028 (H264184-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1029 (H264184-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 63.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1030 (H264184-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1031 (H264184-17)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/28/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.22	104	6.00	2.55	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1032 (H264184-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1034 (H264184-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 57.5 % 48-117

Surrogate: 1-Chlorooctadecane 53.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1035 (H264184-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.84	92.1	2.00	2.28	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	1.57	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	2.42	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.22	104	6.00	2.55	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1036 (H264184-22)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22		
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.2 % 48-117

Surrogate: 1-Chlorooctadecane 61.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1037 (H264184-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22		
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1038 (H264184-24)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1039 (H264184-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 64.2 % 48-117

Surrogate: 1-Chlorooctadecane 58.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1040 (H264184-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1041 (H264184-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22		
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 58.8 % 48-117

Surrogate: 1-Chlorooctadecane 52.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1042 (H264184-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22		
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	204	102	200	0.775	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	204	102	200	0.543	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1043 (H264184-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1044 (H264184-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1045 (H264184-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1046 (H264184-32)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22		
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1047 (H264184-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1048 (H264184-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 90.5 % 48-117

Surrogate: 1-Chlorooctadecane 85.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1049 (H264184-35)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 97.6 % 48-117

Surrogate: 1-Chlorooctadecane 93.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1050 (H264184-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1051 (H264184-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 67.9 % 48-117

Surrogate: 1-Chlorooctadecane 62.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1052 (H264184-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1053 (H264184-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 79.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1054 (H264184-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1055 (H264184-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.80	90.2	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	1.79	89.7	2.00	0.532	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	0.458	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.90	98.3	6.00	0.306	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1056 (H264184-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	QM-07
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1057 (H264184-43)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/26/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1058 (H264184-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1059 (H264184-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1060 (H264184-46)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1061 (H264184-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1062 (H264184-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	205	102	200	0.538	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	223	112	200	1.53	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1063 (H264184-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1064 (H264184-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1065 (H264184-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15		
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 48.0 % 48-117

Surrogate: 1-Chlorooctadecane 44.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1066 (H264184-52)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 57.5 % 48-117

Surrogate: 1-Chlorooctadecane 51.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1067 (H264184-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15		
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 57.0 % 48-117

Surrogate: 1-Chlorooctadecane 54.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1068 (H264184-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 66.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1069 (H264184-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 64.3 % 48-117

Surrogate: 1-Chlorooctadecane 62.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1070 (H264184-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 73.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1071 (H264184-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1072 (H264184-58)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15		
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1073 (H264184-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 75.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1074 (H264184-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15		
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 71.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1075 (H264184-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	3.67	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.03	101	2.00	3.10	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.15	103	6.00	2.82	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1076 (H264184-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.0 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1077 (H264184-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 60.4 % 48-117

Surrogate: 1-Chlorooctadecane 55.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1078 (H264184-64)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13		
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1079 (H264184-65)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.7 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1080 (H264184-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1081 (H264184-67)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 68.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1082 (H264184-68)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13		
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	6.98	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.6	200	7.16	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1083 (H264184-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1084 (H264184-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1085 (H264184-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 55.1 % 48-117

Surrogate: 1-Chlorooctadecane 52.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1086 (H264184-72)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13		
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12		
Total BTX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 56.8 % 48-117

Surrogate: 1-Chlorooctadecane 54.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1087 (H264184-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 59.7 % 48-117

Surrogate: 1-Chlorooctadecane 57.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1088 (H264184-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 65.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1089 (H264184-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 53.6 % 48-117

Surrogate: 1-Chlorooctadecane 52.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1090 (H264184-76)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13		
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 54.4 % 48-117

Surrogate: 1-Chlorooctadecane 51.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1091 (H264184-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 56.8 % 48-117

Surrogate: 1-Chlorooctadecane 54.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1092 (H264184-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1093 (H264184-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 68.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1094 (H264184-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13	
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 52.8 % 48-117

Surrogate: 1-Chlorooctadecane 51.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1095 (H264184-81)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.09	104	2.00	3.13		
Toluene*	<0.050	0.050	07/28/2026	ND	2.19	110	2.00	2.93		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.22	111	2.00	3.45		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.73	112	6.00	4.12		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 57.1 % 48-117

Surrogate: 1-Chlorooctadecane 55.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1096 (H264184-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410		
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.1 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1097 (H264184-83)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.9 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1098 (H264184-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 63.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1099 (H264184-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410		
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.3 % 48-117

Surrogate: 1-Chlorooctadecane 64.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1100 (H264184-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410		
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1101 (H264184-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.6 % 48-117

Surrogate: 1-Chlorooctadecane 62.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1102 (H264184-88)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410		
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	186	92.8	200	1.64	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	195	97.4	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 67.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1103 (H264184-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1104 (H264184-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/27/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

10664184

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

0402401K all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1	
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8	
Total Containers:	1643	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments
							BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300									
CS-1015		7/22/2026	9:44	S	Com	1	X	X	X									
CS-1016		7/22/2026	9:45	S	Com	1	X	X	X									
CS-1017		7/22/2026	9:45	S	Com	1	X	X	X									
CS-1018		7/22/2026	9:45	S	Com	1	X	X	X									
CS-1019		7/22/2026	9:46	S	Com	1	X	X	X									
CS-1020		7/22/2026	9:46	S	Com	1	X	X	X									
CS-1021		7/22/2026	9:46	S	Com	1	X	X	X									
CS-1022		7/22/2026	9:47	S	Com	1	X	X	X									
CS-1023		7/22/2026	9:47	S	Com	1	X	X	X									
CS-1024		7/22/2026	9:48	S	Com	1	X	X	X									

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM

Relinquished by: (Signature) Received by: (Signature) Date/Time

Dean Ericson 7/23/2026 16:30



Chain of Custody

H264184

2 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140	
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	#1.8	
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	#4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes
CS-1025		7/22/2026	9:48	S	Com	1	BTEX 8012B	None: NO DI Water: H ₂ O
CS-1026		7/22/2026	9:48	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool MeOH: Me
CS-1027		7/22/2026	9:49	S	Com	1	Chloride 4500 or EPA 300	HCL: HC HNO ₃ : HN
CS-1028		7/22/2026	9:49	S	Com	1		H ₂ SO ₄ : H ₂ NaOH: Na
CS-1029		7/22/2026	9:49	S	Com	1		H ₃ PO ₄ : HP
CS-1030		7/22/2026	9:50	S	Com	1		NaHSO ₄ : NABIS
CS-1031		7/22/2026	9:50	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃
CS-1032		7/22/2026	9:50	S	Com	1		Zn Acetate+NaOH: Zn
CS-1033		7/22/2026	9:51	S	Com	1		NaOH+Ascorbic Acid: SAPC
CS-1034		7/22/2026	9:51	S	Com	1		

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM No Sample 7/23/26 7/23/26

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

12064184

349

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Due Date:	TAT may vary based on lab start time.
Project Location:	Lea County, New Mexico	Pres. Code			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	Parameters			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank: Yes ☒ No ☐	Wet Ice: Yes ☒ No ☐	Thermometer ID: #140	Correction Factor: #1.1	Temperature Reading: 4.8	Corrected Temperature: 4.9
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:				
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:				
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:				
Total Containers:	1613	Corrected Temperature:				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1035		7/22/2026	9:52	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-1036		7/22/2026	9:52	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-1037		7/22/2026	9:52	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-1038		7/22/2026	9:53	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-1039		7/22/2026	9:53	S	Com	1		H ₃ PO ₄ : HP	
CS-1040		7/22/2026	9:53	S	Com	1		NaHSO ₄ : NABIS	
CS-1041		7/22/2026	9:54	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1042		7/22/2026	9:54	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1043		7/22/2026	9:54	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-1044		7/22/2026	9:55	S	Com	1			

Relinquished by: (Signature) Edward Bartlett

Received by: (Signature) Josafat Aguirre





Chain of Custody

4264184

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:		Thermometer ID:	#140		
Cooler Custody Seals:		Correction Factor:	4.1		
Sample Custody Seals:		Temperature Reading:	4.8		
Total Containers:		Corrected Temperature:	4.9		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1045		7/22/2026	9:55	S	Com	1	X	X	X	
CS-1046		7/22/2026	9:56	S	Com	1	X	X	X	
CS-1047		7/22/2026	9:56	S	Com	1	X	X	X	
CS-1048		7/22/2026	9:56	S	Com	1	X	X	X	
CS-1049		7/22/2026	9:57	S	Com	1	X	X	X	
CS-1050		7/22/2026	9:57	S	Com	1	X	X	X	
CS-1051		7/22/2026	9:57	S	Com	1	X	X	X	
CS-1052		7/22/2026	9:58	S	Com	1	X	X	X	
CS-1053		7/22/2026	9:58	S	Com	1	X	X	X	
CS-1054		7/22/2026	9:59	S	Com	1	X	X	X	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time					
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Dean Ericson	7/23/2026 10:30					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

4 of 9



Chain of Custody

14264184

5069

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>


Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	#140
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	4.1	Temperature Reading:	4.8	Corrected Temperature:	4.9
Cooler Custody Seals:	Yes ☒ No ☐						
Sample Custody Seals:	Yes ☒ No ☐						
Total Containers:	1613						

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1055		7/22/2026	9:59	S	Com	1	X	X	X	
CS-1056		7/22/2026	9:59	S	Com	1	X	X	X	
CS-1057		7/22/2026	10:00	S	Com	1	X	X	X	
CS-1058		7/22/2026	10:00	S	Com	1	X	X	X	
CS-1059		7/22/2026	10:00	S	Com	1	X	X	X	
CS-1060		7/22/2026	10:01	S	Com	1	X	X	X	
CS-1061		7/22/2026	10:01	S	Com	1	X	X	X	
CS-1062		7/22/2026	10:01	S	Com	1	X	X	X	
CS-1063		7/22/2026	10:02	S	Com	1	X	X	X	
CS-1064		7/22/2026	10:02	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Don Limas	7/23/2026 10:00				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



481607CH

<https://standardtx.com/>

Page 97 of 100

Work Order CommentsPage 97 of 100Page 97 of 100Page 97 of 100

Page 97 of 100



Chain of Custody

H264184

7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037	Pres. Code	

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	#140
Samples Received Intact:		Yes ☒ No ☐	Correction Factor:		4.8		
Cooler Custody Seals:		Yes ☒ No ☐	Temperature Reading:		4.9		
Sample Custody Seals:		Yes ☒ No ☐	Corrected Temperature:		4.9		
Total Containers:		1613					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1075		7/22/2026	10:06	S	Com	1	X	X	X	
CS-1076		7/22/2026	10:07	S	Com	1	X	X	X	
CS-1077		7/22/2026	10:07	S	Com	1	X	X	X	
CS-1078		7/22/2026	10:07	S	Com	1	X	X	X	
CS-1079		7/22/2026	10:08	S	Com	1	X	X	X	
CS-1080		7/22/2026	10:08	S	Com	1	X	X	X	
CS-1081		7/22/2026	10:08	S	Com	1	X	X	X	
CS-1082		7/22/2026	10:09	S	Com	1	X	X	X	
CS-1083		7/22/2026	10:09	S	Com	1	X	X	X	
CS-1084		7/22/2026	10:10	S	Com	1	X	X	X	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time					
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Max Cordero	7/23/24					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

14264184

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Pres. Code											
Samples Received Intact:		Yes ☒ No ☐	Thermometer ID:			BTEx 8012B											
Cooler Custody Seals:		Yes ☒ No ☐	Correction Factor:			TPH 8015M (GRO-DRO-MRO)											
Sample Custody Seals:		Yes ☒ No ☐	Temperature Reading:			Chloride 4500 or EPA 300											
Total Containers:		1613	Corrected Temperature:														

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1085		7/22/2026	10:10	S	Com	1		None: NO DI Water: H ₂ O	
CS-1086		7/22/2026	10:10	S	Com	1		Cool: Cool MeOH: Me	
CS-1087		7/22/2026	10:11	S	Com	1		HCL: HC HNO ₃ : HN	
CS-1088		7/22/2026	10:11	S	Com	1		H ₂ SO ₄ : H ₂	
CS-1089		7/22/2026	10:11	S	Com	1		H ₃ PO ₄ : HP	
CS-1090		7/22/2026	10:12	S	Com	1		NaHSO ₄ : NABIS	
CS-1091		7/22/2026	10:12	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1092		7/22/2026	10:12	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1093		7/22/2026	10:13	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-1094		7/22/2026	10:13	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Barnett	7/23/2026 8:30AM
		4
		6

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



H 264184

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79766
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Preservative Codes

Sample Comments



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 29, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1105 (H264185-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42		
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 55.7 % 48-117

Surrogate: 1-Chlorooctadecane 51.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1106 (H264185-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42		
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1107 (H264185-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1108 (H264185-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42		
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1109 (H264185-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42		
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1110 (H264185-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42		
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1111 (H264185-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1112 (H264185-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1113 (H264185-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42	
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1114 (H264185-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	4.42		
Toluene*	<0.050	0.050	07/28/2026	ND	2.01	100	2.00	5.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.02	101	2.00	4.64		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.87	97.8	6.00	4.64		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1115 (H264185-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 93.3 % 48-117

Surrogate: 1-Chlorooctadecane 94.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1116 (H264185-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1117 (H264185-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.8 % 48-117

Surrogate: 1-Chlorooctadecane 73.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1118 (H264185-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 57.4 % 48-117

Surrogate: 1-Chlorooctadecane 55.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1119 (H264185-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 84.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1120 (H264185-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410		
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 93.5 % 48-117

Surrogate: 1-Chlorooctadecane 91.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1121 (H264185-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1122 (H264185-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	198	98.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	94.8	200	0.720	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 98.4 % 48-117

Surrogate: 1-Chlorooctadecane 98.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1123 (H264185-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 91.7 % 48-117

Surrogate: 1-Chlorooctadecane 90.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1124 (H264185-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1125 (H264185-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.21	110	2.00	0.410	
Toluene*	<0.050	0.050	07/28/2026	ND	2.11	105	2.00	1.32	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.01	101	2.00	0.975	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.88	98.0	6.00	1.05	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1126 (H264185-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	QM-07
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1127 (H264185-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 91.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1128 (H264185-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1129 (H264185-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1130 (H264185-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1131 (H264185-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1132 (H264185-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/27/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 83.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1133 (H264185-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1134 (H264185-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1135 (H264185-31)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575		
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 70.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1136 (H264185-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1137 (H264185-33)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575		
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1138 (H264185-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1139 (H264185-35)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1140 (H264185-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1141 (H264185-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575		
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1142 (H264185-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	193	96.4	200	0.926	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	199	99.3	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1143 (H264185-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1144 (H264185-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/28/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1145 (H264185-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	0.575	
Toluene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.27	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	97.9	2.00	1.82	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.91	98.5	6.00	2.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1146 (H264185-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	QM-07
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	QM-07
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 66.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1147 (H264185-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1148 (H264185-44)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1149 (H264185-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 71.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1150 (H264185-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 48-117

Surrogate: 1-Chlorooctadecane 78.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1151 (H264185-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1152 (H264185-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1153 (H264185-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584		
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 66.2 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1154 (H264185-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1155 (H264185-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 88.4 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1156 (H264185-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1157 (H264185-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1158 (H264185-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1159 (H264185-55)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584		
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1160 (H264185-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1161 (H264185-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1162 (H264185-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	194	97.1	200	0.689	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	185	92.6	200	0.772	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1163 (H264185-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1164 (H264185-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1165 (H264185-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.08	104	2.00	0.584	
Toluene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.0804	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.96	98.0	2.00	0.517	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.94	99.0	6.00	0.910	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1166 (H264185-62)

BTEX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	QM-07
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	QM-07
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	QM-07
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1167 (H264185-63)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1168 (H264185-64)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1169 (H264185-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 75.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1170 (H264185-66)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTEx	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.3 % 48-117

Surrogate: 1-Chlorooctadecane 61.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1171 (H264185-67)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1172 (H264185-68)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 75.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1173 (H264185-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1174 (H264185-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1175 (H264185-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1176 (H264185-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 52.1 % 48-117

Surrogate: 1-Chlorooctadecane 49.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1177 (H264185-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1178 (H264185-74)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1179 (H264185-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22		
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1180 (H264185-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 75.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1181 (H264185-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/28/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 58.7 % 48-117

Surrogate: 1-Chlorooctadecane 56.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1182 (H264185-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	207	103	200	2.02	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	194	97.2	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1183 (H264185-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1184 (H264185-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 84.7 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1185 (H264185-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.99	99.7	2.00	1.22	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	103	2.00	0.908	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.11	106	2.00	0.444	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.38	106	6.00	0.662	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1186 (H264185-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	QM-07
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	QM-07
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	QM-07
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1187 (H264185-83)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1188 (H264185-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44		
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85		
Total BTEx	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1189 (H264185-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44		
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85		
Total BTEx	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 125 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 92.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1190 (H264185-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1191 (H264185-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 75.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1192 (H264185-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/29/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1193 (H264185-89)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44		
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/29/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1194 (H264185-90)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44		
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85		
Total BTX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

4264185

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

0402401K all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico	Due Date:	
Sample's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

Preservative Codes	None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
--------------------	---

Sample Identification				Parameters				ANALYSIS REQUEST												Sample Comments	
Sample	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300												
CS-1105		7/22/2026	10:17	S	Com	1	X	X	X												
CS-1106		7/22/2026	10:18	S	Com	1	X	X	X												
CS-1107		7/22/2026	10:18	S	Com	1	X	X	X												
CS-1108		7/22/2026	10:18	S	Com	1	X	X	X												
CS-1109		7/22/2026	10:19	S	Com	1	X	X	X												
CS-1110		7/22/2026	10:19	S	Com	1	X	X	X												
CS-1111		7/22/2026	10:19	S	Com	1	X	X	X												
CS-1112		7/22/2026	10:20	S	Com	1	X	X	X												
CS-1113		7/22/2026	10:20	S	Com	1	X	X	X												
CS-1114		7/22/2026	10:21	S	Com	1	X	X	X												

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM



Chain of Custody

H264185

269

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standartdx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standartdx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	#190
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:					
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8				
Sample Custody Seals:	Yes ☒ No ☐ N/A	Corrected Temperature:	4.9				
Total Containers:	1613						

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1115		7/22/2026	10:21	S	Com	1	X	X	X	
CS-1116		7/22/2026	10:21	S	Com	1	X	X	X	
CS-1117		7/22/2026	10:22	S	Com	1	X	X	X	
CS-1118		7/22/2026	10:22	S	Com	1	X	X	X	
CS-1119		7/22/2026	10:22	S	Com	1	X	X	X	
CS-1120		7/22/2026	10:23	S	Com	1	X	X	X	
CS-1121		7/22/2026	10:23	S	Com	1	X	X	X	
CS-1122		7/22/2026	10:23	S	Com	1	X	X	X	
CS-1123		7/22/2026	10:24	S	Com	1	X	X	X	
CS-1124		7/22/2026	10:24	S	Com	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Dean Canales	7/23/2026 10:30



Chain of Custody

H264185

3 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sample's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Turn Around	Pres. Code	ANALYSIS REQUEST	Preservative Codes	
	☒ Routine ☐ Rush				
	Due Date:				
	TAT may vary based on lab start time.				
	Temp Blank: Yes (No) No	Wet Ice: Yes (No) No			
Samples Received Intact: Yes (No) No	Thermometer ID: #140			None: NO	DI Water: H ₂ O
Cooler Custody Seals: Yes (No) N/A	Correction Factor: f.1			Cool: Cool	MeOH: Me
Sample Custody Seals: Yes (No) N/A	Temperature Reading: 4.8			HCL: HC	HNO ₃ : HN
Total Containers: 1613	Corrected Temperature: 4.9			H ₂ SO ₄ : H ₂	NaOH: Na

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1125		7/22/2026	10:25	S	Com	1	X	X	X	
CS-1126		7/22/2026	10:25	S	Com	1	X	X	X	
CS-1127		7/22/2026	10:25	S	Com	1	X	X	X	
CS-1128		7/22/2026	10:26	S	Com	1	X	X	X	
CS-1129		7/22/2026	10:26	S	Com	1	X	X	X	
CS-1130		7/22/2026	10:26	S	Com	1	X	X	X	
CS-1131		7/22/2026	10:27	S	Com	1	X	X	X	
CS-1132		7/22/2026	10:27	S	Com	1	X	X	X	
CS-1133		7/22/2026	10:27	S	Com	1	X	X	X	
CS-1134		7/22/2026	10:28	S	Com	1	X	X	X	

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM Edward Bartlett 7/23/2026 10:00

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H0264185

4 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Turn Around	☒ Routine ☐ Rush Due Date: TAT may vary based on lab start time.
Parameters	Pres. Code BTEX 8012B TPH 8015M (GRO-DRO-MRO) Chloride 4500 or EPA 300
ANALYSIS REQUEST	
Preservative Codes	None: NO DI Water: H ₂ O Cool: Cool MeOH: Me HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Work Order Comments	

SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)
Samples Received Intact:	Yes (No)	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No)	Correction Factor:	1.1	
Sample Custody Seals:	Yes (No)	Temperature Reading:	4.8	
Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1135		7/22/2026	10:28	S	Com	1	X	X	X	
CS-1136		7/22/2026	10:29	S	Com	1	X	X	X	
CS-1137		7/22/2026	10:29	S	Com	1	X	X	X	
CS-1138		7/22/2026	10:29	S	Com	1	X	X	X	
CS-1139		7/22/2026	10:30	S	Com	1	X	X	X	
CS-1140		7/22/2026	10:30	S	Com	1	X	X	X	
CS-1141		7/22/2026	10:30	S	Com	1	X	X	X	
CS-1142		7/22/2026	10:31	S	Com	1	X	X	X	
CS-1143		7/22/2026	10:31	S	Com	1	X	X	X	
CS-1144		7/22/2026	10:32	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Dean Cinneras	7/23/2026 10:35				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

17264185

549

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	#1140
Samples Received Intact:	Yes ☒ No ☐	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:		Sample Custody Seals:	Yes ☒ No ☐
Temperature Reading:		Corrected Temperature:					
Total Containers:	1613						

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1145		7/22/2026	10:32	S	Com	1	X	X	X	
CS-1146		7/22/2026	10:32	S	Com	1	X	X	X	
CS-1147		7/22/2026	10:33	S	Com	1	X	X	X	
CS-1148		7/22/2026	10:33	S	Com	1	X	X	X	
CS-1149		7/22/2026	10:33	S	Com	1	X	X	X	
CS-1150		7/22/2026	10:34	S	Com	1	X	X	X	
CS-1151		7/22/2026	10:34	S	Com	1	X	X	X	
CS-1152		7/22/2026	10:34	S	Com	1	X	X	X	
CS-1153		7/22/2026	10:35	S	Com	1	X	X	X	
CS-1154		7/22/2026	10:35	S	Com	1	X	X	X	

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	7/23/2026	11:20
-----------------	-----------------	------------------	-----------------	-----------	-------

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264185

Leaf 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters									
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140												
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	4.1												
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8												
Total Containers:	1613	Corrected Temperature:	4.9												

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments
CS-1155		7/22/2026	10:36	S	Com	1	X	X	X	X							None: NO	DI Water: H ₂ O
CS-1156		7/22/2026	10:36	S	Com	1	X	X	X	X							Cool: Cool	MeOH: Me
CS-1157		7/22/2026	10:36	S	Com	1	X	X	X	X							HCL: HC	HNO ₃ : HN
CS-1158		7/22/2026	10:37	S	Com	1	X	X	X	X							H ₂ SO ₄ : H ₂	NaOH: Na
CS-1159		7/22/2026	10:37	S	Com	1	X	X	X	X							H ₃ PO ₄ : HP	
CS-1160		7/22/2026	10:37	S	Com	1	X	X	X	X							NaHSO ₄ : NABIS	
CS-1161		7/22/2026	10:38	S	Com	1	X	X	X	X							Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1162		7/22/2026	10:38	S	Com	1	X	X	X	X							Zn Acetate+NaOH: Zn	
CS-1163		7/22/2026	10:38	S	Com	1	X	X	X	X							NaOH+Ascorbic Acid: SAPC	
CS-1164		7/22/2026	10:39	S	Com	1	X	X	X	X								

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM

Received by: (Signature) Date/Time
Shan Connor 7/23/2026 1:00

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



5814707

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 99 of 101

Work Order Comments

Work Order Comments	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab	# of															
					Com	Cont															
CS-1165		7/22/2026	10:39	S	Com	1	BTEX 80														
					Com		TPH 801														
					Com		Chloride														
					Com																
					Com																
					Com																
														Inert/Ascorbic Acid; SACC							
Sample Comments																					

[illegible]

This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

14064185

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Samples Received Intact:	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	#140
	Cooler Custody Seals:	Yes ☒ No ☐	N/A	Correction Factor:	+1		
	Sample Custody Seals:	Yes ☒ No ☐	N/A	Temperature Reading:	4.8		
	Total Containers:	1613	Corrected Temperature:	4.9			
	Parameters						

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
CS-1175							7/22/2026	10:43	S	Com	1	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2064185

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Turn Around	☒ Routine ☐ Rush
Due Date:	TAT may vary based on lab start time.

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	+1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8
Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments
							BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300									
CS-1185		7/22/2026	10:47	S	Com	1	X	X	X								None: NO	DI Water: H ₂ O
CS-1186		7/22/2026	10:47	S	Com	1	X	X	X								Cool: Cool	MeOH: Me
CS-1187		7/22/2026	10:47	S	Com	1	X	X	X								HCL: HC	HNO ₃ : HN
CS-1188		7/22/2026	10:48	S	Com	1	X	X	X								H ₂ SO ₄ : H ₂	NaOH: Na
CS-1189		7/22/2026	10:48	S	Com	1	X	X	X								H ₃ PO ₄ : HP	
CS-1190		7/22/2026	10:48	S	Com	1	X	X	X								NaHSO ₄ : NABIS	
CS-1191		7/22/2026	10:49	S	Com	1	X	X	X								Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1192		7/22/2026	10:49	S	Com	1	X	X	X								Zn Acetate+NaOH: Zn	
CS-1193		7/22/2026	10:49	S	Com	1	X	X	X								NaOH+Ascorbic Acid: SAPC	
CS-1194		7/22/2026	10:50	S	Com	1	X	X	X									

Relinquished by: (Signature) Received by: (Signature) Date/Time

Relinquished by: (Signature) Received by: (Signature) Date/Time



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 30, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1195 (H264186-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.9 % 48-117

Surrogate: 1-Chlorooctadecane 59.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1196 (H264186-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 91.1 % 48-117

Surrogate: 1-Chlorooctadecane 86.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1197 (H264186-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 125 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 78.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1198 (H264186-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1199 (H264186-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44		
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85		
Total BTEx	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1200 (H264186-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44		
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 87.2 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1201 (H264186-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 61.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1202 (H264186-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	210	105	200	1.14	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	206	103	200	1.99	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 48-117

Surrogate: 1-Chlorooctadecane 89.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1203 (H264186-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1204 (H264186-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1205 (H264186-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	1.44	
Toluene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	1.48	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.90	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.82	114	6.00	1.85	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.9 % 48-117

Surrogate: 1-Chlorooctadecane 64.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1206 (H264186-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75		
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 64.4 % 48-117

Surrogate: 1-Chlorooctadecane 61.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1207 (H264186-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1208 (H264186-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 56.6 % 48-117

Surrogate: 1-Chlorooctadecane 52.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1209 (H264186-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 48.1 % 48-117

Surrogate: 1-Chlorooctadecane 43.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1210 (H264186-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 50.4 % 48-117

Surrogate: 1-Chlorooctadecane 46.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1211 (H264186-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 56.5 % 48-117

Surrogate: 1-Chlorooctadecane 52.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1212 (H264186-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1213 (H264186-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 63.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1214 (H264186-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1215 (H264186-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 60.8 % 48-117

Surrogate: 1-Chlorooctadecane 55.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1216 (H264186-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1217 (H264186-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1218 (H264186-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1219 (H264186-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 56.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1220 (H264186-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75		
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57		
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00		
Total BTEX	<0.300	0.300	07/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 56.8 % 48-117

Surrogate: 1-Chlorooctadecane 52.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1221 (H264186-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 60.5 % 48-117

Surrogate: 1-Chlorooctadecane 54.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1222 (H264186-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	184	92.2	200	1.50	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	179	89.7	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1223 (H264186-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1224 (H264186-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1225 (H264186-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/28/2026	ND	2.08	104	2.00	2.75	
Toluene*	<0.050	0.050	07/28/2026	ND	1.99	99.4	2.00	2.57	
Ethylbenzene*	<0.050	0.050	07/28/2026	ND	1.90	95.1	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/28/2026	ND	5.53	92.2	6.00	3.00	
Total BTEX	<0.300	0.300	07/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 84.4 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1226 (H264186-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1227 (H264186-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1228 (H264186-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1229 (H264186-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1230 (H264186-36)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356		
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 65.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1231 (H264186-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 62.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1232 (H264186-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 71.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1233 (H264186-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1234 (H264186-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1235 (H264186-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1236 (H264186-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1237 (H264186-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 71.4 % 48-117

Surrogate: 1-Chlorooctadecane 65.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1238 (H264186-44)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1239 (H264186-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1240 (H264186-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1241 (H264186-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1242 (H264186-48)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356		
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	196	97.9	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	93.1	200	2.97	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 63.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1243 (H264186-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1244 (H264186-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1245 (H264186-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	0.356	
Toluene*	<0.050	0.050	07/29/2026	ND	2.03	102	2.00	0.449	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.5	2.00	1.11	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.68	94.7	6.00	1.28	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 64.8 % 48-117

Surrogate: 1-Chlorooctadecane 55.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1246 (H264186-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1247 (H264186-53)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1248 (H264186-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1249 (H264186-55)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1250 (H264186-56)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.8 % 48-117

Surrogate: 1-Chlorooctadecane 56.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1251 (H264186-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 65.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1252 (H264186-58)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.4 % 48-117

Surrogate: 1-Chlorooctadecane 56.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1253 (H264186-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1254 (H264186-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.3 % 48-117

Surrogate: 1-Chlorooctadecane 62.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1255 (H264186-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1256 (H264186-62)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.4 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1257 (H264186-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 60.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1258 (H264186-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 66.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1259 (H264186-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.7 % 48-117

Surrogate: 1-Chlorooctadecane 66.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1260 (H264186-66)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 97.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1261 (H264186-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1262 (H264186-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	188	93.8	200	0.172	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.9	200	0.407	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1263 (H264186-69)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 93.2 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1264 (H264186-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 104 % 48-117

Surrogate: 1-Chlorooctadecane 99.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1265 (H264186-71)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.13	107	2.00	1.74		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	2.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	1.57		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.73	95.6	6.00	1.37		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 95.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1266 (H264186-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 105 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1267 (H264186-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.3 % 48-117

Surrogate: 1-Chlorooctadecane 84.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1268 (H264186-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1269 (H264186-75)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313		
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 93.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1270 (H264186-76)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313		
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.3 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1271 (H264186-77)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1272 (H264186-78)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313		
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 99.8 % 48-117

Surrogate: 1-Chlorooctadecane 94.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1273 (H264186-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.4 % 48-117

Surrogate: 1-Chlorooctadecane 97.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1274 (H264186-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1275 (H264186-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 98.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1276 (H264186-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 98.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1277 (H264186-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 99.2 % 48-117

Surrogate: 1-Chlorooctadecane 96.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1278 (H264186-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 91.6 % 48-117

Surrogate: 1-Chlorooctadecane 88.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1279 (H264186-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313		
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 99.4 % 48-117

Surrogate: 1-Chlorooctadecane 95.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1280 (H264186-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1281 (H264186-87)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313		
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 82.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1282 (H264186-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.5	200	1.18	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	218	109	200	0.421	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1283 (H264186-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 48-117

Surrogate: 1-Chlorooctadecane 69.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1284 (H264186-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.0 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H264186

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 93 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments	
0402401k all	

Project Name:		A-14 Surface Pad Reclaim	Turn Around		Pres. Code	ANALYSIS REQUEST								Preservative Codes	
Project Number:		☒ Routine ☐ Rush	Due Date:	TAT may vary based on lab start time.										None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na
Project Location:	Lea County, New Mexico														
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove														
PO #:	E-26029-GS-21300037														
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒										
Samples Received Intact:	Yes ☒ No ☒	Thermometer ID:													
Cooler Custody Seals:	Yes ☒ No ☒	Correction Factor:													
Sample Custody Seals:	Yes ☒ No ☒	Temperature Reading:													
Total Containers:	1613	Corrected Temperature:													
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont							Sample Comments	
CS-1195			7/22/2026	10:50	S	Com	1	X	X	X					
CS-1196			7/22/2026	10:51	S	Com	1	X	X	X					
CS-1197			7/22/2026	10:51	S	Com	1	X	X	X					
CS-1198			7/22/2026	10:51	S	Com	1	X	X	X					
CS-1199			7/22/2026	10:52	S	Com	1	X	X	X					
CS-1200			7/22/2026	10:52	S	Com	1	X	X	X					
CS-1201			7/22/2026	10:52	S	Com	1	X	X	X					
CS-1202			7/22/2026	10:53	S	Com	1	X	X	X					
CS-1203			7/22/2026	10:53	S	Com	1	X	X	X					
CS-1204			7/22/2026	10:54	S	Com	1	X	X	X					
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time					
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		7/23/26 16:13							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

4264184

2 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1205		7/22/2026	10:54	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-1206		7/22/2026	10:54	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-1207		7/22/2026	10:55	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-1208		7/22/2026	10:55	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-1209		7/22/2026	10:55	S	Com	1		H ₃ PO ₄ : HP	
CS-1210		7/22/2026	10:56	S	Com	1		NaHSO ₄ : NABIS	
CS-1211		7/22/2026	10:56	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1212		7/22/2026	10:56	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1213		7/22/2026	10:57	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-1214		7/22/2026	10:57	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time						
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by: (Signature) 7/23/26 11:30



Chain of Custody

H264186

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 95 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments	

Project Name:		A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine	☐ Rush														
Project Location:	Lea County, New Mexico			Due Date:													
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove			TAT may vary based on lab start time.													
PO #:	E-26029-GS-21300037																
SAMPLE RECEIPT				Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒	Parameters								None: NO	
Samples Received Intact:	Yes ☒ No ☒	Thermometer ID:													DI Water: H ₂ O		
Cooler Custody Seals:	Yes ☒ No ☒	Correction Factor:													Cool: Cool		
Sample Custody Seals:	Yes ☒ No ☒	Temperature Reading:													HCL: HC		
Total Containers:	1613	Corrected Temperature:													H ₂ SO ₄ : H ₂		
															H ₃ PO ₄ : HP		
															NaHSO ₄ : NABIS		
															Na ₂ S ₂ O ₃ : NaSO ₃		
															Zn Acetate+NaOH: Zn		
															NaOH+Ascorbic Acid: SAPC		
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont								Sample Comments		
CS-1215			7/22/2026	10:58	S	Com	1	X	X	X	X						
CS-1216			7/22/2026	10:58	S	Com	1	X	X	X	X						
CS-1217			7/22/2026	10:58	S	Com	1	X	X	X	X						
CS-1218			7/22/2026	10:59	S	Com	1	X	X	X	X						
CS-1219			7/22/2026	10:59	S	Com	1	X	X	X	X						
CS-1220			7/22/2026	10:59	S	Com	1	X	X	X	X						
CS-1221			7/22/2026	11:00	S	Com	1	X	X	X	X						
CS-1222			7/22/2026	11:00	S	Com	1	X	X	X	X						
CS-1223			7/22/2026	11:00	S	Com	1	X	X	X	X						
CS-1224			7/22/2026	11:01	S	Com	1	X	X	X	X						
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		7/23/26 16:35									
3						4											
5						6											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

4264184

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

4 of 4

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	180	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	18.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	42.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1225		7/22/2026	11:01	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-1226		7/22/2026	11:02	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-1227		7/22/2026	11:02	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-1228		7/22/2026	11:02	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-1229		7/22/2026	11:03	S	Com	1		H ₃ PO ₄ : HP	
CS-1230		7/22/2026	11:03	S	Com	1		NaHSO ₄ : NABIS	
CS-1231		7/22/2026	11:03	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1232		7/22/2026	11:04	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1233		7/22/2026	11:04	S	Com	1		NaOH+Ascorbic Acid: SACP	
CS-1234		7/22/2026	11:05	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time			
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

12064184

549

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8
	Total Containers:	1613	Corrected Temperature:	4.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1235		7/22/2026	11:05	S	Com	1	BTEX 8012B		None: NO	DI Water: H ₂ O
CS-1236		7/22/2026	11:05	S	Com	1	TPH 8015M (GRO-DRO-MRO)		Cool: Cool	MeOH: Me
CS-1237		7/22/2026	11:06	S	Com	1	Chloride 4500 or EPA 300		HCL: HC	HNO ₃ : HN
CS-1238		7/22/2026	11:06	S	Com	1			H ₂ SO ₄ : H ₂	NaOH: Na
CS-1239		7/22/2026	11:06	S	Com	1			H ₃ PO ₄ : HP	
CS-1240		7/22/2026	11:07	S	Com	1			NaHSO ₄ : NABIS	
CS-1241		7/22/2026	11:07	S	Com	1			Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1242		7/22/2026	11:07	S	Com	1			Zn Acetate+NaOH: Zn	
CS-1243		7/22/2026	11:08	S	Com	1			NaOH+Ascorbic Acid: SAPC	
CS-1244		7/22/2026	11:08	S	Com	1				
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
1 Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						
3										
5										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2664186

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.89
	Total Containers:	1613	Corrected Temperature:	4.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1245		7/22/2026	11:09	S	Com	1	X	X	X	
CS-1246		7/22/2026	11:09	S	Com	1	X	X	X	
CS-1247		7/22/2026	11:09	S	Com	1	X	X	X	
CS-1248		7/22/2026	11:10	S	Com	1	X	X	X	
CS-1249		7/22/2026	11:10	S	Com	1	X	X	X	
CS-1250		7/22/2026	11:10	S	Com	1	X	X	X	
CS-1251		7/22/2026	11:11	S	Com	1	X	X	X	
CS-1252		7/22/2026	11:11	S	Com	1	X	X	X	
CS-1253		7/22/2026	11:11	S	Com	1	X	X	X	
CS-1254		7/22/2026	11:12	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Edgerson

7/23/26 14:13



Chain of Custody

Handwritten: H2641816

Handwritten: 7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1255		7/22/2026	11:12	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-1256		7/22/2026	11:13	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-1257		7/22/2026	11:13	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-1258		7/22/2026	11:13	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-1259		7/22/2026	11:14	S	Com	1		H ₃ PO ₄ : HP	
CS-1260		7/22/2026	11:14	S	Com	1		NaHSO ₄ : NABIS	
CS-1261		7/22/2026	11:14	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1262		7/22/2026	11:15	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1263		7/22/2026	11:15	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-1264		7/22/2026	11:16	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time			
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Handwritten: [Signature]	7/23/26 16:35			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



726486

8 of 9

<https://standardtx.com/>

Page 100 of 101

Work Order Comments

Page 100 of 101Page 100 of 101Page 100 of 101

Page 100 of 101



Chain of Custody

4264186

9029

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Well Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1275		7/22/2026	11:20	S	Com	1	X	X	X	
CS-1276		7/22/2026	11:20	S	Com	1	X	X	X	
CS-1277		7/22/2026	11:20	S	Com	1	X	X	X	
CS-1278		7/22/2026	11:21	S	Com	1	X	X	X	
CS-1279		7/22/2026	11:21	S	Com	1	X	X	X	
CS-1280		7/22/2026	11:21	S	Com	1	X	X	X	
CS-1281		7/22/2026	11:22	S	Com	1	X	X	X	
CS-1282		7/22/2026	11:22	S	Com	1	X	X	X	
CS-1283		7/22/2026	11:22	S	Com	1	X	X	X	
CS-1284		7/22/2026	11:23	S	Com	1	X	X	X	

Relinquished by: (Signature) Edward Bartlett Date/Time 7/23/2026 8:30AM Relinquished by: (Signature) Received by: (Signature) Date/Time 7/23/26 16:30



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 30, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1285 (H264187-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.97	98.4	2.00	0.313	
Toluene*	<0.050	0.050	07/29/2026	ND	1.86	93.1	2.00	0.349	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.7	2.00	0.326	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.560	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 86.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1286 (H264187-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	QM-07
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	QM-07
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	QM-07
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1287 (H264187-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTEx	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1288 (H264187-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1289 (H264187-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.3 % 48-117

Surrogate: 1-Chlorooctadecane 86.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1290 (H264187-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1291 (H264187-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1292 (H264187-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTEx	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1293 (H264187-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 48-117

Surrogate: 1-Chlorooctadecane 82.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1294 (H264187-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1295 (H264187-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1296 (H264187-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1297 (H264187-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1298 (H264187-14)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1299 (H264187-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1300 (H264187-16)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1301 (H264187-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1302 (H264187-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.837	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	94.8	200	0.733	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 67.2 % 48-117

Surrogate: 1-Chlorooctadecane 62.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1303 (H264187-19)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871		
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1304 (H264187-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1305 (H264187-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.10	105	2.00	0.871	
Toluene*	<0.050	0.050	07/29/2026	ND	2.22	111	2.00	0.728	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.32	116	2.00	0.897	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.05	117	6.00	1.82	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1306 (H264187-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 85.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1307 (H264187-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1308 (H264187-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 48-117

Surrogate: 1-Chlorooctadecane 85.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1309 (H264187-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48		
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.7 % 48-117

Surrogate: 1-Chlorooctadecane 94.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1310 (H264187-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1311 (H264187-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1312 (H264187-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 97.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1313 (H264187-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1314 (H264187-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48		
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 99.7 % 48-117

Surrogate: 1-Chlorooctadecane 96.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1315 (H264187-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1316 (H264187-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.9 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1317 (H264187-33)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48		
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1318 (H264187-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1319 (H264187-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48		
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1320 (H264187-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1321 (H264187-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48		
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1322 (H264187-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.4	200	0.161	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.5	200	3.83	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.9 % 48-117

Surrogate: 1-Chlorooctadecane 92.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1323 (H264187-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1324 (H264187-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1325 (H264187-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.77	88.6	2.00	5.48	
Toluene*	<0.050	0.050	07/29/2026	ND	1.77	88.7	2.00	4.51	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.97	98.7	2.00	3.14	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.84	97.4	6.00	4.02	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/27/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/27/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/27/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1326 (H264187-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1327 (H264187-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1328 (H264187-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 92.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1329 (H264187-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1330 (H264187-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 82.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1331 (H264187-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32		
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1332 (H264187-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1333 (H264187-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1334 (H264187-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32		
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498		
Total BTEx	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.8 % 48-117

Surrogate: 1-Chlorooctadecane 93.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1335 (H264187-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1336 (H264187-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 87.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1337 (H264187-53)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 88.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1338 (H264187-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1339 (H264187-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1340 (H264187-56)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1341 (H264187-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1342 (H264187-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/29/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	201	101	200	1.49	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.1	200	1.14	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 90.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1343 (H264187-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/30/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 63.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1344 (H264187-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/30/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1345 (H264187-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.98	98.8	2.00	1.32	
Toluene*	<0.050	0.050	07/30/2026	ND	1.97	98.5	2.00	2.00	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.20	110	2.00	0.713	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.57	109	6.00	0.498	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1346 (H264187-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06		
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1347 (H264187-63)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06		
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09		
Total BTX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1348 (H264187-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.2 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1349 (H264187-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1350 (H264187-66)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06		
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1351 (H264187-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1352 (H264187-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1353 (H264187-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1354 (H264187-70)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06		
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1355 (H264187-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1356 (H264187-72)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06		
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1357 (H264187-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 51.6 % 48-117

Surrogate: 1-Chlorooctadecane 47.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1358 (H264187-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1359 (H264187-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	184	91.8	200	1.53	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.6	200	0.852	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1360 (H264187-76)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06		
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	95.9	200	4.66	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	214	107	200	3.06	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1361 (H264187-77)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	95.9	200	4.66	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	214	107	200	3.06	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 91.7 % 48-117

Surrogate: 1-Chlorooctadecane 85.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1362 (H264187-78)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	95.9	200	4.66	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	214	107	200	3.06	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1363 (H264187-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1364 (H264187-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1365 (H264187-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.06	
Toluene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.0947	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	1.04	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.71	112	6.00	1.09	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1366 (H264187-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 62.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1367 (H264187-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 64.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1368 (H264187-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92		
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 88.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1369 (H264187-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92		
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 63.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1370 (H264187-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.9 % 48-117

Surrogate: 1-Chlorooctadecane 55.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1371 (H264187-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1372 (H264187-88)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92		
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1373 (H264187-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1374 (H264187-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 70.1 % 48-117

Surrogate: 1-Chlorooctadecane 59.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H264187

1669

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

0402401K
all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		Due Date:														None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															
PO #:	E-26029-GS-21300037															
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:														
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:														
Total Containers:	1613	Corrected Temperature:														

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters			Sample Comments
							BTEX 801	TPH 801	Chloride	
CS-1285		7/22/2026	11:23	S	Com	1	X	X	X	
CS-1286		7/22/2026	11:24	S	Com	1	X	X	X	
CS-1287		7/22/2026	11:24	S	Com	1	X	X	X	
CS-1288		7/22/2026	11:24	S	Com	1	X	X	X	
CS-1289		7/22/2026	11:25	S	Com	1	X	X	X	
CS-1290		7/22/2026	11:25	S	Com	1	X	X	X	
CS-1291		7/22/2026	11:25	S	Com	1	X	X	X	
CS-1292		7/22/2026	11:26	S	Com	1	X	X	X	
CS-1293		7/22/2026	11:26	S	Com	1	X	X	X	
CS-1294		7/22/2026	11:27	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
Josafat Aguirre		Edward Barlett		7/23/2026 8:30AM		Edward Barlett		Dean Corona		7/23/2026 16:30
										6

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

1264187

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

2 of 4

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037	Wet Ice:	(Yes) No											H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes (No) No											H ₃ PO ₄ : HP	
Samples Received Intact:	Yes (No) No	Thermometer ID:	#140											NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	4.1											Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	4.5											Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:	4.9											NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments
CS-1295		7/22/2026	11:27	S	Com	1	X	X	X	X							
CS-1296		7/22/2026	11:27	S	Com	1	X	X	X	X							
CS-1297		7/22/2026	11:28	S	Com	1	X	X	X	X							
CS-1298		7/22/2026	11:28	S	Com	1	X	X	X	X							
CS-1299		7/22/2026	11:28	S	Com	1	X	X	X	X							
CS-1300		7/22/2026	11:29	S	Com	1	X	X	X	X							
CS-1301		7/22/2026	11:29	S	Com	1	X	X	X	X							
CS-1302		7/22/2026	11:29	S	Com	1	X	X	X	X							
CS-1303		7/22/2026	11:30	S	Com	1	X	X	X	X							
CS-1304		7/22/2026	11:30	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Mari Cerna		7/23/2026							
3						4											
5						6											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264187

364

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sample's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1305		7/22/2026	11:31	S	Com	1	X	X	X	None: NO DI Water: H ₂ O
CS-1306		7/22/2026	11:31	S	Com	1	X	X	X	Cool: Cool MeOH: Me
CS-1307		7/22/2026	11:31	S	Com	1	X	X	X	HCL: HC HNO ₃ : HN
CS-1308		7/22/2026	11:32	S	Com	1	X	X	X	H ₂ SO ₄ : H ₂ NaOH: Na
CS-1309		7/22/2026	11:32	S	Com	1	X	X	X	H ₃ PO ₄ : HP
CS-1310		7/22/2026	11:32	S	Com	1	X	X	X	NaHSO ₄ : NABIS
CS-1311		7/22/2026	11:33	S	Com	1	X	X	X	Na ₂ S ₂ O ₃ : NaSO ₃
CS-1312		7/22/2026	11:33	S	Com	1	X	X	X	Zn Acetate+NaOH: Zn
CS-1313		7/22/2026	11:33	S	Com	1	X	X	X	NaOH+Ascorbic Acid: SAPC
CS-1314		7/22/2026	11:34	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264187

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN	
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na	
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)											H ₃ PO ₄ : HP	
Samples Received Intact:	Yes (No)	Thermometer ID:													NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes (No)	Correction Factor:													Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes (No)	Temperature Reading:													Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:													NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments
CS-1315		7/22/2026	11:34	S	Com	1	BTEX 8012B										
CS-1316		7/22/2026	11:35	S	Com	1	TPH 8015M (GRO-DRO-MRO)										
CS-1317		7/22/2026	11:35	S	Com	1	Chloride 4500 or EPA 300										
CS-1318		7/22/2026	11:35	S	Com	1											
CS-1319		7/22/2026	11:36	S	Com	1											
CS-1320		7/22/2026	11:36	S	Com	1											
CS-1321		7/22/2026	11:36	S	Com	1											
CS-1322		7/22/2026	11:37	S	Com	1											
CS-1323		7/22/2026	11:37	S	Com	1											
CS-1324		7/22/2026	11:38	S	Com	1											
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time											
1 Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett													
3						4											
5						6											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

4264187

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN	
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na	
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)											H ₃ PO ₄ : HP	
Samples Received Intact:	Yes (No)		Thermometer ID:												NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes (No)		Correction Factor:												Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes (No)		Temperature Reading:												Zn Acetate+NaOH: Zn	
Total Containers:	1613		Corrected Temperature:												NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300											Sample Comments
CS-1325		7/22/2026	11:38	S	Com	1	X	X	X											
CS-1326		7/22/2026	11:38	S	Com	1	X	X	X											
CS-1327		7/22/2026	11:39	S	Com	1	X	X	X											
CS-1328		7/22/2026	11:39	S	Com	1	X	X	X											
CS-1329		7/22/2026	11:39	S	Com	1	X	X	X											
CS-1330		7/22/2026	11:40	S	Com	1	X	X	X											
CS-1331		7/22/2026	11:40	S	Com	1	X	X	X											
CS-1332		7/22/2026	11:40	S	Com	1	X	X	X											
CS-1333		7/22/2026	11:41	S	Com	1	X	X	X											
CS-1334		7/22/2026	11:41	S	Com	1	X	X	X											
Relinquished by: (Signature)	Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time											
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Shaw Cienfuegos		7/23/2026 16:30											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264187

10064

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Samples Received Intact:	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Cooler Custody Seals:	Yes ☒ No ☐	Thermometer ID:			
	Sample Custody Seals:	Yes ☒ No ☐	Correction Factor:			
		Yes ☒ No ☐	Temperature Reading:			
		Yes ☒ No ☐	Corrected Temperature:			
Total Containers:	1613					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1335		7/22/2026	11:42	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-1336		7/22/2026	11:42	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-1337		7/22/2026	11:42	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-1338		7/22/2026	11:43	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-1339		7/22/2026	11:43	S	Com	1		H ₃ PO ₄ : HP	
CS-1340		7/22/2026	11:43	S	Com	1		NaHSO ₄ : NABIS	
CS-1341		7/22/2026	11:44	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1342		7/22/2026	11:44	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1343		7/22/2026	11:44	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-1344		7/22/2026	11:45	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)							
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM							

Maxi Cinema

7/23/24 10:30

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264187

7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	1.1
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8
	Total Containers:	1613	Corrected Temperature:	4.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1345		7/22/2026	11:45	S	Com	1	BTEX 8012B		None: NO	DI Water: H ₂ O
CS-1346		7/22/2026	11:46	S	Com	1	TPH 8015M (GRO-DRO-MRO)		Cool: Cool	MeOH: Me
CS-1347		7/22/2026	11:46	S	Com	1	Chloride 4500 or EPA 300		HCL: HC	HNO ₃ : HN
CS-1348		7/22/2026	11:46	S	Com	1			H ₂ SO ₄ : H ₂	NaOH: Na
CS-1349		7/22/2026	11:47	S	Com	1			H ₃ PO ₄ : HP	
CS-1350		7/22/2026	11:47	S	Com	1			NaHSO ₄ : NABIS	
CS-1351		7/22/2026	11:48	S	Com	1			Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1352		7/22/2026	11:48	S	Com	1			Zn Acetate+NaOH: Zn	
CS-1353		7/22/2026	11:48	S	Com	1			NaOH+Ascorbic Acid: SAPC	
CS-1354		7/22/2026	11:49	S	Com	1				
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264187

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Pres. Code	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:					
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:					
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:					
Total Containers:	1613	Corrected Temperature:					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300										Sample Comments
CS-1355		7/22/2026	11:49	S	Com	1	X	X	X	X									
CS-1356		7/22/2026	11:49	S	Com	1	X	X	X	X									
CS-1357		7/22/2026	11:50	S	Com	1	X	X	X	X									
CS-1358		7/22/2026	11:50	S	Com	1	X	X	X	X									
CS-1359		7/22/2026	11:50	S	Com	1	X	X	X	X									
CS-1360		7/22/2026	11:51	S	Com	1	X	X	X	X									
CS-1361		7/22/2026	11:51	S	Com	1	X	X	X	X									
CS-1362		7/22/2026	11:51	S	Com	1	X	X	X	X									
CS-1363		7/22/2026	11:52	S	Com	1	X	X	X	X									
CS-1364		7/22/2026	11:52	S	Com	1	X	X	X	X									
Relinquished by: (Signature)		Received by: (Signature)					Date/Time			Relinquished by: (Signature)	Received by: (Signature)			Date/Time					
Josafat Aguirre	Edward Bartlett						7/23/2026 8:30AM			Edward Bartlett	Shan Vinnova			7/23/24					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264187

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes
Project Number:		Due Date:													None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove														
PO #:	E-26029-GS-21300037														

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Thermometer ID:	Wet Ice:	Yes ☒ No ☐	Parameters									
Samples Received In tact:	Yes ☒ No ☐	Correction Factor:														
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														
Sample Custody Seals:	Yes ☒ No ☐ N/A	Corrected Temperature:														
Total Containers:	1613															

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B TPH 8015M Chloride										Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CS-1365							7/22/2026	11:53	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Shan Cinner	7/23/2026 1:30



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 30, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1375 (H264188-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 61.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1376 (H264188-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92		
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1377 (H264188-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 56.1 % 48-117

Surrogate: 1-Chlorooctadecane 45.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1378 (H264188-04)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1379 (H264188-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 58.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1380 (H264188-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 61.2 % 48-117

Surrogate: 1-Chlorooctadecane 50.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1381 (H264188-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92		
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 63.3 % 48-117

Surrogate: 1-Chlorooctadecane 49.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1382 (H264188-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92		
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	181	90.6	200	2.38	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.7 % 48-117

Surrogate: 1-Chlorooctadecane 55.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1383 (H264188-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1384 (H264188-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1385 (H264188-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.42	121	2.00	2.92	
Toluene*	<0.050	0.050	07/29/2026	ND	2.18	109	2.00	1.36	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.17	108	2.00	2.41	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	6.43	107	6.00	2.36	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1386 (H264188-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	QM-07
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	QM-07
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	QM-07
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1387 (H264188-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1388 (H264188-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1389 (H264188-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.9 % 48-117

Surrogate: 1-Chlorooctadecane 87.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1390 (H264188-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1391 (H264188-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1392 (H264188-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61		
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1393 (H264188-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1394 (H264188-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.4 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1395 (H264188-21)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61		
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1396 (H264188-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1397 (H264188-23)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61		
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1398 (H264188-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.6 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1399 (H264188-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1400 (H264188-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 125 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1401 (H264188-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 59.5 % 48-117

Surrogate: 1-Chlorooctadecane 54.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1402 (H264188-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 125 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	197	98.5	200	0.540	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	222	111	200	1.66	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1403 (H264188-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1404 (H264188-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1405 (H264188-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.21	110	2.00	1.61	
Toluene*	<0.050	0.050	07/29/2026	ND	2.30	115	2.00	3.17	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.33	116	2.00	3.94	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	7.08	118	6.00	5.86	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1406 (H264188-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1407 (H264188-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1408 (H264188-34)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1409 (H264188-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1410 (H264188-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1411 (H264188-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 59.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1412 (H264188-38)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89		
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1413 (H264188-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.7 % 48-117

Surrogate: 1-Chlorooctadecane 92.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1414 (H264188-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1415 (H264188-41)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89		
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93		
Total BTX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1416 (H264188-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1417 (H264188-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 93.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1418 (H264188-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 73.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1419 (H264188-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1420 (H264188-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 63.9 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1421 (H264188-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 61.7 % 48-117

Surrogate: 1-Chlorooctadecane 57.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1422 (H264188-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	194	96.9	200	2.32	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	190	95.2	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1423 (H264188-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89		
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1424 (H264188-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1425 (H264188-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.15	108	2.00	1.89	
Toluene*	<0.050	0.050	07/29/2026	ND	2.07	104	2.00	1.61	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.00	99.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.82	97.0	6.00	2.93	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1426 (H264188-52)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1427 (H264188-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1428 (H264188-54)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883		
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1429 (H264188-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1430 (H264188-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 65.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1431 (H264188-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1432 (H264188-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1433 (H264188-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1434 (H264188-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 82.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1435 (H264188-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883		
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1436 (H264188-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1437 (H264188-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1438 (H264188-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1439 (H264188-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883		
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 90.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1440 (H264188-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1441 (H264188-67)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 63.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1442 (H264188-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	103	200	3.94	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	201	100	200	0.816	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1443 (H264188-69)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 65.2 % 48-117

Surrogate: 1-Chlorooctadecane 60.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1444 (H264188-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1445 (H264188-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	1.98	99.1	2.00	0.883	
Toluene*	<0.050	0.050	07/29/2026	ND	1.87	93.7	2.00	0.0346	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.91	95.4	2.00	0.710	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.52	92.0	6.00	0.701	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.1 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1446 (H264188-72)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	QM-07
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	QM-07
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1447 (H264188-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1448 (H264188-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.2 % 48-117

Surrogate: 1-Chlorooctadecane 60.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1449 (H264188-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1450 (H264188-76)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1451 (H264188-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1452 (H264188-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1453 (H264188-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1454 (H264188-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.9 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1455 (H264188-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.1 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1456 (H264188-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1457 (H264188-83)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1458 (H264188-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1459 (H264188-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1460 (H264188-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31		
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1461 (H264188-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1462 (H264188-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	210	105	200	0.419	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	212	106	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1463 (H264188-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1464 (H264188-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.5 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



<https://standardtx.com/>

Oyoz Yok all

1 of 9

Work Order Comments

O402401k cdl

Preservative Codes	
None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCl: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPP	

[illegible]



Chain of Custody

14264188

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

2 of 9

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1385		7/22/2026	12:00	S	Com	1	BTEX 8012B		None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₅ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	
CS-1386		7/22/2026	12:00	S	Com	1	TPH 8015M (GRO-DRO-MRO)			
CS-1387		7/22/2026	12:01	S	Com	1	Chloride 4500 or EPA 300			
CS-1388		7/22/2026	12:01	S	Com	1				
CS-1389		7/22/2026	12:01	S	Com	1				
CS-1390		7/22/2026	12:02	S	Com	1				
CS-1391		7/22/2026	12:02	S	Com	1				
CS-1392		7/22/2026	12:02	S	Com	1				
CS-1393		7/22/2026	12:03	S	Com	1				
CS-1394		7/22/2026	12:03	S	Com	1				
Relinquished by: (Signature)		Received by: (Signature)								
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett						
3										
5										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Celestine

7/23/26 11:30



Chain of Custody

H264188

3 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number:																None: NO DI Water: H ₂ O Cool: Cool MeOH: Me HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	
Project Location:	Lea County, New Mexico	Due Date:	TAT may vary based on lab start time.														
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove																
PO #:	E-26029-GS-21300037																
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters											
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140														
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1														
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8														
Total Containers:	1613	Corrected Temperature:	4.9														
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-1395		7/22/2026	12:04	S	Com	1	X	X	X	X							
CS-1396		7/22/2026	12:04	S	Com	1	X	X	X	X							
CS-1397		7/22/2026	12:04	S	Com	1	X	X	X	X							
CS-1398		7/22/2026	12:05	S	Com	1	X	X	X	X							
CS-1399		7/22/2026	12:05	S	Com	1	X	X	X	X							
CS-1400		7/22/2026	12:05	S	Com	1	X	X	X	X							
CS-1401		7/22/2026	12:06	S	Com	1	X	X	X	X							
CS-1402		7/22/2026	12:06	S	Com	1	X	X	X	X							
CS-1403		7/22/2026	12:06	S	Com	1	X	X	X	X							
CS-1404		7/22/2026	12:07	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)															
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM															

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

4264188

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

549

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAI may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	740			
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1			
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8			
	Total Containers:	1613	Corrected Temperature:	4.9			

Sample Identification										Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST										Preservative Codes	Sample Comments
CS-1405											7/22/2026	12:07	S	Com	1	X	X	X												
CS-1406											7/22/2026	12:08	S	Com	1	X	X	X												
CS-1407											7/22/2026	12:08	S	Com	1	X	X	X												
CS-1408											7/22/2026	12:08	S	Com	1	X	X	X												
CS-1409											7/22/2026	12:09	S	Com	1	X	X	X												
CS-1410											7/22/2026	12:09	S	Com	1	X	X	X												
CS-1411											7/22/2026	12:09	S	Com	1	X	X	X												
CS-1412											7/22/2026	12:10	S	Com	1	X	X	X												
CS-1413											7/22/2026	12:10	S	Com	1	X	X	X												
CS-1414											7/22/2026	12:11	S	Com	1	X	X	X												
Relinquished by: (Signature)										Received by: (Signature)										Date/Time										Date/Time
1 Josafat Aguirre										Edward Bartlett										7/23/2026 8:30AM										Edward Bartlett
3																				4										
5																				6										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





<https://standardtx.com/>

Page 97 of 101

Page 97 of 101

Work Order Comments	F

Preservative Codes	
None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCl: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SACP	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chloride	Sample Comments									
CS-1415			7/22/2026	12:11	S	Com	1	X	X	X										
CS-1416			7/22/2026	12:11	S	Com	1	X	X	X										
CS-1417			7/22/2026	12:12	S	Com	1	X	X	X										
CS-1418			7/22/2026	12:12	S	Com	1	X	X	X										
CS-1419			7/22/2026	12:12	S	Com	1	X	X	X										
CS-1420			7/22/2026	12:13	S	Com	1	X	X	X										
CS-1421			7/22/2026	12:13	S	Com	1	X	X	X										
CS-1422			7/22/2026	12:13	S	Com	1	X	X	X										
CS-1423			7/22/2026	12:14	S	Com	1	X	X	X										
CS-1424			7/22/2026	12:14	S	Com	1	X	X	X										
Relinquished by: (Signature)		Received by: (Signature)					Date/Time		Relinquished by: (Signature)					Received by: (Signature)					Date/Time	
1 Josafat Aguirre		Edward Bartlett					7/23/2026 8:30AM		Edward Bartlett										7/23/26 16:30	
3									4											
5									6											



821418

Contact: (432) 653-0393

<https://standardtx.com/>

Page 98 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 98 of

Project Name:				A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes			
Project Number:						☒ Routine ☐ Rush		Pres. Code										None: NO		DI Water: H ₂ O	
Project Location:				Lea County, New Mexico		Due Date:												Cool: Cool		MeOH: Me	
Sampler's Name:				Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.												HCL: HC		HNO ₃ : HN	
PO #:				E-26029-GS-21300037														H ₂ SO ₄ : H ₂		NaOH: Na	
SAMPLE RECEIPT				Temp Blank:		Yes (No)		Wet Ice:		(Yes) No								H ₃ PO ₄ : HP			
Samples Received Intact:				(Yes) No		Thermometer ID:				140								NaHSO ₄ : NABIS			
Cooler Custody Seals:				Yes (No) N/A		Correction Factor:				0.1								Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:				Yes (No) N/A		Temperature Reading:				4.8								Zn Acetate+NaOH: Zn			
Total Containers:				1613		Corrected Temperature:				4.9								NaOH+Ascorbic Acid: SASC			

CD: 9/15/2026 7:03:40 AM										
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	Chloride	Sample Comments
CS-1425		7/22/2026	12:15	S	Com	1	X	X	X	
CS-1426		7/22/2026	12:15	S	Com	1	X	X	X	
CS-1427		7/22/2026	12:15	S	Com	1	X	X	X	
CS-1428		7/22/2026	12:16	S	Com	1	X	X	X	
CS-1429		7/22/2026	12:16	S	Com	1	X	X	X	
CS-1430		7/22/2026	12:16	S	Com	1	X	X	X	
CS-1431		7/22/2026	12:17	S	Com	1	X	X	X	
CS-1432		7/22/2026	12:17	S	Com	1	X	X	X	
CS-1433		7/22/2026	12:17	S	Com	1	X	X	X	
CS-1434		7/22/2026	12:18	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
Joaquín Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett				7/23/2026 8:30
3						4				
5						6				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H264188

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Scanned 9

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1435		7/22/2026	12:18	S	Com	1	X	X	X	
CS-1436		7/22/2026	12:19	S	Com	1	X	X	X	
CS-1437		7/22/2026	12:19	S	Com	1	X	X	X	
CS-1438		7/22/2026	12:19	S	Com	1	X	X	X	
CS-1439		7/22/2026	12:20	S	Com	1	X	X	X	
CS-1440		7/22/2026	12:20	S	Com	1	X	X	X	
CS-1441		7/22/2026	12:20	S	Com	1	X	X	X	
CS-1442		7/22/2026	12:21	S	Com	1	X	X	X	
CS-1443		7/22/2026	12:21	S	Com	1	X	X	X	
CS-1444		7/22/2026	12:22	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2604188

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number:		Due Date:														None: NO DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														Cool: Cool MeOH: Me	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															HCL: HC HNO ₃ : HN	
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂ NaOH: Na	
SAMPLE RECEIPT	Temp Blank:	Yes	No	Wet Ice:	Yes	No											H ₃ PO ₄ : HP
Samples Received Intact:	Yes	No	Thermometer ID:														NaHSO ₄ : NABIS
Cooler Custody Seals:	Yes	No	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes	No	Temperature Reading:														Zn Acetate+NaOH: Zn
Total Containers:	1613	Corrected Temperature:															NaOH+Ascorbic Acid: SAPC

CD: 9/13/2026 7:03:40 AM										
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters		Sample Comments
CS-1445			7/22/2026	12:22	S	Com	1	X	X	
CS-1446			7/22/2026	12:22	S	Com	1	X	X	
CS-1447			7/22/2026	12:23	S	Com	1	X	X	
CS-1448			7/22/2026	12:23	S	Com	1	X	X	
CS-1449			7/22/2026	12:23	S	Com	1	X	X	
CS-1450			7/22/2026	12:24	S	Com	1	X	X	
CS-1451			7/22/2026	12:24	S	Com	1	X	X	
CS-1452			7/22/2026	12:24	S	Com	1	X	X	
CS-1453			7/22/2026	12:25	S	Com	1	X	X	
CS-1454			7/22/2026	12:25	S	Com	1	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett				7/23/26 16:13
3										4
5										6

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

body
H264188

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 101 of 101

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 101 of

Project Name:				A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes					
Project Number:						☒ Routine ☐ Rush		Pres. Code															
Project Location:				Lea County, New Mexico		Due Date:																	
Sampler's Name:				Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.																	
PO #:				E-26029-GS-21300037																			
SAMPLE RECEIPT				Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☒ No ☐													
Samples Received Intact:				Yes ☒ No ☐		Thermometer ID:				140													
Cooler Custody Seals:				Yes ☒ No ☐		Correction Factor:				0.1													
Sample Custody Seals:				Yes ☒ No ☐		Temperature Reading:				4.2													
Total Containers:				1613		Corrected Temperature:				4.9													
						Parameters																	
0012B																							
015M (GRO-DRO-MRO)																							
de 4500 or EPA 300																							

Sample Identification										Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX C	TPH 80	Chloride	Sample Comments																				
CS-1455											7/12/2026	12:26	S	Com	1	X	X	X																					
CS-1456											7/12/2026	12:26	S	Com	1	X	X	X																					
CS-1457											7/12/2026	12:26	S	Com	1	X	X	X																					
CS-1458											7/12/2026	12:27	S	Com	1	X	X	X																					
CS-1459											7/12/2026	12:27	S	Com	1	X	X	X																					
CS-1460											7/12/2026	12:27	S	Com	1	X	X	X																					
CS-1461											7/12/2026	12:28	S	Com	1	X	X	X																					
CS-1462											7/12/2026	12:28	S	Com	1	X	X	X																					
CS-1463											7/12/2026	12:28	S	Com	1	X	X	X																					
CS-1464											7/12/2026	12:29	S	Com	1	X	X	X																					
Relinquished by: (Signature)										Received by: (Signature)										Date/Time																			
1 Josafat Aguirre										Edward Bartlett										7/23/2026 8:30AM										Edward Bartlett									
3																				4																			
5																				6																			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 30, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' at the beginning.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1465 (H264189-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.12	106	2.00	2.31	
Toluene*	<0.050	0.050	07/29/2026	ND	2.06	103	2.00	1.22	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	1.95	97.7	2.00	2.39	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.69	94.8	6.00	2.81	
Total BTX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1466 (H264189-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1467 (H264189-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1468 (H264189-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 65.8 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1469 (H264189-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1470 (H264189-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 91.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1471 (H264189-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43		
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1472 (H264189-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1473 (H264189-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 91.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1474 (H264189-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43		
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1475 (H264189-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43		
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1476 (H264189-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1477 (H264189-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1478 (H264189-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1479 (H264189-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43		
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27		
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34		
Total BTEX	<0.300	0.300	07/29/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 59.0 % 48-117

Surrogate: 1-Chlorooctadecane 57.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1480 (H264189-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1481 (H264189-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/29/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/29/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/29/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/29/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1482 (H264189-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.25	112	2.00	1.43		
Toluene*	<0.050	0.050	07/30/2026	ND	2.16	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.27		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.98	99.7	6.00	2.34		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.0	200	2.52	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	204	102	200	1.67	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1483 (H264189-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/30/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.1 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1484 (H264189-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/30/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1485 (H264189-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.25	112	2.00	1.43	
Toluene*	<0.050	0.050	07/30/2026	ND	2.16	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.27	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.98	99.7	6.00	2.34	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.5 % 48-117

Surrogate: 1-Chlorooctadecane 68.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1486 (H264189-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1487 (H264189-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 70.0 % 48-117

Surrogate: 1-Chlorooctadecane 65.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1488 (H264189-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1489 (H264189-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 63.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1490 (H264189-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1491 (H264189-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1492 (H264189-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1493 (H264189-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 74.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1494 (H264189-30)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1495 (H264189-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47		
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1496 (H264189-32)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47		
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 78.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1497 (H264189-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1498 (H264189-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47		
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1499 (H264189-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1500 (H264189-36)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 64.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1501 (H264189-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 73.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1502 (H264189-38)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47		
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	192	96.2	200	0.0692	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1503 (H264189-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.6 % 48-117

Surrogate: 1-Chlorooctadecane 95.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1504 (H264189-40)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.6 % 48-117

Surrogate: 1-Chlorooctadecane 94.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1505 (H264189-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.24	112	2.00	2.47	
Toluene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	2.36	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	2.89	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	99.9	6.00	2.84	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1506 (H264189-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	QM-07
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 98.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1507 (H264189-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1508 (H264189-44)

BTEX 8021B		mg/kg	Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg	Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg	Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 93.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1509 (H264189-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1510 (H264189-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1511 (H264189-47)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1512 (H264189-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 94.0 % 48-117

Surrogate: 1-Chlorooctadecane 90.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1513 (H264189-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1514 (H264189-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1515 (H264189-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 93.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1516 (H264189-52)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1517 (H264189-53)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1518 (H264189-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1519 (H264189-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 94.1 % 48-117

Surrogate: 1-Chlorooctadecane 90.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1520 (H264189-56)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1521 (H264189-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1522 (H264189-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	199	99.6	200	3.39	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	173	86.3	200	8.59	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1523 (H264189-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1524 (H264189-60)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1525 (H264189-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.40	120	2.00	0.00100	
Toluene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	1.86	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.00	100	2.00	1.95	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.88	98.0	6.00	1.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1526 (H264189-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	QM-07
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 129 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1527 (H264189-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 127 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.1 % 48-117

Surrogate: 1-Chlorooctadecane 94.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/30/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1528 (H264189-64)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31		
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 128 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1529 (H264189-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1530 (H264189-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1531 (H264189-67)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31		
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919		
Total BTX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1532 (H264189-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 129 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1533 (H264189-69)

BTEx 8021B		mg/kg	Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 130 % 70.7-129

Chloride, SM4500Cl-B		mg/kg	Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg	Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1534 (H264189-70)

BTEx 8021B		mg/kg	Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 131 % 70.7-129

Chloride, SM4500Cl-B		mg/kg	Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg	Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1535 (H264189-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 91.7 % 48-117

Surrogate: 1-Chlorooctadecane 88.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1536 (H264189-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1537 (H264189-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 128 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1538 (H264189-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 127 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1539 (H264189-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 48-117

Surrogate: 1-Chlorooctadecane 85.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1540 (H264189-76)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31		
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1541 (H264189-77)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31		
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919		
Total BTX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1542 (H264189-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 127 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	191	95.5	200	4.17	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	169	84.7	200	8.01	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1543 (H264189-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 52.4 % 48-117

Surrogate: 1-Chlorooctadecane 51.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1544 (H264189-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 128 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1545 (H264189-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.31	116	2.00	1.31	
Toluene*	<0.050	0.050	07/30/2026	ND	2.42	121	2.00	0.866	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.54	127	2.00	0.492	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	7.81	130	6.00	0.919	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 127 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1546 (H264189-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.9 % 48-117

Surrogate: 1-Chlorooctadecane 94.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1547 (H264189-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56		
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.5 % 48-117

Surrogate: 1-Chlorooctadecane 95.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1548 (H264189-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1549 (H264189-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.5 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1550 (H264189-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 94.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1551 (H264189-87)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 95.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1552 (H264189-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1553 (H264189-89)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56		
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/30/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1554 (H264189-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
BS1	Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

14264189

1 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	140
Samples Received Intact:		Yes ☒ No ☐	Correction Factor:		0.1		
Cooler Custody Seals:		Yes ☒ No ☐	Temperature Reading:		4.8		
Sample Custody Seals:		Yes ☒ No ☐	Corrected Temperature:		4.9		
Total Containers:		1613					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1465		7/22/2026	12:29	S	Com	1	X	X	X	
CS-1466		7/22/2026	12:30	S	Com	1	X	X	X	
CS-1467		7/22/2026	12:30	S	Com	1	X	X	X	
CS-1468		7/22/2026	12:30	S	Com	1	X	X	X	
CS-1469		7/22/2026	12:31	S	Com	1	X	X	X	
CS-1470		7/22/2026	12:31	S	Com	1	X	X	X	
CS-1471		7/22/2026	12:31	S	Com	1	X	X	X	
CS-1472		7/22/2026	12:32	S	Com	1	X	X	X	
CS-1473		7/22/2026	12:32	S	Com	1	X	X	X	
CS-1474		7/22/2026	12:33	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						
						4				
						6				

0402401k cel

7/23/26 16:30

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264189

249

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Page 94 of 101

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
☒ Routine ☐ Rush Due Date:	
TAT may vary based on lab start time.	

Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Thermometer ID:			
Correction Factor:			
Temperature Reading:			
Corrected Temperature:			

Parameters

BTEX 8012B

TPH 8015M (GRO-DRO-MRO)

Chloride 4500 or EPA 300

Preservative Codes

None: NO

DI Water: H₂O

Cool: Cool

MeOH: Me

HCL: HC

HNO₃: HN

H₂SO₄: H₂

NaOH: Na

H₃PO₄: HP

NaHSO₄: NABIS

Na₂S₂O₃: NaSO₃

Zn Acetate+NaOH: Zn

NaOH+Ascorbic Acid: SAPC

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes
CS-1475		7/22/2026	12:33	S	Com	1	X	X
CS-1476		7/22/2026	12:33	S	Com	1	X	X
CS-1477		7/22/2026	12:34	S	Com	1	X	X
CS-1478		7/22/2026	12:34	S	Com	1	X	X
CS-1479		7/22/2026	12:34	S	Com	1	X	X
CS-1480		7/22/2026	12:35	S	Com	1	X	X
CS-1481		7/22/2026	12:35	S	Com	1	X	X
CS-1482		7/22/2026	12:35	S	Com	1	X	X
CS-1483		7/22/2026	12:36	S	Com	1	X	X
CS-1484		7/22/2026	12:36	S	Com	1	X	X

Relinquished by: (Signature) Received by: (Signature)

Josafat Aguirre

Edward Bartlett

7/23/2026 8:30AM

Edward Bartlett

Relinquished by: (Signature)

Date/Time

Edward Bartlett

07/23/2026 11:30

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

4264189

349

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST	Preservative Codes
Project Number:		Due Date:					
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.					
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove						
PO #:	E-26029-GS-21300037	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐		
SAMPLE RECEIPT		Thermometer ID:	140				
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	0.1				
Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.3				
Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:	4.4				
Total Containers:	1613						

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1485		7/22/2026	12:37	S	Com	1	BTEX 8012B		None: NO DI Water: H ₂ O	
CS-1486		7/22/2026	12:37	S	Com	1	TPH 8015M (GRO-DRO-MRO)		Cool: Cool MeOH: Me	
CS-1487		7/22/2026	12:37	S	Com	1	Chloride 4500 or EPA 300		HCL: HC HNO ₃ : HN	
CS-1488		7/22/2026	12:38	S	Com	1			H ₂ SO ₄ : H ₂ NaOH: Na	
CS-1489		7/22/2026	12:38	S	Com	1			H ₃ PO ₄ : HP	
CS-1490		7/22/2026	12:38	S	Com	1			NaHSO ₄ : NABIS	
CS-1491		7/22/2026	12:39	S	Com	1			Na ₂ S ₂ O ₅ : NaSO ₃	
CS-1492		7/22/2026	12:39	S	Com	1			Zn Acetate+NaOH: Zn	
CS-1493		7/22/2026	12:39	S	Com	1			NaOH+Ascorbic Acid: SAPC	
CS-1494		7/22/2026	12:40	S	Com	1				
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

4264189

40f9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number:																None: NO DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	Due Date:														Cool: Cool MeOH: Me	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														HCL: HC HNO ₃ : HN	
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂ NaOH: Na	
SAMPLE RECEIPT	Temp Blank:	Yes	No	Wet Ice:	Yes	No											H ₃ PO ₄ : HP
Samples Received Intact:	Yes	No	Thermometer ID:														NaHSO ₄ : NABIS
Cooler Custody Seals:	Yes	No	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes	No	Temperature Reading:														Zn Acetate+NaOH: Zn
Total Containers:	1613	Corrected Temperature:															NaOH+Ascorbic Acid: SAPC
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-1495		7/22/2026	12:40	S	Com	1	X	X	X								
CS-1496		7/22/2026	12:41	S	Com	1	X	X	X								
CS-1497		7/22/2026	12:41	S	Com	1	X	X	X								
CS-1498		7/22/2026	12:41	S	Com	1	X	X	X								
CS-1499		7/22/2026	12:42	S	Com	1	X	X	X								
CS-1500		7/22/2026	12:42	S	Com	1	X	X	X								
CS-1501		7/22/2026	12:42	S	Com	1	X	X	X								
CS-1502		7/22/2026	12:43	S	Com	1	X	X	X								
CS-1503		7/22/2026	12:43	S	Com	1	X	X	X								
CS-1504		7/22/2026	12:44	S	Com	1	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)					Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time				
Josafat Aguirre		Edward Bartlett					7/23/2026 8:30AM		Edward Bartlett		C. Aguirre		7/23/26 16:30				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264189

569

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes
Project Number:		Due Date:														None: NO DI Water: H ₂ O
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														Cool: Cool MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															HCL: HC HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂ NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)												H ₃ PO ₄ : HP
Samples Received Intact:	Yes (No)	Thermometer ID:														NaHSO ₄ : NABIS
Cooler Custody Seals:	Yes (No)	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes (No)	Temperature Reading:														Zn Acetate+NaOH: Zn
Total Containers:	1613	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC

Sample Identification										Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CS-1505											7/22/2026	12:44	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264189

6 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>


Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1515		7/22/2026	12:48	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-1516		7/22/2026	12:48	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-1517		7/22/2026	12:48	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-1518		7/22/2026	12:49	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-1519		7/22/2026	12:49	S	Com	1		H ₃ PO ₄ : HP	
CS-1520		7/22/2026	12:49	S	Com	1		NaHSO ₄ : NABIS	
CS-1521		7/22/2026	12:50	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-1522		7/22/2026	12:50	S	Com	1		Zn Acetate+NaOH: Zn	
CS-1523		7/22/2026	12:50	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-1524		7/22/2026	12:51	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time			
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett		7/23/2026 16:15			
3						4			
5						6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



6264189

7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79766
Contact: (432) 653-0393
<https://standardix.com/>

Work Order Comments

Page 99 of 101

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H264189


889

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number:		Due Date:														None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.														Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove															HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:														Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Sample Comments
CS-1535			7/22/2026	12:55	S	Com	1	BTEX 800	TPH 800	Chlorides								
CS-1536			7/22/2026	12:55	S	Com	1	X	X	X								
CS-1537			7/22/2026	12:56	S	Com	1	X	X	X								
CS-1538			7/22/2026	12:56	S	Com	1	X	X	X								
CS-1539			7/22/2026	12:56	S	Com	1	X	X	X								
CS-1540			7/22/2026	12:57	S	Com	1	X	X	X								
CS-1541			7/22/2026	12:57	S	Com	1	X	X	X								
CS-1542			7/22/2026	12:57	S	Com	1	X	X	X								
CS-1543			7/22/2026	12:58	S	Com	1	X	X	X								
CS-1544			7/22/2026	12:58	S	Com	1	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett				7/23/26 16:30								
3								4										
5								6										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by: (Signature) *[Signature]* Date/Time 7/23/26 16:30



Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardix.com/>

Page 101 of 101

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 101 of 1

Preservative Codes	
None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCl: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SACP	

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 31, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1555 (H264190-01)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56		
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/28/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1556 (H264190-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 74.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1557 (H264190-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1558 (H264190-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1559 (H264190-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1560 (H264190-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56		
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 91.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1561 (H264190-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56		
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1562 (H264190-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	185	92.7	200	3.65	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	181	90.7	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.4 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1563 (H264190-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 89.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1564 (H264190-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 98.3 % 48-117

Surrogate: 1-Chlorooctadecane 93.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1565 (H264190-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.09	104	2.00	2.56	
Toluene*	<0.050	0.050	07/30/2026	ND	1.98	99.0	2.00	1.97	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.85	97.5	6.00	2.24	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1566 (H264190-12)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	QM-07
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1567 (H264190-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 70.1 % 48-117

Surrogate: 1-Chlorooctadecane 64.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1568 (H264190-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1569 (H264190-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1570 (H264190-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1571 (H264190-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06		
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.4 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1572 (H264190-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1573 (H264190-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1574 (H264190-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1575 (H264190-21)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06		
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 88.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1576 (H264190-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 98.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1577 (H264190-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 93.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1578 (H264190-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 94.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1579 (H264190-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1580 (H264190-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1581 (H264190-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1582 (H264190-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	167	83.4	200	13.2	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	160	80.1	200	10.6	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1583 (H264190-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06		
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1584 (H264190-30)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06		
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	14.8	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1585 (H264190-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.28	114	2.00	1.06	
Toluene*	<0.050	0.050	07/30/2026	ND	1.95	97.4	2.00	3.20	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.92	95.9	2.00	1.16	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.68	94.6	6.00	1.14	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1586 (H264190-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1587 (H264190-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1588 (H264190-34)

BTX 8021B		mg/kg	Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 136 % 70.7-129

Chloride, SM4500CI-B		mg/kg	Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg	Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1589 (H264190-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908		
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 129 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1590 (H264190-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1591 (H264190-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1592 (H264190-38)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1593 (H264190-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1594 (H264190-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1595 (H264190-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.0 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1596 (H264190-42)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 125 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1597 (H264190-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1598 (H264190-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1599 (H264190-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.1 % 48-117

Surrogate: 1-Chlorooctadecane 63.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1600 (H264190-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/28/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1601 (H264190-47)

BTX 8021B		mg/kg	Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 133 % 70.7-129

Chloride, SM4500CI-B		mg/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg	Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1602 (H264190-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	10.4	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	206	103	200	13.5	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1603 (H264190-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 48-117

Surrogate: 1-Chlorooctadecane 82.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1604 (H264190-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908		
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.3 % 48-117

Surrogate: 1-Chlorooctadecane 92.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1605 (H264190-51)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.21	110	2.00	0.908	
Toluene*	<0.050	0.050	07/30/2026	ND	2.19	109	2.00	0.118	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.06	103	2.00	0.140	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.02	100	6.00	0.0735	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1606 (H264190-52)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1607 (H264190-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1608 (H264190-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1609 (H264190-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 90.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1610 (H264190-56)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1611 (H264190-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1612 (H264190-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 84.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1613 (H264190-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1614 (H264190-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1615 (H264190-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1616 (H264190-62)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1617 (H264190-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.4 % 48-117

Surrogate: 1-Chlorooctadecane 87.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1618 (H264190-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 95.7 % 48-117

Surrogate: 1-Chlorooctadecane 91.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1619 (H264190-65)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1620 (H264190-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1621 (H264190-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1622 (H264190-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	193	96.6	200	3.54	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.8	200	0.634	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1623 (H264190-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 96.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1624 (H264190-70)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1625 (H264190-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	2.46	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.68	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.96	98.1	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.69	94.9	6.00	2.29	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1626 (H264190-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1627 (H264190-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1628 (H264190-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1629 (H264190-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1630 (H264190-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1631 (H264190-77)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10		
Total BTEx	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1632 (H264190-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1633 (H264190-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1634 (H264190-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 69.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1635 (H264190-81)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1636 (H264190-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1637 (H264190-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1638 (H264190-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.9 % 48-117

Surrogate: 1-Chlorooctadecane 89.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1639 (H264190-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1640 (H264190-86)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1641 (H264190-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 68.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1642 (H264190-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	196	98.2	200	1.28	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	183	91.3	200	1.87	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1643 (H264190-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1644 (H264190-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



H 264195

16/5/9

<https://standardtx.com/>

Page 93 of 101

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments
O402461K All

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Handwritten: 061098

2 of 9

<https://standardtx.com/>

Page 94 of 101

Work Order Comments

Page 94 of 101Page 94 of 101Page 94 of 101

Page 94 of 101



H264190

3 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardix.com/>

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code		ANALYSIS REQUEST										Preservative Code			
Project Number:				☒ Routine ☐ Rush														None: NO			
Project Location:		Lea County, New Mexico		Due Date:														Cool: Cool			
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.														HCL: HC			
PO #:		E-26029-GS-21300037																H ₂ SO ₄ : H ₂			
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☒ No ☐												H ₃ PO ₄ : HP	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:				#140												NaHSO ₄ : NABIS	
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:				+0.1												Na ₂ S ₂ O ₅ : NaSO ₃	
Sample Custody Seals:		Yes ☒ No ☐		N/A		Temperature Reading:		4.8												Zn Acetate+NaOH: Zn	
Total Containers:		1613		Corrected Temperature:		4.9														NaOH+Ascorbic Acid: SAP	

CD: 9/13/2026 7:05:30 AM															
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chlorid	Sample Comment				
CS-1575			7/22/2026	13:10	S	Com	1	X	X	X					
CS-1576			7/22/2026	13:10	S	Com	1	X	X	X					
CS-1577			7/22/2026	13:10	S	Com	1	X	X	X					
CS-1578			7/22/2026	13:11	S	Com	1	X	X	X					
CS-1579			7/22/2026	13:11	S	Com	1	X	X	X					
CS-1580			7/22/2026	13:11	S	Com	1	X	X	X					
CS-1581			7/22/2026	13:12	S	Com	1	X	X	X					
CS-1582			7/22/2026	13:12	S	Com	1	X	X	X					
CS-1583			7/22/2026	13:12	S	Com	1	X	X	X					
CS-1584			7/22/2026	13:13	S	Com	1	X	X	X					
Relinquished by: (Signature)		Received by: (Signature)					Date/Time			Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
Josafat Aguirre		Edward Bartlett					7/23/2026 8:30AM			Edward Bartlett		Joaquin Aguirre		7/23/22	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



<https://standardtx.com/>

Page 96 of 101

Work Order Comments

4 of 9

Preservative Codes

Sample Comments





Chain of Custody

HAL64190

5 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:																None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:														Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Well Ice:	Yes (No)												H ₃ PO ₄ : HP	
Samples Received Intact:	Yes (No)		Thermometer ID:													NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes (No)		Correction Factor:													Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes (No)		Temperature Reading:													Zn Acetate+NaOH: Zn	
Total Containers:	1613		Corrected Temperature:													NaOH+Ascorbic Acid: SPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300									Sample Comments
CS-1595		7/22/2026	13:17	S	Com	1	X	X	X									
CS-1596		7/22/2026	13:17	S	Com	1	X	X	X									
CS-1597		7/22/2026	13:18	S	Com	1	X	X	X									
CS-1598		7/22/2026	13:18	S	Com	1	X	X	X									
CS-1599		7/22/2026	13:18	S	Com	1	X	X	X									
CS-1600		7/22/2026	13:19	S	Com	1	X	X	X									
CS-1601		7/22/2026	13:19	S	Com	1	X	X	X									
CS-1602		7/22/2026	13:19	S	Com	1	X	X	X									
CS-1603		7/22/2026	13:20	S	Com	1	X	X	X									
CS-1604		7/22/2026	13:20	S	Com	1	X	X	X									
Relinquished by: (Signature)	Received by: (Signature)						Date/Time			Relinquished by: (Signature)	Received by: (Signature)			Date/Time				
Josafat Aguirre	Edward Bartlett						7/23/2026 8:30AM			Edward Bartlett	Davi Cisneros			7/23/24 11:30				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Dean Cienfuegos

7/23/2026 11:30



Halcyon

6 of 9

<https://standardtx.com/>

Page 98 of 101

Chain of Custody

Work Order Comments

Preservative Codes

Sample Comments

Shari Linn

7/23/24

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

4264190

7 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://i/standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140			
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	4.01			
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8			
	Total Containers:	1613	Corrected Temperature:	4.9			

Sample Identification							Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B			TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST										Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
161	CS-1615		7/22/2026	13:24	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

02/04/20

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393
<https://standardtx.com/>

Page 100 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		P

Project Name:				A-14 Surface Pad Reclaim				Turn Around				ANALYSIS REQUEST												Preservative Codes							
Project Number:								☒ Routine ☐ Rush				Pres. Code								None: NO				DI Water: H ₂ O							
Project Location:				Lea County, New Mexico				Due Date:												Cool: Cool				MeOH: Me							
Sampler's Name:				Josafat Aguirre, Douglas Crossgrove				TAT may vary based on lab start time.												HCL: HC				HNO ₃ : HN							
PO #:				E-26029-GS-21300037																H ₂ SO ₄ : H ₂				NaOH: Na							
SAMPLE RECEIPT				Temp Blank:				Yes ☒ No ☐				Wet Ice:				Yes ☒ No ☐								H ₃ PO ₄ : HP							
Samples Received Intact:				Yes ☒ No ☐				Thermometer ID:				#1140								NaHSO ₄ : NABIS											
Cooler Custody Seals:				Yes ☒ No ☐ N/A				Correction Factor:				+0.1								Na ₂ S ₂ O ₃ : NaSO ₃											
Sample Custody Seals:				Yes ☒ No ☐ N/A				Temperature Reading:				4.8								Zn Acetate+NaOH: Zn											
Total Containers:				1613				Corrected Temperature:				4.9								NaOH+Ascorbic Acid: SAPC											

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H2064190

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 101 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	10.1		
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8		
Total Containers:	1613	Corrected Temperature:	4.9		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
81 CS-1635		7/22/2026	13:32	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
82 CS-1636		7/22/2026	13:32	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
83 CS-1637		7/22/2026	13:32	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
84 CS-1638		7/22/2026	13:33	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
85 CS-1639		7/22/2026	13:33	S	Com	1		H ₃ PO ₄ : HP	
86 CS-1640		7/22/2026	13:33	S	Com	1		NaHSO ₄ : NABIS	
87 CS-1641		7/22/2026	13:34	S	Com	1		Na ₂ S ₂ O ₅ : NaSO ₃	
88 CS-1642		7/22/2026	13:34	S	Com	1		Zn Acetate+NaOH: Zn	
89 CS-1643		7/22/2026	13:34	S	Com	1		NaOH+Ascorbic Acid: SAPC	
90 CS-1644		7/22/2026	13:35	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time			
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 31, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/23/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1645 (H264191-01)

BTX 8021B			mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	1.91	95.5	2.00	5.51		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.61		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.15	108	2.00	1.33		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.39	106	6.00	2.10		
Total BTX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 58.8 % 48-117

Surrogate: 1-Chlorooctadecane 49.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1646 (H264191-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68		
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 65.0 % 48-117

Surrogate: 1-Chlorooctadecane 55.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1647 (H264191-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 66.7 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1648 (H264191-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68		
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96		
Total BTEx	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.3 % 48-117

Surrogate: 1-Chlorooctadecane 56.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1649 (H264191-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/28/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/28/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/28/2026	ND					

Surrogate: 1-Chlorooctane 64.3 % 48-117

Surrogate: 1-Chlorooctadecane 53.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1650 (H264191-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 57.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1651 (H264191-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.6 % 48-117

Surrogate: 1-Chlorooctadecane 51.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1652 (H264191-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.8 % 48-117

Surrogate: 1-Chlorooctadecane 54.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1653 (H264191-09)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68		
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96		
Total BTX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 56.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1654 (H264191-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 58.6 % 48-117

Surrogate: 1-Chlorooctadecane 49.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1655 (H264191-11)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68		
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96		
Total BTX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 66.3 % 48-117

Surrogate: 1-Chlorooctadecane 54.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1656 (H264191-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 57.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1657 (H264191-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 56.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1658 (H264191-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68		
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 48.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1659 (H264191-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 53.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1660 (H264191-16)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 57.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1661 (H264191-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 55.2 % 48-117

Surrogate: 1-Chlorooctadecane 43.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1662 (H264191-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/30/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 58.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1663 (H264191-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/31/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.1 % 48-117

Surrogate: 1-Chlorooctadecane 59.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1664 (H264191-20)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	2.68		
Toluene*	<0.050	0.050	07/31/2026	ND	2.05	103	2.00	3.89		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.31	115	2.00	6.79		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.93	115	6.00	6.96		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.2	200	6.89	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	202	101	200	12.0	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 61.8 % 48-117

Surrogate: 1-Chlorooctadecane 51.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1665 (H264191-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	2.68	
Toluene*	<0.050	0.050	07/31/2026	ND	2.05	103	2.00	3.89	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.31	115	2.00	6.79	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.93	115	6.00	6.96	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1666 (H264191-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1667 (H264191-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.6 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1668 (H264191-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.2 % 48-117

Surrogate: 1-Chlorooctadecane 91.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1669 (H264191-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.1 % 48-117

Surrogate: 1-Chlorooctadecane 90.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1670 (H264191-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108		
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88		
Total BTEx	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 64.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1671 (H264191-27)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 91.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1672 (H264191-28)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1673 (H264191-29)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 89.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1674 (H264191-30)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.0 % 48-117

Surrogate: 1-Chlorooctadecane 92.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1675 (H264191-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 97.3 % 48-117

Surrogate: 1-Chlorooctadecane 92.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1676 (H264191-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1677 (H264191-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1678 (H264191-34)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 87.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1679 (H264191-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 96.6 % 48-117

Surrogate: 1-Chlorooctadecane 90.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1680 (H264191-36)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 95.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1681 (H264191-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1682 (H264191-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.8 % 48-117

Surrogate: 1-Chlorooctadecane 96.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1683 (H264191-39)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 97.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1684 (H264191-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.4	200	2.37	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	210	105	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1685 (H264191-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	0.108	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.6	2.00	1.42	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.15	108	2.00	2.73	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.44	107	6.00	2.88	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1686 (H264191-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 91.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1687 (H264191-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 48-117

Surrogate: 1-Chlorooctadecane 96.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1688 (H264191-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1689 (H264191-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 93.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/23/2026	Sampling Date:	07/22/2026
Reported:	07/31/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1690 (H264191-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24		
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04		
Total BTEx	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1691 (H264191-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24		
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 95.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1692 (H264191-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.0 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1693 (H264191-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 89.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1694 (H264191-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.9 % 48-117

Surrogate: 1-Chlorooctadecane 97.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1695 (H264191-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 89.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1696 (H264191-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 87.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1697 (H264191-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 88.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1698 (H264191-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1699 (H264191-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1700 (H264191-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1701 (H264191-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.5 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1702 (H264191-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 89.1 % 48-117

Surrogate: 1-Chlorooctadecane 94.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1703 (H264191-59)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1704 (H264191-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24	
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.3	200	3.04	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.3	200	2.15	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1705 (H264191-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.07	104	2.00	1.24		
Toluene*	<0.050	0.050	07/30/2026	ND	2.09	105	2.00	2.29		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.12	106	2.00	2.25		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.48	108	6.00	3.04		
Total BTEx	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1706 (H264191-62)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 86.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1707 (H264191-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.2 % 48-117

Surrogate: 1-Chlorooctadecane 92.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1708 (H264191-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1709 (H264191-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67		
Total BTEx	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 85.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1710 (H264191-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 85.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 85.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1711 (H264191-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.8 % 48-117

Surrogate: 1-Chlorooctadecane 92.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1712 (H264191-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 86.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1713 (H264191-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1714 (H264191-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 89.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1715 (H264191-71)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62		
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 85.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1716 (H264191-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1717 (H264191-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.1 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1718 (H264191-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1719 (H264191-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1720 (H264191-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1721 (H264191-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1722 (H264191-78)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1723 (H264191-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 87.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1724 (H264191-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	213	107	200	5.12	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	195	97.7	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 90.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1725 (H264191-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.29	114	2.00	3.62	
Toluene*	<0.050	0.050	07/30/2026	ND	1.94	96.9	2.00	2.84	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	1.85	92.3	2.00	4.10	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	5.42	90.3	6.00	3.67	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	197	98.3	200	4.41	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	187	93.4	200	6.30	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 64.7 % 48-117

Surrogate: 1-Chlorooctadecane 59.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1726 (H264191-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	197	98.3	200	4.41	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	187	93.4	200	6.30	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1727 (H264191-83)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	197	98.3	200	4.41	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	187	93.4	200	6.30	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1728 (H264191-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	197	98.3	200	4.41	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	187	93.4	200	6.30	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1729 (H264191-85)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	197	98.3	200	4.41	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	187	93.4	200	6.30	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1730 (H264191-86)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	2.22	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	221	111	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 73.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1731 (H264191-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	2.22	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	221	111	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1732 (H264191-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	2.22	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	221	111	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1733 (H264191-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	2.22	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	221	111	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.5 % 48-117

Surrogate: 1-Chlorooctadecane 88.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/23/2026
 Reported: 07/31/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1734 (H264191-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	2.22	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	221	111	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.1 % 48-117

Surrogate: 1-Chlorooctadecane 92.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

10264191

1089

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments
0402401K all

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes			
Project Number:		☒ Routine ☐ Rush												None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC			
Project Location:	Lea County, New Mexico	Due Date:	TAT may vary based on lab start time.											DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove																
PO #:	E-26029-GS-21300037																
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒												
Samples Received Intact:	Yes ☒ No ☒	Thermometer ID:	140														
Cooler Custody Seals:	Yes ☒ No ☒	Correction Factor:	0.1														
Sample Custody Seals:	Yes ☒ No ☒	Temperature Reading:	4.8														
Total Containers:	1613	Corrected Temperature:	4.9														
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
CS-1645		7/22/2026	13:35	S	Com	1	X	X	X	X							
CS-1646		7/22/2026	13:36	S	Com	1	X	X	X	X							
CS-1647		7/22/2026	13:36	S	Com	1	X	X	X	X							
CS-1648		7/22/2026	13:36	S	Com	1	X	X	X	X							
CS-1649		7/22/2026	13:37	S	Com	1	X	X	X	X							
CS-1650		7/22/2026	13:37	S	Com	1	X	X	X	X							
CS-1651		7/22/2026	13:37	S	Com	1	X	X	X	X							
CS-1652		7/22/2026	13:38	S	Com	1	X	X	X	X							
CS-1653		7/22/2026	13:38	S	Com	1	X	X	X	X							
CS-1654		7/22/2026	13:39	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Jesheero		7/23/2026 1:30							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Hold 191

20f9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	TAI may vary based on lab start time.
Project Location:	Lea County, New Mexico		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140			
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1			
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8			
	Total Containers:	1613	Corrected Temperature:	4.9			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-1655		7/22/2026	13:39	S	Com	1	X	X	X	
CS-1656		7/22/2026	13:39	S	Com	1	X	X	X	
CS-1657		7/22/2026	13:40	S	Com	1	X	X	X	
CS-1658		7/22/2026	13:40	S	Com	1	X	X	X	
CS-1659		7/22/2026	13:40	S	Com	1	X	X	X	
CS-1660		7/22/2026	13:41	S	Com	1	X	X	X	
CS-1661		7/22/2026	13:41	S	Com	1	X	X	X	
CS-1662		7/22/2026	13:41	S	Com	1	X	X	X	
CS-1663		7/22/2026	13:42	S	Com	1	X	X	X	
CS-1664		7/22/2026	13:42	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		7/23/2026 8:30AM		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



61264191

3049

Page 95 of 101

<https://standardtx.com/>

Work Order Comments

P	Work Order Comments

Project Name:		A-14 Surface Pad Reclaim	Turn Around		Pres. Code	ANALYSIS REQUEST								Preservative Codes	
Project Number:			☒ Routine	☐ Rush										None: NO	DI Water: H ₂ O
Project Location:		Lea County, New Mexico	Due Date:		TAT may vary based on lab start time.									Cool: Cool	MeOH: Me
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove												HCL: HC	HNO ₃ : HN
PO #:		E-26029-GS-21300037												H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT			Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒	Parameters								H ₃ PO ₄ : HP
Samples Received Intact:			Yes ☒ No ☒	Thermometer ID:			BTEX 8012B							NaHSO ₄ : NABIS	
Cooler Custody Seals:			Yes ☒ No ☒	N/A	Correction Factor:		TPH 8015M (GRO-DRO-MRO)							Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:			Yes ☒ No ☒	N/A	Temperature Reading:		Chloride 4500 or EPA 300							Zn Acetate+NaOH: Zn	
Total Containers:			1613	Corrected Temperature:										NaOH+Ascorbic Acid: SAPC	
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont							Sample Comments	
CS-1665			7/22/2026	13:43	S	Com	1	X	X	X					
CS-1666			7/22/2026	13:43	S	Com	1	X	X	X					
CS-1667			7/22/2026	13:43	S	Com	1	X	X	X					
CS-1668			7/22/2026	13:44	S	Com	1	X	X	X					
CS-1669			7/22/2026	13:44	S	Com	1	X	X	X					
CS-1670			7/22/2026	13:44	S	Com	1	X	X	X					
CS-1671			7/22/2026	13:45	S	Com	1	X	X	X					
CS-1672			7/22/2026	13:45	S	Com	1	X	X	X					
CS-1673			7/22/2026	13:45	S	Com	1	X	X	X					
CS-1674			7/22/2026	13:46	S	Com	1	X	X	X					
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time						
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett		[Signature]		7/23/26 11:30						
3							4								
5							6								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H264191

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 96 of 101

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sample's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8	
	Total Containers:	1613	Corrected Temperature:	4.9	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
31 CS-1675		7/22/2026	13:46	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
32 CS-1676		7/22/2026	13:47	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
33 CS-1677		7/22/2026	13:47	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
34 CS-1678		7/22/2026	13:47	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
35 CS-1679		7/22/2026	13:48	S	Com	1		H ₃ PO ₄ : HP	
36 CS-1680		7/22/2026	13:48	S	Com	1		NaHSO ₄ : NABIS	
37 CS-1681		7/22/2026	13:48	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
38 CS-1682		7/22/2026	13:49	S	Com	1		Zn Acetate+NaOH: Zn	
39 CS-1683		7/22/2026	13:49	S	Com	1		NaOH+Ascorbic Acid: SAPC	
40 CS-1684		7/22/2026	13:50	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)							
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM							
3									
5									

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

14264191

529

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Page 97 of 101

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sample's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Turn Around:	Due Date: TAT may vary based on lab start time.

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140			
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1			
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8			
	Total Containers:	1613	Corrected Temperature:	4.9			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST	Preservative Codes	Sample Comments
41 CS-1685		7/22/2026	13:50	S	Com	1	X	X	X		None: NO DI Water: H ₂ O	
42 CS-1686		7/22/2026	13:50	S	Com	1	X	X	X		Cool: Cool MeOH: Me	
43 CS-1687		7/22/2026	13:51	S	Com	1	X	X	X		HCL: HC HNO ₃ : HN	
44 CS-1688		7/22/2026	13:51	S	Com	1	X	X	X		H ₂ SO ₄ : H ₂ NaOH: Na	
45 CS-1689		7/22/2026	13:51	S	Com	1	X	X	X		H ₃ PO ₄ : HP	
46 CS-1690		7/22/2026	13:52	S	Com	1	X	X	X		NaHSO ₄ : NABIS	
47 CS-1691		7/22/2026	13:52	S	Com	1	X	X	X		Na ₂ S ₂ O ₃ : NaSO ₃	
48 CS-1692		7/22/2026	13:52	S	Com	1	X	X	X		Zn Acetate+NaOH: Zn	
49 CS-1693		7/22/2026	13:53	S	Com	1	X	X	X		NaOH+Ascorbic Acid: SAPC	
50 CS-1694		7/22/2026	13:53	S	Com	1	X	X	X			
Relinquished by: (Signature)	Edward Bartlett	Received by: (Signature)		Date/Time	7/23/2026 8:30AM	Relinquished by: (Signature)		Received by: (Signature)		Date/Time	7/23/2026 16:13	
1 Josafat Aguirre												
3												
5												

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264191

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 98 of 101

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Thermometer ID:	140
	Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	0.1
	Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8
	Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:	4.9
	Total Containers:	1613		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
51 CS-1695		7/22/2026	13:54	S	Com	1	X	X	X	
52 CS-1696		7/22/2026	13:54	S	Com	1	X	X	X	
53 CS-1697		7/22/2026	13:54	S	Com	1	X	X	X	
54 CS-1698		7/22/2026	13:55	S	Com	1	X	X	X	
55 CS-1699		7/22/2026	13:55	S	Com	1	X	X	X	
56 CS-1700		7/22/2026	13:55	S	Com	1	X	X	X	
57 CS-1701		7/22/2026	13:56	S	Com	1	X	X	X	
58 CS-1702		7/22/2026	13:56	S	Com	1	X	X	X	
59 CS-1703		7/22/2026	13:56	S	Com	1	X	X	X	
60 CS-1704		7/22/2026	13:57	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
1 Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						
3					4					
5					6					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2604191

7289

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8
	Total Containers:	1613	Corrected Temperature:	4.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1705		7/22/2026	13:57	S	Com	1	X	X	X	
CS-1706		7/22/2026	13:58	S	Com	1	X	X	X	
CS-1707		7/22/2026	13:58	S	Com	1	X	X	X	
CS-1708		7/22/2026	13:58	S	Com	1	X	X	X	
CS-1709		7/22/2026	13:59	S	Com	1	X	X	X	
CS-1710		7/22/2026	13:59	S	Com	1	X	X	X	
CS-1711		7/22/2026	13:59	S	Com	1	X	X	X	
CS-1712		7/22/2026	14:00	S	Com	1	X	X	X	
CS-1713		7/22/2026	14:00	S	Com	1	X	X	X	
CS-1714		7/22/2026	14:01	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



1612072H

89

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

ANALYSIS REQUEST						Preservative Codes	
Project Name:	A-14 Surface Pad Reclaim	Turn Around					None: NO DI Water: H ₂ O
Project Number:		☒ Routine ☐ Rush					Cool: Cool MeOH: Me
Project Location:	Lea County, New Mexico	Due Date:					HCL: HC HNO ₃ : HN
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.					H ₂ SO ₄ : H ₂ NaOH: Na
PO #:	E-26029-GS-21300037						H ₃ PO ₄ : HP
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No	Wet Ice:	Yes ☒ No			H ₃ PO ₄ : HP
Samples Received Intact:	☒ Yes ☐ No	Thermometer ID:					NaHSO ₄ : NABIS
Cooler Custody Seals:	Yes ☒ No N/A	Correction Factor:					Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes ☒ No N/A	Temperature Reading:					Zn Acetate+NaOH: Zn
Total Containers:	1613	Corrected Temperature:					NaOH+Ascorbic Acid: SASC
Parameters							
			Pres. Code				
012B							
15M (GRO-DRO-MRO)							
le 4500 or EPA 300							

[illegible]



Chain of Custody

H264191

9289

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sample's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Thermometer ID:	Yes ☒ No ☐	Well Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	0.1			
	Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.8			
	Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:	4.9			
	Total Containers:	1613					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
81 CS-1725		7/22/2026	14:05	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
82 CS-1726		7/22/2026	14:05	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
83 CS-1727		7/22/2026	14:05	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
84 CS-1728		7/22/2026	14:06	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
85 CS-1729		7/22/2026	14:06	S	Com	1		H ₃ PO ₄ : HP	
86 CS-1730		7/22/2026	14:06	S	Com	1		NaHSO ₄ : NABIS	
87 CS-1731		7/22/2026	14:07	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
88 CS-1732		7/22/2026	14:07	S	Com	1		Zn Acetate+NaOH: Zn	
89 CS-1733		7/22/2026	14:07	S	Com	1		NaOH+Ascorbic Acid: SAPC	
90 CS-1734		7/22/2026	14:08	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time						
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1735 (H264192-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1736 (H264192-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714		
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1737 (H264192-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1738 (H264192-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1739 (H264192-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714		
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405		
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757		
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108		
Total BTEX	<0.300	0.300	07/30/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1740 (H264192-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1741 (H264192-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.4 % 48-117

Surrogate: 1-Chlorooctadecane 88.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1742 (H264192-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTEX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1743 (H264192-09)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/30/2026	ND	2.13	106	2.00	0.714	
Toluene*	<0.050	0.050	07/30/2026	ND	2.04	102	2.00	0.405	
Ethylbenzene*	<0.050	0.050	07/30/2026	ND	2.02	101	2.00	0.757	
Total Xylenes*	<0.150	0.150	07/30/2026	ND	6.00	100	6.00	0.108	
Total BTX	<0.300	0.300	07/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 79.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1744 (H264192-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.13	106	2.00	0.714		
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	0.405		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.757		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.108		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1745 (H264192-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.13	106	2.00	0.714		
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	0.405		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.757		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.108		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1746 (H264192-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34		
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1747 (H264192-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1748 (H264192-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1749 (H264192-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1750 (H264192-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1751 (H264192-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 84.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1752 (H264192-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	201	101	200	0.958	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	200	100	200	0.991	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 61.0 % 48-117

Surrogate: 1-Chlorooctadecane 58.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1753 (H264192-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1754 (H264192-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34		
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1755 (H264192-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1756 (H264192-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1757 (H264192-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1758 (H264192-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 85.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1759 (H264192-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34		
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 87.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1760 (H264192-26)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 48-117

Surrogate: 1-Chlorooctadecane 82.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1761 (H264192-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1762 (H264192-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34		
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89		
Total BTEx	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1763 (H264192-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34	
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 56.4 % 48-117

Surrogate: 1-Chlorooctadecane 55.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1764 (H264192-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34		
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1765 (H264192-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	3.34		
Toluene*	<0.050	0.050	07/31/2026	ND	1.83	91.5	2.00	3.51		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.76	88.2	2.00	2.98		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.25	87.6	6.00	2.89		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1766 (H264192-32)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 69.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1767 (H264192-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1768 (H264192-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1769 (H264192-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1770 (H264192-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1771 (H264192-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1772 (H264192-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.7	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.6	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1773 (H264192-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 59.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1774 (H264192-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42		
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843		
Total BTEx	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1775 (H264192-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 60.0 % 48-117

Surrogate: 1-Chlorooctadecane 50.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1776 (H264192-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.9 % 48-117

Surrogate: 1-Chlorooctadecane 58.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1777 (H264192-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1778 (H264192-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 66.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1779 (H264192-45)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1780 (H264192-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1781 (H264192-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1782 (H264192-48)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42		
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843		
Total BTX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1783 (H264192-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42		
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843		
Total BTEx	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 63.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1784 (H264192-50)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42		
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1785 (H264192-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	1.42	
Toluene*	<0.050	0.050	07/31/2026	ND	2.21	110	2.00	0.109	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.18	109	2.00	0.665	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.54	109	6.00	0.843	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.1 % 48-117

Surrogate: 1-Chlorooctadecane 59.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1786 (H264192-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 67.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1787 (H264192-53)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947		
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390		
Total BTX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.8 % 48-117

Surrogate: 1-Chlorooctadecane 58.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1788 (H264192-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.2 % 48-117

Surrogate: 1-Chlorooctadecane 49.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1789 (H264192-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.9 % 48-117

Surrogate: 1-Chlorooctadecane 52.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1790 (H264192-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.8 % 48-117

Surrogate: 1-Chlorooctadecane 48.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1791 (H264192-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 60.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1792 (H264192-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	188	94.2	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	1.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 53.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1793 (H264192-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1794 (H264192-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1795 (H264192-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1796 (H264192-62)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1797 (H264192-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1798 (H264192-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1799 (H264192-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 75.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1800 (H264192-66)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1801 (H264192-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1802 (H264192-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1803 (H264192-69)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947		
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 64.4 % 48-117

Surrogate: 1-Chlorooctadecane 58.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1804 (H264192-70)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.0 % 48-117

Surrogate: 1-Chlorooctadecane 57.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1805 (H264192-71)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.947	
Toluene*	<0.050	0.050	07/31/2026	ND	2.03	102	2.00	0.500	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.311	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.68	94.6	6.00	0.390	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1806 (H264192-72)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1807 (H264192-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1808 (H264192-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1809 (H264192-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1810 (H264192-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1811 (H264192-77)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600		
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.1 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1812 (H264192-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.3	200	2.78	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	177	88.7	200	1.13	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 69.9 % 48-117

Surrogate: 1-Chlorooctadecane 64.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1813 (H264192-79)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600		
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546		
Total BTEx	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 65.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1814 (H264192-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1815 (H264192-81)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600		
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546		
Total BTEx	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1816 (H264192-82)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.6 % 48-117

Surrogate: 1-Chlorooctadecane 61.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1817 (H264192-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1818 (H264192-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1819 (H264192-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1820 (H264192-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1821 (H264192-87)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600		
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1822 (H264192-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1823 (H264192-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1824 (H264192-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

1 of 9
H264192

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT					
Samples Received Intact:	Temp Blank: Yes ☒ No ☐	Thermometer ID:	Wet Ice:	Yes ☒ No ☐	
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

0402401K All

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes
							BTEx 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300								
01	CS-1735	7/22/2026	14:08	S	Com	1	X	X	X								None: NO DI Water: H ₂ O
02	CS-1736	7/22/2026	14:09	S	Com	1	X	X	X								Cool: Cool MeOH: Me
03	CS-1737	7/22/2026	14:09	S	Com	1	X	X	X								HCL: HC HNO ₃ : HN
04	CS-1738	7/22/2026	14:09	S	Com	1	X	X	X								H ₂ SO ₄ : H ₂ NaOH: Na
05	CS-1739	7/22/2026	14:10	S	Com	1	X	X	X								H ₃ PO ₄ : HP NaHSO ₄ : NABIS
06	CS-1740	7/22/2026	14:10	S	Com	1	X	X	X								Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn
07	CS-1741	7/22/2026	14:10	S	Com	1	X	X	X								NaOH+Ascorbic Acid: SAPC
08	CS-1742	7/22/2026	14:11	S	Com	1	X	X	X								
09	CS-1743	7/22/2026	14:11	S	Com	1	X	X	X								
10	CS-1744	7/22/2026	14:12	S	Com	1	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Sample Comments							
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett		Non Contaminated		7/23/2026 12:30								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

61707071

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 94 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 94 of 100

Project Name:		A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes					
Project Number:				☒ Routine ☐ Rush		Pres. Code												None: NO			
Project Location:		Lea County, New Mexico		Due Date:														Cool: Cool			
Sampler's Name:		Josalaf Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.														HCL: HC			
PO #:		E-26029-GS-21300037																H ₂ SO ₄ : H ₂			
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☒ No ☐												H ₃ PO ₄ : HP	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:				140												NaHSO ₄ : NABIS	
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:				10.1												Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:		Yes ☒ No ☐		N/A		Temperature Reading:		54.8 2.9												Zn Acetate+NaOH: Zn	
Total Containers:		1613		Corrected Temperature:		54.9 30														NaOH+Ascorbic Acid: SAPP	

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

66167eH

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 95 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments	

ANALYSIS REQUEST						Preservative Codes	
Project Name:	A-14 Surface Pad Reclaim	Turn Around					
Project Number:		☒ Routine ☐ Rush					None: NO DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:					Cool: Cool MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.					HCl: HC HNO ₃ : HN NaOH: Na
PO #:	E-26029-GS-21300037						H ₂ SO ₄ : H ₂
SAMPLE RECEIPT	Temp Blank:	Yes (☒) No (☐)	Wet Ice:	Yes (☒) No (☐)			H ₃ PO ₄ : HP
Samples Received Intact:	(☒ Yes) (☐ No)	Thermometer ID:					NH ₄ SO ₄ : NABIS
Cooler Custody Seals:	Yes (☒) No (☐)	Correction Factor:					Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes (☒) No (☐)	Temperature Reading:	58	48.8	2.9		Zn Acetate+NaOH: Zn
Total Containers:	1613	Corrected Temperature:	38	49.50	50		NaOH+Ascorbic Acid: SABC
Parameters							
12B							
5M (GRO-DRO-MRO)							
4500 or EPA 300							

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX			TPH			Chloride			Sample Comments	
							BTEX	BTX	BTX	TPH	TPH	TPH	Chloride	Chloride	Chloride		
21 CS-1755		7/22/2026	14:16	S	Com	1	X	X	X								
22 CS-1756		7/22/2026	14:16	S	Com	1	X	X	X								
23 CS-1757		7/22/2026	14:16	S	Com	1	X	X	X								
24 CS-1758		7/22/2026	14:17	S	Com	1	X	X	X								
25 CS-1759		7/22/2026	14:17	S	Com	1	X	X	X								
26 CS-1760		7/22/2026	14:17	S	Com	1	X	X	X								
27 CS-1761		7/22/2026	14:18	S	Com	1	X	X	X								
28 CS-1762		7/22/2026	14:18	S	Com	1	X	X	X								
29 CS-1763		7/22/2026	14:18	S	Com	1	X	X	X								
30 CS-1764		7/22/2026	14:19	S	Com	1	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)					Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time	
Joselita Aguirre		Edward Bartlett					7/23/2026 8:30AM			Edward Bartlett			Kari Connor			7/23/26 de 29 1997	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H264192

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 96 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

	F
Work Order Comments	

Project Name:		A-14 Surface Pad Reclaim		Turn Around				ANALYSIS REQUEST										Preservative Codes			
Project Number:				☒ Routine ☐ Rush														None: NO		DI Water: H ₂ O	
Project Location:		Lea County, New Mexico		Due Date:														Cool: Cool		MeOH: Me	
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.														HCL: HC		HNO ₃ : HN	
PO #:		E-26029-GS-21300037																H ₂ SO ₄ : H ₂		NaOH: Na	
SAMPLE RECEIPT		Temp Blank:		Yes ☐ No ☒		Wet Ice:		Yes ☒ No ☐										H ₃ PO ₄ : HP			
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:				140										NaHSO ₄ : NABIS			
Cooler Custody Seals:		Yes ☐ No ☒ N/A		Correction Factor:				0.1										Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:		Yes ☐ No ☒ N/A		Temperature Reading:				18.4.8.2.9										Zn Acetate+NaOH: Zn			
Total Containers:		1613		Corrected Temperature:				18.4.9.3.0										NaOH+Ascorbic Acid: SAPC			

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H2064192

5089

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>


Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:	TAT may vary based on lab start time.		
Project Location:	Lea County, New Mexico				
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:					
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:					
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	48.89				
Total Containers:	1613	Corrected Temperature:	48.93				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
41 CS-1775		7/22/2026	14:23	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
42 CS-1776		7/22/2026	14:23	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
43 CS-1777		7/22/2026	14:24	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
44 CS-1778		7/22/2026	14:24	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
45 CS-1779		7/22/2026	14:24	S	Com	1		H ₃ PO ₄ : HP	
46 CS-1780		7/22/2026	14:25	S	Com	1		NaHSO ₄ : NABIS	
47 CS-1781		7/22/2026	14:25	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
48 CS-1782		7/22/2026	14:25	S	Com	1		Zn Acetate+NaOH: Zn	
49 CS-1783		7/22/2026	14:26	S	Com	1		NaOH+Ascorbic Acid: SAPC	
50 CS-1784		7/22/2026	14:26	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Dean Ciriaco	7/23/2026 12:08



H2604192

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 98 of 101

Work Order Comments

Page 98 of 101

Work Order Comments

Page 98 of 101

Work Order Comments



Chain of Custody

061107017

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 99 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		F

Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code		ANALYSIS REQUEST										Preservative Codes			
Project Number:				☒ Routine ☐ Rush														None: NO		DI Water: H ₂ O	
Project Location:		Lea County, New Mexico		Due Date:														Cool: Cool		MeOH: Me	
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.														HCL: HC		HNO ₃ : HN	
PO #:		E-26029-GS-21300037																H ₂ SO ₄ : H ₂		NaOH: Na	
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☐ No ☒										H ₃ PO ₄ : HP			
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:				190										NaHSO ₄ : NABIS			
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:				0.1										Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:		Yes ☒ No ☐		N/A		Temperature Reading:		56.98.2.1										Zn Acetate+NaOH: Zn			
Total Containers:		1613		Corrected Temperature:		56.930												NaOH+Ascorbic Acid: SADC			

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

1264192

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes (No) ☒	Wet Ice:	Yes (No) ☒	Parameters	
Samples Received Intact:		Yes ☒ No ☐	Thermometer ID:	140			
Cooler Custody Seals:		Yes ☒ No ☐	Correction Factor:	0.1			
Sample Custody Seals:		Yes ☒ No ☐	Temperature Reading:	48.3.9			
Total Containers:		1613	Corrected Temperature:	4.93.0			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
71 CS-1805		7/22/2026	14:34	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
72 CS-1806		7/22/2026	14:34	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
73 CS-1807		7/22/2026	14:35	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
74 CS-1808		7/22/2026	14:35	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
75 CS-1809		7/22/2026	14:35	S	Com	1		H ₃ PO ₄ : HP	
76 CS-1810		7/22/2026	14:36	S	Com	1		NaHSO ₄ : NABIS	
77 CS-1811		7/22/2026	14:36	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
78 CS-1812		7/22/2026	14:36	S	Com	1		Zn Acetate+NaOH: Zn	
79 CS-1813		7/22/2026	14:37	S	Com	1		NaOH+Ascorbic Acid: SAPC	
80 CS-1814		7/22/2026	14:37	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Shaw Coleman	7/23/2026

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H0264192

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	Pres. Code
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:	146			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	9.829			
Total Containers:	1613	Corrected Temperature:	9.930			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
81 CS-1815		7/22/2026	14:38	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
82 CS-1816		7/22/2026	14:38	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
83 CS-1817		7/22/2026	14:38	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
84 CS-1818		7/22/2026	14:39	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
85 CS-1819		7/22/2026	14:39	S	Com	1		H ₃ PO ₄ : HP	
86 CS-1820		7/22/2026	14:39	S	Com	1		NaHSO ₄ : NABIS	
87 CS-1821		7/22/2026	14:40	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
88 CS-1822		7/22/2026	14:40	S	Com	1		Zn Acetate+NaOH: Zn	
89 CS-1823		7/22/2026	14:40	S	Com	1		NaOH+Ascorbic Acid: SAPC	
90 CS-1824		7/22/2026	14:41	S	Com	1			

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre

Edward Bartlett

7/23/2026 8:30AM

Edward Bartlett

Blair Connor

7/23/2026

12:13



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1825 (H264193-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.12	106	2.00	0.0600	
Toluene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.426	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.07	104	2.00	0.460	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.00	100	6.00	0.546	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	11.7	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1826 (H264193-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.9 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1827 (H264193-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1828 (H264193-04)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 92.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1829 (H264193-05)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 96.3 % 48-117

Surrogate: 1-Chlorooctadecane 94.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1830 (H264193-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 98.7 % 48-117

Surrogate: 1-Chlorooctadecane 96.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1831 (H264193-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 98.5 % 48-117

Surrogate: 1-Chlorooctadecane 98.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1832 (H264193-08)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	198	99.0	200	1.95	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	179	89.3	200	0.965	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 96.1 % 48-117

Surrogate: 1-Chlorooctadecane 94.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1833 (H264193-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.1 % 48-117

Surrogate: 1-Chlorooctadecane 88.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1834 (H264193-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1835 (H264193-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1836 (H264193-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 48-117

Surrogate: 1-Chlorooctadecane 86.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1837 (H264193-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1838 (H264193-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1839 (H264193-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.8 % 48-117

Surrogate: 1-Chlorooctadecane 87.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1840 (H264193-16)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.3 % 48-117

Surrogate: 1-Chlorooctadecane 89.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1841 (H264193-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1842 (H264193-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1843 (H264193-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1844 (H264193-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 80.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1845 (H264193-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.02	101	2.00	0.642	
Toluene*	<0.050	0.050	07/31/2026	ND	1.95	97.3	2.00	0.368	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.16	108	2.00	0.904	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.47	108	6.00	1.37	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 92.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1846 (H264193-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1847 (H264193-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1848 (H264193-24)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.2 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1849 (H264193-25)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1850 (H264193-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1851 (H264193-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.3 % 48-117

Surrogate: 1-Chlorooctadecane 85.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1852 (H264193-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	195	97.5	200	2.19	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	185	92.4	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1853 (H264193-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.2 % 48-117

Surrogate: 1-Chlorooctadecane 66.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1854 (H264193-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1855 (H264193-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 48-117

Surrogate: 1-Chlorooctadecane 76.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1856 (H264193-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1857 (H264193-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1858 (H264193-34)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689		
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.0 % 48-117

Surrogate: 1-Chlorooctadecane 62.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1859 (H264193-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.5 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1860 (H264193-36)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1861 (H264193-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1862 (H264193-38)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	07/31/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	6.43	107	6.00	0.504	
Total BTX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 64.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1863 (H264193-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1864 (H264193-40)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	0.504	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1865 (H264193-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.689	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.92	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	0.763	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	0.504	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.5 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1866 (H264193-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 69.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1867 (H264193-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 75.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1868 (H264193-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 60.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1869 (H264193-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1870 (H264193-46)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 54.8 % 48-117

Surrogate: 1-Chlorooctadecane 49.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1871 (H264193-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1872 (H264193-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	94.9	200	2.40	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1873 (H264193-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91		
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26		
Total BTEx	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 98.7 % 48-117

Surrogate: 1-Chlorooctadecane 95.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1874 (H264193-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 48-117

Surrogate: 1-Chlorooctadecane 92.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1875 (H264193-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1876 (H264193-52)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 91.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1877 (H264193-53)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1878 (H264193-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1879 (H264193-55)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91		
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26		
Total BTX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1880 (H264193-56)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1881 (H264193-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1882 (H264193-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1883 (H264193-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 98.9 % 48-117

Surrogate: 1-Chlorooctadecane 91.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1884 (H264193-60)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91		
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 80.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1885 (H264193-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.03	102	2.00	1.91	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	2.04	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.11	106	2.00	2.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.33	106	6.00	3.26	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1886 (H264193-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 75.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1887 (H264193-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.9 % 48-117

Surrogate: 1-Chlorooctadecane 89.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1888 (H264193-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 59.9 % 48-117

Surrogate: 1-Chlorooctadecane 58.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1889 (H264193-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67		
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1890 (H264193-66)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 48-117

Surrogate: 1-Chlorooctadecane 84.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1891 (H264193-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1892 (H264193-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.2	200	0.104	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	186	92.9	200	0.500	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 74.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1893 (H264193-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1894 (H264193-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1895 (H264193-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 48-117

Surrogate: 1-Chlorooctadecane 91.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1896 (H264193-72)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67		
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1897 (H264193-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1898 (H264193-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1899 (H264193-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1900 (H264193-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 89.9 % 48-117

Surrogate: 1-Chlorooctadecane 92.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1901 (H264193-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1902 (H264193-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.8 % 48-117

Surrogate: 1-Chlorooctadecane 63.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1903 (H264193-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.11	106	2.00	3.67	
Toluene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	4.41	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.05	102	2.00	4.72	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.95	99.2	6.00	4.70	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1904 (H264193-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1905 (H264193-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1906 (H264193-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1907 (H264193-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 92.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1908 (H264193-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07		
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1909 (H264193-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1910 (H264193-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07		
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 87.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1911 (H264193-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1912 (H264193-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.5	200	2.47	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	190	95.1	200	3.02	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 99.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1913 (H264193-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 48-117

Surrogate: 1-Chlorooctadecane 74.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 1914 (H264193-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

426493

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

0402401k all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		☒ Routine ☐ Rush												None: NO DI Water: H ₂ O		
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool MeOH: Me		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC HNO ₃ : HN		
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂ NaOH: Na		
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP	
Samples Received Inact:	Yes ☒ No ☐	Thermometer ID:													NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:													Na ₂ S ₂ O ₅ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	2.948												Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:	3.049												NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments
1 CS-1825		7/22/2026	14:41	S	Com	1	X	X	X	X							
2 CS-1826		7/22/2026	14:42	S	Com	1	X	X	X	X							
3 CS-1827		7/22/2026	14:42	S	Com	1	X	X	X	X							
4 CS-1828		7/22/2026	14:42	S	Com	1	X	X	X	X							
5 CS-1829		7/22/2026	14:43	S	Com	1	X	X	X	X							
6 CS-1830		7/22/2026	14:43	S	Com	1	X	X	X	X							
7 CS-1831		7/22/2026	14:43	S	Com	1	X	X	X	X							
8 CS-1832		7/22/2026	14:44	S	Com	1	X	X	X	X							
9 CS-1833		7/22/2026	14:44	S	Com	1	X	X	X	X							
10 CS-1834		7/22/2026	14:45	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)					Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time	
1 Josafat Aguirre	Edward Bartlett						7/23/2026 8:30AM			Edward Bartlett			7/23/2026 8:30AM			7/23/2026 8:30AM	
3																	
5																	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264193

20f9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Thermometer ID:	140
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	0.1				
Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:	14.48				
Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:	14.48				
Total Containers:	1613						

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
11 CS-1835		7/22/2026	14:45	S	Com	1	BTEX 8012B		None: NO	DI Water: H ₂ O
12 CS-1836		7/22/2026	14:45	S	Com	1	TPH 8015M (GRO-DRO-MRO)		Cool: Cool	MeOH: Me
13 CS-1837		7/22/2026	14:46	S	Com	1	Chloride 4500 or EPA 300		HCL: HC	HNO ₃ : HN
14 CS-1838		7/22/2026	14:46	S	Com	1			H ₂ SO ₄ : H ₂	NaOH: Na
15 CS-1839		7/22/2026	14:46	S	Com	1			H ₃ PO ₄ : HP	
16 CS-1840		7/22/2026	14:47	S	Com	1			NaHSO ₄ : NABIS	
17 CS-1841		7/22/2026	14:47	S	Com	1			Na ₂ S ₂ O ₃ : NaSO ₃	
18 CS-1842		7/22/2026	14:47	S	Com	1			Zn Acetate+NaOH: Zn	
19 CS-1843		7/22/2026	14:48	S	Com	1			NaOH+Ascorbic Acid: SAPC	
20 CS-1844		7/22/2026	14:48	S	Com	1				
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

7/22/2026 12:25
24 12:25
ca ca



Chain of Custody

H2604193

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 95 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments	

Project Name:	A-14 Surface Pad Reclaim	Turn Around		Pres. Code		ANALYSIS REQUEST								Preservative Codes					
Project Number:		☒ Routine ☐ Rush														None: NO	DI Water: H ₂ O		
Project Location:	Lea County, New Mexico	Due Date:														Cool: Cool	MeOH: Me		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														HCL: HC	HNO ₃ : HN		
PO #:	E-26029-GS-21300037															H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												H ₃ PO ₄ : HP			
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:		140												NaHSO ₄ : NABIS			
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:		0.1												Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:		22.948												Zn Acetate+NaOH: Zn			
Total Containers:	1613	Corrected Temperature:		23.049												NaOH+Ascorbic Acid: SAPC			

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

56160704

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 96 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around		ANALYSIS REQUEST								Preservative Codes		
Project Number:		☒ Routine ☐ Rush	Pres. Code										None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:											Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.											HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037												H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐									H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:		140									NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:		0.1									Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:		29.48									Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:		30.49									NaOH+Ascorbic Acid: SASC	

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H2604193

589

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:	TAT may vary based on lab start time.		
Project Location:	Lea County, New Mexico				
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Thermometer ID:	W0	Wet Ice:	Yes ☒ No ☐	Parameters								
Samples Received Intact:	Yes ☒ No ☐	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading	1613	Corrected Temperature	1613					
Total Containers:	1613															

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments
41 CS-1865		7/22/2026	14:56	S	Com	1	X	X	X	X	X	X	X	X	X	X	None: NO DI Water: H ₂ O	
42 CS-1866		7/22/2026	14:56	S	Com	1	X	X	X	X	X	X	X	X	X	X	Cool: Cool MeOH: Me	
43 CS-1867		7/22/2026	14:57	S	Com	1	X	X	X	X	X	X	X	X	X	X	HCL: HC HNO ₃ : HN	
44 CS-1868		7/22/2026	14:57	S	Com	1	X	X	X	X	X	X	X	X	X	X	H ₂ SO ₄ : H ₂ NaOH: Na	
45 CS-1869		7/22/2026	14:57	S	Com	1	X	X	X	X	X	X	X	X	X	X	H ₃ PO ₄ : HP NaHSO ₄ : NABIS	
46 CS-1870		7/22/2026	14:58	S	Com	1	X	X	X	X	X	X	X	X	X	X	Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn	
47 CS-1871		7/22/2026	14:58	S	Com	1	X	X	X	X	X	X	X	X	X	X	NaOH+Ascorbic Acid: SAPC	
48 CS-1872		7/22/2026	14:58	S	Com	1	X	X	X	X	X	X	X	X	X	X		
49 CS-1873		7/22/2026	14:59	S	Com	1	X	X	X	X	X	X	X	X	X	X		
50 CS-1874		7/22/2026	14:59	S	Com	1	X	X	X	X	X	X	X	X	X	X		
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time												
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett															

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264193

6 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Thermometer ID:	140	Well Ice:	Yes ☒ No ☐	Parameters							
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:	0.1	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	4.2948								
	Yes ☒ No ☐	N/A													
Total Containers:	1613	Corrected Temperature:	4.3049												

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes
51 CS-1875		7/22/2026	15:00	S	Com	1	X	X	X	X							None: NO DI Water: H ₂ O
52 CS-1876		7/22/2026	15:00	S	Com	1	X	X	X	X							Cool: Cool MeOH: Me
53 CS-1877		7/22/2026	15:00	S	Com	1	X	X	X	X							HCL: HC HNO ₃ : HN
54 CS-1878		7/22/2026	15:01	S	Com	1	X	X	X	X							H ₂ SO ₄ : H ₂ NaOH: Na
55 CS-1879		7/22/2026	15:01	S	Com	1	X	X	X	X							H ₃ PO ₄ : HP NaHSO ₄ : NABIS
56 CS-1880		7/22/2026	15:02	S	Com	1	X	X	X	X							Na ₂ S ₂ O ₃ : NaSO ₃
57 CS-1881		7/22/2026	15:02	S	Com	1	X	X	X	X							Zn Acetate+NaOH: Zn
58 CS-1882		7/22/2026	15:02	S	Com	1	X	X	X	X							NaOH+Ascorbic Acid: SAPC
59 CS-1883		7/22/2026	15:02	S	Com	1	X	X	X	X							
60 CS-1884		7/22/2026	15:03	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time											
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett													

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2664193

7949

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code
Project Number:		Due Date:		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove			
PO #:	E-26029-GS-21300037			

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	8.1		
Total Containers:	1613	Corrected Temperature:	8.2948		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
61 CS-1885		7/22/2026	15:03	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
62 CS-1886		7/22/2026	15:04	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
63 CS-1887		7/22/2026	15:04	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
64 CS-1888		7/22/2026	15:04	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
65 CS-1889		7/22/2026	15:05	S	Com	1		H ₃ PO ₄ : HP	
66 CS-1890		7/22/2026	15:05	S	Com	1		NaHSO ₄ : NABIS	
67 CS-1891		7/22/2026	15:05	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
68 CS-1892		7/22/2026	15:06	S	Com	1		Zn Acetate+NaOH: Zn	
69 CS-1893		7/22/2026	15:06	S	Com	1		NaOH+Ascorbic Acid: SAPC	
70 CS-1894		7/22/2026	15:07	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Coleflore	7/23/26 14:45

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

4 6

24 12:15

du



Chain of Custody

H264193

2829

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.4	4.8	0.1
Total Containers:	1613	Corrected Temperature:	30.4	4.8	0.1

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
71 CS-1895		7/22/2026	15:07	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
72 CS-1896		7/22/2026	15:07	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
73 CS-1897		7/22/2026	15:08	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
74 CS-1898		7/22/2026	15:08	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
75 CS-1899		7/22/2026	15:08	S	Com	1		H ₃ PO ₄ : HP	
76 CS-1900		7/22/2026	15:09	S	Com	1		NaHSO ₄ : NABIS	
77 CS-1901		7/22/2026	15:09	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
78 CS-1902		7/22/2026	15:10	S	Com	1		Zn Acetate+NaOH: Zn	
79 CS-1903		7/22/2026	15:10	S	Com	1		NaOH+Ascorbic Acid: SAPC	
80 CS-1904		7/22/2026	15:10	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Celestine	7/23/2026 12:25



Chain of Custody

H264193

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 101 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		Pa

Project Name:						A-14 Surface Pad Reclaim	Turn Around												
Project Number:							☒ Routine	☐ Rush											
Project Location:						Lea County, New Mexico	Due Date:												
Sampler's Name:						Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												
PO #:						E-26029-GS-21300037													
SAMPLE RECEIPT						Temp Blank:	Yes ☐	No ☒	Wet Ice:	(Yes) ☒	No ☐	Parameters							
Samples Received Intact:						Yes ☒	No ☐	Thermometer ID:											
Cooler Custody Seals:						Yes ☒	N/A ☐	Correction Factor:											
Sample Custody Seals:						Yes ☐	No ☒	Temperature Reading:	CH	H ₂ O	S	P	Cd	Pb	Zn				
Total Containers:						1613	Corrected Temperature:	CL	#93.0										
Sample Identification			Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300					Preservative Codes			
81 CS-1905				7/22/2026	15:11	S	Com	1	X	X	X						None: NO DI Water: H ₂ O		
82 CS-1906				7/22/2026	15:11	S	Com	1	X	X	X						Methanol: Me Hydrochloric Acid: HC		
83 CS-1907				7/22/2026	15:11	S	Com	1	X	X	X						Hydrogen Peroxide: HN Nitric Acid: NA		
84 CS-1908				7/22/2026	15:12	S	Com	1	X	X	X								
85 CS-1909				7/22/2026	15:12	S	Com	1	X	X	X								
86 CS-1910				7/22/2026	15:12	S	Com	1	X	X	X								
87 CS-1911				7/22/2026	15:13	S	Com	1	X	X	X								
88 CS-1912				7/22/2026	15:13	S	Com	1	X	X	X								
89 CS-1913				7/22/2026	15:13	S	Com	1	X	X	X								
90 CS-1914				7/22/2026	15:14	S	Com	1	X	X	X								
Relinquished by: (Signature)			Received by: (Signature)			Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time				
Jasafat Aguirre			Edward Bartlett			7/23/2026 8:30AM			Edward Bartlett			(Signature)			7/23/26 14:35				
															CH				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' at the beginning.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1915 (H264194-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 55.9 % 48-117

Surrogate: 1-Chlorooctadecane 51.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1916 (H264194-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1917 (H264194-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1918 (H264194-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1919 (H264194-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1920 (H264194-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1921 (H264194-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	QM-07
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1922 (H264194-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07		
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 88.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1923 (H264194-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1924 (H264194-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07		
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1925 (H264194-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.38	119	2.00	3.07	
Toluene*	<0.050	0.050	07/31/2026	ND	2.00	99.8	2.00	3.39	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	1.91	95.7	2.00	4.28	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.71	95.1	6.00	3.30	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1926 (H264194-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 99.2 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1927 (H264194-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.3 % 48-117

Surrogate: 1-Chlorooctadecane 60.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1928 (H264194-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1929 (H264194-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20		
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70		
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66		
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69		
Total BTEX	<0.300	0.300	07/31/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1930 (H264194-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 86.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1931 (H264194-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1932 (H264194-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	207	104	200	0.451	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	197	98.3	200	1.27	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.8 % 48-117

Surrogate: 1-Chlorooctadecane 92.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1933 (H264194-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1934 (H264194-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1935 (H264194-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1936 (H264194-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1937 (H264194-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1938 (H264194-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1939 (H264194-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1940 (H264194-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1941 (H264194-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1942 (H264194-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1943 (H264194-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 62.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1944 (H264194-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1945 (H264194-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/31/2026	ND	2.14	107	2.00	3.20	
Toluene*	<0.050	0.050	07/31/2026	ND	2.04	102	2.00	3.70	
Ethylbenzene*	<0.050	0.050	07/31/2026	ND	2.01	101	2.00	2.66	
Total Xylenes*	<0.150	0.150	07/31/2026	ND	5.98	99.7	6.00	3.69	
Total BTEX	<0.300	0.300	07/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.3 % 48-117

Surrogate: 1-Chlorooctadecane 62.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1946 (H264194-32)

BTEX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1947 (H264194-33)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55		
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1948 (H264194-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.6 % 48-117

Surrogate: 1-Chlorooctadecane 89.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1949 (H264194-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1950 (H264194-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1951 (H264194-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 71.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1952 (H264194-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	202	101	200	1.03	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.111	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1953 (H264194-39)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55		
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1954 (H264194-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 75.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1955 (H264194-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.5 % 48-117

Surrogate: 1-Chlorooctadecane 89.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1956 (H264194-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1957 (H264194-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.6 % 48-117

Surrogate: 1-Chlorooctadecane 94.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1958 (H264194-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1959 (H264194-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 95.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1960 (H264194-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 88.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1961 (H264194-47)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55		
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 88.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 87.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1962 (H264194-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.2 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1963 (H264194-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1964 (H264194-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1965 (H264194-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.09	105	2.00	5.55	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.8	2.00	6.32	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.77	88.3	2.00	5.97	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.27	87.9	6.00	5.91	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1966 (H264194-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.3 % 48-117

Surrogate: 1-Chlorooctadecane 89.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1967 (H264194-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 91.0 % 48-117

Surrogate: 1-Chlorooctadecane 89.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1968 (H264194-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.3 % 48-117

Surrogate: 1-Chlorooctadecane 91.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1969 (H264194-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.8 % 48-117

Surrogate: 1-Chlorooctadecane 87.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1971 (H264194-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 94.1 % 48-117

Surrogate: 1-Chlorooctadecane 93.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1972 (H264194-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.8 % 48-117

Surrogate: 1-Chlorooctadecane 92.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1973 (H264194-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	183	91.7	200	0.667	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	199	99.6	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.8 % 48-117

Surrogate: 1-Chlorooctadecane 94.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1974 (H264194-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1975 (H264194-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1976 (H264194-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1977 (H264194-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1978 (H264194-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1979 (H264194-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1980 (H264194-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1981 (H264194-67)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226		
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 67.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 1982 (H264194-68)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226		
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 56.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1983 (H264194-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1984 (H264194-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 64.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1985 (H264194-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1986 (H264194-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.226	
Toluene*	<0.050	0.050	08/01/2026	ND	2.01	100	2.00	0.150	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.02	101	2.00	0.696	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.09	102	6.00	0.628	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1987 (H264194-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1988 (H264194-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 70.2 % 48-117

Surrogate: 1-Chlorooctadecane 53.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1989 (H264194-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1990 (H264194-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.4 % 48-117

Surrogate: 1-Chlorooctadecane 65.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1991 (H264194-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 60.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1992 (H264194-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1993 (H264194-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.118	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	181	90.6	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1994 (H264194-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 66.5 % 48-117

Surrogate: 1-Chlorooctadecane 59.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1995 (H264194-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 61.1 % 48-117

Surrogate: 1-Chlorooctadecane 57.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1996 (H264194-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1997 (H264194-83)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 61.6 % 48-117

Surrogate: 1-Chlorooctadecane 57.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1998 (H264194-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 1999 (H264194-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2000 (H264194-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464		
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 54.8 % 48-117

Surrogate: 1-Chlorooctadecane 51.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2001 (H264194-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.0 % 48-117

Surrogate: 1-Chlorooctadecane 57.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2002 (H264194-88)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 64.5 % 48-117

Surrogate: 1-Chlorooctadecane 59.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2003 (H264194-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 57.3 % 48-117

Surrogate: 1-Chlorooctadecane 53.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2004 (H264194-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.2 % 48-117

Surrogate: 1-Chlorooctadecane 57.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



**STANDARD
&
SUPPLY**

Chain of Custody

H2604194

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 92 of 100

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402481K A1

[illegible][illegible]

... is intended solely for the use of the individual or entity to whom they are addressed



H0604194

672

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Page 93 of 100

Sample Comments

12.0

Released to Imaging: 9/16/2026 3:10:01 PM



H064194

W
Z
b

<https://standardtx.com/>

Page 94 of 100

Work Order Comments

Page 94 of 100Page 94 of 100Page 94 of 100

Page 94 of 100



Chain of Custody

142604194

4269

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code
Project Number:		Due Date:		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove			
PO #:	E-26029-GS-21300037			

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code
Project Number:		Due Date:		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove			
PO #:	E-26029-GS-21300037			

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	146	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	12.4, 12.30	
Total Containers:	1613	Corrected Temperature:	12.4, 12.30	

Parameters
BTX 8012B
TPH 8015M (GRO-DRO-MRO)
Chloride 4500 or EPA 300

ANALYSIS REQUEST

None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1945		7/22/2026	15:25	S	Com	1	X	X	X	
CS-1946		7/22/2026	15:26	S	Com	1	X	X	X	
CS-1947		7/22/2026	15:26	S	Com	1	X	X	X	
CS-1948		7/22/2026	15:26	S	Com	1	X	X	X	
CS-1949		7/22/2026	15:27	S	Com	1	X	X	X	
CS-1950		7/22/2026	15:27	S	Com	1	X	X	X	
CS-1951		7/22/2026	15:27	S	Com	1	X	X	X	
CS-1952		7/22/2026	15:28	S	Com	1	X	X	X	
CS-1953		7/22/2026	15:28	S	Com	1	X	X	X	
CS-1954		7/22/2026	15:29	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre		Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264194

5069

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT		Turn Around	
Samples Received Intact:	Temp Blank:	☒ Routine	☐ Rush
Cooler Custody Seals:	Thermometer ID:	Due Date:	
Sample Custody Seals:	Correction Factor:	TAT may vary based on lab start time.	
Total Containers:	Temperature Reading:	Pres. Code	
	Corrected Temperature:		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab	# of	Parameters	ANALYSIS REQUEST
41 CS-1955		7/22/2026	15:29	S	Com	1	BTEX 8012B	
42 CS-1956		7/22/2026	15:29	S	Com	1	TPH 8015M (GRO-DRO-MRO)	
43 CS-1957		7/22/2026	15:30	S	Com	1	Chloride 4500 or EPA 300	
44 CS-1958		7/22/2026	15:30	S	Com	1		
45 CS-1959		7/22/2026	15:30	S	Com	1		
46 CS-1960		7/22/2026	15:31	S	Com	1		
47 CS-1961		7/22/2026	15:31	S	Com	1		
48 CS-1962		7/22/2026	15:31	S	Com	1		
49 CS-1963		7/22/2026	15:32	S	Com	1		
50 CS-1964		7/22/2026	15:32	S	Com	1		


None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCL: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Dean Ericson

7/23/2026



H264194

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 97 of 100


Work Order Comments

Work Order Comments	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											
				S	Com	1											
CS-1965 57		7/22/2026	15:33	BTEX 80													
				TPH 801													
				Chloride													
Sample Comments																	Inert / Phosphoric Acid; SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
CS-1966	7/22/2026	15:33	S	Com	1
CS-1967	7/22/2026	15:33	S	Com	1
CS-1968	7/22/2026	15:34	S	Com	1
CS-1969	7/22/2026	15:34	S	Com	1
CS-1970	7/22/2026	15:34	S	Com	1
CS-1971	7/22/2026	15:35	S	Com	1
CS-1972	7/22/2026	15:35	S	Com	1
CS-1973	7/22/2026	15:35	S	Com	1
CS-1974	7/22/2026	15:36	S	Com	1
Edward Bartlett	7/23/2026 8:30AM		Edward Bartlett		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



H264194

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 98 of 100

Work Order Comments

	Work Order Comments

ANALYSIS REQUEST										Preservative Codes	
Pres. Code										None: NO	DI Water: H ₂ O
										Cool: Cool	MeOH: Me
										HCL: HC	HNO ₃ : HN

[illegible][illegible]

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
CS-1976	7/22/2026 15:37	S	Com	1	X
CS-1977	7/22/2026 15:37	S	Com	1	X
CS-1978	7/22/2026 15:37	S	Com	1	X
CS-1979	7/22/2026 15:38	S	Com	1	X
CS-1980	7/22/2026 15:38	S	Com	1	X
CS-1981	7/22/2026 15:38	S	Com	1	X
CS-1982	7/22/2026 15:39	S	Com	1	X
CS-1983	7/22/2026 15:39	S	Com	1	X
CS-1984	7/22/2026 15:40	S	Com	1	X

Case/Case Name	Acquisition Date	Acquired by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	7/23/2026 11:30 AM
				7/23/2026 11:30 AM
				7/23/2026 11:30 AM
				7/23/2026 11:30 AM
				7/23/2026 11:30 AM

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this document by mistake or have any concerns, please notify the sender immediately by e-mail. No part of this information should be distributed, used, or copied without express written permission from the sender.

... intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2041194

8 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Parameters

BTEX 8012B
TPH 8015M (GRO-DRO-MRO)
Chloride 4500 or EPA 300

ANALYSIS REQUEST

Preservative Codes

None: NO
Cool: Cool
HCL: HC
H₂SO₄: H₂
H₃PO₄: HP
NaHSO₄: NABIS
Na₂S₂O₃: NaSO₃
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes
71 CS-1985		7/22/2026	15:40	S	Com	1	X	X
72 CS-1986		7/22/2026	15:40	S	Com	1	X	X
73 CS-1987		7/22/2026	15:41	S	Com	1	X	X
74 CS-1988		7/22/2026	15:41	S	Com	1	X	X
75 CS-1989		7/22/2026	15:41	S	Com	1	X	X
76 CS-1990		7/22/2026	15:42	S	Com	1	X	X
77 CS-1991		7/22/2026	15:42	S	Com	1	X	X
78 CS-1992		7/22/2026	15:42	S	Com	1	X	X
79 CS-1993		7/22/2026	15:43	S	Com	1	X	X
80 CS-1994		7/22/2026	15:43	S	Com	1	X	X
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time			
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett					

claim: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



11/26/194

9 of 9

<https://standardtx.com/>

Page 100 of 100

Work Order Comments

ments

Preservative Codes

Sample Comments

Date/Time

Received by: (Signature)

Date/Time



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2005 (H264195-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 64.3 % 48-117

Surrogate: 1-Chlorooctadecane 58.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2006 (H264195-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.72	86.2	2.00	0.464	
Toluene*	<0.050	0.050	08/01/2026	ND	1.80	89.9	2.00	3.49	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.83	91.7	2.00	3.89	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.61	93.5	6.00	5.32	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 60.3 % 48-117

Surrogate: 1-Chlorooctadecane 54.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2007 (H264195-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	QM-07	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	QM-07	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	QM-07	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.1 % 48-117

Surrogate: 1-Chlorooctadecane 56.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2008 (H264195-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.4 % 48-117

Surrogate: 1-Chlorooctadecane 57.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2009 (H264195-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 60.9 % 48-117

Surrogate: 1-Chlorooctadecane 55.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2010 (H264195-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 62.3 % 48-117

Surrogate: 1-Chlorooctadecane 56.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2011 (H264195-07)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203		
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124		
Total BTX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 55.0 % 48-117

Surrogate: 1-Chlorooctadecane 48.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2012 (H264195-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 57.9 % 48-117

Surrogate: 1-Chlorooctadecane 53.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2013 (H264195-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	176	88.2	200	2.67	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	171	85.3	200	1.38	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 58.9 % 48-117

Surrogate: 1-Chlorooctadecane 52.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2014 (H264195-10)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2015 (H264195-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 64.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2016 (H264195-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 64.7 % 48-117

Surrogate: 1-Chlorooctadecane 58.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2017 (H264195-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 65.6 % 48-117

Surrogate: 1-Chlorooctadecane 59.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2018 (H264195-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2019 (H264195-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/29/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 60.4 % 48-117

Surrogate: 1-Chlorooctadecane 53.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2020 (H264195-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.0 % 48-117

Surrogate: 1-Chlorooctadecane 62.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2021 (H264195-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 64.7 % 48-117

Surrogate: 1-Chlorooctadecane 59.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2022 (H264195-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.3 % 48-117

Surrogate: 1-Chlorooctadecane 62.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2023 (H264195-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2024 (H264195-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2025 (H264195-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 64.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2026 (H264195-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.15	107	2.00	0.203	
Toluene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	0.428	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	99.2	2.00	0.542	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.84	97.3	6.00	0.124	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2027 (H264195-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	QM-07
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.5 % 48-117

Surrogate: 1-Chlorooctadecane 56.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2028 (H264195-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 53.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2029 (H264195-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01		
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 69.2 % 48-117

Surrogate: 1-Chlorooctadecane 63.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2030 (H264195-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2031 (H264195-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2032 (H264195-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01		
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2033 (H264195-29)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01		
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	190	95.1	200	0.844	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	175	87.4	200	5.09	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2034 (H264195-30)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 61.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2035 (H264195-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 78.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2036 (H264195-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2037 (H264195-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 68.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2038 (H264195-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 75.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2039 (H264195-35)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 66.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2040 (H264195-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.8 % 48-117

Surrogate: 1-Chlorooctadecane 65.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2041 (H264195-37)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 57.2 % 48-117

Surrogate: 1-Chlorooctadecane 52.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2042 (H264195-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 67.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2043 (H264195-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2044 (H264195-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2045 (H264195-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 63.1 % 48-117

Surrogate: 1-Chlorooctadecane 57.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2046 (H264195-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.14	107	2.00	2.01	
Toluene*	<0.050	0.050	08/01/2026	ND	2.05	102	2.00	1.80	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.97	98.4	2.00	1.61	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.7	6.00	1.67	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2047 (H264195-43)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.13	107	2.00	2.47	QM-07
Toluene*	<0.050	0.050	08/01/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.70	95.0	6.00	2.84	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2048 (H264195-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/01/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 79.8 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2049 (H264195-45)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/01/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2050 (H264195-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47		
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2051 (H264195-47)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47		
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2052 (H264195-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 48-117

Surrogate: 1-Chlorooctadecane 85.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2053 (H264195-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	192	96.0	200	7.86	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	180	89.9	200	8.18	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 87.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2054 (H264195-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47		
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2055 (H264195-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47		
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2056 (H264195-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 100 % 48-117

Surrogate: 1-Chlorooctadecane 95.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2057 (H264195-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2058 (H264195-54)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 96.1 % 48-117

Surrogate: 1-Chlorooctadecane 98.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2059 (H264195-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 84.7 % 48-117

Surrogate: 1-Chlorooctadecane 95.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2060 (H264195-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47		
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84		
Total BTEx	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.0 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2061 (H264195-57)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.5 % 48-117

Surrogate: 1-Chlorooctadecane 99.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2062 (H264195-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 98.4 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2063 (H264195-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2064 (H264195-60)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2065 (H264195-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47	
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2066 (H264195-62)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	107	2.00	2.47		
Toluene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	1.79		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.81		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.70	95.0	6.00	2.84		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2067 (H264195-63)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898		
Total BTX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 74.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2068 (H264195-64)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 106 % 48-117

Surrogate: 1-Chlorooctadecane 117 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2069 (H264195-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.8 % 48-117

Surrogate: 1-Chlorooctadecane 98.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2070 (H264195-66)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 93.7 % 48-117

Surrogate: 1-Chlorooctadecane 103 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2071 (H264195-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.0 % 48-117

Surrogate: 1-Chlorooctadecane 102 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2072 (H264195-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 112 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2073 (H264195-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	2.92	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	191	95.6	200	3.39	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 48-117

Surrogate: 1-Chlorooctadecane 106 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2074 (H264195-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2075 (H264195-71)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2076 (H264195-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2077 (H264195-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 93.2 % 48-117

Surrogate: 1-Chlorooctadecane 87.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2078 (H264195-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 94.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2079 (H264195-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 88.9 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2080 (H264195-76)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.8 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2081 (H264195-77)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 58.1 % 48-117

Surrogate: 1-Chlorooctadecane 51.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2082 (H264195-78)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 57.2 % 48-117

Surrogate: 1-Chlorooctadecane 54.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2083 (H264195-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2084 (H264195-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2085 (H264195-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.4 % 48-117

Surrogate: 1-Chlorooctadecane 85.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2086 (H264195-82)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.07	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.46	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.04	102	2.00	0.936	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.95	99.2	6.00	0.898	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2087 (H264195-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 80.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2088 (H264195-84)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 72.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2089 (H264195-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/03/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	08/03/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	08/03/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2090 (H264195-86)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2091 (H264195-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2092 (H264195-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2093 (H264195-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.7	200	5.32	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	176	87.8	200	2.28	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.6 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2094 (H264195-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 97.7 % 48-117

Surrogate: 1-Chlorooctadecane 92.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

4264195

1629

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

040240k all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes
Project Number:																None: NO
Project Location:	Lea County, New Mexico	Due Date:														DI Water: H ₂ O
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														Cool: Cool
PO #:	E-26029-GS-21300037															HCL: HC
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												H ₂ SO ₄ : H ₂
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:													H ₃ PO ₄ : HP
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:													NaHSO ₄ : NABIS
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	82.948												Na ₂ S ₂ O ₃ : NaSO ₃
	Total Containers:	1613	Corrected Temperature:	163.049												Zn Acetate+NaOH: Zn

Sample Identification			Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	Chloride	Sample Comments									
1	CS-2005			7/22/2026	15:47	S	Com	1	X	X	X										
2	CS-2006			7/22/2026	15:48	S	Com	1	X	X	X										
3	CS-2007			7/22/2026	15:48	S	Com	1	X	X	X										
4	CS-2008			7/22/2026	15:48	S	Com	1	X	X	X										
5	CS-2009			7/22/2026	15:49	S	Com	1	X	X	X										
6	CS-2010			7/22/2026	15:49	S	Com	1	X	X	X										
7	CS-2011			7/22/2026	15:49	S	Com	1	X	X	X										
8	CS-2012			7/22/2026	15:50	S	Com	1	X	X	X										
9	CS-2013			7/22/2026	15:50	S	Com	1	X	X	X										
10	CS-2014			7/22/2026	15:51	S	Com	1	X	X	X										
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time	
Joaquin Aguirre				Edward Bartlett				7/23/2026 8:30AM				Edward Bartlett				C. Aguirre				7/23/2026 11:35	
																				24 12:05 PM	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Edubene

7/23/26 16:53
24 12:25
ck



Chain of Custody

H2604195

2689

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code
Project Number:		Due Date:		
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove			
PO #:	E-26029-GS-21300037			

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	48.2	
	Total Containers:	1613	Corrected Temperature:	49.3	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
11 CS-2015		7/22/2026	15:51	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
12 CS-2016		7/22/2026	15:51	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
13 CS-2017		7/22/2026	15:52	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
14 CS-2018		7/22/2026	15:52	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
15 CS-2019		7/22/2026	15:52	S	Com	1		H ₃ PO ₄ : HP	
16 CS-2020		7/22/2026	15:53	S	Com	1		NaHSO ₄ : NABIS	
17 CS-2021		7/22/2026	15:53	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
18 CS-2022		7/22/2026	15:53	S	Com	1		Zn Acetate+NaOH: Zn	
19 CS-2023		7/22/2026	15:54	S	Com	1		NaOH+Ascorbic Acid: SAPC	
20 CS-2024		7/22/2026	15:54	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Ethiense	7/23/2026 12:50



Chain of Custody

H264195

3069

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	48.29	
	Total Containers:	1613	Corrected Temperature:	4.93	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST										Preservative Codes	Sample Comments
21 CS-2025		7/22/2026	15:55	S	Com	1	X	X	X											None: NO DI Water: H ₂ O	
22 CS-2026		7/22/2026	15:55	S	Com	1	X	X	X											Cool: Cool MeOH: Me	
23 CS-2027		7/22/2026	15:55	S	Com	1	X	X	X											HCL: HC HNO ₃ : HN	
24 CS-2028		7/22/2026	15:55	S	Com	1	X	X	X											H ₂ SO ₄ : H ₂ NaOH: Na	
25 CS-2029		7/22/2026	15:56	S	Com	1	X	X	X											H ₃ PO ₄ : HP NaHSO ₄ : NABIS	
26 CS-2030		7/22/2026	15:56	S	Com	1	X	X	X											Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn	
27 CS-2031		7/22/2026	15:57	S	Com	1	X	X	X											NaOH+Ascorbic Acid: SAPC	
28 CS-2032		7/22/2026	15:57	S	Com	1	X	X	X												
29 GS-2033		7/22/2026	15:57	S	Com	1	X	X	X												
30 CS-2034		7/22/2026	15:58	S	Com	1	X	X	X												

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	7/23/2026 8:30AM	7/23/2026 8:30AM



Chain of Custody

4264195

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 96 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		F

[illegible]

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 801	TPH 801	Chloride	Sample Comments	
31	CS-2035		7/22/2026	15:58	S	Com	1	X	X	X		
32	CS-2036		7/22/2026	15:59	S	Com	1	X	X	X		
33	CS-2037		7/22/2026	15:59	S	Com	1	X	X	X		
34	CS-2038		7/22/2026	15:59	S	Com	1	X	X	X		
35	CS-2039		7/22/2026	16:00	S	Com	1	X	X	X		
36	CS-2040		7/22/2026	16:00	S	Com	1	X	X	X		
37	CS-2041		7/22/2026	16:00	S	Com	1	X	X	X		
38	CS-2042		7/22/2026	16:01	S	Com	1	X	X	X		
39	CS-2043		7/22/2026	16:01	S	Com	1	X	X	X		
40	CS-2044		7/22/2026	16:02	S	Com	1	X	X	X		
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time		
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett				7/23/26 14:35		
								4		24 12:25		
								6				

sciences. This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

Handwritten: H264195

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Handwritten: 549

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)	Parameters
	Samples Received Intact:	Yes (No)	Thermometer ID:	Yes (No)	
	Cooler Custody Seals:	Yes (No)	Correction Factor:	Yes (No)	
	Sample Custody Seals:	Yes (No)	Temperature Reading:	Yes (No)	
	Total Containers:	1613	Corrected Temperature:	Yes (No)	

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012			TPH 8015	Chloride											Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
41	CS-2045			7/22/2026	16:02	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Handwritten: [Signature]	7/23/2026 4:55



H2604195

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 98 of 101

Work Order Comments

Work Order Comments		F

Preservative Codes	
None: NO	DI Water: H ₂ O
Cool: Cool	MeOH: Me
HCl: HC	HNO ₃ : HN
H ₂ SO ₄ : H ₂	NaOH: Na
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 801	TPH 801	Chloride	Sample Comments					
51	CS-2055		7/22/2026	16:06	S	Com	1	X	X	X						
52	CS-2056		7/22/2026	16:06	S	Com	1	X	X	X						
53	CS-2057		7/22/2026	16:06	S	Com	1	X	X	X						
54	CS-2058		7/22/2026	16:07	S	Com	1	X	X	X						
55	CS-2059		7/22/2026	16:07	S	Com	1	X	X	X						
56	CS-2060		7/22/2026	16:07	S	Com	1	X	X	X						
57	CS-2061		7/22/2026	16:08	S	Com	1	X	X	X						
58	CS-2062		7/22/2026	16:08	S	Com	1	X	X	X						
59	CS-2063		7/22/2026	16:08	S	Com	1	X	X	X						
60	CS-2064		7/22/2026	16:09	S	Com	1	X	X	X						
Relinquished by: (Signature)			Received by: (Signature)			Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time	
Isaiah Aguirre			Edward Bartlett			7/23/2026 8:30AM			Edward Bartlett						7/23/26 16:30	
															24 12/25	
																

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

42064195

7889

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Work Order Comments	

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:																None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico	Due Date:														DI Water: H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														
PO #:	E-26029-GS-21300037															
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters										
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:														
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	48.29													
Total Containers:	1613	Corrected Temperature:	44.33													
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont								Sample Comments	
61	CS-2065		7/22/2026	16:09	S	Com	1	X	X	X	X					
62	CS-2066		7/22/2026	16:10	S	Com	1	X	X	X	X					
63	CS-2067		7/22/2026	16:10	S	Com	1	X	X	X	X					
64	CS-2068		7/22/2026	16:10	S	Com	1	X	X	X	X					
65	CS-2069		7/22/2026	16:11	S	Com	1	X	X	X	X					
66	CS-2070		7/22/2026	16:11	S	Com	1	X	X	X	X					
67	CS-2071		7/22/2026	16:11	S	Com	1	X	X	X	X					
68	CS-2072		7/22/2026	16:12	S	Com	1	X	X	X	X					
69	CS-2073		7/22/2026	16:12	S	Com	1	X	X	X	X					
70	CS-2074		7/22/2026	16:13	S	Com	1	X	X	X	X					
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)									
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett		Ceballos		7/25/26 14:50							
							4		24 12/25							
							6		Ck							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H266495

889

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:					
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)	Parameters
	Samples Received Intact:	Yes (No)	Thermometer ID:	Yes (No)	
	Cooler Custody Seals:	Yes (No)	Correction Factor:		
	Sample Custody Seals:	Yes (No)	Temperature Reading:	<i>48.2.9</i>	
	Total Containers:	1613	Corrected Temperature:	<i>493.0</i>	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	7/23/2026 8:30AM			Relinquished by: (Signature)	Received by: (Signature)	Date/Time																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
							BTEX 8012	TPH 8015	Chloride																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
71 CS-2075		7/22/2026	16:13	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	<i>Edy Moore</i>	7/28/26 14:30
					24 12:25





Chain of Custody

H264195

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

989

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	48.2	
	Total Containers:	1613	Corrected Temperature:	48.3	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes
81 CS-2085		7/22/2026	16:17	S	Com	1	X BTEX 8012B	None: NO DI Water: H ₂ O
82 CS-2086		7/22/2026	16:17	S	Com	1	X TPH 8015M (GRO-DRO-MRO)	Cool: Cool MeOH: Me
83 CS-2087		7/22/2026	16:17	S	Com	1	X Chloride 4500 or EPA 300	HCL: HC HNO ₃ : HN
84 CS-2088		7/22/2026	16:18	S	Com	1	X	H ₂ SO ₄ : H ₂
85 CS-2089		7/22/2026	16:18	S	Com	1	X	H ₃ PO ₄ : HP
86 CS-2090		7/22/2026	16:18	S	Com	1	X	NaHSO ₄ : NABIS
87 CS-2091		7/22/2026	16:19	S	Com	1	X	Na ₂ S ₂ O ₃ : NaSO ₃
88 CS-2092		7/22/2026	16:19	S	Com	1	X	Zn Acetate+NaOH: Zn
89 CS-2093		7/22/2026	16:19	S	Com	1	X	NaOH+Ascorbic Acid: SAPC
90 CS-2094		7/22/2026	16:20	S	Com	1	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Edgheeno	7/23/26 16:30



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2095 (H264196-01)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2096 (H264196-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2097 (H264196-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 52.5 % 48-117

Surrogate: 1-Chlorooctadecane 46.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2098 (H264196-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.4 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2099 (H264196-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2100 (H264196-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2101 (H264196-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 66.7 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2102 (H264196-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2103 (H264196-09)

BTEX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2104 (H264196-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 84.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2105 (H264196-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68		
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2106 (H264196-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.92	96.1	2.00	3.68	
Toluene*	<0.050	0.050	08/01/2026	ND	1.84	92.2	2.00	2.71	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.88	94.0	2.00	2.57	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.44	90.7	6.00	2.54	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 80.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2107 (H264196-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 65.1 % 48-117

Surrogate: 1-Chlorooctadecane 61.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2108 (H264196-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2109 (H264196-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2110 (H264196-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 57.8 % 48-117

Surrogate: 1-Chlorooctadecane 50.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2111 (H264196-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271		
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.9 % 48-117

Surrogate: 1-Chlorooctadecane 60.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2112 (H264196-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2113 (H264196-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	203	101	200	2.87	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	222	111	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2114 (H264196-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 73.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2115 (H264196-21)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2116 (H264196-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 54.8 % 48-117

Surrogate: 1-Chlorooctadecane 54.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2117 (H264196-23)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2118 (H264196-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 89.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2119 (H264196-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2120 (H264196-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271		
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2121 (H264196-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.4 % 48-117

Surrogate: 1-Chlorooctadecane 86.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2122 (H264196-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.0 % 48-117

Surrogate: 1-Chlorooctadecane 91.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2123 (H264196-29)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 90.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2124 (H264196-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271		
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 90.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2125 (H264196-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/01/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2126 (H264196-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.7	2.00	0.271	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	94.2	2.00	0.0110	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	0.270	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.64	94.0	6.00	0.470	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2127 (H264196-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2128 (H264196-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2129 (H264196-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 83.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2130 (H264196-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2131 (H264196-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 93.5 % 48-117

Surrogate: 1-Chlorooctadecane 95.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2132 (H264196-38)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 91.1 % 48-117

Surrogate: 1-Chlorooctadecane 91.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2133 (H264196-39)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34		
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	199	99.7	200	0.620	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2134 (H264196-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2135 (H264196-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2136 (H264196-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2137 (H264196-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2138 (H264196-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2139 (H264196-45)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2140 (H264196-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 57.7 % 48-117

Surrogate: 1-Chlorooctadecane 55.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2141 (H264196-47)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2142 (H264196-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2143 (H264196-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2144 (H264196-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34	
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2145 (H264196-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34		
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2146 (H264196-52)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.96	97.8	2.00	2.34		
Toluene*	<0.050	0.050	08/02/2026	ND	1.87	93.3	2.00	2.30		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.4	2.00	1.71		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.49	91.5	6.00	1.61		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2147 (H264196-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.0 % 48-117

Surrogate: 1-Chlorooctadecane 88.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2148 (H264196-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 84.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2149 (H264196-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2150 (H264196-56)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 87.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2151 (H264196-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 85.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2152 (H264196-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2153 (H264196-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	212	106	200	3.29	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0333	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2154 (H264196-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.3 % 48-117

Surrogate: 1-Chlorooctadecane 85.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2155 (H264196-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2156 (H264196-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2157 (H264196-63)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64		
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01		
Total BTX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2158 (H264196-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2159 (H264196-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 87.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2160 (H264196-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 93.0 % 48-117

Surrogate: 1-Chlorooctadecane 91.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2161 (H264196-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2162 (H264196-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.8 % 48-117

Surrogate: 1-Chlorooctadecane 92.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2163 (H264196-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 94.3 % 48-117

Surrogate: 1-Chlorooctadecane 90.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2164 (H264196-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 91.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2165 (H264196-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2166 (H264196-72)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.5	2.00	3.64	
Toluene*	<0.050	0.050	08/02/2026	ND	1.88	93.9	2.00	3.63	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.92	96.0	2.00	3.97	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.52	91.9	6.00	4.01	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2167 (H264196-73)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2168 (H264196-74)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2169 (H264196-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2170 (H264196-76)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2171 (H264196-77)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2172 (H264196-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.8 % 48-117

Surrogate: 1-Chlorooctadecane 84.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2173 (H264196-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	1.07	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	207	103	200	0.211	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2174 (H264196-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 94.8 % 48-117

Surrogate: 1-Chlorooctadecane 93.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2175 (H264196-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 87.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2176 (H264196-82)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 48-117

Surrogate: 1-Chlorooctadecane 94.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2177 (H264196-83)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 80.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2178 (H264196-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2179 (H264196-85)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2180 (H264196-86)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 77.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2181 (H264196-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2182 (H264196-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2183 (H264196-89)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 88.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2184 (H264196-90)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.6 % 48-117

Surrogate: 1-Chlorooctadecane 88.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

10/26/196

1 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

041024011K all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST												Preservative Codes	
Project Number:		☒ Routine ☐ Rush														None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:														Cool: Cool	MeOH: Me
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.														HCL: HC	HNO ₃ : HN
PO #:	E-26029-GS-21300037	Wet Ice:	Yes No													H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes No	Thermometer ID:													H ₃ PO ₄ : HP	
Samples Received Intact:	Yes No		Correction Factor:													NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes No		Temperature Reading:													Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes No		Corrected Temperature:													Zn Acetate+NaOH: Zn	
Total Containers:	1613															NaOH+Ascorbic Acid: SAPC	

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1							7/22/2026	16:20	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H2604194

Handwritten: 2 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Well Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1		
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	16.27		
Total Containers:	1613	Corrected Temperature:	16.27		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
11 CS-2105		7/22/2026	16:24	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
12 CS-2106		7/22/2026	16:24	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
13 CS-2107		7/22/2026	16:25	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
14 CS-2108		7/22/2026	16:25	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
15 CS-2109		7/22/2026	16:25	S	Com	1		H ₃ PO ₄ : HP	
16 CS-2110		7/22/2026	16:26	S	Com	1		NaHSO ₄ : NABIS	
17 CS-2111		7/22/2026	16:26	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
18 CS-2112		7/22/2026	16:26	S	Com	1		Zn Acetate+NaOH: Zn	
19 CS-2113		7/22/2026	16:27	S	Com	1		NaOH+Ascorbic Acid: SAPC	
20 CS-2114		7/22/2026	16:27	S	Com	1			
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Handwritten: Juan Cervantes	7/28/24				
3					4				
5					6				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2604196

Wof

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 95 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 95 of 1

ANALYSIS REQUEST										Preservative Codes									
Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code				None: NO		DI Water: H ₂ O							
Project Number:				☒ Routine ☐ Rush						Cool: Cool		MeOH: Me							
Project Location:		Lea County, New Mexico		Due Date:						HCL: HC		HNO ₃ : HN							
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.						H ₂ SO ₄ : H ₂		NaOH: Na							
PO #:		E-26029-GS-21300037								H ₃ PO ₄ : HP									
SAMPLE RECEIPT				Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☒ No ☐									
Samples Received Intact:				Yes ☒ No ☐		Thermometer ID:		140		NaHSO ₄ : NABIS									
Cooler Custody Seals:				Yes ☒ No ☐ N/A		Correction Factor:		0.1		Na ₂ S ₂ O ₃ : NaSO ₃									
Sample Custody Seals:				Yes ☒ No ☐ N/A		Temperature Reading:		4.8 3.9		Zn Acetate+NaOH: Zn									
Total Containers:				1613		Corrected Temperature:		4.9 3.0		NaOH+Ascorbic Acid: SAPC									
Sample Identification				Depth		Date Sampled		Time Sampled		Matrix		Grab Com		# of Cont		Parameters		Sample Comments	
21				CS-2115		7/12/2026		16:28		S		Com		1		BTX 8012B			
22				CS-2116		7/12/2026		16:28		S		Com		1		TPH 8015M (GRO-DRO-MRO)			
23				CS-2117		7/12/2026		16:28		S		Com		1		Chloride 4500 or EPA 300			
24				CS-2118		7/12/2026		16:29		S		Com		1					
25				CS-2119		7/12/2026		16:29		S		Com		1					
26				CS-2120		7/12/2026		16:29		S		Com		1					
27				CS-2121		7/12/2026		16:30		S		Com		1					
28				CS-2122		7/12/2026		16:30		S		Com		1					
29				CS-2123		7/12/2026		16:30		S		Com		1					
30				CS-2124		7/12/2026		16:31		S		Com		1					
Relinquished by: (Signature)				Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
1. Josafat Aguirre				Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Max Cuervo		7/23/2026							
3														4					
5														6					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H264196

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	Yes (No)	Parameters
Samples Received Intact:	Yes (No)	Thermometer ID:			
Cooler Custody Seals:	Yes (No)	Correction Factor:			
Sample Custody Seals:	Yes (No)	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST										Preservative Codes	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
31	CS-2125							7/22/2026	16:31	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2604196

549

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Well Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	146	
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1	
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	4.8-2.9	
	Total Containers:	1613	Corrected Temperature:	4.930	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes		Sample Comments
41 CS-2135		7/22/2026	16:35	S	Com	1	X	X	X	X							None: NO	DI Water: H ₂ O	
42 CS-2136		7/22/2026	16:35	S	Com	1	X	X	X	X							Cool: Cool	MeOH: Me	
43 CS-2137		7/22/2026	16:36	S	Com	1	X	X	X	X							HCL: HC	HNO ₃ : HN	
44 CS-2138		7/22/2026	16:36	S	Com	1	X	X	X	X							H ₂ SO ₄ : H ₂	NaOH: Na	
45 CS-2139		7/22/2026	16:36	S	Com	1	X	X	X	X							H ₃ PO ₄ : HP		
46 CS-2140		7/22/2026	16:37	S	Com	1	X	X	X	X							NaHSO ₄ : NABIS		
47 CS-2141		7/22/2026	16:37	S	Com	1	X	X	X	X							Na ₂ S ₂ O ₅ : NaSO ₃		
48 CS-2142		7/22/2026	16:37	S	Com	1	X	X	X	X							Zn Acetate+NaOH: Zn		
49 CS-2143		7/22/2026	16:38	S	Com	1	X	X	X	X							NaOH+Ascorbic Acid: SAPC		
50 CS-2144		7/22/2026	16:38	S	Com	1	X	X	X	X									
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Man Cidover		7/23/2026									
3				4															
5				6															

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H2064196

Handwritten: 10 of 9

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN	
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na	
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:													NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:													Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	10	4.829											Zn Acetate+NaOH: Zn	
Total Containers:	1613	Corrected Temperature:	4.930												NaOH+Ascorbic Acid: SAPC	

CD: 7/15/2026 7:03:40 AM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	Chlor	ANALYSIS REQUEST										Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
51	CS-2145		7/22/2026	16:39	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

766494

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 99 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardix.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 99 of 1

Project Name:				A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes					
Project Number:						☒ Routine ☐ Rush												None: NO					
Project Location:				Lea County, New Mexico		Due Date:												Cool: Cool					
Sampler's Name:				Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.												HCL: HC					
PO #:				E-26029-GS-21300037														H ₂ SO ₄ : H ₂					
SAMPLE RECEIPT				Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☒ No ☐												H ₃ PO ₄ : HP	
Samples Received Intact:				Yes ☒ No ☐		Thermometer ID:				140												NaHSO ₄ : NABIS	
Cooler Custody Seals:				Yes ☒ No ☐		Correction Factor:				0.1												Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:				Yes ☒ No ☐		Temperature Reading:				44.8 2.9												Zn Acetate+NaOH: Zn	
Total Containers:				1613		Corrected Temperature:				4.9 3.0												NaOH+Ascorbic Acid: SAPC	

CD: 7/15/2020 7:05:40 AM										
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chloride	Sample Comments
61 CS-2155		7/22/2026	16:42	S	Com	1	X	X	X	
62 CS-2156		7/22/2026	16:43	S	Com	1	X	X	X	
63 CS-2157		7/22/2026	16:43	S	Com	1	X	X	X	
64 CS-2158		7/22/2026	16:43	S	Com	1	X	X	X	
65 CS-2159		7/22/2026	16:44	S	Com	1	X	X	X	
66 CS-2160		7/22/2026	16:44	S	Com	1	X	X	X	
67 CS-2161		7/22/2026	16:44	S	Com	1	X	X	X	
68 CS-2162		7/22/2026	16:45	S	Com	1	X	X	X	
69 CS-2163		7/22/2026	16:45	S	Com	1	X	X	X	
70 CS-2164		7/22/2026	16:46	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
1. Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM	Edward Bartlett		Shari Connor		7/23/210	
3									4	
5									6	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

H264196

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 100 of 101

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson		Work Order Comments	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer			
Address:		2425 Trunk St.		Address:					
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:					
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com			

Project Name:		A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST		Preservative Codes	
Project Number:				☒ Routine ☐ Rush				None: NO	
Project Location:		Lea County, New Mexico		Due Date:				DI Water: H ₂ O	
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.				Cool: Cool	
PO #:		E-26029-GS-21300037						HCL: HC	
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐				H ₂ SO ₄ : H ₂	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:				H ₃ PO ₄ : HP	
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:				NaHSO ₄ : NABIS	
Sample Custody Seals:		Yes ☒ No ☐		Temperature Reading:				Na ₂ S ₂ O ₃ : NaSO ₃	
Total Containers:		1613		Corrected Temperature:				Zn Acetate+NaOH: Zn	
								NaOH+Ascorbic Acid: SAPC	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments		
71	CS-2165		7/22/2026	16:46	S	Com	1	X	X	X	X								
72	CS-2166		7/22/2026	16:46	S	Com	1	X	X	X	X								
73	CS-2167		7/22/2026	16:47	S	Com	1	X	X	X	X								
74	CS-2168		7/22/2026	16:47	S	Com	1	X	X	X	X								
75	CS-2169		7/22/2026	16:47	S	Com	1	X	X	X	X								
76	CS-2170		7/22/2026	16:48	S	Com	1	X	X	X	X								
77	CS-2171		7/22/2026	16:48	S	Com	1	X	X	X	X								
78	CS-2172		7/22/2026	16:48	S	Com	1	X	X	X	X								
79	CS-2173		7/22/2026	16:49	S	Com	1	X	X	X	X								
80	CS-2174		7/22/2026	16:49	S	Com	1	X	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Mau Curren		7/23/24									
3								4											
5								6											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264196

4 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Page 101 of 101

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code	
Project Number:				☒ Routine ☐ Rush			
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.			
PO #:		E-26029-GS-21300037					
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice: Yes ☒ No ☐	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:		140	
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:		0.1	
Sample Custody Seals:		Yes ☒ No ☐		Temperature Reading:		45.3	
Total Containers:		1613		Corrected Temperature:		4.93	
Sample Identification		Depth		Date Sampled		Time Sampled	
81 CS-2175				7/22/2026		16:50	
82 CS-2176				7/22/2026		16:50	
83 CS-2177				7/22/2026		16:50	
84 CS-2178				7/22/2026		16:51	
85 CS-2179				7/22/2026		16:51	
86 CS-2180				7/22/2026		16:52	
87 CS-2181				7/22/2026		16:52	
88 CS-2182				7/22/2026		16:52	
89 CS-2183				7/22/2026		16:52	
90 CS-2184				7/22/2026		16:53	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett	
3						4	
5						6	
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed							
Sample Comments							
Preservative Codes							
None: NO		DI Water: H ₂ O					
Cool: Cool		MeOH: Me					
HCL: HC		HNO ₃ : HN					
H ₂ SO ₄ : H ₂		NaOH: Na					
H ₃ PO ₄ : HP							
NaHSO ₄ : NABIS							
Na ₂ S ₂ O ₃ : NaSO ₃							
Zn Acetate+NaOH: Zn							
NaOH+Ascorbic Acid: SAPC							



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2185 (H264197-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2186 (H264197-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.70	84.8	2.00	3.73	
Toluene*	<0.050	0.050	08/01/2026	ND	1.53	76.3	2.00	2.87	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.55	77.3	2.00	4.62	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	4.80	80.0	6.00	4.42	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2187 (H264197-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45		
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2188 (H264197-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45		
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2189 (H264197-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2190 (H264197-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2191 (H264197-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2192 (H264197-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 91.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2193 (H264197-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	192	96.0	200	0.635	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2194 (H264197-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/29/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/29/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 70.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2195 (H264197-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45		
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2196 (H264197-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2197 (H264197-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45		
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2198 (H264197-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2199 (H264197-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.8 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2200 (H264197-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2201 (H264197-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.1 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2202 (H264197-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2203 (H264197-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2204 (H264197-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2205 (H264197-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2206 (H264197-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.0	2.00	2.43	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.99	99.4	2.00	1.94	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.12	102	6.00	1.72	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.7 % 48-117

Surrogate: 1-Chlorooctadecane 63.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2207 (H264197-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2208 (H264197-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2209 (H264197-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2210 (H264197-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.1 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2211 (H264197-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2212 (H264197-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2213 (H264197-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	185	92.5	200	0.478	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	90.8	200	2.59	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.9 % 48-117

Surrogate: 1-Chlorooctadecane 70.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2214 (H264197-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 98.6 % 48-117

Surrogate: 1-Chlorooctadecane 98.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2215 (H264197-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36		
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2216 (H264197-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2217 (H264197-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.9 % 48-117

Surrogate: 1-Chlorooctadecane 88.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2218 (H264197-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.8 % 48-117

Surrogate: 1-Chlorooctadecane 92.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2219 (H264197-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36		
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 93.3 % 48-117

Surrogate: 1-Chlorooctadecane 94.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2220 (H264197-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 81.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2221 (H264197-37)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.0 % 48-117

Surrogate: 1-Chlorooctadecane 94.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2222 (H264197-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 92.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2223 (H264197-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2224 (H264197-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2225 (H264197-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 86.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2226 (H264197-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.20	110	2.00	2.36	
Toluene*	<0.050	0.050	08/02/2026	ND	1.96	98.1	2.00	2.67	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.98	98.9	2.00	3.51	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.10	102	6.00	3.73	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 89.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2227 (H264197-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2228 (H264197-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2229 (H264197-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567		
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88		
Total BTEx	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 48-117

Surrogate: 1-Chlorooctadecane 84.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2230 (H264197-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 98.0 % 48-117

Surrogate: 1-Chlorooctadecane 97.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2231 (H264197-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2232 (H264197-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.0 % 48-117

Surrogate: 1-Chlorooctadecane 87.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2233 (H264197-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	195	97.5	200	0.916	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	187	93.5	200	1.20	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 56.5 % 48-117

Surrogate: 1-Chlorooctadecane 53.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2234 (H264197-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 63.6 % 48-117

Surrogate: 1-Chlorooctadecane 55.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2235 (H264197-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 60.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2236 (H264197-52)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567		
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2237 (H264197-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567		
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2238 (H264197-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 61.2 % 48-117

Surrogate: 1-Chlorooctadecane 46.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2239 (H264197-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.4 % 48-117

Surrogate: 1-Chlorooctadecane 53.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2240 (H264197-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 59.3 % 48-117

Surrogate: 1-Chlorooctadecane 46.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2241 (H264197-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 56.8 % 48-117

Surrogate: 1-Chlorooctadecane 45.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2242 (H264197-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 48-117

Surrogate: 1-Chlorooctadecane 63.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2243 (H264197-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2244 (H264197-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2245 (H264197-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567		
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88		
Total BTEx	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.5 % 48-117

Surrogate: 1-Chlorooctadecane 84.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2246 (H264197-62)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.90	94.8	2.00	0.567	
Toluene*	<0.050	0.050	08/01/2026	ND	1.92	95.8	2.00	1.34	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.87	93.7	2.00	1.77	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.66	94.3	6.00	2.88	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Celey D. Keene
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2247 (H264197-63)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.94	96.9	2.00	0.289		
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.3	2.00	3.31		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.91	95.5	2.00	4.75		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.82	97.0	6.00	5.58		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 48-117

Surrogate: 1-Chlorooctadecane 80.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2248 (H264197-64)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.82	97.0	6.00	5.58	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2249 (H264197-65)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.82	97.0	6.00	5.58	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2250 (H264197-66)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.82	97.0	6.00	5.58	
Total BTX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.1 % 48-117

Surrogate: 1-Chlorooctadecane 87.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2251 (H264197-67)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2252 (H264197-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 48-117

Surrogate: 1-Chlorooctadecane 92.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2253 (H264197-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	198	99.0	200	0.182	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	185	92.7	200	0.749	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 62.3 % 48-117

Surrogate: 1-Chlorooctadecane 56.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2254 (H264197-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 48-117

Surrogate: 1-Chlorooctadecane 79.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2255 (H264197-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2256 (H264197-72)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2257 (H264197-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2258 (H264197-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 62.0 % 48-117

Surrogate: 1-Chlorooctadecane 57.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2259 (H264197-75)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 70.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2260 (H264197-76)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2261 (H264197-77)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.1 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2262 (H264197-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2263 (H264197-79)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2264 (H264197-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289		
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.8 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2265 (H264197-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289	
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2266 (H264197-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	0.289		
Toluene*	<0.050	0.050	08/02/2026	ND	1.93	96.3	2.00	3.31		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.91	95.5	2.00	4.75		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.82	97.0	6.00	5.58		
Total BTEx	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2267 (H264197-83)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2268 (H264197-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.9 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2269 (H264197-85)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2270 (H264197-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2271 (H264197-87)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2272 (H264197-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2273 (H264197-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	189	94.4	200	1.82	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.0	200	1.61	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 64.2 % 48-117

Surrogate: 1-Chlorooctadecane 57.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: CS - 2274 (H264197-90)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 98.6 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H2064197

Main Office: 2524 Trunk Street, Odessa, Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

0402401k all

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim		Turn Around		Pres. Code	ANALYSIS REQUEST												Preservative Codes		
Project Number:			☒ Routine	☐ Rush															None: NO DI Water: H ₂ O	
Project Location:	Lea County, New Mexico		Due Date:																Cool: Cool MeOH: Me	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		TAT may vary based on lab start time.																HCL: HC HNO ₃ : HN	
PO #:	E-26029-GS-21300037																	H ₂ SO ₄ : H ₂		
SAMPLE RECEIPT	Temp. Blank:	Yes (No)	Wet Ice:	Yes (No)	Parameters													H ₃ PO ₄ : HP		
	Samples Received Intact:	Yes (No)	Thermometer ID:	Yes (No)														NaHSO ₄ : NABIS		
	Cooler Custody Seals:	Yes (No)	Correction Factor:	Yes (No)														Na ₂ S ₂ O ₃ : NaSO ₃		
	Sample Custody Seals:	Yes (No)	Temperature Reading:	Yes (No)														Zn Acetate+NaOH: Zn		
Total Containers:	1613		Corrected Temperature:															NaOH+Ascorbic Acid: SAPC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont													Sample Comments	
01 CS-2185		7/22/2026	16:53	S	Com	1	X	X	X	X	X	X	X	X	X	X				
02 CS-2186		7/22/2026	16:54	S	Com	1	X	X	X	X	X	X	X	X	X	X				
03 CS-2187		7/22/2026	16:54	S	Com	1	X	X	X	X	X	X	X	X	X	X				
04 CS-2188		7/22/2026	16:54	S	Com	1	X	X	X	X	X	X	X	X	X	X				
05 CS-2189		7/22/2026	16:55	S	Com	1	X	X	X	X	X	X	X	X	X	X				
06 CS-2190		7/22/2026	16:55	S	Com	1	X	X	X	X	X	X	X	X	X	X				
07 CS-2191		7/22/2026	16:55	S	Com	1	X	X	X	X	X	X	X	X	X	X				
08 CS-2192		7/22/2026	16:56	S	Com	1	X	X	X	X	X	X	X	X	X	X				
09 CS-2193		7/22/2026	16:56	S	Com	1	X	X	X	X	X	X	X	X	X	X				
10 CS-2194		7/22/2026	16:57	S	Com	1	X	X	X	X	X	X	X	X	X	X				
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time										
1 Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		C. Aguirre		7/23/2026 16:55										
3						4														
5						6														

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264197

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

269

Page 94 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
SAMPLE RECEIPT	Temp Blank: Yes ☒ No ☐ Wet Ice: Yes ☒ No ☐ Thermometer ID: 140
Samples Received Intact:	Yes ☒ No ☐ Correction Factor: 0.1
Cooler Custody Seals:	Yes ☒ No ☐ Temperature Reading: 48.2
Sample Custody Seals:	Yes ☒ No ☐ Temperature Reading: 49.3
Total Containers:	1613

ANALYSIS REQUEST

Preservative Codes

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
11 CS-2195		7/22/2026	16:57	S	Com	1	X	X	X	
12 CS-2196		7/22/2026	16:57	S	Com	1	X	X	X	
13 CS-2197		7/22/2026	16:58	S	Com	1	X	X	X	
14 CS-2198		7/22/2026	16:58	S	Com	1	X	X	X	
15 CS-2199		7/22/2026	16:58	S	Com	1	X	X	X	
16 CS-2200		7/22/2026	16:59	S	Com	1	X	X	X	
17 CS-2201		7/22/2026	16:59	S	Com	1	X	X	X	
18 CS-2202		7/22/2026	16:59	S	Com	1	X	X	X	
19 CS-2203		7/22/2026	17:00	S	Com	1	X	X	X	
20 CS-2204		7/22/2026	17:00	S	Com	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett		
3					
5					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Feb 1977

e: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Page 95 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Work Order Comments

Page 95 of 1

Project Name:		A-14 Surface Pad Reclaim		Turn Around		ANALYSIS REQUEST										Preservative Codes			
Project Number:				☒ Routine ☐ Rush		Pres. Code												None: NO DI Water: H ₂ O	
Project Location:		Lea County, New Mexico		Due Date:		TAT may vary based on lab start time.												Cool: Cool MeOH: Me	
Sampler's Name:		Josafat Aguirre, Douglas Crossgrove																HCL: HC HNO ₃ : HN	
PO #:		E-26029-GS-21300037																H ₂ SO ₄ : H ₂ NaOH: Na	
SAMPLE RECEIPT				Temp Blank:	Yes ☒ No ☒	Wet Ice:	Yes ☒ No ☒	Parameters										H ₃ PO ₄ : HP	
Samples Received Intact:				Yes ☒ No ☒	Thermometer ID:	740												NaHSO ₄ : NABIS	
Cooler Custody Seals:				Yes ☒ No ☒	Correction Factor:	0.1												Na ₂ S ₂ O ₃ : NaSO ₃	
Sample Custody Seals:				Yes ☒ No ☒	Temperature Reading:	48.29												Zn Acetate+NaOH: Zn	
Total Containers:				1613	Corrected Temperature:	49.3												NaOH+Ascorbic Acid: SAPC	
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
21 CS-2205			7/22/2026	17:01	S	Com	1	X	X	X									
22 CS-2206			7/22/2026	17:01	S	Com	1	X	X	X									
23 CS-2207			7/22/2026	17:01	S	Com	1	X	X	X									
24 CS-2208			7/22/2026	17:02	S	Com	1	X	X	X									
25 CS-2209			7/22/2026	17:02	S	Com	1	X	X	X									
26 CS-2210			7/22/2026	17:02	S	Com	1	X	X	X									
27 CS-2211			7/22/2026	17:03	S	Com	1	X	X	X									
28 CS-2212			7/22/2026	17:03	S	Com	1	X	X	X									
29 CS-2213			7/22/2026	17:03	S	Com	1	X	X	X									
30 CS-2214			7/22/2026	17:04	S	Com	1	X	X	X									
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
Josafat Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Cefuano		7/23/2026 16:35						24 12:25			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

4264197

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

4264197

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments	

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine ☐ Rush												None: NO	
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:											NaHSO ₄ : NABIS		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:											Na ₂ S ₂ O ₃ : NaSO ₃		
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:											Zn Acetate+NaOH: Zn		
Total Containers:	1613	Corrected Temperature:											NaOH+Ascorbic Acid: SAPC		

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Sample Comments
31	CS-2215		7/22/2026	17:04	S	Com	1	X	X	X												
32	CS-2216		7/22/2026	17:05	S	Com	1	X	X	X												
33	CS-2217		7/22/2026	17:05	S	Com	1	X	X	X												
34	CS-2218		7/22/2026	17:05	S	Com	1	X	X	X												
35	CS-2219		7/22/2026	17:06	S	Com	1	X	X	X												
36	CS-2220		7/22/2026	17:06	S	Com	1	X	X	X												
37	CS-2221		7/22/2026	17:06	S	Com	1	X	X	X												
38	CS-2222		7/22/2026	17:07	S	Com	1	X	X	X												
39	CS-2223		7/22/2026	17:07	S	Com	1	X	X	X												
40	CS-2224		7/22/2026	17:08	S	Com	1	X	X	X												
Relinquished by: (Signature)						Received by: (Signature)						Date/Time		Relinquished by: (Signature)						Date/Time		
1 Josafat Aguirre						Edward Bartlett						7/23/2026 8:30AM		Edward Bartlett						7/23/2026 12:25		
3												4								24		
5												6								ca		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264197

5089

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:		
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:		
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	48.2.9	
	Total Containers:	1613	Corrected Temperature:	48.3	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
41	CS-2225		7/22/2026	17:08	S	Com	1	X	X	X								
42	CS-2226		7/22/2026	17:08	S	Com	1	X	X	X								
43	CS-2227		7/22/2026	17:09	S	Com	1	X	X	X								
44	CS-2228		7/22/2026	17:09	S	Com	1	X	X	X								
45	CS-2229		7/22/2026	17:09	S	Com	1	X	X	X								
46	CS-2230		7/22/2026	17:10	S	Com	1	X	X	X								
47	CS-2231		7/22/2026	17:10	S	Com	1	X	X	X								
48	CS-2232		7/22/2026	17:10	S	Com	1	X	X	X								
49	CS-2233		7/22/2026	17:11	S	Com	1	X	X	X								
50	CS-2234		7/22/2026	17:11	S	Com	1	X	X	X								
Relinquished by: (Signature)			Received by: (Signature)				Date/Time			Relinquished by: (Signature)				Received by: (Signature)			Date/Time	
Josefat Aguirre			Edward Bartlett				7/23/2026 8:30AM			Edward Bartlett							7/23/26 11:30	

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM

Edgellere

7/23/26 14:30
24 12:25
OK



Chain of Custody

H26497

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 98 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		Pa

ANALYSIS REQUEST						Preservative Codes	
Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Press. Code		None: NO	DI Water: H ₂ O
Project Number:						Cool: Cool	MeOH: Me
Project Location:	Lea County, New Mexico	Due Date:	TAT may vary based on lab start time.			HCL: HC	HNO ₃ : HN
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove					H ₂ SO ₄ : H ₂	NaOH: Na
PO #:	E-26029-GS-21300037					H ₃ PO ₄ : HP	
SAMPLE RECEIPT	Temp Blank:	Yes (No)	Wet Ice:	(Yes) No		NaHSO ₄ : NABIS	
Samples Received Intact:	Yes No	Thermometer ID:		140		Na ₂ S ₂ O ₃ : NaSO ₃	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:		0.1		Zn Acetate+NaOH: Zn	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:		48.2-9		NaOH+Ascorbic Acid: SAPC	
Total Containers:	1613	Corrected Temperature:		49.5-0			
				Parameters			
012B							
15M (GRO-DRO-MRO)							
le 4500 or EPA 300							

Sample Identification							Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chloride	Sample Comments								
								7/22/2026	17:12	S	Com	1	X	X	X									
51	CS-2235							7/22/2026	17:12	S	Com	1	X	X	X									
52	CS-2236							7/22/2026	17:12	S	Com	1	X	X	X									
53	CS-2237							7/22/2026	17:12	S	Com	1	X	X	X									
54	CS-2238							7/22/2026	17:13	S	Com	1	X	X	X									
55	CS-2239							7/22/2026	17:13	S	Com	1	X	X	X									
56	CS-2240							7/22/2026	17:13	S	Com	1	X	X	X									
57	CS-2241							7/22/2026	17:14	S	Com	1	X	X	X									
58	CS-2242							7/22/2026	17:14	S	Com	1	X	X	X									
59	CS-2243							7/22/2026	17:14	S	Com	1	X	X	X									
60	CS-2244							7/22/2026	17:15	S	Com	1	X	X	X									
Relinquished by: (Signature)							Received by: (Signature)							Date/Time		Relinquished by: (Signature)							Date/Time	
Joaquin Aguirre							Edward Bartlett							7/23/2026 8:30AM		Edward Bartlett								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

Handwritten: H264197

Handwritten: 7589

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037	Wet Ice:	☒ Yes ☐ No	Parameters	
SAMPLE RECEIPT	Temp Blank:	Thermometer ID:	149		
Samples Received Intact:	☒ Yes ☐ No	Correction Factor:	0.1		
Cooler Custody Seals:	☒ Yes ☐ No	Temperature Reading:	28.29		
Sample Custody Seals:	☒ Yes ☐ No	Corrected Temperature:	28.29		
Total Containers:	1613				

Work Order Comments	
---------------------	--

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
61 CS-2245		7/22/2026	17:15	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
62 CS-2246		7/22/2026	17:16	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
63 CS-2247		7/22/2026	17:16	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
64 CS-2248		7/22/2026	17:16	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
65 CS-2249		7/22/2026	17:17	S	Com	1		H ₃ PO ₄ : HP	
66 CS-2250		7/22/2026	17:17	S	Com	1		NaHSO ₄ : NABIS	
67 CS-2251		7/22/2026	17:17	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
68 CS-2252		7/22/2026	17:18	S	Com	1		Zn Acetate+NaOH: Zn	
69 CS-2253		7/22/2026	17:18	S	Com	1		NaOH+Ascorbic Acid: SAPC	
70 CS-2254		7/22/2026	17:19	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)							
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Handwritten: 7/23/26 14:55
Handwritten: 24 12:25
Handwritten: CA



Chain of Custody

H264197

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

8089

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes (No) ☒	Wet Ice:	Yes (No) ☒	Parameters	
Samples Received Intact:	Yes (No) ☒	Thermometer ID:					
Cooler Custody Seals:	Yes (No) ☒	Correction Factor:					
Sample Custody Seals:	Yes (No) ☒	Temperature Reading:					
Total Containers:	1613	Corrected Temperature:					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
71 CS-2255		7/22/2026	17:19	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
72 CS-2256		7/22/2026	17:19	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
73 CS-2257		7/22/2026	17:20	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
74 CS-2258		7/22/2026	17:20	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
75 CS-2259		7/22/2026	17:20	S	Com	1		H ₃ PO ₄ : HP	
76 CS-2260		7/22/2026	17:21	S	Com	1		NaHSO ₄ : NABIS	
77 CS-2261		7/22/2026	17:21	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
78 CS-2262		7/22/2026	17:21	S	Com	1		Zn Acetate+NaOH: Zn	
79 CS-2263		7/22/2026	17:22	S	Com	1		NaOH+Ascorbic Acid: SAPC	
80 CS-2264		7/22/2026	17:22	S	Com	1			
Relinquished by: (Signature)	Edward Bartlett	Received by: (Signature)		Date/Time	7/23/2026 8:30AM	Relinquished by: (Signature)		Received by: (Signature)	Date/Time
Josafat Aguirre									

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264197

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

9289

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	TAT may vary based on lab start time.		
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:				
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:				
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	0.1			
Total Containers:	1613	Corrected Temperature:	493			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-2265		7/22/2026	17:23	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
CS-2266		7/22/2026	17:23	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
CS-2267		7/22/2026	17:23	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
CS-2268		7/22/2026	17:24	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
CS-2269		7/22/2026	17:24	S	Com	1		H ₃ PO ₄ : HP	
CS-2270		7/22/2026	17:24	S	Com	1		NaHSO ₄ : NABIS	
CS-2271		7/22/2026	17:25	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
CS-2272		7/22/2026	17:25	S	Com	1		Zn Acetate+NaOH: Zn	
CS-2273		7/22/2026	17:25	S	Com	1		NaOH+Ascorbic Acid: SAPC	
CS-2274		7/22/2026	17:26	S	Com	1			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Utegheno	7/23/2026 12:15



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2275 (H264198-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2276 (H264198-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 57.3 % 48-117

Surrogate: 1-Chlorooctadecane 55.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2277 (H264198-03)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2278 (H264198-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 84.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2279 (H264198-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2280 (H264198-06)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 75.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2281 (H264198-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2282 (H264198-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 95.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2283 (H264198-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2284 (H264198-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 48-117

Surrogate: 1-Chlorooctadecane 87.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2285 (H264198-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55	
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2286 (H264198-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.06	103	2.00	1.55		
Toluene*	<0.050	0.050	08/02/2026	ND	2.12	106	2.00	1.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.11		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.48	108	6.00	3.03		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 58.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2287 (H264198-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 48-117

Surrogate: 1-Chlorooctadecane 82.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2288 (H264198-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 62.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2289 (H264198-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.1 % 48-117

Surrogate: 1-Chlorooctadecane 115 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2290 (H264198-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2291 (H264198-17)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56		
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13		
Total BTX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 48-117

Surrogate: 1-Chlorooctadecane 84.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2292 (H264198-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 48-117

Surrogate: 1-Chlorooctadecane 88.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2293 (H264198-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	98.0	200	2.00	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	196	97.8	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2294 (H264198-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2295 (H264198-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 65.5 % 48-117

Surrogate: 1-Chlorooctadecane 64.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2296 (H264198-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2297 (H264198-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56		
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2298 (H264198-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2299 (H264198-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56		
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.4 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2300 (H264198-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56		
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2301 (H264198-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2302 (H264198-28)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2303 (H264198-29)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56		
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13		
Total BTX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2304 (H264198-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2305 (H264198-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56	
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.1 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2306 (H264198-32)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	8.56		
Toluene*	<0.050	0.050	08/01/2026	ND	1.89	94.7	2.00	3.76		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	2.17	108	2.00	9.52		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	6.43	107	6.00	9.13		
Total BTX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.1 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2307 (H264198-33)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2308 (H264198-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/01/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/01/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2309 (H264198-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/01/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 73.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2310 (H264198-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2311 (H264198-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 66.2 % 48-117

Surrogate: 1-Chlorooctadecane 63.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2312 (H264198-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2313 (H264198-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	216	108	200	0.693	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.338	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2314 (H264198-40)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2315 (H264198-41)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 63.9 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2316 (H264198-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.0 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2317 (H264198-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.6 % 48-117

Surrogate: 1-Chlorooctadecane 68.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2318 (H264198-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2319 (H264198-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2320 (H264198-46)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2321 (H264198-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53		
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 64.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2322 (H264198-48)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2323 (H264198-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2324 (H264198-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 64.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2325 (H264198-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 63.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2326 (H264198-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.86	93.0	2.00	1.53	
Toluene*	<0.050	0.050	08/02/2026	ND	1.77	88.5	2.00	1.12	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.93	96.4	2.00	0.509	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.74	95.6	6.00	0.402	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 48-117

Surrogate: 1-Chlorooctadecane 74.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2327 (H264198-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2328 (H264198-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 67.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2329 (H264198-55)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 48-117

Surrogate: 1-Chlorooctadecane 86.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2330 (H264198-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2331 (H264198-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 82.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2332 (H264198-58)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 48-117

Surrogate: 1-Chlorooctadecane 74.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2333 (H264198-59)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.58	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	208	104	200	0.0900	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.5 % 48-117

Surrogate: 1-Chlorooctadecane 86.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2334 (H264198-60)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2335 (H264198-61)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2336 (H264198-62)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2337 (H264198-63)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2338 (H264198-64)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 48-117

Surrogate: 1-Chlorooctadecane 80.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2339 (H264198-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38		
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2340 (H264198-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2341 (H264198-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2342 (H264198-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.2 % 48-117

Surrogate: 1-Chlorooctadecane 86.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2343 (H264198-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.7 % 48-117

Surrogate: 1-Chlorooctadecane 86.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2344 (H264198-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.2 % 48-117

Surrogate: 1-Chlorooctadecane 85.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2345 (H264198-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2346 (H264198-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.88	93.8	2.00	3.38	
Toluene*	<0.050	0.050	08/02/2026	ND	1.78	88.9	2.00	2.92	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.94	96.9	2.00	2.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.77	96.1	6.00	2.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 66.9 % 48-117

Surrogate: 1-Chlorooctadecane 64.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2347 (H264198-73)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	QM-07
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	QM-07
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	QM-07
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 48-117

Surrogate: 1-Chlorooctadecane 74.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2348 (H264198-74)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00		
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	07/24/2026	Sampling Date:	07/22/2026
Reported:	08/03/2026	Sampling Type:	Soil
Project Name:	A-14 SURFACE PAD RECLAIM	Sampling Condition:	Cool & Intact
Project Number:	E-26029-GS-21300037	Sample Received By:	Shari Cisneros
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: CS - 2349 (H264198-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.4 % 48-117

Surrogate: 1-Chlorooctadecane 81.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2350 (H264198-76)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.2 % 48-117

Surrogate: 1-Chlorooctadecane 62.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2351 (H264198-77)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 68.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2352 (H264198-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 48-117

Surrogate: 1-Chlorooctadecane 77.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2353 (H264198-79)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	191	95.5	200	0.872	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	204	102	200	0.468	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 94.2 % 48-117

Surrogate: 1-Chlorooctadecane 91.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2354 (H264198-80)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00		
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 66.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2355 (H264198-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 59.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2356 (H264198-82)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00		
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.2 % 48-117

Surrogate: 1-Chlorooctadecane 56.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/22/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shari Cisneros

Sample ID: CS - 2357 (H264198-83)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 48-117

Surrogate: 1-Chlorooctadecane 60.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H2604198

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Page 86 of 94

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments		P
0402421K	all	

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

142064198

249

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1		
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	48.29		
Total Containers:	1613	Corrected Temperature:	4.930		

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX C	TPH 80	Chloride	Sample Comments							
11	CS-2285							7/22/2026	17:30	S	Com	1	X	X	X							
12	CS-2286							7/22/2026	17:30	S	Com	1	X	X	X							
13	CS-2287							7/22/2026	17:31	S	Com	1	X	X	X							
14	CS-2288							7/22/2026	17:31	S	Com	1	X	X	X							
15	CS-2289							7/22/2026	17:31	S	Com	1	X	X	X							
16	CS-2290							7/22/2026	17:32	S	Com	1	X	X	X							
17	CS-2291							7/22/2026	17:32	S	Com	1	X	X	X							
18	CS-2292							7/22/2026	17:32	S	Com	1	X	X	X							
19	CS-2293							7/22/2026	17:33	S	Com	1	X	X	X							
20	CS-2294							7/22/2026	17:33	S	Com	1	X	X	X							
Relinquished by: (Signature)						Received by: (Signature)						Date/Time		Relinquished by: (Signature)					Received by: (Signature)		Date/Time	
1. Josafat Aguirre						Edward Bartlett						7/23/2026 8:30AM		Edward Bartlett					Shaw CONRAD		7/23/2026 12:34	
3														4								
5														6								

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM
3		4
5		6

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	Shaw Connor	7/23/2026
		12:00



Chain of Custody

H2604198

3069

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	Pres. Code
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:					
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:					
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	10	4.829			
Total Containers:	1613	Corrected Temperature:	4.930				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
21 CS-2295		7/22/2026	17:34	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
22 CS-2296		7/22/2026	17:34	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
23 CS-2297		7/22/2026	17:34	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
24 CS-2298		7/22/2026	17:35	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
25 CS-2299		7/22/2026	17:35	S	Com	1		H ₃ PO ₄ : HP	
26 CS-2300		7/22/2026	17:35	S	Com	1		NaHSO ₄ : NABIS	
27 CS-2301		7/22/2026	17:36	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
28 CS-2302		7/22/2026	17:36	S	Com	1		Zn Acetate+NaOH: Zn	
29 CS-2303		7/22/2026	17:36	S	Com	1		NaOH+Ascorbic Acid: SAPC	
30 CS-2304		7/22/2026	17:37	S	Com	1			
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Drac Cienega	7/23/26				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264198

469

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush
Project Number:		Due Date:	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove		
PO #:	E-26029-GS-21300037		

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Pres. Code	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140				
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	0.1				
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	10.48-2.9				
Total Containers:	1613	Corrected Temperature:	4.93.0				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
31 CS-2305		7/22/2026	17:37	S	Com	1	BTEX 8012B		None: NO	DI Water: H ₂ O
32 CS-2306		7/22/2026	17:38	S	Com	1	TPH 8015M (GRO-DRO-MRO)		Cool: Cool	MeOH: Me
33 CS-2307		7/22/2026	17:38	S	Com	1	Chloride 4500 or EPA 300		HCL: HC	HNO ₃ : HN
34 CS-2308		7/22/2026	17:38	S	Com	1			H ₂ SO ₄ : H ₂	NaOH: Na
35 CS-2309		7/22/2026	17:39	S	Com	1			H ₃ PO ₄ : HP	
36 CS-2310		7/22/2026	17:39	S	Com	1			NaHSO ₄ : NABIS	
37 CS-2311		7/22/2026	17:39	S	Com	1			Na ₂ S ₂ O ₃ : NaSO ₃	
38 CS-2312		7/22/2026	17:40	S	Com	1			Zn Acetate+NaOH: Zn	
39 CS-2313		7/22/2026	17:40	S	Com	1			NaOH+Ascorbic Acid: SAPC	
40 CS-2314		7/22/2026	17:41	S	Com	1				

Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM

Shan Cienewas

7/23/2026 12:35

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Page 90 of 94

Work Order Comments	

Sample Comments

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

10264198

10264198

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes (No) No	Wet Ice:	Yes (No) No	Parameters									
Samples Received Intact:		Yes (No) No	Thermometer ID:												
Cooler Custody Seals:		Yes (No) No	Correction Factor:												
Sample Custody Seals:		Yes (No) No	Temperature Reading:	14.8											
Total Containers:		1613	Corrected Temperature:	14.93											

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
51	CS-2325		7/22/2026	17:45	S	Com	1	X	X	X								
52	CS-2326		7/22/2026	17:45	S	Com	1	X	X	X								
53	CS-2327		7/22/2026	17:45	S	Com	1	X	X	X								
54	CS-2328		7/22/2026	17:46	S	Com	1	X	X	X								
55	CS-2329		7/22/2026	17:46	S	Com	1	X	X	X								
56	CS-2330		7/22/2026	17:46	S	Com	1	X	X	X								
57	CS-2331		7/22/2026	17:47	S	Com	1	X	X	X								
58	CS-2332		7/22/2026	17:47	S	Com	1	X	X	X								
59	CS-2333		7/22/2026	17:47	S	Com	1	X	X	X								
60	CS-2334		7/22/2026	17:48	S	Com	1	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
Josefai Aguirre		Edward Bartlett		7/23/2026 8:30AM		Edward Bartlett		Max Cornejo		7/23/24								

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josafat Aguirre	Edward Bartlett	7/23/2026 8:30AM	Edward Bartlett	Max Corcoran	7/23/2026 12:24



Chain of Custody

H2664198

7669

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:			
Total Containers:	1613	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes
61 CS-2335		7/22/2026	17:48	S	Com	1	BTEX 8012B	None: NO DI Water: H ₂ O
62 CS-2336		7/22/2026	17:49	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool MeOH: Me
63 CS-2337		7/22/2026	17:49	S	Com	1	Chloride 4500 or EPA 300	HCL: HC HNO ₃ : HN
64 CS-2338		7/22/2026	17:49	S	Com	1		H ₂ SO ₄ : H ₂ NaOH: Na
65 CS-2339		7/22/2026	17:50	S	Com	1		H ₃ PO ₄ : HP NaHSO ₄ : NABIS
66 CS-2340		7/22/2026	17:50	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃
67 CS-2341		7/22/2026	17:50	S	Com	1		Zn Acetate+NaOH: Zn
68 CS-2342		7/22/2026	17:51	S	Com	1		NaOH+Ascorbic Acid: SAPC
69 CS-2343		7/22/2026	17:51	S	Com	1		
70 CS-2344		7/22/2026	17:52	S	Com	1		

Relinquished by: (Signature) Received by: (Signature)

Relinquished by: (Signature) Received by: (Signature)





Chain of Custody

H264198

849

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes (No) ☒	Well Ice:	Yes (No) ☒	Parameters									
Samples Received Intact:	Yes (No) ☒	Thermometer ID:													
Cooler Custody Seals:	Yes (No) ☒	Correction Factor:													
Sample Custody Seals:	Yes (No) ☒	Temperature Reading:													
Total Containers:	1613	Corrected Temperature:													

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
71	CS-2345		7/22/2026	17:52	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			



Chain of Custody

H2664188

9 of 9

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 94 of 94

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	☒ Routine ☐ Rush
Project Location:	Lea County, New Mexico
Sampler's Name:	Josafat Aguirre, Douglas Crossgrove
PO #:	E-26029-GS-21300037
Due Date: TAT may vary based on lab start time.	

SAMPLE RECEIPT		Temp Blank: Yes ☒ No ☐		Wet Ice: Yes ☒ No ☐		Parameters	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	HPD				
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.1				
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	48.29				
Total Containers:	1613	Corrected Temperature:	49.35				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012	TPH 8015	Chloride																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</
-----------------------	-------	--------------	--------------	--------	----------	-----------	----------	----------	----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Relinquished by: (Signature) Received by: (Signature) Date/Time Relinquished by: (Signature) Received by: (Signature) Date/Time

Josafat Aguirre Edward Bartlett 7/23/2026 8:30AM Edward Bartlett

Dean Ericson 7/23/2026 10:25

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2358 (H264205-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 48-117

Surrogate: 1-Chlorooctadecane 57.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2359 (H264205-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 48-117

Surrogate: 1-Chlorooctadecane 61.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2360 (H264205-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2361 (H264205-04)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.4 % 48-117

Surrogate: 1-Chlorooctadecane 70.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2362 (H264205-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.6 % 48-117

Surrogate: 1-Chlorooctadecane 55.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2363 (H264205-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00		
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42		
Total BTEx	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2364 (H264205-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 48-117

Surrogate: 1-Chlorooctadecane 57.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2365 (H264205-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 62.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2366 (H264205-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.13	106	2.00	3.00	
Toluene*	<0.050	0.050	08/02/2026	ND	2.16	108	2.00	2.78	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.19	109	2.00	3.65	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.61	110	6.00	3.42	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.7 % 48-117

Surrogate: 1-Chlorooctadecane 60.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2367 (H264205-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 68.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2368 (H264205-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 64.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2369 (H264205-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 64.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2370 (H264205-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 58.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2371 (H264205-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2372 (H264205-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2373 (H264205-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	1.22	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	195	97.5	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 58.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2374 (H264205-17)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 48-117

Surrogate: 1-Chlorooctadecane 73.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2375 (H264205-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 48-117

Surrogate: 1-Chlorooctadecane 78.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2376 (H264205-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2377 (H264205-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 93.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2378 (H264205-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2379 (H264205-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.5 % 48-117

Surrogate: 1-Chlorooctadecane 81.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2380 (H264205-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2381 (H264205-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2382 (H264205-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 77.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2383 (H264205-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 91.4 % 48-117

Surrogate: 1-Chlorooctadecane 83.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2384 (H264205-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 48-117

Surrogate: 1-Chlorooctadecane 78.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2385 (H264205-28)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61		
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 70.2 % 48-117

Surrogate: 1-Chlorooctadecane 65.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2386 (H264205-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.07	104	2.00	1.61	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	2.29	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.19	109	2.00	2.25	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.64	111	6.00	3.18	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 89.1 % 48-117

Surrogate: 1-Chlorooctadecane 89.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2387 (H264205-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2388 (H264205-31)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2389 (H264205-32)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2390 (H264205-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 48-117

Surrogate: 1-Chlorooctadecane 71.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2391 (H264205-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01		
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2392 (H264205-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2393 (H264205-36)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.4	200	1.62	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	194	97.2	200	0.888	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2394 (H264205-37)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2395 (H264205-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 48-117

Surrogate: 1-Chlorooctadecane 92.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2396 (H264205-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 92.5 % 48-117

Surrogate: 1-Chlorooctadecane 91.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2397 (H264205-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 99.7 % 48-117

Surrogate: 1-Chlorooctadecane 98.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2398 (H264205-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 77.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2399 (H264205-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 93.4 % 48-117

Surrogate: 1-Chlorooctadecane 92.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2400 (H264205-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 102 % 48-117

Surrogate: 1-Chlorooctadecane 101 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2401 (H264205-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.6 % 48-117

Surrogate: 1-Chlorooctadecane 94.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2402 (H264205-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 99.5 % 48-117

Surrogate: 1-Chlorooctadecane 96.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2403 (H264205-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 48-117

Surrogate: 1-Chlorooctadecane 92.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2404 (H264205-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 107 % 48-117

Surrogate: 1-Chlorooctadecane 105 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2405 (H264205-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2406 (H264205-49)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	1.01	
Toluene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	2.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	2.32	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.50	108	6.00	3.64	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.8 % 48-117

Surrogate: 1-Chlorooctadecane 94.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2407 (H264205-50)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.3 % 48-117

Surrogate: 1-Chlorooctadecane 92.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2408 (H264205-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 91.8 % 48-117

Surrogate: 1-Chlorooctadecane 91.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2409 (H264205-52)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 91.4 % 48-117

Surrogate: 1-Chlorooctadecane 89.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2410 (H264205-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 84.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2411 (H264205-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 94.8 % 48-117

Surrogate: 1-Chlorooctadecane 96.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2412 (H264205-55)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87		
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 85.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2413 (H264205-56)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	103	200	1.33	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	5.10	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 93.7 % 48-117

Surrogate: 1-Chlorooctadecane 91.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2414 (H264205-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.8 % 48-117

Surrogate: 1-Chlorooctadecane 92.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2415 (H264205-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 84.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2416 (H264205-59)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.6 % 48-117

Surrogate: 1-Chlorooctadecane 91.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2417 (H264205-60)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.3 % 48-117

Surrogate: 1-Chlorooctadecane 91.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2418 (H264205-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2419 (H264205-62)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 97.6 % 48-117

Surrogate: 1-Chlorooctadecane 92.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2420 (H264205-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 96.2 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2421 (H264205-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 101 % 48-117

Surrogate: 1-Chlorooctadecane 96.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2422 (H264205-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2423 (H264205-66)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 98.9 % 48-117

Surrogate: 1-Chlorooctadecane 94.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2424 (H264205-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 95.8 % 48-117

Surrogate: 1-Chlorooctadecane 89.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2425 (H264205-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 60.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2426 (H264205-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	3.87	
Toluene*	<0.050	0.050	08/02/2026	ND	1.85	92.3	2.00	5.19	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	1.88	94.0	2.00	5.13	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	5.72	95.4	6.00	5.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2427 (H264205-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	QM-07
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2428 (H264205-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2429 (H264205-72)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 48-117

Surrogate: 1-Chlorooctadecane 75.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2430 (H264205-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 48-117

Surrogate: 1-Chlorooctadecane 71.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2431 (H264205-74)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10		
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2432 (H264205-75)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 71.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2433 (H264205-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	205	102	200	4.68	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	189	94.7	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 66.2 % 48-117

Surrogate: 1-Chlorooctadecane 60.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2434 (H264205-77)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10		
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54		
Total BTX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.7	200	4.05	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	210	105	200	4.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.3 % 48-117

Surrogate: 1-Chlorooctadecane 96.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2435 (H264205-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.7	200	4.05	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	210	105	200	4.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 89.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2436 (H264205-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.7	200	4.05	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	210	105	200	4.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 48-117

Surrogate: 1-Chlorooctadecane 79.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2437 (H264205-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.7	200	4.05	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	210	105	200	4.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2438 (H264205-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	197	98.7	200	4.05	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	210	105	200	4.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2439 (H264205-82)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	197	98.7	200	4.05	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	210	105	200	4.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 82.0 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2440 (H264205-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2441 (H264205-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 74.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2442 (H264205-85)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 48-117

Surrogate: 1-Chlorooctadecane 75.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2443 (H264205-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 77.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2444 (H264205-87)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 76.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2445 (H264205-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 62.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2446 (H264205-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.15	107	2.00	3.10	
Toluene*	<0.050	0.050	08/03/2026	ND	1.90	95.0	2.00	3.37	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.95	97.5	2.00	3.23	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.97	99.5	6.00	3.54	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	212	106	200	0.291	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	200	99.9	200	0.613	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2447 (H264205-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.4 % 48-117

Surrogate: 1-Chlorooctadecane 72.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H264205

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

04024015-002

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes
Project Number:		Due Date:													None: NO
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													DI Water: H ₂ O
Sampler's Name:	Edward Bartlett, Douglas Crossgrove														Cool: Cool
PO #:	E-26029-GS-21300037														HCL: HC
SAMPLE RECEIPT				Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐							H ₂ SO ₄ : H ₂	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:									H ₃ PO ₄ : HP				
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:									NaHSO ₄ : NABIS				
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:									Na ₂ S ₂ O ₃ : NaSO ₃				
Total Containers:	265	Corrected Temperature:									Zn Acetate+NaOH: Zn				

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
1	CS-2358		7/23/2026	8:00	S	Com	1	X	X	X								
2	CS-2359		7/23/2026	8:01	S	Com	1	X	X	X								
3	CS-2360		7/23/2026	8:02	S	Com	1	X	X	X								
4	CS-2361		7/23/2026	8:03	S	Com	1	X	X	X								
5	CS-2362		7/23/2026	8:04	S	Com	1	X	X	X								
6	CS-2363		7/23/2026	8:05	S	Com	1	X	X	X								
7	CS-2364		7/23/2026	8:06	S	Com	1	X	X	X								
8	CS-2365		7/23/2026	8:07	S	Com	1	X	X	X								
9	CS-2366		7/23/2026	8:08	S	Com	1	X	X	X								
10	CS-2367		7/23/2026	8:09	S	Com	1	X	X	X								
Relinquished by: (Signature)			Received by: (Signature)			Date/Time			Relinquished by: (Signature)			Received by: (Signature)			Date/Time			
Edward Bartlett			James Walker			7/24/26 08:30 AM			James Walker						7-24-26 1:30			
</																		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

HA04205

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	7.6	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.9	
	Total Containers:	265	Corrected Temperature:	3.0	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 80	TPH 801	Chloride	Sample Comments				
11	CS-2368		7/23/2026	8:10	S	Com	1	X	X	X					
12	CS-2369		7/23/2026	8:11	S	Com	1	X	X	X					
13	CS-2370		7/23/2026	8:12	S	Com	1	X	X	X					
14	CS-2371		7/23/2026	8:13	S	Com	1	X	X	X					
15	CS-2372		7/23/2026	8:14	S	Com	1	X	X	X					
16	CS-2373		7/23/2026	8:15	S	Com	1	X	X	X					
17	CS-2374		7/23/2026	8:16	S	Com	1	X	X	X					
18	CS-2375		7/23/2026	8:17	S	Com	1	X	X	X					
19	CS-2376		7/23/2026	8:18	S	Com	1	X	X	X					
20	CS-2377		7/23/2026	8:19	S	Com	1	X	X	X					
Relinquished by: (Signature)			Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time				
Edward Bartlett			James Walker		7/24/26 08:30 AM		James Walker				7/23/24 26 1:35				
									4						
									6						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

2

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H264205

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		Due Date:	TAT may vary based on lab start time.													None: NO DI Water: H ₂ O
Sampler's Name:	Lea County, New Mexico															Cool: Cool MeOH: Me
PO #:	E-26029-GS-21300037															HCL: HC HNO ₃ : HN
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐												H ₂ SO ₄ : H ₂ NaOH: Na
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:														H ₃ PO ₄ : HP
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:														NaHSO ₄ : NABIS
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:														Na ₂ S ₂ O ₅ : NaSO ₃
Total Containers:	265	Corrected Temperature:														Zn Acetate+NaOH: Zn
																NaOH+Ascorbic Acid: SAPC

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
21	CS-2378		7/23/2026	8:20	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

1264205

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	3.9	
	Total Containers:	265	Corrected Temperature:	3.0	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
31 CS-2388		7/23/2026	8:30	S	Com	1	BTEX 8012B	DI Water: H ₂ O	
32 CS-2389		7/23/2026	8:31	S	Com	1	TPH 8015M (GRO-DRO-MRO)	MeOH: Me	
33 CS-2390		7/23/2026	8:32	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	
34 CS-2391		7/23/2026	8:33	S	Com	1		H ₂ SO ₄ : H ₂	
35 CS-2392		7/23/2026	8:34	S	Com	1		H ₃ PO ₄ : HP	
36 CS-2393		7/23/2026	8:35	S	Com	1		NaHSO ₄ : NABIS	
37 CS-2394		7/23/2026	8:36	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
38 CS-2395		7/23/2026	8:37	S	Com	1		Zn Acetate+NaOH: Zn	
39 CS-2396		7/23/2026	8:38	S	Com	1		NaOH+Ascorbic Acid: SAPC	
40 CS-2397		7/23/2026	8:39	S	Com	1			

Relinquished by: (Signature) Received by: (Signature) Date/Time





Chain of Custody

H264205

Main Office: 2524 Trunk Street, Odessa, Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	ANALYSIS REQUEST	Preservative Codes
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	146			
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1			
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	3.9			
	Total Containers:	265	Corrected Temperature:	3.0			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41 CS-2398		7/23/2026	8:40	S	Com	1	X	X	X	
42 CS-2399		7/23/2026	8:41	S	Com	1	X	X	X	
43 CS-2400		7/23/2026	8:42	S	Com	1	X	X	X	
44 CS-2401		7/23/2026	8:43	S	Com	1	X	X	X	
45 CS-2402		7/23/2026	8:44	S	Com	1	X	X	X	
46 CS-2403		7/23/2026	8:45	S	Com	1	X	X	X	
47 CS-2404		7/23/2026	8:46	S	Com	1	X	X	X	
48 CS-2405		7/23/2026	8:47	S	Com	1	X	X	X	
49 CS-2406		7/23/2026	8:48	S	Com	1	X	X	X	
50 CS-2407		7/23/2026	8:49	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)								
1 Edward Bartlett	Jarvis Walker									
3		7/24/26 08:30 AM								
5										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2644805

Main Office: 2524 Trunk Street, Odessa, Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:	265	Corrected Temperature:			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300									
51 CS-2408		7/23/2026	8:50	S	Com	1	X	X	X								None: NO	DI Water: H ₂ O
52 CS-2409		7/23/2026	8:51	S	Com	1	X	X	X								Cool: Cool	MeOH: Me
53 CS-2410		7/23/2026	8:52	S	Com	1	X	X	X								HCL: HC	HNO ₃ : HN
54 CS-2411		7/23/2026	8:53	S	Com	1	X	X	X								H ₂ SO ₄ : H ₂	NaOH: Na
55 CS-2412		7/23/2026	8:54	S	Com	1	X	X	X								H ₃ PO ₄ : HP	
56 CS-2413		7/23/2026	8:55	S	Com	1	X	X	X								NaHSO ₄ : NABIS	
57 CS-2414		7/23/2026	8:56	S	Com	1	X	X	X								Na ₂ S ₂ O ₃ : NaSO ₃	
58 CS-2415		7/23/2026	8:57	S	Com	1	X	X	X								Zn Acetate+NaOH: Zn	
59 CS-2416		7/23/2026	8:58	S	Com	1	X	X	X								NaOH+Ascorbic Acid: SAPC	
60 CS-2417		7/23/2026	8:59	S	Com	1	X	X	X									

Relinquished by: (Signature) James Walker Received by: (Signature) James Walker Date/Time 7/24/26 08:30 AM



Chain of Custody

4264205

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	#140	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1	
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.9	
	Total Containers:	265	Corrected Temperature:	3.0	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chlorid	Sample Comments				
61	CS-2418		7/23/2026	9:00	S	Com	1	X	X	X					
62	CS-2419		7/23/2026	9:01	S	Com	1	X	X	X					
63	CS-2420		7/23/2026	9:02	S	Com	1	X	X	X					
64	CS-2421		7/23/2026	9:03	S	Com	1	X	X	X					
65	CS-2422		7/23/2026	9:04	S	Com	1	X	X	X					
66	CS-2423		7/23/2026	9:05	S	Com	1	X	X	X					
67	CS-2424		7/23/2026	9:06	S	Com	1	X	X	X					
68	CS-2425		7/23/2026	9:07	S	Com	1	X	X	X					
69	CS-2426		7/23/2026	9:08	S	Com	1	X	X	X					
70	CS-2427		7/23/2026	9:09	S	Com	1	X	X	X					
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time					
Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker				7-24-26 10:35					
		</													

Relinquished by: (Signature) Received by: (Signature) Date/Time Relinquished by: (Signature) Received by: (Signature) Date/Time





Chain of Custody

H264205

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Sampler's Name:	Lea County, New Mexico	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:					
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:					
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:					
Total Containers:	265	Corrected Temperature:					

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
71 CS-2428		7/23/2026	9:10	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
72 CS-2429		7/23/2026	9:11	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
73 CS-2430		7/23/2026	9:12	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
74 CS-2431		7/23/2026	9:13	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
75 CS-2432		7/23/2026	9:14	S	Com	1		H ₃ PO ₄ : HP	
76 CS-2433		7/23/2026	9:15	S	Com	1		NaHSO ₄ : NABIS	
77 CS-2434		7/23/2026	9:16	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
78 CS-2435		7/23/2026	9:17	S	Com	1		Zn Acetate+NaOH: Zn	
79 CS-2436		7/23/2026	9:18	S	Com	1		NaOH+Ascorbic Acid: SAPC	
80 CS-2437		7/23/2026	9:19	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)	
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker		James Walker 7-24-26 12:05	
3						4			
5						6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2642805

Main Office: 2524 Trunk Street, Odessa, Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Page 101 of 101

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around			
Project Number:				☒ Routine ☐ Rush		Pres. Code	
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Edward Bartlett, Douglas Crossgrove		TAT may vary based on lab start time.			
PO #:		E-26029-GS-21300037					
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice: Yes ☒ No ☐	
Samples Received In tact:		Yes ☒ No ☐		Thermometer ID:		140	
Cooler Custody Seals:		Yes ☒ No ☐ N/A		Correction Factor:		4.7	
Sample Custody Seals:		Yes ☒ No ☐ N/A		Temperature Reading:		8.9	
Total Containers:		265		Corrected Temperature:		3.0	
Sample Identification		Depth		Date Sampled		Time Sampled	
Matrix		Grab Com		# of Cont			
BTX 8012B		TPH 8015M (GRO-DRO-MRO)		Chloride 4500 or EPA 300			
ANALYSIS REQUEST							
Preservative Codes							
None: NO		DI Water: H ₂ O					
Cool: Cool		MeOH: Me					
HCL: HC		HNO ₃ : HN					
H ₂ SO ₄ : H ₂		NaOH: Na					
H ₃ PO ₄ : HP							
NaHSO ₄ : NABIS							
Na ₂ S ₂ O ₅ : NaSO ₃							
Zn Acetate+NaOH: Zn							
NaOH+Ascorbic Acid: SAPC							
Sample Comments							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Date/Time	
James Walker		James Walker		7/24/26 08:30 AM		James Walker	
1 Edward Bartlett							
3						4	
5						6	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2448 (H264206-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 60.0 % 48-117

Surrogate: 1-Chlorooctadecane 54.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2449 (H264206-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2450 (H264206-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2451 (H264206-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 67.4 % 48-117

Surrogate: 1-Chlorooctadecane 58.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2452 (H264206-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01		
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2453 (H264206-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01		
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	187	93.5	200	0.867	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	181	90.6	200	0.561	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 72.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2454 (H264206-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01		
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.417	QM-07
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 59.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2455 (H264206-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2456 (H264206-09)

BTEX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 65.8 % 48-117

Surrogate: 1-Chlorooctadecane 57.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2457 (H264206-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.6 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2458 (H264206-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 56.9 % 48-117

Surrogate: 1-Chlorooctadecane 50.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2459 (H264206-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 48-117

Surrogate: 1-Chlorooctadecane 82.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2460 (H264206-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 92.3 % 48-117

Surrogate: 1-Chlorooctadecane 83.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2461 (H264206-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 103 % 48-117

Surrogate: 1-Chlorooctadecane 93.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2462 (H264206-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 48-117

Surrogate: 1-Chlorooctadecane 75.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2463 (H264206-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 91.7 % 48-117

Surrogate: 1-Chlorooctadecane 82.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2464 (H264206-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2465 (H264206-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 87.9 % 48-117

Surrogate: 1-Chlorooctadecane 78.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2466 (H264206-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.14	107	2.00	7.01	
Toluene*	<0.050	0.050	08/03/2026	ND	1.96	98.0	2.00	7.25	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.14	102	6.00	6.60	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 48-117

Surrogate: 1-Chlorooctadecane 79.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2467 (H264206-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	QM-07
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 55.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2468 (H264206-21)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59		
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2469 (H264206-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.9 % 48-117

Surrogate: 1-Chlorooctadecane 65.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2470 (H264206-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 51.1 % 48-117

Surrogate: 1-Chlorooctadecane 46.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2471 (H264206-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 89.8 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2472 (H264206-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59		
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 99.1 % 48-117

Surrogate: 1-Chlorooctadecane 90.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2473 (H264206-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEx	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	209	104	200	0.417	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	229	114	200	1.29	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2474 (H264206-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2475 (H264206-28)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 65.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2476 (H264206-29)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEx	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2477 (H264206-30)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59		
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2478 (H264206-31)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59		
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2479 (H264206-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 59.4 % 48-117

Surrogate: 1-Chlorooctadecane 51.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2480 (H264206-33)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2481 (H264206-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 66.2 % 48-117

Surrogate: 1-Chlorooctadecane 60.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2482 (H264206-35)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEx	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2483 (H264206-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 58.6 % 48-117

Surrogate: 1-Chlorooctadecane 51.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2484 (H264206-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 48-117

Surrogate: 1-Chlorooctadecane 64.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2485 (H264206-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 55.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2486 (H264206-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.33	117	2.00	1.59	
Toluene*	<0.050	0.050	08/02/2026	ND	2.22	111	2.00	1.84	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.14	107	2.00	1.96	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.23	104	6.00	2.26	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 60.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2487 (H264206-40)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2488 (H264206-41)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 62.2 % 48-117

Surrogate: 1-Chlorooctadecane 56.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2489 (H264206-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 65.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2490 (H264206-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 67.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2491 (H264206-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 60.2 % 48-117

Surrogate: 1-Chlorooctadecane 53.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2492 (H264206-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.0 % 48-117

Surrogate: 1-Chlorooctadecane 61.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2493 (H264206-46)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	197	98.3	200	0.431	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	186	93.2	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 55.8 % 48-117

Surrogate: 1-Chlorooctadecane 49.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2494 (H264206-47)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/02/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 48-117

Surrogate: 1-Chlorooctadecane 76.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2495 (H264206-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.9 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2496 (H264206-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 48-117

Surrogate: 1-Chlorooctadecane 81.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2497 (H264206-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 48-117

Surrogate: 1-Chlorooctadecane 81.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2498 (H264206-51)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.1 % 48-117

Surrogate: 1-Chlorooctadecane 83.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2499 (H264206-52)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 48-117

Surrogate: 1-Chlorooctadecane 83.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2500 (H264206-53)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 89.3 % 48-117

Surrogate: 1-Chlorooctadecane 83.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2501 (H264206-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2502 (H264206-55)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 90.5 % 48-117

Surrogate: 1-Chlorooctadecane 87.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2503 (H264206-56)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45		
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 48-117

Surrogate: 1-Chlorooctadecane 76.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2504 (H264206-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 48-117

Surrogate: 1-Chlorooctadecane 71.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2505 (H264206-58)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45		
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/30/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.9 % 48-117

Surrogate: 1-Chlorooctadecane 80.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2506 (H264206-59)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	1.45		
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	108	2.00	1.52		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	2.04		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.06	101	6.00	2.17		
Total BTEx	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 87.8 % 48-117

Surrogate: 1-Chlorooctadecane 81.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2507 (H264206-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 86.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2508 (H264206-61)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 83.3 % 48-117

Surrogate: 1-Chlorooctadecane 78.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2509 (H264206-62)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 48-117

Surrogate: 1-Chlorooctadecane 76.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2510 (H264206-63)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2511 (H264206-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2512 (H264206-65)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76		
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 88.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2513 (H264206-66)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76		
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	209	104	200	0.348	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	230	115	200	0.773	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2514 (H264206-67)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 66.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2515 (H264206-68)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2516 (H264206-69)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2517 (H264206-70)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 71.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2518 (H264206-71)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 63.9 % 48-117

Surrogate: 1-Chlorooctadecane 60.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2519 (H264206-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 70.4 % 48-117

Surrogate: 1-Chlorooctadecane 65.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2520 (H264206-73)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76		
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 66.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2521 (H264206-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2522 (H264206-75)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2523 (H264206-76)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.5 % 48-117

Surrogate: 1-Chlorooctadecane 66.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2524 (H264206-77)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 48-117

Surrogate: 1-Chlorooctadecane 71.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2525 (H264206-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76	
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.7 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2526 (H264206-79)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	2.76		
Toluene*	<0.050	0.050	08/03/2026	ND	2.16	108	2.00	3.50		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	3.31		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.05	101	6.00	3.48		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 74.8 % 48-117

Surrogate: 1-Chlorooctadecane 67.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2527 (H264206-80)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 75.4 % 48-117

Surrogate: 1-Chlorooctadecane 68.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2528 (H264206-81)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2529 (H264206-82)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 62.8 % 48-117

Surrogate: 1-Chlorooctadecane 56.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2530 (H264206-83)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475		
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30		
Total BTEx	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2531 (H264206-84)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475		
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 75.8 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2532 (H264206-85)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475		
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 73.4 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2533 (H264206-86)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	190	95.1	200	1.76	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	182	91.2	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.8 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2534 (H264206-87)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475		
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.5 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2535 (H264206-88)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2536 (H264206-89)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 48-117

Surrogate: 1-Chlorooctadecane 81.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2537 (H264206-90)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 48-117

Surrogate: 1-Chlorooctadecane 76.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H264206

Main Office: 2524 Trunk Street, Odessa, Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

04024015-acl

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim		Turn Around	Pres. Code	ANALYSIS REQUEST												Preservative Codes
Project Number:			☒ Routine ☐ Rush														None: NO
Project Location:	Lea County, New Mexico		Due Date:														DI Water: H ₂ O
Sampler's Name:	Edward Bartlett, Douglas Crossgrove		TAT may vary based on lab start time.														Cool: Cool
PO #:	E-26029-GS-21300037																HCL: HC
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐													H ₂ SO ₄ : H ₂
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:														H ₃ PO ₄ : HP
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:														NaHSO ₄ : NABIS
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:														Na ₂ S ₂ O ₃ : NaSO ₃
	Total Containers:	265	Corrected Temperature:														Zn Acetate+NaOH: Zn

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300													Sample Comments
1 CS-2448		7/23/2026	9:30	S	Com	1	X	X	X													
2 CS-2449		7/23/2026	9:31	S	Com	1	X	X	X													
3 CS-2450		7/23/2026	9:32	S	Com	1	X	X	X													
4 CS-2451		7/23/2026	9:33	S	Com	1	X	X	X													
5 CS-2452		7/23/2026	9:34	S	Com	1	X	X	X													
6 CS-2453		7/23/2026	9:35	S	Com	1	X	X	X													
7 CS-2454		7/23/2026	9:36	S	Com	1	X	X	X													
8 CS-2455		7/23/2026	9:37	S	Com	1	X	X	X													
9 CS-2456		7/23/2026	9:38	S	Com	1	X	X	X													
10 CS-2457		7/23/2026	9:39	S	Com	1	X	X	X													
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time												
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker		James Walker		7-24-26 1225												
3						4																
5						6																

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264206

Main Office: 2524 Trunk Street, Odessa, Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim		Turn Around	Pres. Code	ANALYSIS REQUEST	Preservative Codes
Project Number:		☒ Routine ☐ Rush				
Project Location:	Lea County, New Mexico		Due Date:			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.				
PO #:	E-26029-GS-21300037					
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	2.9			
Total Containers:	265	Corrected Temperature:	3.0			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
11 CS-2458		7/23/2026	9:40	S	Com	1	X	X	X	
12 CS-2459		7/23/2026	9:41	S	Com	1	X	X	X	
13 CS-2460		7/23/2026	9:42	S	Com	1	X	X	X	
14 CS-2461		7/23/2026	9:43	S	Com	1	X	X	X	
15 CS-2462		7/23/2026	9:44	S	Com	1	X	X	X	
16 CS-2463		7/23/2026	9:45	S	Com	1	X	X	X	
17 CS-2464		7/23/2026	9:46	S	Com	1	X	X	X	
18 CS-2465		7/23/2026	9:47	S	Com	1	X	X	X	
19 CS-2466		7/23/2026	9:48	S	Com	1	X	X	X	
20 CS-2467		7/23/2026	9:49	S	Com	1	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)								
1 Edward Bartlett	James Walker									
3										
5										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2604206

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-GS-21300037				
SAMPLE RECEIPT					
Samples Received In tact:	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Cooler Custody Seals:	Yes ☒ No ☐	Thermometer ID:			
Sample Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Total Containers:	265	Temperature Reading:			
		Corrected Temperature:			

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012			TPH 8015	Chloride											NaOH+Ascorbic Acid: SAPC																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
21	CS-2468		7/23/2026	9:50	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264306

Main Office: 2524 Trunk Street, Odessa, Texas 79761
 Contact: (432) 653-0393
<https://standardix.com/>

Page 96 of 101

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardix.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Edward Bartlett, Douglas Crossgrove
PO #:	E-26029-GS-21300037

Turn Around		Parameters	ANALYSIS REQUEST	Preservative Codes
☒ Routine	☐ Rush			
Due Date:	TAT may vary based on lab start time.			
Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:	146	
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	4.19	
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	28.9	
Total Containers:	265	Corrected Temperature:	3.0	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST	Preservative Codes	Sample Comments
31 CS-2478		7/23/2026	10:00	S	Com	1	X	X	X		None: NO	DI Water: H ₂ O
32 CS-2479		7/23/2026	10:01	S	Com	1	X	X	X		Cool: Cool	MeOH: Me
33 CS-2480		7/23/2026	10:02	S	Com	1	X	X	X		HCL: HC	HNO ₃ : HN
34 CS-2481		7/23/2026	10:03	S	Com	1	X	X	X		H ₂ SO ₄ : H ₂	NaOH: Na
35 CS-2482		7/23/2026	10:04	S	Com	1	X	X	X		H ₃ PO ₄ : HP	
36 CS-2483		7/23/2026	10:05	S	Com	1	X	X	X		NaHSO ₄ : NABIS	
37 CS-2484		7/23/2026	10:06	S	Com	1	X	X	X		Na ₂ S ₂ O ₃ : NaSO ₃	
38 CS-2485		7/23/2026	10:07	S	Com	1	X	X	X		Zn Acetate+NaOH: Zn	
39 CS-2486		7/23/2026	10:08	S	Com	1	X	X	X		NaOH+Ascorbic Acid: SAPC	
40 CS-2487		7/23/2026	10:09	S	Com	1	X	X	X			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time						
1 Edward Bartlett	James Walker		7/24/26 08:30 AM	James Walker								
3												
5												

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H264206

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Edward Bartlett, Douglas Crossgrove
PO #:	E-26029-GS-21300037

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:	140
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	8.9
	Total Containers:	265	Corrected Temperature:	3.0

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300								
41 CS-2488		7/23/2026	10:10	S	Com	1	X	X	X								
42 CS-2489		7/23/2026	10:11	S	Com	1	X	X	X								
43 CS-2490		7/23/2026	10:12	S	Com	1	X	X	X								
44 CS-2491		7/23/2026	10:13	S	Com	1	X	X	X								
45 CS-2492		7/23/2026	10:14	S	Com	1	X	X	X								
46 CS-2493		7/23/2026	10:15	S	Com	1	X	X	X								
47 CS-2494		7/23/2026	10:16	S	Com	1	X	X	X								
48 CS-2495		7/23/2026	10:17	S	Com	1	X	X	X								
49 CS-2496		7/23/2026	10:18	S	Com	1	X	X	X								
50 CS-2497		7/23/2026	10:19	S	Com	1	X	X	X								
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time							
Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H264206

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 853-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove				
PO #:	E-26029-CS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:	140				
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	7.1				
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:	2.9				
Total Containers:	265	Corrected Temperature:	3.0				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
51 CS-2498		7/23/2026	10:20	S	Com	1	BTEX 8012B	None: NO	DI Water: H ₂ O
52 CS-2499		7/23/2026	10:21	S	Com	1	TPH 8015M (GRO-DRO-MRO)	Cool: Cool	MeOH: Me
53 CS-2500		7/23/2026	10:22	S	Com	1	Chloride 4500 or EPA 300	HCL: HC	HNO ₃ : HN
54 CS-2501		7/23/2026	10:23	S	Com	1		H ₂ SO ₄ : H ₂	NaOH: Na
55 CS-2502		7/23/2026	10:24	S	Com	1		H ₃ PO ₄ : HP	
56 CS-2503		7/23/2026	10:25	S	Com	1		NaHSO ₄ : NABIS	
57 CS-2504		7/23/2026	10:26	S	Com	1		Na ₂ S ₂ O ₃ : NaSO ₃	
58 CS-2505		7/23/2026	10:27	S	Com	1		Zn Acetate+NaOH: Zn	
59 CS-2506		7/23/2026	10:28	S	Com	1		NaOH+Ascorbic Acid: SAPC	
60 CS-2507		7/23/2026	10:29	S	Com	1			
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)	
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker		James Walker 7-24-26 12:25	
3						4			
5						6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264206

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim
Project Number:	
Project Location:	Lea County, New Mexico
Sampler's Name:	Edward Bartlett, Douglas Crossgrove
PO #:	E-26029-CS-21300037

SAMPLE RECEIPT	Turn Around	Pres. Code	ANALYSIS REQUEST	Preservative Codes
	☒ Routine ☐ Rush			
	Due Date:			
	TAT may vary based on lab start time.			
	Wet Ice:			
Samples Received Intact:	Temp Blank:	Yes ☒ No ☐	Thermometer ID:	Yes ☒ No ☐
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:		
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:		
Total Containers:	265	Corrected Temperature:		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	ANALYSIS REQUEST	Preservative Codes	Sample Comments
61 CS-2508		7/23/2026	10:30	S	Com	1	X	X	X		None: NO DI Water: H ₂ O	
62 CS-2509		7/23/2026	10:31	S	Com	1	X	X	X		Cool: Cool MeOH: Me	
63 CS-2510		7/23/2026	10:32	S	Com	1	X	X	X		HCL: HC HNO ₃ : HN	
64 CS-2511		7/23/2026	10:33	S	Com	1	X	X	X		H ₂ SO ₄ : H ₂ NaOH: Na	
65 CS-2512		7/23/2026	10:34	S	Com	1	X	X	X		H ₃ PO ₄ : HP	
66 CS-2513		7/23/2026	10:35	S	Com	1	X	X	X		NaHSO ₄ : NABIS	
67 CS-2514		7/23/2026	10:36	S	Com	1	X	X	X		Na ₂ S ₂ O ₃ : NaSO ₃	
68 CS-2515		7/23/2026	10:37	S	Com	1	X	X	X		Zn Acetate+NaOH: Zn	
69 CS-2516		7/23/2026	10:38	S	Com	1	X	X	X		NaOH+Ascorbic Acid: SAPC	
70 CS-2517		7/23/2026	10:39	S	Com	1	X	X	X			
Relinquished by: (Signature)		Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time						
1 Edward Bartlett	James Walker		7/24/26 08:30 AM	James Walker								
3						4						
5						6						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H364306

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 853-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.			
PO #:	E-26029-GS-21300037				

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters	
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:					
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:					
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:					
Total Containers:	265	Corrected Temperature:					

Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8	TPH 80	Chlorid	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
71	CS-2518				7/23/2026	10:40	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Handwritten: H264306

Main Office: 2524 Trunk Street, Odessa, Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes
Project Number:		Due Date:													None: NO
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													DI Water: H ₂ O
Sampler's Name:	Edward Bartlett, Douglas Crossgrove														Cool: Cool
PO #:	E-26029-GS-21300037														HCL: HC
SAMPLE RECEIPT				Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐								H ₂ SO ₄ : H ₂
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:										NaHSO ₄ : HP			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:										NaHSO ₄ : NABIS			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:										Na ₂ S ₂ O ₃ : NaSO ₃			
Total Containers:	265	Corrected Temperature:										Zn Acetate+NaOH: Zn			

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
81	CS-2528		7/23/2026	10:50	S	Com	1	X	X	X	X							
82	CS-2529		7/23/2026	10:51	S	Com	1	X	X	X	X							
83	CS-2530		7/23/2026	10:52	S	Com	1	X	X	X	X							
84	CS-2531		7/23/2026	10:53	S	Com	1	X	X	X	X							
85	CS-2532		7/23/2026	10:54	S	Com	1	X	X	X	X							
86	CS-2533		7/23/2026	10:55	S	Com	1	X	X	X	X							
87	CS-2534		7/23/2026	10:56	S	Com	1	X	X	X	X							
88	CS-2535		7/23/2026	10:57	S	Com	1	X	X	X	X							
89	CS-2536		7/23/2026	10:58	S	Com	1	X	X	X	X							
90	CS-2537		7/23/2026	10:59	S	Com	1	X	X	X	X							
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker		<i>James Walker</i>		7-24-26 12:35								
3																		
5																		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 03, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/24/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" being more prominent.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2538 (H264207-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEx	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2539 (H264207-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 48-117

Surrogate: 1-Chlorooctadecane 70.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2540 (H264207-03)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475		
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30		
Total BTX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2541 (H264207-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475		
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.8 % 48-117

Surrogate: 1-Chlorooctadecane 75.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2542 (H264207-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.0 % 48-117

Surrogate: 1-Chlorooctadecane 72.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2543 (H264207-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2544 (H264207-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 83.0 % 48-117

Surrogate: 1-Chlorooctadecane 79.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2545 (H264207-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 82.6 % 48-117

Surrogate: 1-Chlorooctadecane 79.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2546 (H264207-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.475	
Toluene*	<0.050	0.050	08/02/2026	ND	2.02	101	2.00	1.93	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.05	102	2.00	1.35	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.09	101	6.00	4.30	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2547 (H264207-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/02/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 81.3 % 48-117

Surrogate: 1-Chlorooctadecane 77.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2548 (H264207-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/02/2026	ND	2.11	105	2.00	1.88		
Toluene*	<0.050	0.050	08/02/2026	ND	2.01	101	2.00	0.896		
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.208		
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.01	100	6.00	0.272		
Total BTEX	<0.300	0.300	08/02/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	202	101	200	2.18	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	98.0	200	2.51	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 74.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2549 (H264207-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/02/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.835	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	0.288	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2550 (H264207-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/02/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.835	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	0.288	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 59.8 % 48-117

Surrogate: 1-Chlorooctadecane 56.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2551 (H264207-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.835	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	0.288	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 48-117

Surrogate: 1-Chlorooctadecane 67.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2552 (H264207-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.835	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	0.288	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 48-117

Surrogate: 1-Chlorooctadecane 83.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2553 (H264207-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88		
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.835	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	190	95.1	200	0.288	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 48-117

Surrogate: 1-Chlorooctadecane 74.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2554 (H264207-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.3 % 48-117

Surrogate: 1-Chlorooctadecane 64.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2555 (H264207-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 66.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2556 (H264207-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2557 (H264207-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 72.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2558 (H264207-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2559 (H264207-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 48-117

Surrogate: 1-Chlorooctadecane 75.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2560 (H264207-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 84.4 % 48-117

Surrogate: 1-Chlorooctadecane 79.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2561 (H264207-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 71.3 % 48-117

Surrogate: 1-Chlorooctadecane 65.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2562 (H264207-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 65.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2563 (H264207-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.5 % 48-117

Surrogate: 1-Chlorooctadecane 76.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2564 (H264207-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 48-117

Surrogate: 1-Chlorooctadecane 73.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2565 (H264207-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.3 % 48-117

Surrogate: 1-Chlorooctadecane 74.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2566 (H264207-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.11	105	2.00	1.88	
Toluene*	<0.050	0.050	08/03/2026	ND	2.01	101	2.00	0.896	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.08	104	2.00	0.208	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.01	100	6.00	0.272	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2567 (H264207-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 78.3 % 48-117

Surrogate: 1-Chlorooctadecane 71.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2568 (H264207-31)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 70.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2569 (H264207-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 48-117

Surrogate: 1-Chlorooctadecane 68.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2570 (H264207-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2571 (H264207-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 80.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2572 (H264207-35)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 48-117

Surrogate: 1-Chlorooctadecane 69.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2573 (H264207-36)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	200	100	200	3.00	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	188	94.1	200	3.38	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 67.5 % 48-117

Surrogate: 1-Chlorooctadecane 62.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2574 (H264207-37)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 48-117

Surrogate: 1-Chlorooctadecane 73.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2575 (H264207-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 66.1 % 48-117

Surrogate: 1-Chlorooctadecane 61.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2576 (H264207-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2577 (H264207-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 48-117

Surrogate: 1-Chlorooctadecane 77.9 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2578 (H264207-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2579 (H264207-42)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 62.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2580 (H264207-43)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2581 (H264207-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 63.0 % 48-117

Surrogate: 1-Chlorooctadecane 58.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2582 (H264207-45)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 75.6 % 48-117

Surrogate: 1-Chlorooctadecane 71.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2583 (H264207-46)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 74.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2584 (H264207-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12		
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21		
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70		
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62		
Total BTEX	<0.300	0.300	08/03/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 69.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2585 (H264207-48)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 66.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2586 (H264207-49)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.03	101	2.00	3.12	
Toluene*	<0.050	0.050	08/03/2026	ND	1.92	96.2	2.00	3.21	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	1.98	99.0	2.00	2.70	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	5.72	95.3	6.00	2.62	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 48-117

Surrogate: 1-Chlorooctadecane 65.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2587 (H264207-50)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.7-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 73.9 % 48-117

Surrogate: 1-Chlorooctadecane 68.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2588 (H264207-51)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 62.8 % 48-117

Surrogate: 1-Chlorooctadecane 57.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2589 (H264207-52)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2590 (H264207-53)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 67.3 % 48-117

Surrogate: 1-Chlorooctadecane 61.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2591 (H264207-54)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 66.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2592 (H264207-55)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 48.4 % 48-117

Surrogate: 1-Chlorooctadecane 42.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2593 (H264207-56)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	184	92.2	200	0.853	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	178	88.8	200	2.22	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 69.7 % 48-117

Surrogate: 1-Chlorooctadecane 64.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2594 (H264207-57)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.8 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2595 (H264207-58)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.1 % 48-117

Surrogate: 1-Chlorooctadecane 59.6 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2596 (H264207-59)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 48-117

Surrogate: 1-Chlorooctadecane 67.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2597 (H264207-60)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 69.0 % 48-117

Surrogate: 1-Chlorooctadecane 60.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2598 (H264207-61)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 51.6 % 48-117

Surrogate: 1-Chlorooctadecane 45.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2599 (H264207-62)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 66.8 % 48-117

Surrogate: 1-Chlorooctadecane 59.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2600 (H264207-63)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 58.0 % 48-117

Surrogate: 1-Chlorooctadecane 52.0 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2601 (H264207-64)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 48-117

Surrogate: 1-Chlorooctadecane 63.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2602 (H264207-65)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 66.2 % 48-117

Surrogate: 1-Chlorooctadecane 58.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2603 (H264207-66)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	07/31/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 64.8 % 48-117

Surrogate: 1-Chlorooctadecane 55.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2604 (H264207-67)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 65.7 % 48-117

Surrogate: 1-Chlorooctadecane 58.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2605 (H264207-68)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/02/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/02/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/02/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/02/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 48-117

Surrogate: 1-Chlorooctadecane 63.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2606 (H264207-69)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	1.97	98.6	2.00	6.18	
Toluene*	<0.050	0.050	08/03/2026	ND	1.99	99.7	2.00	2.39	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.26	113	2.00	7.28	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.72	112	6.00	7.20	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 59.6 % 48-117

Surrogate: 1-Chlorooctadecane 51.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2607 (H264207-70)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	QM-07
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.9 % 48-117

Surrogate: 1-Chlorooctadecane 72.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2608 (H264207-71)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 58.7 % 48-117

Surrogate: 1-Chlorooctadecane 51.3 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2609 (H264207-72)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 56.9 % 48-117

Surrogate: 1-Chlorooctadecane 50.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2610 (H264207-73)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.6 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 63.7 % 48-117

Surrogate: 1-Chlorooctadecane 55.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2611 (H264207-74)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 71.6 % 48-117

Surrogate: 1-Chlorooctadecane 63.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2612 (H264207-75)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.2 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 60.6 % 48-117

Surrogate: 1-Chlorooctadecane 53.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2613 (H264207-76)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	196	97.8	200	3.14	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	209	104	200	3.42	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 79.5 % 48-117

Surrogate: 1-Chlorooctadecane 70.8 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2614 (H264207-77)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 72.2 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2615 (H264207-78)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 48-117

Surrogate: 1-Chlorooctadecane 64.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2616 (H264207-79)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 71.9 % 48-117

Surrogate: 1-Chlorooctadecane 67.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2617 (H264207-80)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.7 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 81.0 % 48-117

Surrogate: 1-Chlorooctadecane 78.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2618 (H264207-81)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.1 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/30/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/30/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/30/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 48-117

Surrogate: 1-Chlorooctadecane 70.4 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2619 (H264207-82)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 65.9 % 48-117

Surrogate: 1-Chlorooctadecane 62.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2620 (H264207-83)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 48-117

Surrogate: 1-Chlorooctadecane 78.1 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2621 (H264207-84)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.7 % 48-117

Surrogate: 1-Chlorooctadecane 69.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/24/2026
 Reported: 08/03/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: CS - 2622 (H264207-85)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/01/2026	ND	2.34	117	2.00	0.0959	
Toluene*	<0.050	0.050	08/01/2026	ND	1.93	96.7	2.00	1.14	
Ethylbenzene*	<0.050	0.050	08/01/2026	ND	1.89	94.4	2.00	1.11	
Total Xylenes*	<0.150	0.150	08/01/2026	ND	5.63	93.8	6.00	0.998	
Total BTEX	<0.300	0.300	08/01/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/31/2026	ND	464	116	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	204	102	200	0.0877	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	216	108	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 70.0 % 48-117

Surrogate: 1-Chlorooctadecane 65.5 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H264207

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

04024015-200

Project Manager:		Ethan Sessums		Bill to: (if different)		Dean Ericson	
Company Name:		Standard Safety & Supply		Company Name:		Energy Transfer	
Address:		2425 Trunk St.		Address:			
City, State ZIP:		Odessa, Texas, 79761		City, State ZIP:			
Phone:		254-266-5456		Email:		Ethan.Sessums@standardtx.com	
Project Name:		A-14 Surface Pad Reclaim		Turn Around		Pres. Code	
Project Number:				☒ Routine ☐ Rush			
Project Location:		Lea County, New Mexico		Due Date:			
Sampler's Name:		Edward Bartlett, Douglas Crossgrove		TAT may vary based on lab start time.			
PO #:		E-26029-GS-21300037					
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice: ☒ No ☐	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:		146	
Cooler Custody Seals:		Yes ☒ No ☐		Correction Factor:		4.1	
Sample Custody Seals:		Yes ☒ No ☐		Temperature Reading:		3.9	
Total Containers:		265		Corrected Temperature:		3.0	
Sample Identification		Depth		Date Sampled		Time Sampled	
Matrix		Grab		# of			
Com		Com		Cont			
1		CS-2538		7/23/2026		11:00	
2		CS-2539		7/23/2026		11:01	
3		CS-2540		7/23/2026		11:02	
4		CS-2541		7/23/2026		11:03	
5		CS-2542		7/23/2026		11:04	
6		CS-2543		7/23/2026		11:05	
7		CS-2544		7/23/2026		11:06	
8		CS-2545		7/23/2026		11:07	
9		CS-2546		7/23/2026		11:08	
10		CS-2547		7/23/2026		11:09	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)	
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker	
3						4	
5						6	
Sample Comments		Parameters		ANALYSIS REQUEST		Preservative Codes	
		BTEX 8012B				None: NO	
		TPH 8015M (GRO-DRO-MRO)				Cool: Cool	
		Chloride 4500 or EPA 300				HCL: HC	
						H2SO4: H2	
						H3PO4: HP	
						NaHSO4: NABIS	
						Na2S2O3: NaSO3	
						Zn Acetate+NaOH: Zn	
						NaOH+Ascorbic Acid: SAPC	
						DI Water: H2O	
						MeOH: Me	
						HNO3: HN	
						NaOH: Na	





Chain of Custody

H364207

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Press. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine ☐ Rush												None: NO	
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₃ PO ₄ : HP
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:												NaHSO ₄ : NABIS
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:												Na ₂ S ₂ O ₃ : NaSO ₃
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:												Zn Acetate+NaOH: Zn
	Total Containers:	265	Corrected Temperature:												NaOH+Ascorbic Acid: SAPC

Sample Identification						Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters										Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11							7/23/2026	11:10	S	Com	1	X	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

H264207

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST				Preservative Codes
Project Number:		☒ Routine ☐ Rush						None: NO DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:						Cool: Cool MeOH: Me
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.						HCL: HC HNO ₃ : HN
PO #:	E-26029-GS-21300037							H ₂ SO ₄ : H ₂ NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐			H ₃ PO ₄ : HP
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:						NaHSO ₄ : NABIS
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:						Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes ☒ No ☐ N/A	Temperature Reading:						Zn Acetate+NaOH: Zn
Total Containers:	265	Corrected Temperature:						NaOH+Ascorbic Acid: SACP

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	Chlori											Sample Comments
21	CS-2558		7/23/2026	11:20	S	Com	1	X	X	X										
22	CS-2559		7/23/2026	11:21	S	Com	1	X	X	X										
23	CS-2560		7/23/2026	11:22	S	Com	1	X	X	X										
24	CS-2561		7/23/2026	11:23	S	Com	1	X	X	X										
25	CS-2562		7/23/2026	11:24	S	Com	1	X	X	X										
26	CS-2563		7/23/2026	11:25	S	Com	1	X	X	X										
27	CS-2564		7/23/2026	11:26	S	Com	1	X	X	X										
28	CS-2565		7/23/2026	11:27	S	Com	1	X	X	X										
29	CS-2566		7/23/2026	11:28	S	Com	1	X	X	X										
30	CS-2567		7/23/2026	11:29	S	Com	1	X	X	X										
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time										
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker				7-24-26 1:25										
3						4														
5						6														

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264207

Main Office: 2524 Trunk Street, Odessa, Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes	
Project Number:		☒ Routine ☐ Rush												None: NO	
Project Location:	Lea County, New Mexico	Due Date:												DI Water: H ₂ O	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												Cool: Cool	
PO #:	E-26029-GS-21300037													HCL: HC	
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐											H ₂ SO ₄ : H ₂
	Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:												H ₃ PO ₄ : HP
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:												NaHSO ₄ : NABIS
	Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:												Na ₂ S ₂ O ₃ : NaSO ₃
	Total Containers:	265	Corrected Temperature:												Zn Acetate+NaOH: Zn
														NaOH+Ascorbic Acid: S APC	

Sample Identification										Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	Chlor	Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
31	CS-2568											7/23/2026	11:30	S	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264207

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes
Project Number:		☒ Routine ☐ Rush												None: NO
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC
PO #:	E-26029-GS-21300037	Wet Ice:												H ₂ SO ₄ : H ₂
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Thermometer ID:											H ₃ PO ₄ : HP
	Samples Received In tact:	Yes ☒ No ☐	Correction Factor:											NaHSO ₄ : NABIS
	Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:											Na ₂ S ₂ O ₃ : NaSO ₃
	Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:											Zn Acetate+NaOH: Zn
	Total Containers:	265												NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST										Sample Comments
51 CS-2588		7/23/2026	11:50	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
52 CS-2589		7/23/2026	11:51	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
53 CS-2590		7/23/2026	11:52	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
54 CS-2591		7/23/2026	11:53	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
55 CS-2592		7/23/2026	11:54	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
56 CS-2593		7/23/2026	11:55	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
57 CS-2594		7/23/2026	11:56	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
58 CS-2595		7/23/2026	11:57	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
59 CS-2596		7/23/2026	11:58	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
60 CS-2597		7/23/2026	11:59	S	Com	1	X	X	X	X	X	X	X	X	X	X	X	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time								
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker												
3						4												
5						6												

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H264207

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com
Project Name:	A-14 Surface Pad Reclaim	Turn Around	
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		
SAMPLE RECEIPT			
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	1.1
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	3.9
Total Containers:	265	Corrected Temperature:	3.0
Parameters			
Sample Identification	Depth	Date Sampled	Time Sampled
161 CS-2598		7/23/2026	12:00
162 CS-2599		7/23/2026	12:01
163 CS-2600		7/23/2026	12:02
164 CS-2601		7/23/2026	12:03
165 CS-2602		7/23/2026	12:04
166 CS-2603		7/23/2026	12:05
167 CS-2604		7/23/2026	12:06
168 CS-2605		7/23/2026	12:07
169 CS-2606		7/23/2026	12:08
170 CS-2607		7/23/2026	12:09
Relinquished by: (Signature) Received by: (Signature)			
1 Edward Bartlett James Walker			
7/24/26 08:30 AM James Walker			
Date/Time			
Relinquished by: (Signature) Received by: (Signature)			
James Walker James Walker			
7-24-26 12:35			
Date/Time			
Sample Comments			
None: NO DI Water: H ₂ O			
Cool: Cool MeOH: Me			
HCl: HC HNO ₃ : HN			
H ₂ SO ₄ : H ₂ NaOH: Na			
H ₃ PO ₄ : HP			
NaHSO ₄ : NABIS			
Na ₂ S ₂ O ₃ : NaSO ₃			
Zn Acetate+NaOH: Zn			
NaOH+Ascorbic Acid: SAPC			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H2642207

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com
Project Name:	A-14 Surface Pad Reclaim	Turn Around	
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037		
SAMPLE RECEIPT			
Samples Received Intact:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Thermometer ID:	140
Sample Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	1.1
Total Containers:	265	Temperature Reading:	8.9
		Corrected Temperature:	3.0
Parameters			
Sample Identification	Depth	Date Sampled	Time Sampled
71 CS-2608		7/23/2026	12:10
72 CS-2609		7/23/2026	12:11
73 CS-2610		7/23/2026	12:12
74 CS-2611		7/23/2026	12:13
75 CS-2612		7/23/2026	12:14
76 CS-2613		7/23/2026	12:15
77 CS-2614		7/23/2026	12:16
78 CS-2615		7/23/2026	12:17
79 CS-2616		7/23/2026	12:18
80 CS-2617		7/23/2026	12:19
Relinquished by: (Signature) Received by: (Signature)			
1 Edward Bartlett James Walker			
7/24/26 08:30 AM James Walker			
Date/Time			
Relinquished by: (Signature) Received by: (Signature)			
Date/Time			
7-24-26 1835			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

H364207

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes				
Project Number:		☒ Routine ☐ Rush												None: NO	DI Water: H ₂ O			
Project Location:	Lea County, New Mexico	Due Date:												Cool: Cool	MeOH: Me			
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.												HCL: HC	HNO ₃ : HN			
PO #:	E-26029-GS-21300037													H ₂ SO ₄ : H ₂	NaOH: Na			
SAMPLE RECEIPT			Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	Parameters							H ₃ PO ₄ : HP				
Samples Received In tact:	Yes ☒ No ☐	Thermometer ID:												NaHSO ₄ : NABIS				
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:												Na ₂ S ₂ O ₃ : NaSO ₃				
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:												Zn Acetate+NaOH: Zn				
Total Containers:	265	Corrected Temperature:												NaOH+Ascorbic Acid: SAPC				
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
81 CS-2618		7/23/2026	12:20	S	Com	1	X	X	X									
82 CS-2619		7/23/2026	12:21	S	Com	1	X	X	X									
83 CS-2620		7/23/2026	12:22	S	Com	1	X	X	X									
84 CS-2621		7/23/2026	12:23	S	Com	1	X	X	X									
85 CS-2622		7/23/2026	12:24	S	Com	1	X	X	X									
86 CS-2623		7/23/2026	12:25	S	Com	1	X	X	X									
Relinquished by: (Signature) Received by: (Signature) Date/Time Relinquished by: (Signature) Received by: (Signature) Date/Time																		
1 Edward Bartlett		James Walker		7/24/26 08:30 AM		James Walker											James Walker 7:34:21 12/25	
3						4												
5						6												

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 04, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A-14 SURFACE PAD RECLAIM

Enclosed are the results of analyses for samples received by the laboratory on 07/28/26 16:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/28/2026
 Reported: 08/04/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS-1033 (H264287-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	3.39	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	109	2.00	2.74	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.09	104	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.08	101	6.00	2.69	
Total BTX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: ED					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/31/2026	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	192	95.8	200	0.593	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	97.9	200	2.53	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 89.5 % 48-117

Surrogate: 1-Chlorooctadecane 86.7 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 07/28/2026
 Reported: 08/04/2026
 Project Name: A-14 SURFACE PAD RECLAIM
 Project Number: E-26029-GS-21300037
 Project Location: ETC-LEA COUNTY, NM

Sampling Date: 07/23/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: CS-1970 (H264287-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/03/2026	ND	2.27	113	2.00	3.39	
Toluene*	<0.050	0.050	08/03/2026	ND	2.17	109	2.00	2.74	
Ethylbenzene*	<0.050	0.050	08/03/2026	ND	2.09	104	2.00	2.81	
Total Xylenes*	<0.150	0.150	08/03/2026	ND	6.08	101	6.00	2.69	
Total BTEX	<0.300	0.300	08/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.7-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/31/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/31/2026	ND	192	95.8	200	0.593	
DRO >C10-C28*	<10.0	10.0	07/31/2026	ND	196	97.9	200	2.53	
EXT DRO >C28-C36	<10.0	10.0	07/31/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 48-117

Surrogate: 1-Chlorooctadecane 82.2 % 39-120

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 1

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Project Name:	A-14 Surface Pad Reclaim	Turn Around	Pres. Code
Project Number:		☒ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	
Sampler's Name:	Edward Bartlett, Douglas Crossgrove	TAT may vary based on lab start time.	
PO #:	E-26029-GS-21300037	Wet Ice:	☒ Yes ☐ No

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Thermometer ID:	140
Samples Received Intact:	Yes ☒ No ☐	Correction Factor:			
Cooler Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Sample Custody Seals:	Yes ☒ No ☐	Corrected Temperature:			
Total Containers:	2				

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1033		7/23/2026	9:00 AM	S	Com	1	BTEX 8012B		None: NO	DI Water: H ₂ O
CS-1970		7/23/2026	9:30 AM	S	Com	1	TPH 8015M (GRO-DRO-MRO)		Cool: Cool	MeOH: Me
							Chloride 4500 or EPA 300		HCL: HC	HNO ₃ : HN
									H ₂ SO ₄ : H ₂	NaOH: Na
									H ₃ PO ₄ : HP	
									NaHSO ₄ : NABIS	
									Na ₂ S ₂ O ₃ : NaSO ₃	
									Zn Acetate+NaOH: Zn	
									NaOH+Ascorbic Acid: SAPC	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 624461

QUESTIONS

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nOY1730036268
Incident Name	NOY1730036268 A-14 COMPRESSOR STATION @ FOY1706953656
Incident Type	Release Other
Incident Status	Reclamation Report Received
Incident Facility	[fOY1706953656] A-14 compressor station

Location of Release Source

Please answer all the questions in this group.

Site Name	A-14 COMPRESSOR STATION
Date Release Discovered	10/18/2017
Surface Owner	Federal

Incident Details

Please answer all the questions in this group.

Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	Not answered.
Condensate Released (bbls) Details	Cause: Equipment Failure Pipeline (Any) Condensate Released: 18 BBL Recovered: 0 BBL Lost: 18 BBL.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 09/15/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	1220
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	866
GRO+DRO (EPA SW-846 Method 8015M)	390
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	05/20/2026
On what date will (or did) the final sampling or liner inspection occur	07/23/2026
On what date will (or was) the remediation complete(d)	06/25/2026
What is the estimated surface area (in square feet) that will be reclaimed	45000
What is the estimated volume (in cubic yards) that will be reclaimed	1555
What is the estimated surface area (in square feet) that will be remediated	45000
What is the estimated volume (in cubic yards) that will be remediated	1555
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for off-site disposal	<i>Not answered.</i>
OR is the off-site disposal site, to be used, out-of-state	<i>Not answered.</i>
OR is the off-site disposal site, to be used, an NMED facility	<i>Not answered.</i>
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 09/15/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	605661
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/24/2026
What was the (estimated) number of samples that were to be gathered	2622
What was the sampling surface area in square feet	524400

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	45000
What was the total volume (cubic yards) remediated	1555
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	45000
What was the total volume (in cubic yards) reclaimed	1555
Summarize any additional remediation activities not included by answers (above)	N/A

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 09/15/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	45000
What was the total volume of replacement material (in cubic yards) for this site	1555
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	06/25/2026
Summarize any additional reclamation activities not included by answers (above)	N/A
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeding plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 09/15/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 624461

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.	
Requesting a restoration complete approval with this submission	No
Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 624461

CONDITIONS

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 624461
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Reclamation report is approved.	9/16/2026
michael.buchanan	A revegetation report will not be accepted until revegetation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	9/16/2026
michael.buchanan	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	9/16/2026
michael.buchanan	Per 19.15.29.13 E. NMAC, if a reclamation and revegetation report has been submitted to the surface owner, it may be used if the requirements of the surface owner provide equal or better protection of freshwater, human health, and the environment. A copy of the approval of the reclamation and revegetation report from the surface owner and a copy of the approved reclamation and revegetation report will need to be submitted to the OCD via the Permitting website.	9/16/2026