



CLOSURE REPORT

Location:

Ameredev Station

32.151974, -103.280239

Unit Letter A, Section 8, Township 25S, Range 36E

Lea County, New Mexico

New Mexico EMNRD OCD Incident ID No. nAPP2607539547

Prepared for:

ETP Crude LLC

801 S Loop 464

Monahans, TX 79756

Attn: Mr. Ryan Reich

Prepared by:

Precision Group

1624 East County Road 140

Midland, Texas 79706

Date of Report:

09/16/2026

A handwritten signature in black ink that reads "Peyton Oliver".

Project Manager
Peyton Oliver

A handwritten signature in black ink that reads "Jack Zimmerman".

Environmental Advisor
Jack Zimmerman, PG, CPG

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Site Information.....	1
1.2	Incident Description.....	1
1.3	Project Objective.....	1
2.0	CLOSURE CRITERIA.....	1-2
3.0	SOIL REMEDIATION ACTIVITIES.....	3
4.0	SOIL SAMPLING PROGRAM.....	4
5.0	LABORATORY SOIL ANALYTICAL METHODS.....	5
6.0	REMEDIAL ACTION.....	7
7.0	CLOSURE REQUEST.....	8
8.0	LIMITATIONS.....	9

LIST OF APPENDICES

Appendix A – Figures

- Figure 1: Site Location Map
- Figure 2: Topographic Map
- Figure 3: Site Vicinity Map
- Figure 4: Site Map – Release Footprint
- Figure 5: Site Map – Confirmation Sample Map with Soil Analytical Results (Floor)
- Figure 6: Site Map – Confirmation Sample Map with Soil Analytical Results (Sidewall)

Appendix B – Supporting Documentation

- Figure A: 0.5 Mile Radius Water Well/POD Location
- Figure B: 300 Foot Radius Watercourse and Drainage Identification
- Figure C: 300 Foot Radius Occupied Structure Identification
- Figure D: Mines, Mills, and Quarries
- Figure E: Karst Map
- Figure F: 100-Year Flood Plain Map

Appendix C – Photographic Documentation

Appendix D – Tables

- Table 1 – Delineation Sample Analytical Summary
- Table 2 – Confirmation Composite Floor Sample Analytical Summary
- Table 3 – Confirmation Composite Sidewall Sample Analytical Summary

Appendix E – NMOCD Correspondence

Appendix F – Laboratory Data Sheets, Chain of Custody Documentation and Disposal Manifests

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 1

1.0 INTRODUCTION

1.1 Site Information

The Ameredev Station is located approximately 5.50 miles northwest of Jal, New Mexico. The legal location for this release is Unit Letter A, Section 8, Township 25S, Range 36E, East in Lea County, New Mexico. More specifically the latitude and longitude for the release are 32.151974 and -103.280239. A Site Location Map is presented in **Appendix A**.

1.2 Incident Description

On March 14, 2026, a release of crude oil from the Ameredev Station occurred. The release was a result of a broken weldolet on the Lease Automatic Custody Transfer (LACT) unit. Approximately 53 barrels (bbls) of crude oil were released onto the pad, impacting an area approximately 230 feet long by 40 feet wide. ETC verified the release and subsequently isolated and locked the LACT out of service. In addition, ETC initiated activities to facilitate the repair of the LACT unit on March 14, 2026.

Previous to the March 2026 release, a produced water release occurred on February 16, 2020, incident number (Ameredev - nAPP2205943754). Dissolved Chloride in the produced water was >10,000 mg/l. It has been determined ETC's responsibility for the March 2026 release is only TPH and BTEX, and not from Ameredev's Chloride release according to the July 29, 2026 email from Michael Buchanan at the NMOCD.

1.3 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the onsite soils to below the applicable New Mexico Bureau of Land Management (BLM), the New Mexico Energy, Minerals and Natural Resources Department (EMNRD), and the Oil Conservation Division (OCD) closure criteria for Soils Impacted by a Release subject to the New Mexico Administrative Code (NMAC) specifically, 19.15.29 *Releases*.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the New Mexico OCD. During the evaluation and remediation of the Site, Precision Group (Precision) references NMAC 19.15.29 *Releases*, which establishes investigation and abatement action requirements for oil and gas releases that are subject to reporting and/or corrective action.

The New Mexico Office of the State Engineer (OSE) indicates the nearest reported well is 0.22 miles (CP-1918/POD-1) from the Site and is recorded dry at 101 feet below ground surface (bgs). Further research of the BLM Karst data indicates that this Site is situated in a low karst area. The Federal Emergency Management Administration (FEMA) database located the Site in a minimal flood hazard zone. Supporting figures and documentation are provided in **Appendix B**.

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 2

Approximate Depth to Groundwater	314 feet bgs	
Within 300 feet of any continuously flowing watercourse or any significant watercourse	☐ Yes	☒ No
Within 200 feet of any lakebed, sinkhole or playa lake	☐ Yes	☒ No
Within 300 feet from an occupied residence, school, hospital, institution or church	☐ Yes	☒ No
Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes	☐ Yes	☒ No
Within 1000 feet of any fresh water well or spring	☐ Yes	☒ No
Within incorporated municipal boundaries or within a defined municipal freshwater field covered under a municipal ordinance adopted pursuant to Section 3-27-3 New Mexico Statutes Annotated (NMSA) 1978	☐ Yes	☒ No
Within 300 feet of a wetland	☐ Yes	☒ No
Within the area overlying a subsurface mine	☐ Yes	☒ No
Within an unstable area (Karst Map)	☐ Yes	☒ No
Within a 100-year Floodplain	☐ Yes	☒ No

Given a groundwater depth of approximately 278 feet bgs, the appropriate closure criteria for impacted soils at the subject Site would appear to be as follows:

Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within horizontal boundary of the release to groundwater less than 10,000 mg/1 TDS	Constituent ¹	Method	Limit
≤ 50 feet	Chloride	EPA 300.0 or SM4500 Cl B	600 mg/Kg
	TPH (GRO+DRO+MRO) ²	EPA SW-846 Method 8015	100 mg/Kg
	BTEX ³	EPA SW-846 Method 8021 or 8260	50 mg/Kg
	Benzene	EPA SW-846 Method 8021 or 8260	10 mg/Kg

¹ – Constituent concentrations are in milligrams per kilogram (mg/Kg)

² – Total Petroleum Hydrocarbons (TPH). Gasoline Range Organics (GRO). Diesel Range Organics (DRO). Motor Oil/Lube Oil Range Organics (MRO).

³ – Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX).

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 3

3.0 SOIL REMEDIATION ACTIVITIES

On March 14, 2026, ETC initiated activities to repair the weldolet on the LACT and remediate the petroleum hydrocarbon impact resulting from the release. During the remediation and corrective action activities, Precision provided environmental advisory, heavy equipment, and labor support.

During March and April 2026, Precision began excavating within the release footprint using a Skid Steer. An excavation bottom (EB) was established throughout the release footprint at a depth of one-half (0.5') feet to one and one-half (1.5') feet below ground surface (bgs). Excavated impacted material was temporarily stockpiled onsite.

On April 8, 2026, Precision collected fifty (50) composite floor soil samples at one-half (0.5') foot below the EB surface at sample locations CS 1 thru CS 50. Additionally, Precision collected eleven (11) composite soil samples from the excavation sidewalls (NSW 1 thru NSW 3, ESW 1 and ESW 2, SSW 1 thru SSW 3, and WSW 1 thru WSW 3) at depths ranging from surface to one (1) foot bgs. Photographic documentation is provided in **Appendix C**.

Remedial activities continued during April 2026 with Precision excavating within the release footprint using a Skid Steer. New EBs were established at several floor sample locations, as well as the addition of new floor and sidewall sample locations. Excavated impacted material was temporarily stockpiled onsite.

Confirmation sampling activities began on May 4th and 5th by Precision collecting a total of one hundred twelve (112) samples, of which eighty-seven (87) are confirmation composite floor samples (i.e., CS 4 thru CS 31 and CS 55 thru CS 55) from one-half (0.5') foot below the EB, and twenty-five (25) confirmation composite soil samples from the excavation sidewalls (NSW 1 thru NSW 7, ESW 1 thru ESW 5, SSW 1 thru SSW 12 and WSW 1 thru WSW 5) from surface to a depth of four (4') feet bgs. Photographic documentation is provided in **Appendix C**.

Analytical results show all floor samples are below NMOCD remedial guidelines for TPH and BTEX. However, a TPH concentration of 5,333 mg/Kg is present at sample location CS 30 at a depth of one and one-half (1.5') feet bgs. All sidewall sample locations are below NMOCD remedial guidelines for TPH, BTEX, and Chloride. However, a TPH concentration of 559.8 mg/Kg is present at sample location SSW 3 at a depth of one (1') foot bgs.

Additional excavation was completed at floor sample location CS 30 and sidewall sample location SSW 3. Excavated impacted material was temporarily stockpiled onsite.

Precision exported two hundred thirty-four (234) yd³ of excavated impacted material to Owl Landfill Services' DBA Northern Delaware Basin Landfill in Lea County, New Mexico during April 2026.

Throughout May 2026, Precision continued excavating within the release footprint adjacent to and around sample locations CS 30 and SSW 3 using a Skid Steer. Excavated impacted material was temporarily stockpiled onsite.

On August 6th Precision collected four (4) confirmation samples of which one (1) was a composite floor sample (i.e., CS 30) at a depth of one and one-half (1.5') feet bgs from one-half (0.5') foot below the EB and three (3) from the excavation sidewall sample (i.e., ESW 3, ESW 4 and SSW 3) from surface to a depth of one (1') foot bgs at sample point ESW 3, one to one and

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 4

one-half (1'-1.5') feet bgs at sample point ESW 4, and one to one and one-half (1'-1.5') feet bgs at sample point SSW 3.

Analytical results show both the floor and sidewall samples are below NMOCD remedial guidelines for TPH, BTEX, and Chloride.

The composite soil samples were analyzed for TPH and BTEX in accordance with NMOCD Closure Criteria for Soils Impacted by a Release (NMOCD Closure Criteria). Chloride was not evaluated with permission from Michael Buchanan at the NMOCD.

During August and September 2026, Precision exported off site one hundred (100) yd³ of excavated impacted material to Owl Landfill Services' doing business as (DBA) Northern Delaware Basin Landfill in Lea County, New Mexico. A total of three hundred thirty-four (334) yd³ of excavated impacted material was exported off site to Owl Landfill Services as presented in **Appendix F**. Precision imported onsite three hundred forty (340) yd³ of clean material used for backfilling from Hydrosorce Logistics' Gambino pit.

4.0 SOIL SAMPLING PROGRAM

Precision's composite soil sampling program included the collection of one hundred thirty-eight (138) composite soil samples from fifty-five (55) locations from the excavation floor (CS 1 thru CS 55), and thirty-nine (39) composite soil samples from twenty-nine (29) locations from the excavation sidewalls (NSW 1 thru NSW 7, ESW 1 thru ESW 5, SW 1 thru SW 12 and WSW 1 thru WSW 5) for laboratory analysis. Sampling activities were completed on April 8, May 4 and 5, and August 6. Photographic documentation is provided in **Appendix C**.

Composite soil sampling activities were completed at sample location CS 30 on May 4th. This sample was collected in the wrong place. Sample collection was completed August 6th at the sample location CS 30 in the correct location.

The composite soil samples were collected and placed in laboratory prepared glassware, labeled/sealed using laboratory supplied labels and custody seals, and stored on ice in a cooler. The samples were relinquished to Cardinal Laboratories in Hobbs, New Mexico for an expedited laboratory analysis.

5.0 LABORATORY SOIL ANALYTICAL METHODS

The composite soil samples were analyzed for BTEX using Environmental Protection Agency (EPA) SW-846 Method 8021; TPH GRO/DRO/MRO using EPA SW-846 Method 8015; and chlorides using EPA Method 300.0.

The laboratory analytical results are summarized in **Table 1** and **Table 2** in **Appendix D**. The laboratory data sheets and executed chain-of-custody (COC) forms are provided in **Appendix F**.

6.0 REMEDIAL ACTION

The identified impacted soil was excavated and exported offsite for proper disposal. Following review of results for the final confirmation soil sampling, excavated areas inside the release footprint were backfilled with imported clean material and surface contoured to the existing surrounding grade. Activities were completed on August 28th.

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 5

7.0 CLOSURE REQUEST

Based on the remedial activities performed as well as the analytical data provided herein, the concentrations of all constituents (i.e., Chloride, TPH, BTEX and Benzene) at the subject Site were below their respective limits. On behalf of ETC, Precision Group respectfully requests that no further action is required, and the Site be closed.

8.0 LIMITATIONS

This report has been prepared for the sole benefit and exclusive use of ETC. Any authorization for the use by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of both ETC and Precision. Any reliance on decisions made based on it, or damages suffered because of the use of this report by a third party are the sole responsibility of the user.

Precision's services were performed in accordance with regulatory guidance and statutes when rendering environmental remediation services. Additionally, Precision does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties). Services performed were in accordance with the scope of work agreed upon with the client, as detailed in our proposal.


The conclusions and recommendations presented represent judgements made by Precision based on the data collected during the assessment. Due to the nature of the assessment and the data available, Precision cannot warrant undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026


Page 6

Appendix A – Figures



Location Map
ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure 1



Topo Map
ETP Crude LLC
Amerdev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure 2




Site Vicinity Map
ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure 3




Site Map – Release Footprint
ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure 4



Site Map – Confirmation Sample Map (Floor)
ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure 5



Site Map – Confirmation Sample Map (Sidewall)
ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico


Figure 6

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 7

Appendix B – Supporting Documentation



0.5 Mile Radius Water Well/POD Location


ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure A



300 Foot Radius Watercourse and Drainage Identification
ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico


Figure B



300 Foot Radius Occupied Structure Identification


ETP Crude LLC
Ameredev Station
32.151974° N, 103.280239° W
Lea County, New Mexico

Figure C



Mines, Mills, and Quarries
ETP Crude LLC
Ameredev Station 32.151974°
N, 103.280239° W Lea County,
New Mexico

Figure D



Karst Map
ETP Crude LLC
Ameredev Station 32.151974°
N, 103.280239° W Lea County,
New Mexico

Figure E



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-1		WELL TAG ID NO. n/a		OSE FILE NO(S). CP-1918			
	WELL OWNER NAME(S) Ameredev Operating, LLC				PHONE (OPTIONAL) 737-300-4700			
	WELL OWNER MAILING ADDRESS 2901 Via Fortuna Suite 600				CITY Austin	STATE TX	ZIP 78746	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 9	SECONDS 3.94 N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84			
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE NW NW NW Sec.9 T25S R36S NMPM								
2. DRILLING & CASING INFORMATION	LICENSE NO. 1249		NAME OF LICENSED DRILLER Jackie D. Atkins			NAME OF WELL DRILLING COMPANY Atkins Engineering Associates, Inc.		
	DRILLING STARTED 9/19/2022	DRILLING ENDED 9/19/2022	DEPTH OF COMPLETED WELL (FT) temporary well material		BORE HOLE DEPTH (FT) ±101	DEPTH WATER FIRST ENCOUNTERED (FT) n/a		
	COMPLETED WELL IS: ☐ ARTESIAN ☒ DRY HOLE ☐ SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT) n/a	DATE STATIC MEASURED 9/26/2022	
	DRILLING FLUID: ☐ AIR ☐ MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: ☐ ROTARY ☐ HAMMER ☐ CABLE TOOL ☒ OTHER - SPECIFY: Hollow Stem Auger					CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐		
	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	0 101		±6.25"	Boring-HSA	--	--	--	--
3. ANNULAR MATERIAL	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL		AMOUNT (cubic feet)	METHOD OF PLACEMENT	

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 01/28/2022)

FILE NO. CP-1918	POD NO. 1	TRN NO. 733734
LOCATION 25S. 36E. 09 111	WELL TAG ID NO.	PAGE 1 OF 2

HYDROGEOLOGIC LOG OF WELL

5. TEST: BIG SUPERVISION

6. SIGNATURE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 01/28/2022)	
FILE NO. CP-1918	POD NO. 1	TRN NO. 733734	
LOCATION 255 316E. D9 111	WELL TAG ID NO		PAGE 2 OF 2

Mike A. Hamman, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 733734
File Nbr: CP 01918
Well File Nbr: CP 01918 POD1

Oct. 04, 2022

ANDREW PARKER
AMEREDEV OPERATING LLC
2901 VIA FORTUNA SUITE 600
AUSTIN, TX 78746

Greetings:

The above numbered permit was issued in your name on 09/12/2022.

The Well Record was received in this office on 09/30/2022, stating that it had been completed on 09/19/2022, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 09/12/2023.

If you have any questions, please feel free to contact us.

Sincerely,


Vanessa Clements
(575) 622-6521

drywell

National Flood Hazard Layer FIRMette



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, AE
		With BFE or Depth Zone AE, AO, AH, VE, A
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, A of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes, Zone X
		Area with Flood Risk due to Levee Zone X
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
		Digital Data Available
		No Digital Data Available
MAP PANELS		Unmapped
		The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 6/19/2024 at 3:42 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.


Basemap Imagery Source: USGS National Map 2023

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 8

Appendix C – Photographic Documentation



March 16, 2026
+32.152198,-103.280048
201° S
ETC-Ameredev Station

View South - A portion of the release footprint (i.e., dark stained surface) middle of photograph. Release caused by a broken weldolet on the LACT unit.

Date: Mar 16, 2026



March 16, 2026
+32.152198,-103.280048
178° S
ETC-Ameredev Station

View South - A portion of the release footprint (i.e., dark stained surface) middle of photograph.

Date: Mar 16, 2026



View Southwest - A portion of the release footprint (i.e., dark stained surface).

Date: Mar 16, 2026



View Northwest - A portion of the release footprint (i.e., dark stained surface middle of photograph).

Date: Mar 16, 2026



View Southeast - A portion of the release footprint.

Date: Mar 16, 2026



View East - A portion of the release footprint.

Date: Mar 16, 2026



View Southeast - A portion of the release footprint.

Date: Mar 16, 2026



View Northeast - A portion of the release footprint.

Date: Mar 16, 2026



View Northeast - Remediation activities (i.e., excavation and stockpiling of impacted material) ongoing. Sample locations CS 46 thru CS 50 and ESW 5, SWS 11, SWS 12, and WSW 5 are shown.

Date: Apr 27, 2026



View East - Remediation activities (i.e., excavation and stockpiling of impacted material) ongoing. Sample locations CS 28 thru CS 31 and SWS 2, SWS 3, and WSW 4 are shown.

Date: Apr 27, 2026



View East - Remediation activities (i.e., excavation and stockpiling of impacted material) ongoing. Sample locations CS 1 thru CS 6, CS 16 thru CS 20, CS 51, NSW 1, NSW 2, SSW 1, WSW 1, WSW 2, and WSW 3 are shown.

Date: Apr 30, 2026



View Northwest - Remediation activities (i.e., excavation and stockpiling of impacted material) ongoing. Sample locations CS 7 thru CS 11, CS 21 thru CS 24, CS 32 thru CS 38, CS 52, CS 53, NSW 3, NSW 4, and ESW 4 are shown.

Date: Apr 30, 2026



View North - Remediation activities (i.e., excavation and stockpiling of impacted material) ongoing. Sample locations CS 12 thru CS 5, CS 25 thru CS 27, CS 39, CS 40, CS 54, CS 55, NSW 5, ESW 1, and ESW 2 are shown.

Date: Apr 30, 2026



View East - Remediation activities (i.e., excavation and stockpiling of impacted material) ongoing. Sample locations CS 41 thru CS 45, NSW 6, NSW 7, ESW 3, SSW 8, and SSW 9 are shown.

Date: Apr 30, 2026




View West - Exporting excavated impacted material offsite to an approved disposal.

Date: Apr 17, 2026



View South - Importing clean material onsite.


Date: Apr 22, 2026



Network: Aug 31, 2026 at 3:30:13 PM MDT
+32.151852,-103.279944
Lea County

View North - Remediation activities (i.e., backfilling and surface contouring within the release footprint) is complete.

Date: Jun 14, 2024



Network: Aug 31, 2026 at 3:30:15 PM MDT
+32.151874,-103.279944
Lea County

View West - Remediation activities (i.e., backfilling and surface contouring within the release footprint) is complete.


Date: Jun 14, 2024



Network: Aug 31, 2026 at 3:30:17 PM MDT
+32.151874,-103.279944
Lea County

View North - Remediation activities (i.e., backfilling and surface contouring within the release footprint) is complete.

Date: Jun 14, 2024



Network: Aug 31, 2026 at 3:31:03 PM MDT
+32.151945,-103.280157
Lea County

View West - Remediation activities (i.e., backfilling and surface contouring within the release footprint) is complete.

Date: Jun 14, 2024



View North - Remediation activities (i.e., backfilling and surface contouring within the release footprint) is complete.

Date: Jun 14, 2024



View West - Remediation activities (i.e., backfilling and surface contouring within the release footprint) is complete.

Date: Jun 14, 2024

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 9

Appendix D – Tables

Table 1 ETP Ameredev Station Lea County, New Mexico Concentrations of TPH, BTEX, and Chloride in Soil													
Sample ID	Date	Sample Method	Sample Depth (feet)	GRO C6-C10 (mg/Kg)	DRO C10 C28 (mg/Kg)	MRO C28-C36 (mg/Kg)	Total TPH (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethyl-benzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Chloride (mg/Kg)
NMOCD Limits for Remediation				NE	NE	NE	100	10	NE	NE	NE	50	600
CS 1 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS 2 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	36.6	<10.0	36.6	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS 3 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS 4 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	104	25.5	129.5	<0.050	<0.050	<0.050	<0.150	<0.300	128
CS 4 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
CS 5 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	321	75.0	396	<0.050	<0.050	<0.050	<0.150	<0.300	496
CS 5 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
CS 6 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	44.8	<10.0	44.8	<0.050	<0.050	<0.050	<0.150	<0.300	1,600
CS 6 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	464
CS 6 (EB 1')	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	384
CS 7 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	3,160
CS 7 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	832
CS 7 (EB 1')	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	976
CS 7 (EB 1')	5/4/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	96.0
CS 8 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	54.7	<10.0	54.7	<0.050	<0.050	<0.050	<0.150	<0.300	2,770
CS 8 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	624
CS 8 (EB 1')	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	400
CS 8 (EB 1')	5/4/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS 9 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	3,120
CS 9 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,770
CS 9 (EB 1')	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,250
CS 9 (EB 1')	5/4/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	320
CS 10 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	3,440
CS 10 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	4,360
CS 10 (EB 1')	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,020
CS 10 (EB 1')	5/4/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	624
CS 10 (EB 1')	5/4/2026	Composite	1.5'-2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	224
CS 11 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,770
CS 11 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	4,400
CS 11 (EB 1')	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,360
CS 11 (EB 1')	5/4/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,010
CS 11 (EB 1')	5/4/2026	Composite	1.5'-2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	416
CS 11 (EB 1')	5/4/2026	Composite	2'-2.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	208

CS 23 (EB 1')	5/5/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	672
CS 23 (EB 1')	5/5/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	320
CS 23 (EB 1')	5/5/2026	Composite	1.5'-2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	80.0
CS 24 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	550	72.4	622.4	<0.050	<0.050	<0.050	<0.150	<0.300	864
CS 24 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	18.5	<10.0	18.5	<0.050	<0.050	<0.050	<0.150	<0.300	2,290
CS 25 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,180
CS 25 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	41.7	<10.0	41.7	<0.050	<0.050	<0.050	<0.150	<0.300	3,250
CS 25 (EB 1')	5/5/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,600
CS 25 (EB 1')	5/5/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,020
CS 25 (EB 1')	5/5/2026	Composite	1.5-2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	736
CS 25 (EB 1')	5/5/2026	Composite	2-2.5'	<10.0	37.8	<10.0	37.8	<0.050	<0.050	<0.050	<0.150	<0.300	496
CS 25 (EB 1')	5/5/2026	Composite	2.5-3'	<10.0	10.8	<10.0	10.8	<0.050	<0.050	<0.050	<0.150	<0.300	256
CS 26 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,050
CS 26 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,920
CS 26 (EB 1')	5/5/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,310
CS 26 (EB 1')	5/5/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,490
CS 26 (EB 1')	5/5/2026	Composite	1.5-2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,500
CS 26 (EB 1')	5/5/2026	Composite	2-2.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,280
CS 26 (EB 1')	5/5/2026	Composite	2.5-3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,020
CS 26 (EB 1')	5/5/2026	Composite	3-3.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,120
CS 26 (EB 1')	5/5/2026	Composite	3.5-4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	880
CS 27 (EB 0.5')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,680
CS 27 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,950
CS 27 (EB 1')	5/5/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,170
CS 27 (EB 1')	5/5/2026	Composite	1'-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	944
CS 27 (EB 1')	5/5/2026	Composite	1.5-2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	768
CS 27 (EB 1')	5/5/2026	Composite	2-2.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	432
CS 27 (EB 1')	5/5/2026	Composite	2.5-3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	256
CS 28 (EB 1')	4/8/2026	Composite	0-0.5'	54.5	5,060	763	5,877.50	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
CS 28 (EB 1.5')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS 29 (EB 1')	4/8/2026	Composite	0-0.5'	38.8	3,610	667	4,315.80	<0.050	<0.050	<0.050	<0.150	<0.300	80.0
CS 29 (EB 1.5')	5/4/2026	Composite	0-0.5'	<10.0	13.9	<10.0	13.9	<0.050	<0.050	<0.050	<0.150	<0.300	96.0
CS 30 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	25.8	<10.0	25.8	<0.050	<0.050	<0.050	<0.150	<0.300	208
CS 30 (EB 1.5')	5/4/2026	Composite	0-0.5'	77.0	4,610	646	5,333	<0.050	<0.050	<0.050	<0.150	<0.300	176
CS 30 (EB 1.5')	8/6/2026	Composite	0-0.5'	<10.0	19.9	<10.0	19.9	<0.050	<0.050	<0.050	<0.150	<0.300	128
CS 31 (EB 1')	4/8/2026	Composite	0-0.5'	170	3,790	555	4,515	<0.050	<0.050	<0.050	1.48	1.48	144
CS 31 (EB 1.5')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS 32 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	112
CS 33 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	256
CS 34 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	336
CS 35 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	528
CS 36 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	480

CS 37 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	272
CS 38 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	192
CS 39 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS 40 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
CS 41 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	96.0
CS 42 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
CS 43 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
CS 44 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS 45 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
CS 46 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0
CS 47 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS 48 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	80.0
CS 49 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
CS 50 (EB 1')	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS 51 (EB 1')	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
CS 52 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	864
CS 52 (EB 1')	5/5/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
CS 53 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	624
CS 54 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	224
CS 55 (EB 1')	5/5/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	592

mg/Kg - milligrams per Kilograms

Concentrations in **Bold** exceed NMOCD remedial guidelines

CS - confirmation sample

EB - excavated bottom

NE - not established

Composite - 5-point composite sample

NMOCD - New Mexico Oil Conservation Division

Total TPH reported values are rounded-off to 3-significant figures using the LIMS Odd/Even Rounding Rule which is a laboratory accepted standard

Table 2 ETP Ameredev Station Lea County, New Mexico Concentrations of TPH, BTEX, and Chloride in Soil														
Sample ID	Date	Sample Method	Sample Depth (feet)	GRO C6-C10 (mg/Kg)	DRO C28 (mg/Kg)	MRO C10 C28-C36 (mg/Kg)	Total TPH (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethyl-benzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Chloride (mg/Kg)	
NMOCD Limits for Remediation				NE	NE	NE	100	10	NE	NE	NE	50	600	
NSW 1	4/8/2026	Composite	0-0.5'	<10.0	83.4	<10.0	83.4	<0.050	<0.050	<0.050	<0.150	<0.300	1,180	
NSW 1	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0	
NSW 2	4/8/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	416	
NSW 2	5/4/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0	
NSW 3	4/8/2026	Composite	0-1'	<10.0	992	179	1,171	<0.050	<0.050	<0.050	<0.150	<0.300	1,220	
NSW 3	5/4/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	832	
NSW 4	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	688	
NSW 5	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	368	
NSW 6	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0	
NSW 7	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0	
ESW 1	4/8/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	3,600	
ESW 1	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	304	
ESW 2	4/8/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0	
ESW 2	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	128	
ESW 3	8/6/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0	
ESW 4	8/6/2026	Composite	1-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	96.0	
ESW 5	5/4/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0	
SSW 1	4/8/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0	
SSW 1	5/4/2026	Composite	0-0.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	80.0	
SSW 2	4/8/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144	
SSW 3	4/8/2026	Composite	0-1'	<10.0	466	93.8	559.8	<0.050	<0.050	<0.050	<0.150	<0.300	448	
SSW 3	8/6/2026	Composite	1-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0	
SSW 4	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	288	
SSW 5	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,420	
SSW 6	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	240	
SSW 7	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	112	
SSW 8	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	80.0	
SSW 9	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0	
SSW 10	5/5/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0	
SSW 11	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	112	
SSW 12	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0	
WSW 1	4/8/2026	Composite	0-0.5'	<10.0	11.6	<10.0	11.6	<0.050	<0.050	<0.050	<0.150	<0.300	160	
WSW 1	5/4/2026	Composite	0.5'-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0	
WSW 2	4/8/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0	
WSW 2	5/4/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0	
WSW 3	4/8/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0	
WSW 3	5/4/2026	Composite	0-1'	<10.0	23.2	<10.0	23.2	<0.050	<0.050	<0.050	<0.150	<0.300	144	
WSW 4	5/4/2026	Composite	0-1.5'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	256	
WSW 5	5/4/2026	Composite	0-1'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160	

mg/Kg - milligrams per Kilograms

Concentrations in **Bold** exceed NMOCD remedial guidelines

EB - excavated bottom

NE - not established

NSW - north sidewall

SSW - south sidewall

ESW - east sidewall

WSW - west sidewall

Composite - 5-point composite sample

NMOCD - New Mexico Oil Conservation Division

Total TPH reported values are rounded-off to 3-significant figures using the UMS Odd/Even Rounding Rule which is a laboratory accepted standard

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 10

Appendix E – NMOCD Correspondence

From: [Buchanan, Michael, EMNRD](#)
To: [Reich, Ryan Colin](#)
Cc: [peyton.oliver@pndtllc.com](#); [Magee, Colton](#); [Fortin, Boyd](#); [Ramirez, Alex](#)
Subject: RE: [EXTERNAL] nAPP2607539547
Date: Wednesday, July 29, 2026 4:45:26 PM
Attachments: [image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)

Good afternoon, Ryan

It has been confirmed that Ameredev did receive a deferral in areas on pad related to chloride contamination. All pasture areas and areas near/around power poles were excavated and met the reclamation standards in Table 1. With that noted, Energy Transfer's release is only TPH and BTEX, and not from Ameredev's chloride release. ET may proceed with their remediation work plan. Please let me know if you have any further questions or concerns.

Thank you,

From: Reich, Ryan Colin <ryan.reich@energytransfer.com>
Sent: Wednesday, July 29, 2026 1:47 PM
To: Buchanan, Michael, EMNRD <Michael.Buchanan@emnrd.nm.gov>
Cc: peyton.oliver@pndtllc.com; Magee, Colton <Colton.Magee@energytransfer.com>; Fortin, Boyd <Boyd.Fortin@energytransfer.com>; Ramirez, Alex <alex.ramirez@energytransfer.com>
Subject: [EXTERNAL] nAPP2607539547

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Mr. Buchanan,

Please see attached the 90 extension that was requested after our Teams meeting and subsequent email correspondence that references past releases. I know one of our action items was in reference to a previous spill (Ameredev – nAPP2205943754) that ETC believed was contributing to elevated Chloride concentrations being seen in our excavation of our crude oil leak. We are still awaiting on guidance from the OCD on how to handle the elevated Chloride levels in our remediation and are currently at a stand still on our remediation until we get further guidance on how to treat the previous Chloride impact. Please let me know if there is anything else you need from ETC in this matter, and we will await your response in relation to the previous Chloride release with an open incident number (nAPP2205943754).

Kind regards,

Ryan Reich

Energy Transfer
Senior Environmental Specialist
Waste/Water/Remediation
801 S. Loop 464
Monahans, TX 79756
O: 432.423.0256
M: 432.269.7514



CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person.

Private and confidential as detailed [here](#). If you cannot access hyperlink, please e-mail sender.

Closure Report
ETP Crude LLC
Ameredev Station (03/14/2026)

09/16/2026

Page 11

Appendix F – Laboratory Data Sheets, Chain of Custody Documentation and Disposal Manifests

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 15, 2026

PEYTON OLIVER

PRECISION NDT

1624 E C.R. 140

MIDLAND, TX 79706

RE: AMEREDEV STATION

Enclosed are the results of analyses for samples received by the laboratory on 04/09/26 15:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CONFIRMATION SAMPLE 1 (EB 6")	H262040-01	Soil	08-Apr-26 09:00	09-Apr-26 15:05
CONFIRMATION SAMPLE 2 (EB 6")	H262040-02	Soil	08-Apr-26 09:05	09-Apr-26 15:05
CONFIRMATION SAMPLE 3 (EB 6")	H262040-03	Soil	08-Apr-26 09:10	09-Apr-26 15:05
CONFIRMATION SAMPLE 4 (EB 6")	H262040-04	Soil	08-Apr-26 09:15	09-Apr-26 15:05
CONFIRMATION SAMPLE 5 (EB 6")	H262040-05	Soil	08-Apr-26 09:20	09-Apr-26 15:05
CONFIRMATION SAMPLE 6 (EB 6")	H262040-06	Soil	08-Apr-26 09:25	09-Apr-26 15:05
CONFIRMATION SAMPLE 7 (EB 6")	H262040-07	Soil	08-Apr-26 09:30	09-Apr-26 15:05
CONFIRMATION SAMPLE 8 (EB 6")	H262040-08	Soil	08-Apr-26 09:35	09-Apr-26 15:05
CONFIRMATION SAMPLE 9 (EB 6")	H262040-09	Soil	08-Apr-26 09:40	09-Apr-26 15:05
CONFIRMATION SAMPLE 10 (EB 6")	H262040-10	Soil	08-Apr-26 09:45	09-Apr-26 15:05
CONFIRMATION SAMPLE 11 (EB 6")	H262040-11	Soil	08-Apr-26 09:50	09-Apr-26 15:05
CONFIRMATION SAMPLE 12 (EB 6")	H262040-12	Soil	08-Apr-26 09:55	09-Apr-26 15:05
CONFIRMATION SAMPLE 13 (EB 6")	H262040-13	Soil	08-Apr-26 10:00	09-Apr-26 15:05
CONFIRMATION SAMPLE 14 (EB 6")	H262040-14	Soil	08-Apr-26 10:05	09-Apr-26 15:05
CONFIRMATION SAMPLE 15 (EB 6")	H262040-15	Soil	08-Apr-26 10:10	09-Apr-26 15:05
CONFIRMATION SAMPLE 16 (EB 6")	H262040-16	Soil	08-Apr-26 10:15	09-Apr-26 15:05
CONFIRMATION SAMPLE 17 (EB 6")	H262040-17	Soil	08-Apr-26 10:20	09-Apr-26 15:05
CONFIRMATION SAMPLE 18 (EB 6")	H262040-18	Soil	08-Apr-26 10:25	09-Apr-26 15:05
CONFIRMATION SAMPLE 19 (EB 6")	H262040-19	Soil	08-Apr-26 10:30	09-Apr-26 15:05
CONFIRMATION SAMPLE 20 (EB 6")	H262040-20	Soil	08-Apr-26 10:35	09-Apr-26 15:05
CONFIRMATION SAMPLE 21 (EB 6")	H262040-21	Soil	08-Apr-26 10:40	09-Apr-26 15:05
CONFIRMATION SAMPLE 22 (EB 6")	H262040-22	Soil	08-Apr-26 10:45	09-Apr-26 15:05
CONFIRMATION SAMPLE 23 (EB 6")	H262040-23	Soil	08-Apr-26 10:50	09-Apr-26 15:05
CONFIRMATION SAMPLE 24 (EB 6")	H262040-24	Soil	08-Apr-26 10:55	09-Apr-26 15:05
CONFIRMATION SAMPLE 25 (EB 6")	H262040-25	Soil	08-Apr-26 11:00	09-Apr-26 15:05
CONFIRMATION SAMPLE 26 (EB 6")	H262040-26	Soil	08-Apr-26 11:05	09-Apr-26 15:05
CONFIRMATION SAMPLE 27 (EB 6")	H262040-27	Soil	08-Apr-26 11:10	09-Apr-26 15:05

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 28 (EB 1')	H262040-28	Soil	08-Apr-26 11:15	09-Apr-26 15:05
CONFIRMATION SAMPLE 29 (EB 1')	H262040-29	Soil	08-Apr-26 11:20	09-Apr-26 15:05
CONFIRMATION SAMPLE 30 (EB 1')	H262040-30	Soil	08-Apr-26 11:25	09-Apr-26 15:05
CONFIRMATION SAMPLE 31 (EB 1')	H262040-31	Soil	08-Apr-26 11:30	09-Apr-26 15:05
CONFIRMATION SAMPLE 32 (EB 1')	H262040-32	Soil	08-Apr-26 11:35	09-Apr-26 15:05
CONFIRMATION SAMPLE 33 (EB 1')	H262040-33	Soil	08-Apr-26 11:40	09-Apr-26 15:05
CONFIRMATION SAMPLE 34 (EB 1')	H262040-34	Soil	08-Apr-26 11:45	09-Apr-26 15:05
CONFIRMATION SAMPLE 35 (EB 1')	H262040-35	Soil	08-Apr-26 11:50	09-Apr-26 15:05
CONFIRMATION SAMPLE 36 (EB 1')	H262040-36	Soil	08-Apr-26 11:55	09-Apr-26 15:05
CONFIRMATION SAMPLE 37 (EB 1')	H262040-37	Soil	08-Apr-26 12:00	09-Apr-26 15:05
CONFIRMATION SAMPLE 38 (EB 1')	H262040-38	Soil	08-Apr-26 12:05	09-Apr-26 15:05
CONFIRMATION SAMPLE 39 (EB 1')	H262040-39	Soil	08-Apr-26 12:10	09-Apr-26 15:05
CONFIRMATION SAMPLE 40 (EB 1')	H262040-40	Soil	08-Apr-26 12:15	09-Apr-26 15:05
CONFIRMATION SAMPLE 41 (EB 1')	H262040-41	Soil	08-Apr-26 12:20	09-Apr-26 15:05
CONFIRMATION SAMPLE 42 (EB 1')	H262040-42	Soil	08-Apr-26 12:25	09-Apr-26 15:05
CONFIRMATION SAMPLE 43 (EB 1')	H262040-43	Soil	08-Apr-26 12:30	09-Apr-26 15:05
CONFIRMATION SAMPLE 44 (EB 1')	H262040-44	Soil	08-Apr-26 12:35	09-Apr-26 15:05
CONFIRMATION SAMPLE 45 (EB 1')	H262040-45	Soil	08-Apr-26 12:40	09-Apr-26 15:05
CONFIRMATION SAMPLE 46 (EB 1')	H262040-46	Soil	08-Apr-26 12:45	09-Apr-26 15:05
CONFIRMATION SAMPLE 47 (EB 1')	H262040-47	Soil	08-Apr-26 12:50	09-Apr-26 15:05
CONFIRMATION SAMPLE 48 (EB 1')	H262040-48	Soil	08-Apr-26 12:55	09-Apr-26 15:05
CONFIRMATION SAMPLE 49 (EB 1')	H262040-49	Soil	08-Apr-26 13:00	09-Apr-26 15:05
CONFIRMATION SAMPLE 50 (EB 1')	H262040-50	Soil	08-Apr-26 13:05	09-Apr-26 15:05
NSW 1 (0-0.5')	H262040-51	Soil	08-Apr-26 13:10	09-Apr-26 15:05
SSW 1 (0-1')	H262040-52	Soil	08-Apr-26 13:15	09-Apr-26 15:05
WSW 1 (0-0.5')	H262040-53	Soil	08-Apr-26 13:20	09-Apr-26 15:05
ESW 1 (0-0.5')	H262040-54	Soil	08-Apr-26 13:25	09-Apr-26 15:05
NSW 2 (0.5'-1')	H262040-55	Soil	08-Apr-26 13:30	09-Apr-26 15:05
SSW 2 (0-1')	H262040-56	Soil	08-Apr-26 13:35	09-Apr-26 15:05
WSW 2 (0-1')	H262040-57	Soil	08-Apr-26 13:40	09-Apr-26 15:05

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

ESW 2 (0-1')	H262040-58	Soil	08-Apr-26 13:45	09-Apr-26 15:05
NSW 3 (0-1')	H262040-59	Soil	08-Apr-26 13:50	09-Apr-26 15:05
SSW 3 (0-1')	H262040-60	Soil	08-Apr-26 13:55	09-Apr-26 15:05
WSW 3 (0-1')	H262040-61	Soil	08-Apr-26 14:00	09-Apr-26 15:05

CASE NARRATIVE:

No labels with lot numbers on sample containers for traceability.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 1 (EB 6'') (0-0.5')
H262040-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144		16.0	mg/kg	4	6041011	AC	10-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	102 %	70.4-141	6041005	JH	12-Apr-26	8021B	
---------------------------------------	-------	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	86.7 %	52.4-130	6041017	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.5 %	39.9-141	6041017	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 2 (EB 6'') (0-0.5')**H262040-02 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6041011	AC	10-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			103 %		70.4-141	6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	36.6		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			84.7 %		52.4-130	6041017	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			82.3 %		39.9-141	6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 3 (EB 6'') (0-0.5')**H262040-03 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6041011	AC	10-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			101 %		70.4-141	6041005	JH	12-Apr-26	8021B	
--	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			86.6 %		52.4-130	6041017	JF	11-Apr-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			82.3 %		39.9-141	6041017	JF	11-Apr-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 4 (EB 6'') (0-0.5')**H262040-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	128		16.0	mg/kg	4	6041011	AC	10-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	103 %	70.4-141	6041005	JH	12-Apr-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
DRO >C10-C28*	104	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
EXT DRO >C28-C36	25.5	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	82.5 %	52.4-130	6041017	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	82.8 %	39.9-141	6041017	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 5 (EB 6'') (0-0.5')**H262040-05 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	496		16.0	mg/kg	4	6041011	AC	10-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)		104 %		70.4-141		6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	-------	--	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	321		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	75.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane		77.4 %		52.4-130		6041017	JF	11-Apr-26	8015B	
---------------------------	--	--------	--	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane		80.4 %		39.9-141		6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--------	--	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 6 (EB 6'') (0-0.5')**H262040-06 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1600		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	QM-07
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	-------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141 6041005 JH 12-Apr-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	44.8		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane 85.6 % 52.4-130 6041017 JF 11-Apr-26 8015B

Surrogate: 1-Chlorooctadecane 83.2 % 39.9-141 6041017 JF 11-Apr-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 7 (EB 6'') (0-0.5')**H262040-07 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	3160		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			107 %		70.4-141	6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			74.6 %		52.4-130	6041017	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			71.4 %		39.9-141	6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 8 (EB 6'') (0-0.5')**H262040-08 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2770		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			102 %		70.4-141	6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	54.7		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			86.5 %		52.4-130	6041017	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			84.6 %		39.9-141	6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 9 (EB 6'') (0-0.5')**H262040-09 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	3120		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	109 %	70.4-141	6041005	JH	12-Apr-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	83.6 %	52.4-130	6041017	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.2 %	39.9-141	6041017	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 10 (EB 6") (0-0.5')**H262040-10 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	3440		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			107 %		70.4-141	6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			87.1 %		52.4-130	6041017	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.3 %		39.9-141	6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 11 (EB 6") (0-0.5')**H262040-11 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2770		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	102 %	70.4-141	6041005	JH	12-Apr-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	81.6 %	52.4-130	6041017	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	77.9 %	39.9-141	6041017	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 12 (EB 6") (0-0.5')**H262040-12 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2600		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			103 %		70.4-141	6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			86.8 %		52.4-130	6041017	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			82.8 %		39.9-141	6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 13 (EB 6") (0-0.5')**H262040-13 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	3720		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041005	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041005	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			102 %	70.4-141		6041005	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041017	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			79.0 %	52.4-130		6041017	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			75.5 %	39.9-141		6041017	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 14 (EB 6") (0-0.5')**H262040-14 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	4080		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.3 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	72.6 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	71.6 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 15 (EB 6") (0-0.5')**H262040-15 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1760		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.6 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	66.3 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	64.4 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 16 (EB 6") (0-0.5')**H262040-16 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.4 %	70.4-141		6041006	JH	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
DRO >C10-C28*	39.4		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			63.1 %	52.4-130		6041018	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			64.4 %	39.9-141		6041018	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 17 (EB 6'') (0-0.5')**H262040-17 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.0 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	70.2 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	69.2 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 18 (EB 6") (0-0.5')**H262040-18 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	96.0		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			98.2 %	70.4-141		6041006	JH	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
DRO >C10-C28*	154		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	21.1		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			66.7 %	52.4-130		6041018	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			71.3 %	39.9-141		6041018	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 19 (EB 6'') (0-0.5')**H262040-19 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	80.0		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			98.5 %	70.4-141		6041006	JH	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
DRO >C10-C28*	171		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	26.5		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			69.1 %	52.4-130		6041018	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			74.4 %	39.9-141		6041018	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 20 (EB 6'') (0-0.5')**H262040-20 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			98.6 %	70.4-141		6041006	JH	11-Apr-26	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctane			71.4 %	52.4-130		6041018	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctadecane			70.7 %	39.9-141		6041018	JF	10-Apr-26	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 21 (EB 6") (0-0.5')**H262040-21 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2320		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			99.0 %	70.4-141		6041006	JH	11-Apr-26	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctane			71.8 %	52.4-130		6041018	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctadecane			70.9 %	39.9-141		6041018	JF	10-Apr-26	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 22 (EB 6") (0-0.5')**H262040-22 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	592		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.2 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	70.4 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	68.9 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 23 (EB 6") (0-0.5')**H262040-23 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2030		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.1 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	45.5	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	67.1 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	67.1 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 24 (EB 6") (0-0.5')**H262040-24 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	864		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	97.8 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	550	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	72.4	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	69.7 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.0 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 25 (EB 6") (0-0.5')**H262040-25 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2180		16.0	mg/kg	4	6041012	AC	12-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.8 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	64.8 %	52.4-130	6041018	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	62.6 %	39.9-141	6041018	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 26 (EB 6") (0-0.5')**H262040-26 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2050		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	QM-07
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	-------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.4-141 6041006 JH 11-Apr-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane 67.9 % 52.4-130 6041018 JF 11-Apr-26 8015B

Surrogate: 1-Chlorooctadecane 66.9 % 39.9-141 6041018 JF 11-Apr-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 27 (EB 6") (0-0.5')**H262040-27 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2680		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	97.9 %	70.4-141	6041006	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	73.3 %	52.4-130	6041018	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	71.6 %	39.9-141	6041018	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 28 (EB 1') (0-0.5')**H262040-28 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021**S-04**

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	145 %		70.4-141			6041006	JH	11-Apr-26	8021B	
---------------------------------------	-------	--	----------	--	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	54.5		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
DRO >C10-C28*	5060		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	763		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane	79.5 %		52.4-130			6041018	JF	11-Apr-26	8015B	
---------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane	98.4 %		39.9-141			6041018	JF	11-Apr-26	8015B	
-------------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 29 (EB 1') (0-0.5')**H262040-29 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	80.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021**S-04**

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			166 %		70.4-141	6041006	JH	11-Apr-26	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID**S-04**

GRO C6-C10*	38.8		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
DRO >C10-C28*	3610		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	667		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			79.6 %		52.4-130	6041018	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			156 %		39.9-141	6041018	JF	11-Apr-26	8015B	
-------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 30 (EB 1') (0-0.5')**H262040-30 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	208		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			99.0 %		70.4-141	6041006	JH	11-Apr-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	13-Apr-26	8015B	
DRO >C10-C28*	25.8		10.0	mg/kg	1	6041018	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	13-Apr-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			71.2 %		52.4-130	6041018	JF	13-Apr-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			67.5 %		39.9-141	6041018	JF	13-Apr-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 31 (EB 1') (0-0.5')**H262040-31 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021**S-04**

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	GC-NC
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	1.48		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	GC-NC1
Total BTEX	1.48		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	GC-NC1

Surrogate: 4-Bromofluorobenzene (PID) 265 % 70.4-141 6041006 JH 11-Apr-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	170		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
DRO >C10-C28*	3790		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	555		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane 89.1 % 52.4-130 6041018 JF 11-Apr-26 8015B

Surrogate: 1-Chlorooctadecane 101 % 39.9-141 6041018 JF 11-Apr-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 32 (EB 1') (0-0.5')**H262040-32 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	112		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.5 %		70.4-141			6041006	JH	11-Apr-26	8021B	
---------------------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041018	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane	82.1 %		52.4-130			6041018	JF	13-Apr-26	8015B	
---------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane	77.9 %		39.9-141			6041018	JF	13-Apr-26	8015B	
-------------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 33 (EB 1') (0-0.5')**H262040-33 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	256		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041006	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041006	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			101 %	70.4-141		6041006	JH	11-Apr-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041018	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			66.0 %	52.4-130		6041018	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			65.8 %	39.9-141		6041018	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 34 (EB 1') (0-0.5')**H262040-34 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	336		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	QM-07
Toluene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.8 %	70.4-141	6041007	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	84.5 %	52.4-130	6041019	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.9 %	39.9-141	6041019	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 35 (EB 1') (0-0.5')**H262040-35 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	528		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	100 %	70.4-141	6041007	JH	11-Apr-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	82.3 %	52.4-130	6041019	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.4 %	39.9-141	6041019	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 36 (EB 1') (0-0.5')**H262040-36 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	480		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.4 %	70.4-141		6041007	JH	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			80.4 %	52.4-130		6041019	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			81.7 %	39.9-141		6041019	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 37 (EB 1') (0-0.5')**H262040-37 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	272		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.5 %	70.4-141		6041007	JH	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			86.2 %	52.4-130		6041019	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.3 %	39.9-141		6041019	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 38 (EB 1') (0-0.5')**H262040-38 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	192		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.8 %	70.4-141	6041007	JH	11-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	84.6 %	52.4-130	6041019	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.2 %	39.9-141	6041019	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 39 (EB 1') (0-0.5')**H262040-39 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			98.5 %	70.4-141		6041007	JH	11-Apr-26	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctane			82.0 %	52.4-130		6041019	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctadecane			80.6 %	39.9-141		6041019	JF	10-Apr-26	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 40 (EB 1') (0-0.5')**H262040-40 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			99.1 %	70.4-141		6041007	JH	11-Apr-26	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctane			81.3 %	52.4-130		6041019	JF	10-Apr-26	8015B	
Surrogate: 1-Chlorooctadecane			79.1 %	39.9-141		6041019	JF	10-Apr-26	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 41 (EB 1') (0-0.5')**H262040-41 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	96.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.7 %	70.4-141		6041007	JH	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			77.9 %	52.4-130		6041019	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			76.1 %	39.9-141		6041019	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 42 (EB 1') (0-0.5')**H262040-42 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.7 %		70.4-141	6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			64.9 %		52.4-130	6041019	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			63.7 %		39.9-141	6041019	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 43 (EB 1') (0-0.5')**H262040-43 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			100 %	70.4-141		6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			85.3 %	52.4-130		6041019	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.2 %	39.9-141		6041019	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 44 (EB 1') (0-0.5')**H262040-44 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.7 %	70.4-141	6041007	JH	12-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B

Surrogate: 1-Chlorooctane	78.4 %	52.4-130	6041019	JF	10-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.2 %	39.9-141	6041019	JF	10-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 45 (EB 1') (0-0.5')**H262040-45 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6041013	KH	13-Apr-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.4 %		70.4-141	6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	10-Apr-26	8015B	

Surrogate: 1-Chlorooctane			82.2 %		52.4-130	6041019	JF	10-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			81.0 %		39.9-141	6041019	JF	10-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 46 (EB 1') (0-0.5')**H262040-46 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.8 %	70.4-141	6041007	JH	12-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	80.7 %	52.4-130	6041019	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.0 %	39.9-141	6041019	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 47 (EB 1') (0-0.5')**H262040-47 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.8 %		70.4-141	6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			81.7 %		52.4-130	6041019	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			80.1 %		39.9-141	6041019	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 48 (EB 1') (0-0.5')**H262040-48 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	80.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	98.6 %	70.4-141	6041007	JH	12-Apr-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B

Surrogate: 1-Chlorooctane	80.6 %	52.4-130	6041019	JF	11-Apr-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	78.8 %	39.9-141	6041019	JF	11-Apr-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 49 (EB 1') (0-0.5')**H262040-49 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			98.8 %	70.4-141		6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			75.6 %	52.4-130		6041019	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			76.4 %	39.9-141		6041019	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

CONFIRMATION SAMPLE 50 (EB 1') (0-0.5')**H262040-50 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.7 %	70.4-141		6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			77.9 %	52.4-130		6041019	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			76.0 %	39.9-141		6041019	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

NSW 1 (0-0.5')**H262040-51 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1180		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.9 %		70.4-141	6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
DRO >C10-C28*	83.4		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			67.4 %		52.4-130	6041019	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			68.1 %		39.9-141	6041019	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

SSW 1 (0-1')
H262040-52 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			98.9 %		70.4-141	6041007	JH	12-Apr-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			73.8 %		52.4-130	6041019	JF	11-Apr-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			72.0 %		39.9-141	6041019	JF	11-Apr-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

WSW 1 (0-0.5')**H262040-53 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041007	JH	12-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041007	JH	12-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.1 %	70.4-141		6041007	JH	12-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
DRO >C10-C28*	11.6		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041019	JF	11-Apr-26	8015B	

Surrogate: 1-Chlorooctane			74.8 %	52.4-130		6041019	JF	11-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			73.1 %	39.9-141		6041019	JF	11-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

ESW 1 (0-0.5')**H262040-54 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	3600		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			93.0 %		70.4-141	6041024	SK	11-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane			74.9 %		52.4-130	6041033	JF	13-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			75.5 %		39.9-141	6041033	JF	13-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

NSW 2 (0.5'-1')**H262040-55 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	416		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			93.7 %		70.4-141	6041024	SK	11-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane			74.9 %		52.4-130	6041033	JF	13-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			73.9 %		39.9-141	6041033	JF	13-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

SSW 2 (0-1')
H262040-56 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			94.3 %		70.4-141	6041024	SK	11-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane			66.1 %		52.4-130	6041033	JF	13-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			65.3 %		39.9-141	6041033	JF	13-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

WSW 2 (0-1')**H262040-57 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.3 %		70.4-141			6041024	SK	11-Apr-26	8021B	
---------------------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane	73.2 %		52.4-130			6041033	JF	13-Apr-26	8015B	
---------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane	71.8 %		39.9-141			6041033	JF	13-Apr-26	8015B	
-------------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

ESW 2 (0-1')
H262040-58 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			94.5 %		70.4-141	6041024	SK	11-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane			74.7 %		52.4-130	6041033	JF	13-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			73.7 %		39.9-141	6041033	JF	13-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

NSW 3 (0-1')
H262040-59 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1220		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			94.0 %		70.4-141	6041024	SK	11-Apr-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	992		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	179		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			82.9 %		52.4-130	6041033	JF	13-Apr-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			93.9 %		39.9-141	6041033	JF	13-Apr-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

SSW 3 (0-1')
H262040-60 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	448		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			93.2 %		70.4-141	6041024	SK	11-Apr-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	466		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	93.8		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane			71.5 %		52.4-130	6041033	JF	13-Apr-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			88.3 %		39.9-141	6041033	JF	13-Apr-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

WSW 3 (0-1')**H262040-61 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6041014	AC	13-Apr-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6041024	SK	11-Apr-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6041024	SK	11-Apr-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			93.5 %	70.4-141		6041024	SK	11-Apr-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6041033	JF	13-Apr-26	8015B	

Surrogate: 1-Chlorooctane			71.5 %	52.4-130		6041033	JF	13-Apr-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			69.8 %	39.9-141		6041033	JF	13-Apr-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6041011 - 1:4 DI Water**Blank (6041011-BLK1)**

Prepared & Analyzed: 10-Apr-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6041011-BS1)

Prepared & Analyzed: 10-Apr-26

Chloride	432	16.0	mg/kg	400	108	80-120
----------	-----	------	-------	-----	-----	--------

LCS Dup (6041011-BSD1)

Prepared & Analyzed: 10-Apr-26

Chloride	432	16.0	mg/kg	400	108	80-120	0.00	20
----------	-----	------	-------	-----	-----	--------	------	----

Batch 6041012 - 1:4 DI Water**Blank (6041012-BLK1)**

Prepared: 10-Apr-26 Analyzed: 12-Apr-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6041012-BS1)

Prepared: 10-Apr-26 Analyzed: 12-Apr-26

Chloride	416	16.0	mg/kg	400	104	80-120
----------	-----	------	-------	-----	-----	--------

LCS Dup (6041012-BSD1)

Prepared: 10-Apr-26 Analyzed: 12-Apr-26

Chloride	416	16.0	mg/kg	400	104	80-120	0.00	20
----------	-----	------	-------	-----	-----	--------	------	----

Batch 6041013 - 1:4 DI Water**Blank (6041013-BLK1)**

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6041013-BS1)

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

Chloride	448	16.0	mg/kg	400	112	80-120
----------	-----	------	-------	-----	-----	--------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6041013 - 1:4 DI Water**LCS Dup (6041013-BSD1)**

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

Chloride	432	16.0	mg/kg	400		108	80-120	3.64	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 6041014 - 1:4 DI Water**Blank (6041014-BLK1)**

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6041014-BS1)

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

Chloride	464	16.0	mg/kg	400		116	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (6041014-BSD1)

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

Chloride	464	16.0	mg/kg	400		116	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6041005 - Volatiles**Blank (6041005-BLK1)**

Prepared: 10-Apr-26 Analyzed: 12-Apr-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0504		mg/kg	0.0500		101	70.4-141			

LCS (6041005-BS1)

Prepared: 10-Apr-26 Analyzed: 12-Apr-26

Benzene	2.13	0.050	mg/kg	2.00		107	71-111			
Toluene	1.97	0.050	mg/kg	2.00		98.6	75-116			
Ethylbenzene	1.86	0.050	mg/kg	2.00		92.9	74.2-119			
m,p-Xylene	3.72	0.100	mg/kg	4.00		92.9	72.5-123			
o-Xylene	1.82	0.050	mg/kg	2.00		91.2	70.5-124			
Total Xylenes	5.54	0.150	mg/kg	6.00		92.4	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0490		mg/kg	0.0500		97.9	70.4-141			

LCS Dup (6041005-BSD1)

Prepared: 10-Apr-26 Analyzed: 12-Apr-26

Benzene	2.12	0.050	mg/kg	2.00		106	71-111	0.392	17.6	
Toluene	1.99	0.050	mg/kg	2.00		99.5	75-116	0.911	14.8	
Ethylbenzene	1.89	0.050	mg/kg	2.00		94.7	74.2-119	2.00	14.2	
m,p-Xylene	3.78	0.100	mg/kg	4.00		94.6	72.5-123	1.76	13.6	
o-Xylene	1.86	0.050	mg/kg	2.00		92.9	70.5-124	1.87	13.7	
Total Xylenes	5.64	0.150	mg/kg	6.00		94.0	72.2-123	1.80	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0481		mg/kg	0.0500		96.1	70.4-141			

Batch 6041006 - Volatiles**Blank (6041006-BLK1)**

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6041006 - Volatiles**Blank (6041006-BLK1)**

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		97.6	70.4-141			

LCS (6041006-BS1)

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Benzene	2.22	0.050	mg/kg	2.00		111	71-111			
Toluene	2.07	0.050	mg/kg	2.00		103	75-116			
Ethylbenzene	2.03	0.050	mg/kg	2.00		101	74.2-119			
m,p-Xylene	3.93	0.100	mg/kg	4.00		98.3	72.5-123			
o-Xylene	1.99	0.050	mg/kg	2.00		99.4	70.5-124			
Total Xylenes	5.92	0.150	mg/kg	6.00		98.7	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0478		mg/kg	0.0500		95.6	70.4-141			

LCS Dup (6041006-BS1)

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Benzene	2.25	0.050	mg/kg	2.00		112	71-111	1.35	17.6	BS-3
Toluene	2.08	0.050	mg/kg	2.00		104	75-116	0.706	14.8	
Ethylbenzene	2.03	0.050	mg/kg	2.00		102	74.2-119	0.289	14.2	
m,p-Xylene	3.94	0.100	mg/kg	4.00		98.4	72.5-123	0.0954	13.6	
o-Xylene	1.99	0.050	mg/kg	2.00		99.4	70.5-124	0.0562	13.7	
Total Xylenes	5.92	0.150	mg/kg	6.00		98.7	72.2-123	0.0445	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0470		mg/kg	0.0500		94.0	70.4-141			

Batch 6041007 - Volatiles**Blank (6041007-BLK1)**

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		98.5	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6041007 - Volatiles

LCS (6041007-BS1)		Prepared: 10-Apr-26 Analyzed: 11-Apr-26								
Benzene	2.29	0.050	mg/kg	2.00		114	71-111			BS-3
Toluene	2.13	0.050	mg/kg	2.00		107	75-116			
Ethylbenzene	2.08	0.050	mg/kg	2.00		104	74.2-119			
m,p-Xylene	4.04	0.100	mg/kg	4.00		101	72.5-123			
o-Xylene	2.04	0.050	mg/kg	2.00		102	70.5-124			
Total Xylenes	6.08	0.150	mg/kg	6.00		101	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0484		mg/kg	0.0500		96.8	70.4-141			

LCS Dup (6041007-BSD1)		Prepared: 10-Apr-26 Analyzed: 11-Apr-26								
Benzene	2.26	0.050	mg/kg	2.00		113	71-111	1.33	17.6	BS-3
Toluene	2.09	0.050	mg/kg	2.00		105	75-116	1.96	14.8	
Ethylbenzene	2.05	0.050	mg/kg	2.00		102	74.2-119	1.34	14.2	
m,p-Xylene	3.99	0.100	mg/kg	4.00		99.7	72.5-123	1.34	13.6	
o-Xylene	2.02	0.050	mg/kg	2.00		101	70.5-124	0.941	13.7	
Total Xylenes	6.01	0.150	mg/kg	6.00		100	72.2-123	1.21	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0479		mg/kg	0.0500		95.8	70.4-141			

Batch 6041024 - Volatiles

Blank (6041024-BLK1)		Prepared: 10-Apr-26 Analyzed: 11-Apr-26								
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		92.0	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6041024 - Volatiles**LCS (6041024-BS1)**

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Benzene	2.13	0.050	mg/kg	2.00		106	71-111			
Toluene	2.07	0.050	mg/kg	2.00		103	75-116			
Ethylbenzene	2.06	0.050	mg/kg	2.00		103	74.2-119			
m,p-Xylene	4.20	0.100	mg/kg	4.00		105	72.5-123			
o-Xylene	2.01	0.050	mg/kg	2.00		100	70.5-124			
Total Xylenes	6.21	0.150	mg/kg	6.00		103	72.2-123			

Surrogate: 4-Bromofluorobenzene (PID)

0.0468

mg/kg

0.0500

93.6

70.4-141

LCS Dup (6041024-BS1)

Prepared: 10-Apr-26 Analyzed: 11-Apr-26

Benzene	2.11	0.050	mg/kg	2.00		106	71-111	0.497	17.6	
Toluene	2.08	0.050	mg/kg	2.00		104	75-116	0.749	14.8	
Ethylbenzene	2.07	0.050	mg/kg	2.00		104	74.2-119	0.456	14.2	
m,p-Xylene	4.21	0.100	mg/kg	4.00		105	72.5-123	0.244	13.6	
o-Xylene	2.01	0.050	mg/kg	2.00		100	70.5-124	0.0103	13.7	
Total Xylenes	6.22	0.150	mg/kg	6.00		104	72.2-123	0.168	13.3	

Surrogate: 4-Bromofluorobenzene (PID)

0.0474

mg/kg

0.0500

94.8

70.4-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6041017 - General Prep - Organics**Blank (6041017-BLK1)**

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	48.6		mg/kg	50.0		97.2	52.4-130			
Surrogate: 1-Chlorooctadecane	47.5		mg/kg	50.0		95.0	39.9-141			

LCS (6041017-BS1)

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	202	10.0	mg/kg	200		101	78.7-123			
DRO >C10-C28	207	10.0	mg/kg	200		103	74.8-123			
Total TPH C6-C28	409	10.0	mg/kg	400		102	78.6-121			
Surrogate: 1-Chlorooctane	50.2		mg/kg	50.0		100	52.4-130			
Surrogate: 1-Chlorooctadecane	49.3		mg/kg	50.0		98.7	39.9-141			

LCS Dup (6041017-BS1)

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	205	10.0	mg/kg	200		102	78.7-123	1.36	11.3	
DRO >C10-C28	211	10.0	mg/kg	200		105	74.8-123	1.85	10.9	
Total TPH C6-C28	415	10.0	mg/kg	400		104	78.6-121	1.61	10.5	
Surrogate: 1-Chlorooctane	50.6		mg/kg	50.0		101	52.4-130			
Surrogate: 1-Chlorooctadecane	49.8		mg/kg	50.0		99.6	39.9-141			

Batch 6041018 - General Prep - Organics**Blank (6041018-BLK1)**

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	41.6		mg/kg	50.0		83.3	52.4-130			
Surrogate: 1-Chlorooctadecane	42.2		mg/kg	50.0		84.3	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6041018 - General Prep - Organics**LCS (6041018-BS1)**

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	182	10.0	mg/kg	200		90.8	78.7-123		
DRO >C10-C28	176	10.0	mg/kg	200		88.0	74.8-123		
Total TPH C6-C28	357	10.0	mg/kg	400		89.4	78.6-121		
Surrogate: 1-Chlorooctane	43.9		mg/kg	50.0		87.8	52.4-130		
Surrogate: 1-Chlorooctadecane	44.8		mg/kg	50.0		89.7	39.9-141		

LCS Dup (6041018-BS1)

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	179	10.0	mg/kg	200		89.5	78.7-123	1.42	11.3
DRO >C10-C28	179	10.0	mg/kg	200		89.5	74.8-123	1.70	10.9
Total TPH C6-C28	358	10.0	mg/kg	400		89.5	78.6-121	0.129	10.5
Surrogate: 1-Chlorooctane	43.1		mg/kg	50.0		86.2	52.4-130		
Surrogate: 1-Chlorooctadecane	43.8		mg/kg	50.0		87.7	39.9-141		

Batch 6041019 - General Prep - Organics**Blank (6041019-BLK1)**

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	ND	10.0	mg/kg						
DRO >C10-C28	ND	10.0	mg/kg						
EXT DRO >C28-C36	ND	10.0	mg/kg						
Surrogate: 1-Chlorooctane	45.0		mg/kg	50.0		90.1	52.4-130		
Surrogate: 1-Chlorooctadecane	44.3		mg/kg	50.0		88.7	39.9-141		

LCS (6041019-BS1)

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	209	10.0	mg/kg	200		104	78.7-123		
DRO >C10-C28	189	10.0	mg/kg	200		94.6	74.8-123		
Total TPH C6-C28	398	10.0	mg/kg	400		99.5	78.6-121		
Surrogate: 1-Chlorooctane	46.4		mg/kg	50.0		92.9	52.4-130		
Surrogate: 1-Chlorooctadecane	46.2		mg/kg	50.0		92.4	39.9-141		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION NDT
1624 E C.R. 140
MIDLAND TX, 79706

Project: AMEREDEV STATION
Project Number: NONE GIVEN
Project Manager: PEYTON OLIVER
Fax To: (575) 214-6030

Reported:
15-Apr-26 14:48

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6041019 - General Prep - Organics**LCS Dup (6041019-BSD1)**

Prepared & Analyzed: 10-Apr-26

GRO C6-C10	210	10.0	mg/kg	200		105	78.7-123	0.553	11.3	
DRO >C10-C28	192	10.0	mg/kg	200		96.1	74.8-123	1.61	10.9	
Total TPH C6-C28	402	10.0	mg/kg	400		101	78.6-121	1.06	10.5	
Surrogate: 1-Chlorooctane	46.4		mg/kg	50.0		92.8	52.4-130			
Surrogate: 1-Chlorooctadecane	46.3		mg/kg	50.0		92.6	39.9-141			

Batch 6041033 - General Prep - Organics**Blank (6041033-BLK1)**

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	34.0		mg/kg	50.0		68.0	52.4-130			
Surrogate: 1-Chlorooctadecane	33.7		mg/kg	50.0		67.4	39.9-141			

LCS (6041033-BS1)

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

GRO C6-C10	180	10.0	mg/kg	200		90.2	78.7-123			
DRO >C10-C28	178	10.0	mg/kg	200		89.1	74.8-123			
Total TPH C6-C28	358	10.0	mg/kg	400		89.6	78.6-121			
Surrogate: 1-Chlorooctane	43.2		mg/kg	50.0		86.3	52.4-130			
Surrogate: 1-Chlorooctadecane	43.8		mg/kg	50.0		87.5	39.9-141			

LCS Dup (6041033-BSD1)

Prepared: 10-Apr-26 Analyzed: 13-Apr-26

GRO C6-C10	184	10.0	mg/kg	200		92.0	78.7-123	2.07	11.3	
DRO >C10-C28	181	10.0	mg/kg	200		90.3	74.8-123	1.37	10.9	
Total TPH C6-C28	365	10.0	mg/kg	400		91.2	78.6-121	1.72	10.5	
Surrogate: 1-Chlorooctane	43.3		mg/kg	50.0		86.7	52.4-130			
Surrogate: 1-Chlorooctadecane	44.4		mg/kg	50.0		88.8	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
GC-NC	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Page 1 of 7

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver	
Project Name:		Ameredeve Station		Project #:			
Project Location: (country, state)		Lea County, NM		Project #:			
Invoice to:		Precision Group		p Dayton, Oliver @ pndllc.com			
Receiving Laboratory:		Cardinal		Sampler Signature:		Miguel De Luna	
Comments:							

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)	ANALYSIS REQUEST (Circle or Specify Method No.)		
		DATE	TIME	WATER	SOIL	HCL	HNO ₃				ICE	None
1	Confirmation sample 1 (EB 6") (0-0.5')	4/8/2026	900	X				X	1	BTEX 8021B BTEX 8260B		
2	Confirmation sample 2 (EB 6") (0-0.5')	4/8/2026	905	X				X	1	TPH TX 1005		
3	Confirmation sample 3 (EB 6") (0-0.5')	4/8/2026	910	X				X	1	TPH 8015M GRO - DRO - ORO - MRO		
4	Confirmation sample 4 (EB 6") (0-0.5')	4/8/2026	915	X				X	1	PAH 8270C		
5	Confirmation sample 5 (EB 6") (0-0.5')	4/8/2026	920	X				X	1	Total Metals Ag As Ba Cd Cr Pb Se Hg		
6	Confirmation sample 6 (EB 6") (0-0.5')	4/8/2026	925	X				X	1	TCLP Metals Ag As Ba Cd Cr Pb Se Hg		
7	Confirmation sample 7 (EB 6") (0-0.5')	4/8/2026	930	X				X	1	TCLP Volatiles		
8	Confirmation sample 8 (EB 6") (0-0.5')	4/8/2026	935	X				X	1	TCLP Semi Volatiles		
9	Confirmation sample 9 (EB 6") (0-0.5')	4/8/2026	940	X				X	1	RCI		
10	Confirmation sample 10 (EB 6") (0-0.5')	4/8/2026	945	X				X	1	GC/MS Vol. 8260B / 624		

Reinquished by:	Date:	Time:	Received by:	Date:	Time:
Miguel De Luna	4-9-26	1505	Skatequinn	4-9-26	1505
Reinquished by:	Date:	Time:	Received by:	Date:	Time:
Reinquished by:	Date:	Time:	Received by:	Date:	Time:

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

Sample Temperature: 8.9°C / 46.0°F
3.0" #140

(Circle) HAND DELIVERED FEDEX UPS Tracking # _____

ORIGINAL COPY

Precision Group

Midland,

Page 2 of 7

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140 Midland, Texas 79706

Tel (575) 234-1152 Fax (575) 214-6030

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver	
Project Name:		Ameredev Station		Project #:			
Project Location: (county, state)		Lea County, NM		Project #:			
Invoice to:		Precision Group		Sampler Signature:		Miguel De Luna	
Receiving Laboratory:		Cardinal		Peyton Oliver		Miguel De Luna	
Comments:							

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)		
		DATE	TIME	WATER	SOIL	HCL	HNO ₃			ICE	None
21	Confirmation sample 21 (EB 6") (0-0.5')	4/8/2026	1040	X					1		
22	Confirmation sample 22 (EB 6") (0-0.5')	4/8/2026	1045	X					1		
23	Confirmation sample 23 (EB 6") (0-0.5')	4/8/2026	1050	X					1		
24	Confirmation sample 24 (EB 6") (0-0.5')	4/8/2026	1055	X					1		
25	Confirmation sample 25 (EB 6") (0-0.5')	4/8/2026	1100	X					1		
26	Confirmation sample 26 (EB 6") (0-0.5')	4/8/2026	1105	X					1		
27	Confirmation sample 27 (EB 6") (0-0.5')	4/8/2026	1110	X					1		
28	Confirmation sample 28 (EB 1') (0-0.5')	4/8/2026	1115	X					1		
29	Confirmation sample 29 (EB 1') (0-0.5')	4/8/2026	1120	X					1		
30	Confirmation sample 30 (EB 1') (0-0.5')	4/8/2026	1125	X					1		

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
H. Delgado	04-09-26	1505	Shadrighu	4-9-26	1505
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

Relinquished by:	Date:	Time:	Received by:	Date:	Time:

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

Sample Temperature	29.4/40.1
Time	30.1
Time	140

(Circle) HAND DELIVERED	FEDEX	UPS	Tracking #
-------------------------	-------	-----	------------

ORIGINAL COPY

ANALYSIS REQUEST
(Circle or Specify Method No.)

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Page 4 of 7

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver	
Project Name:		Ameredev Station		Project #:			
Project Location: (county, state)		Lea County, NM		Project #:			
Invoice to:		Precision Group		Receiving Laboratory:		Cardinal	
Receiving Laboratory:		Precision Group		Sampler Signature:		Miguel De Luna	
Comments:				p Dayton Oliver @ pndilic.com			

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)	ANALYSIS REQUEST (Circle or Specify Method No.)
		DATE	TIME	WATER	SOIL	HCL	HNO ₃			
31	Confirmation sample 31 (EB 1') (0-0.5')	4/8/2026	1130	X				X		BTX 8021B BTX 8260B
33	Confirmation sample 32 (EB 1') (0-0.5')	4/8/2026	1135	X				X		TPH TX 1005
33	Confirmation sample 33 (EB 1') (0-0.5')	4/8/2026	1140	X				X		TPH 8015M GRO - DRO - ORO - MRO
34	Confirmation sample 34 (EB 1') (0-0.5')	4/8/2026	1145	X				X		PAH 8270C
35	Confirmation sample 35 (EB 1') (0-0.5')	4/8/2026	1150	X				X		Total Metals Ag As Ba Cd Cr Pb Se Hg
36	Confirmation sample 36 (EB 1') (0-0.5')	4/8/2026	1155	X				X		TCLP Metals Ag As Ba Cd Cr Pb Se Hg
37	Confirmation sample 37 (EB 1') (0-0.5')	4/8/2026	1200	X				X		TCLP Volatiles
38	Confirmation sample 38 (EB 1') (0-0.5')	4/8/2026	1205	X				X		TCLP Semi Volatiles
39	Confirmation sample 39 (EB 1') (0-0.5')	4/8/2026	1210	X				X		RCI
40	Confirmation sample 40 (EB 1') (0-0.5')	4/8/2026	1215	X				X		GC/MS Vol. 8260B / 624
										GC/MS Semi. Vol. 8270C/625
										PCB's 8082 / 608
										NORM
										PLM (Asbestos)
										Chloride EPA 4500
										Chloride Sulfate TDS
										General Water Chemistry (see attached list)
										Anion/Cation Balance
										Hold

Reinquired by:	Date:	Time:	Received by:	Date:	Time:
Miguel De Luna	04-09-26	1505	Spodkiewicz	4-9-26	1505
Reinquired by:	Date:	Time:	Received by:	Date:	Time:

Reinquired by:	Date:	Time:	Received by:	Date:	Time:

LAB USE ONLY	REMARKS:
☒ STANDARD ☐ RUSH: Same Day 24 hr 48 hr 72 hr ☐ Rush Charges Authorized ☐ Special Report Limits or TRRP Report	Sample Temperature 29.40.1 3.0.1 #140

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver	
Project Name:		Amerdev Station		Project #:			
Project Location: (county, state)		Lea County, NM		Project #:			
Invoice to:		Precision Group		p Dayton Oliver @ pndtlc.com			
Receiving Laboratory:		Cardinal		Sampler Signature:		Miguel De Luna	
Comments:							

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)		
		DATE	TIME	WATER	SOIL	HCL	HNO ₃			ICE	None
41	Confirmation sample 41 (EB 1') (0-0.5')	4/8/2026	1220	X					1		
42	Confirmation sample 42 (EB 1') (0-0.5')	4/8/2026	1225	X					1		
43	Confirmation sample 43 (EB 1') (0-0.5')	4/8/2026	1230	X					1		
44	Confirmation sample 44 (EB 1') (0-0.5')	4/8/2026	1235	X					1		
45	Confirmation sample 45 (EB 1') (0-0.5')	4/8/2026	1240	X					1		
46	Confirmation sample 46 (EB 1') (0-0.5')	4/8/2026	1245	X					1		
47	Confirmation sample 47 (EB 1') (0-0.5')	4/8/2026	1250	X					1		
48	Confirmation sample 48 (EB 1') (0-0.5')	4/8/2026	1255	X					1		
49	Confirmation sample 49 (EB 1') (0-0.5')	4/8/2026	1300	X					1		
50	Confirmation sample 50 (EB 1') (0-0.5')	4/8/2026	1305	X					1		

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
Miguel De Luna	04-09-26	1505	Seodriquis	04-09-26	1505
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH - Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

ANALYSIS REQUEST (Circle or Specify Method No.)	
☒ BTEX 8021B	☐ BTEX 8260B
☐ TPH TX 1005	☐ TPH 8015M
☐ GRO - DRO - ORO - MRO	☐ PAH 8270C
☐ Total Metals Ag As Ba Cd Cr Pb Se Hg	☐ TCLP Metals Ag As Ba Cd Cr Pb Se Hg
☐ TCLP Volatiles	☐ TCLP Semi Volatiles
☐ RCI	☐ GC/MS Vol. 8260B / 624
☐ GC/MS Semi. Vol. 8270C/625	☐ PCB's 8082 / 608
☐ NORM	☐ PLM (Asbestos)
☐ Chloride EPA 4500	☐ Chloride Sulfate TDS
☐ General Water Chemistry (see attached list)	☐ Anion/Cation Balance
☐ Hold	

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Precision Group

 1624 East County Rd 140
 Texas 79706
 Tel (575) 234-1152
 Fax (575) 214-6030

Page 6 of 7

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver	
Project Name:		Ameredev Station		Project #:			
Project Location: (county, state)		Lea County, NM		Project #:			
Invoice to:		Precision Group		Receiving Laboratory:		Cardinal	
Receiving Laboratory:		Precision Group		Sampler Signature:		Miguel De Luna	
Comments:				Peyton Oliver @ pndtlc.com			

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)
		DATE	TIME	WATER	SOIL	HCL	HNO ₃		
51	NSW 1 (0-0.5')	4/8/2026	1310	X				X	
52	SSW 1 (0-1')	4/8/2026	1315	X				X	
53	WSW 1 (0-0.5')	4/8/2026	1320	X				X	
54	ESW 1 (0-0.5')	4/8/2026	1325	X				X	
55	NSW 2 (0.5'-1')	4/8/2026	1330	X				X	
56	SSW 2 (0-1')	4/8/2026	1335	X				X	
57	WSW 2 (0-1')	4/8/2026	1340	X				X	
58	ESW 2 (0-1')	4/8/2026	1345	X				X	
59	NSW 3 (0-1')	4/8/2026	1350	X				X	
60	SSW 3 (0-1')	4/8/2026	1355	X				X	

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

ANALYSIS REQUEST (Circle or Specify Method No.)
BTEX 8021B BTEX 8260B
TPH TX 1005
TPH 8015M (GRO - DRO - ORO - MRO)
PAH 8270C
Total Metals Ag As Ba Cd Cr Pb Se Hg
TCLP Metals Ag As Ba Cd Cr Pb Se Hg
TCLP Volatiles
TCLP Semi Volatiles
RCI
GC/MS Vol. 8260B / 624
GC/MS Semi. Vol. 8270C/625
PCB's 8082 / 608
NORM
PLM (Asbestos)
Chloride EPA 4500
Chloride Sulfate TDS
General Water Chemistry (see attached list)
Anion/Cation Balance

Retinquished by:	Date:	Time:	Received by:	Date:	Time:
Miguel De Luna	04-09-26	1505	Steddiequay	4-9-26	1505
Retinquished by:	Date:	Time:	Received by:	Date:	Time:

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 12, 2026

PEYTON OLIVER

PRECISION GROUP

2845 PECOS HWY

CARLSBAD, NM 88220

RE: AMEREDEV STATION

Enclosed are the results of analyses for samples received by the laboratory on 05/06/26 10:41.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
NSW 1 (0-0.5')	H262542-01	Soil	04-May-26 09:30	06-May-26 10:41
SSW 1 (0-0.5')	H262542-02	Soil	04-May-26 09:35	06-May-26 10:41
WSW 1 (0.5'-1')	H262542-03	Soil	04-May-26 09:40	06-May-26 10:41
NSW 2 (0-1')	H262542-04	Soil	04-May-26 09:45	06-May-26 10:41
WSW 2 (0-1')	H262542-05	Soil	04-May-26 09:50	06-May-26 10:41
NSW 3 (0-1')	H262542-06	Soil	04-May-26 09:55	06-May-26 10:41
WSW 3 (0-1')	H262542-07	Soil	04-May-26 10:00	06-May-26 10:41
WSW 4 (0-1.5')	H262542-08	Soil	04-May-26 10:05	06-May-26 10:41
ESW 5 (0-1')	H262542-09	Soil	04-May-26 10:10	06-May-26 10:41
WSW 5 (0-1')	H262542-10	Soil	04-May-26 10:15	06-May-26 10:41
SSW 11 (0.5'-1')	H262542-11	Soil	04-May-26 10:20	06-May-26 10:41
SSW 12 (0.5'-1')	H262542-12	Soil	04-May-26 10:25	06-May-26 10:41
CONFIRMATION SAMPLE 4 (EB 1')	H262542-13	Soil	04-May-26 10:30	06-May-26 10:41
CONFIRMATION SAMPLE 5 (EB 1')	H262542-14	Soil	04-May-26 10:35	06-May-26 10:41
CONFIRMATION SAMPLE 6 (EB 1')	H262542-15	Soil	04-May-26 10:40	06-May-26 10:41
CONFIRMATION SAMPLE 6 (EB 1')	H262542-16	Soil	04-May-26 10:45	06-May-26 10:41
CONFIRMATION SAMPLE 7 (EB 1')	H262542-17	Soil	04-May-26 10:50	06-May-26 10:41
CONFIRMATION SAMPLE 7 (EB 1')	H262542-18	Soil	04-May-26 10:55	06-May-26 10:41
CONFIRMATION SAMPLE 7 (EB 1')	H262542-19	Soil	04-May-26 11:00	06-May-26 10:41
CONFIRMATION SAMPLE 8 (EB 1')	H262542-20	Soil	04-May-26 11:05	06-May-26 10:41
CONFIRMATION SAMPLE 8 (EB 1')	H262542-21	Soil	04-May-26 11:10	06-May-26 10:41
CONFIRMATION SAMPLE 8 (EB 1')	H262542-22	Soil	04-May-26 11:15	06-May-26 10:41
CONFIRMATION SAMPLE 9 (EB 1')	H262542-23	Soil	04-May-26 11:20	06-May-26 10:41
CONFIRMATION SAMPLE 9 (EB 1')	H262542-24	Soil	04-May-26 11:25	06-May-26 10:41
CONFIRMATION SAMPLE 9 (EB 1')	H262542-25	Soil	04-May-26 11:30	06-May-26 10:41
CONFIRMATION SAMPLE 10 (EB 1')	H262542-26	Soil	04-May-26 11:35	06-May-26 10:41
CONFIRMATION SAMPLE 10 (EB 1')	H262542-27	Soil	04-May-26 11:40	06-May-26 10:41

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 10 (EB 1')	H262542-28	Soil	04-May-26 11:45	06-May-26 10:41
CONFIRMATION SAMPLE 10 (EB 1')	H262542-29	Soil	04-May-26 11:50	06-May-26 10:41
CONFIRMATION SAMPLE 11 (EB 1')	H262542-30	Soil	04-May-26 11:55	06-May-26 10:41
CONFIRMATION SAMPLE 11 (EB 1')	H262542-31	Soil	04-May-26 12:00	06-May-26 10:41
CONFIRMATION SAMPLE 11 (EB 1')	H262542-32	Soil	04-May-26 12:05	06-May-26 10:41
CONFIRMATION SAMPLE 11 (EB 1')	H262542-33	Soil	04-May-26 12:10	06-May-26 10:41
CONFIRMATION SAMPLE 11 (EB 1')	H262542-34	Soil	04-May-26 12:15	06-May-26 10:41
CONFIRMATION SAMPLE 16 (EB 1')	H262542-35	Soil	04-May-26 12:20	06-May-26 10:41
CONFIRMATION SAMPLE 17 (EB 1')	H262542-36	Soil	04-May-26 12:25	06-May-26 10:41
CONFIRMATION SAMPLE 18 (EB 1')	H262542-37	Soil	04-May-26 12:30	06-May-26 10:41
CONFIRMATION SAMPLE 19 (EB 1')	H262542-38	Soil	04-May-26 12:35	06-May-26 10:41
CONFIRMATION SAMPLE 20 (EB 1')	H262542-39	Soil	04-May-26 12:40	06-May-26 10:41
CONFIRMATION SAMPLE 28 (EB 1.5)	H262542-40	Soil	04-May-26 12:45	06-May-26 10:41
CONFIRMATION SAMPLE 29 (EB 1.5)	H262542-41	Soil	04-May-26 12:20	06-May-26 10:41
CONFIRMATION SAMPLE 30 (EB 1.5)	H262542-42	Soil	04-May-26 12:50	06-May-26 10:41
CONFIRMATION SAMPLE 31 (EB 1.5)	H262542-43	Soil	04-May-26 12:55	06-May-26 10:41
CONFIRMATION SAMPLE 51 (EB 1')	H262542-44	Soil	04-May-26 13:05	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-45	Soil	05-May-26 09:00	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-46	Soil	05-May-26 09:05	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-47	Soil	05-May-26 09:10	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-48	Soil	05-May-26 09:15	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-49	Soil	05-May-26 09:20	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-50	Soil	05-May-26 09:25	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-51	Soil	05-May-26 09:30	06-May-26 10:41
CONFIRMATION SAMPLE 12 (EB 1')	H262542-52	Soil	05-May-26 09:35	06-May-26 10:41
CONFIRMATION SAMPLE 13 (EB 1')	H262542-53	Soil	05-May-26 09:40	06-May-26 10:41
CONFIRMATION SAMPLE 13 (EB 1')	H262542-54	Soil	05-May-26 09:45	06-May-26 10:41

CASE NARRATIVE:

No labels with lot numbers on sample containers for traceability.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

NSW 1 (0-0.5')**H262542-01 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.0 %		70.4-141	6050602	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050603	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050603	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050603	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			85.3 %		52.4-130	6050603	JF	06-May-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			79.8 %		39.9-141	6050603	JF	06-May-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

SSW 1 (0-0.5')**H262542-02 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	80.0		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			97.1 %	70.4-141		6050602	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			91.7 %	52.4-130		6050617	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			79.8 %	39.9-141		6050617	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

WSW 1 (0.5'-1')**H262542-03 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.9 %	70.4-141	6050602	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.8 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	78.1 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

NSW 2 (0-1')
H262542-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.8 %	70.4-141		6050602	JH	06-May-26	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			94.4 %	52.4-130		6050617	JF	06-May-26	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			82.2 %	39.9-141		6050617	JF	06-May-26	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

WSW 2 (0-1')**H262542-05 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.9 %	70.4-141		6050602	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			93.2 %	52.4-130		6050617	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			81.6 %	39.9-141		6050617	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

NSW 3 (0-1')
H262542-06 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	832		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.0 %	70.4-141	6050602	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.9 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.0 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

WSW 3 (0-1')
H262542-07 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	95.8 %	70.4-141	6050602	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	23.2	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.3 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.4 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

WSW 4 (0-1.5')**H262542-08 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	256		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.1 %	70.4-141	6050602	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.4 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.1 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

ESW 5 (0-1')
H262542-09 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6050606	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050602	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050602	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050602	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.1 %	70.4-141		6050602	JH	06-May-26	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			90.6 %	52.4-130		6050617	JF	06-May-26	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			79.8 %	39.9-141		6050617	JF	06-May-26	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

WSW 5 (0-1')
H262542-10 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.5 %		70.4-141	6050612	JH	06-May-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			90.3 %		52.4-130	6050617	JF	06-May-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			80.3 %		39.9-141	6050617	JF	06-May-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

SSW 11 (0.5'-1')**H262542-11 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	112		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	93.5 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.8 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.1 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

SSW 12 (0.5'-1')**H262542-12 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		91.5 %		70.4-141	6050612	JH	06-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		90.4 %		52.4-130	6050617	JF	06-May-26	8015B	
----------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		78.0 %		39.9-141	6050617	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 4 (EB 1') (0-0.5')**H262542-13 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.5 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.8 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.4 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 5 (EB 1') (0-0.5')**H262542-14 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		92.7 %		70.4-141	6050612	JH	06-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		91.0 %		52.4-130	6050617	JF	06-May-26	8015B	
----------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		79.3 %		39.9-141	6050617	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 6 (EB 1') (0-0.5')**H262542-15 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	464		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.1 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.4 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	77.4 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 6 (EB 1') (0.5'-1')**H262542-16 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	384		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.2 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	90.2 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	77.9 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 7 (EB 1') (0-0.5')**H262542-17 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	832		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.3 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.4 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.0 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 7 (EB 1') (0.5'-1')**H262542-18 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	976		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B

Surrogate: 4-Bromofluorobenzene (PID)	90.8 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	92.8 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.9 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 7 (EB 1') (0.5'-1.5')**H262542-19 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	96.0		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.6 %	70.4-141		6050612	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050617	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			93.6 %	52.4-130		6050617	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			81.9 %	39.9-141		6050617	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 8 (EB 1') (0-0.5')**H262542-20 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	624		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	90.6 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.5 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.1 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 8 (EB 1') (0.5'-1')**H262542-21 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	400		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.3 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050617	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.0 %	52.4-130	6050617	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.4 %	39.9-141	6050617	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 8 (EB 1') (1'-1.5')**H262542-22 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	90.5 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	90.1 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.2 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 9 (EB 1') (0-0.5')**H262542-23 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2770		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.9 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	85.6 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.7 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 9 (EB 1') (0.5'-1')**H262542-24 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1250		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	90.7 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	87.2 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.3 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 9 (EB 1') (1'-1.5')**H262542-25 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	320		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.2 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.7 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.4 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 10 (EB 1') (0-0.5')**H262542-26 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	4360		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.4 %		70.4-141	6050612	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			94.0 %		52.4-130	6050618	JF	06-May-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			87.9 %		39.9-141	6050618	JF	06-May-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 10 (EB 1') (0.5'-1')**H262542-27 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1020		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.5 %	70.4-141	6050612	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	92.6 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	85.5 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 10 (EB 1') (1'-1.5')
H262542-28 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	624		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		92.1 %		70.4-141	6050612	JH	06-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		91.7 %		52.4-130	6050618	JF	06-May-26	8015B	
----------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		84.4 %		39.9-141	6050618	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 10 (EB 1') (1.5'-2')**H262542-29 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	224		16.0	mg/kg	4	6050607	AC	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050612	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050612	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050612	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.6 %		70.4-141	6050612	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			89.9 %		52.4-130	6050618	JF	06-May-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			83.2 %		39.9-141	6050618	JF	06-May-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 11 (EB 1') (0-0.5')**H262542-30 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	4400		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	QM-07
----------	------	--	------	-------	---	---------	----	-----------	-----------	-------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.4-141 6050613 JH 06-May-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane 88.3 % 52.4-130 6050618 JF 06-May-26 8015B

Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141 6050618 JF 06-May-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 11 (EB 1') (0.5'-1')**H262542-31 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1360		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	97.0 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	79.9 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	73.6 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 11 (EB 1') (1'-1.5')**H262542-32 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1010		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.7 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	84.5 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	77.0 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 11 (EB 1') (1.5'-2')**H262542-33 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	416		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B

Surrogate: 4-Bromofluorobenzene (PID)	96.8 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	82.8 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	74.6 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 11 (EB 1') (2'-2.5')**H262542-34 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	208		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	95.2 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	84.7 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	76.9 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 16 (EB 1') (0-0.5')**H262542-35 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	128		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	100 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	27.4	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	81.9 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	76.2 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 17 (EB 1') (0-0.5')**H262542-36 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.4 %	70.4-141		6050613	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			84.0 %	52.4-130		6050618	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			77.4 %	39.9-141		6050618	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 18 (EB 1') (0-0.5')**H262542-37 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.9 %		70.4-141	6050613	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			81.8 %		52.4-130	6050618	JF	06-May-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			74.7 %		39.9-141	6050618	JF	06-May-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 19 (EB 1') (0-0.5')**H262542-38 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.6 %	70.4-141		6050613	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			85.1 %	52.4-130		6050618	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			77.8 %	39.9-141		6050618	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 20 (EB 1') (0-0.5')**H262542-39 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.7 %	70.4-141		6050613	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050618	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			85.5 %	52.4-130		6050618	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			77.7 %	39.9-141		6050618	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 28 (EB 1.5') (0-0.5')**H262542-40 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.3 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	80.4 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	72.9 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 29 (EB 1.5') (0-0.5')**H262542-41 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	96.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	100 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
DRO >C10-C28*	13.9	10.0	mg/kg	1	6050618	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050618	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	73.8 %	52.4-130	6050618	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	69.7 %	39.9-141	6050618	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 30 (EB 1.5') (0-0.5')**H262542-42 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	176		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050613	JH	06-May-26	8021B	GC-NC
Total Xylenes*	<0.150		0.150	mg/kg	50	6050613	JH	06-May-26	8021B	GC-NC
Total BTEX	<0.300		0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141 6050613 JH 06-May-26 8021B

Petroleum Hydrocarbons by GC FID**S-04**

GRO C6-C10*	77.0		10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
DRO >C10-C28*	4610		10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
EXT DRO >C28-C36	646		10.0	mg/kg	1	6050619	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane 82.3 % 52.4-130 6050619 JF 06-May-26 8015B

Surrogate: 1-Chlorooctadecane 171 % 39.9-141 6050619 JF 06-May-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 31 (EB 1.5') (0-0.5')**H262542-43 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.0 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	85.7 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	86.7 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 51 (EB 1') (0-0.5')**H262542-44 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B

Surrogate: 4-Bromofluorobenzene (PID)	93.5 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	85.5 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	84.9 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (0.0-0.5')**H262542-45 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2720		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		94.8 %		70.4-141	6050613	JH	06-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		85.1 %		52.4-130	6050619	JF	06-May-26	8015B	
----------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		81.8 %		39.9-141	6050619	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (0.5'-1.0')**H262542-46 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2880		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	95.6 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	85.1 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	82.2 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (1.0'-1.5')**H262542-47 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2480		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	94.2 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	86.1 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.3 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (1.5'-2.0')**H262542-48 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1870		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	94.8 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	89.0 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	89.5 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (2.0'-2.5')**H262542-49 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1520		16.0	mg/kg	4	6050608	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050613	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050613	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050613	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	94.1 %	70.4-141	6050613	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	80.6 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.0 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (2.5'--3.0')**H262542-50 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1360		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	QM-07
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	-------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141 6050614 JH 06-May-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050619	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane 89.4 % 52.4-130 6050619 JF 06-May-26 8015B

Surrogate: 1-Chlorooctadecane 87.9 % 39.9-141 6050619 JF 06-May-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (3.0'-3.5')**H262542-51 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1200		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.9 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	87.5 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	86.5 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 12 (EB 1') (3.5'-4.0')**H262542-52 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	992		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.1 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	87.4 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	85.1 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 13 (EB 1') (0.0-0.5')**H262542-53 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1890		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	113 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	83.1 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.9 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

CONFIRMATION SAMPLE 13 (EB 1') (0.5'-1.0')**H262542-54 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1360		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.1 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	87.5 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.4 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050606 - 1:4 DI Water**Blank (6050606-BLK1)**

Prepared & Analyzed: 06-May-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6050606-BS1)

Prepared & Analyzed: 06-May-26

Chloride	464	16.0	mg/kg	400	116	80-120
----------	-----	------	-------	-----	-----	--------

LCS Dup (6050606-BSD1)

Prepared & Analyzed: 06-May-26

Chloride	448	16.0	mg/kg	400	112	80-120	3.51	20
----------	-----	------	-------	-----	-----	--------	------	----

Batch 6050607 - 1:4 DI Water**Blank (6050607-BLK1)**

Prepared & Analyzed: 06-May-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6050607-BS1)

Prepared & Analyzed: 06-May-26

Chloride	480	16.0	mg/kg	400	120	80-120
----------	-----	------	-------	-----	-----	--------

LCS Dup (6050607-BSD1)

Prepared & Analyzed: 06-May-26

Chloride	480	16.0	mg/kg	400	120	80-120	0.00	20
----------	-----	------	-------	-----	-----	--------	------	----

Batch 6050608 - 1:4 DI Water**Blank (6050608-BLK1)**

Prepared & Analyzed: 06-May-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6050608-BS1)

Prepared & Analyzed: 06-May-26

Chloride	448	16.0	mg/kg	400	112	80-120
----------	-----	------	-------	-----	-----	--------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6050608 - 1:4 DI Water**LCS Dup (6050608-BSD1)**

Prepared & Analyzed: 06-May-26

Chloride	448	16.0	mg/kg	400		112	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 6050609 - 1:4 DI Water**Blank (6050609-BLK1)**

Prepared & Analyzed: 06-May-26

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (6050609-BS1)

Prepared & Analyzed: 06-May-26

Chloride	432	16.0	mg/kg	400		108	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (6050609-BSD1)

Prepared & Analyzed: 06-May-26

Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050602 - Volatiles**Blank (6050602-BLK1)**

Prepared & Analyzed: 06-May-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		95.6	70.4-141			

LCS (6050602-BS1)

Prepared & Analyzed: 06-May-26

Benzene	2.22	0.050	mg/kg	2.00		111	71-111			
Toluene	2.09	0.050	mg/kg	2.00		105	75-116			
Ethylbenzene	2.02	0.050	mg/kg	2.00		101	74.2-119			
m,p-Xylene	3.90	0.100	mg/kg	4.00		97.4	72.5-123			
o-Xylene	1.99	0.050	mg/kg	2.00		99.6	70.5-124			
Total Xylenes	5.89	0.150	mg/kg	6.00		98.1	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0473		mg/kg	0.0500		94.6	70.4-141			

LCS Dup (6050602-BSD1)

Prepared & Analyzed: 06-May-26

Benzene	2.14	0.050	mg/kg	2.00		107	71-111	3.77	17.6	
Toluene	2.02	0.050	mg/kg	2.00		101	75-116	3.63	14.8	
Ethylbenzene	1.94	0.050	mg/kg	2.00		96.9	74.2-119	3.89	14.2	
m,p-Xylene	3.74	0.100	mg/kg	4.00		93.4	72.5-123	4.18	13.6	
o-Xylene	1.91	0.050	mg/kg	2.00		95.4	70.5-124	4.28	13.7	
Total Xylenes	5.65	0.150	mg/kg	6.00		94.1	72.2-123	4.21	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0470		mg/kg	0.0500		94.0	70.4-141			

Batch 6050612 - Volatiles**Blank (6050612-BLK1)**

Prepared & Analyzed: 06-May-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050612 - Volatiles**Blank (6050612-BLK1)**

Prepared & Analyzed: 06-May-26

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		90.4	70.4-141			

LCS (6050612-BS1)

Prepared & Analyzed: 06-May-26

Benzene	2.14	0.050	mg/kg	2.00		107	71-111			
Toluene	2.04	0.050	mg/kg	2.00		102	75-116			
Ethylbenzene	1.99	0.050	mg/kg	2.00		99.4	74.2-119			
m,p-Xylene	4.06	0.100	mg/kg	4.00		102	72.5-123			
o-Xylene	1.95	0.050	mg/kg	2.00		97.4	70.5-124			
Total Xylenes	6.01	0.150	mg/kg	6.00		100	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0461		mg/kg	0.0500		92.1	70.4-141			

LCS Dup (6050612-BS1)

Prepared & Analyzed: 06-May-26

Benzene	2.07	0.050	mg/kg	2.00		104	71-111	3.01	17.6	
Toluene	1.99	0.050	mg/kg	2.00		99.5	75-116	2.67	14.8	
Ethylbenzene	1.95	0.050	mg/kg	2.00		97.5	74.2-119	1.95	14.2	
m,p-Xylene	3.98	0.100	mg/kg	4.00		99.5	72.5-123	2.03	13.6	
o-Xylene	1.90	0.050	mg/kg	2.00		94.9	70.5-124	2.61	13.7	
Total Xylenes	5.88	0.150	mg/kg	6.00		98.0	72.2-123	2.22	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0456		mg/kg	0.0500		91.2	70.4-141			

Batch 6050613 - Volatiles**Blank (6050613-BLK1)**

Prepared & Analyzed: 06-May-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		94.5	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050613 - Volatiles**LCS (6050613-BS1)**

Prepared & Analyzed: 06-May-26

Benzene	2.15	0.050	mg/kg	2.00		108	71-111			
Toluene	1.94	0.050	mg/kg	2.00		97.2	75-116			
Ethylbenzene	1.95	0.050	mg/kg	2.00		97.5	74.2-119			
m,p-Xylene	3.93	0.100	mg/kg	4.00		98.3	72.5-123			
o-Xylene	1.93	0.050	mg/kg	2.00		96.4	70.5-124			
Total Xylenes	5.86	0.150	mg/kg	6.00		97.6	72.2-123			

Surrogate: 4-Bromofluorobenzene (PID) 0.0439 mg/kg 0.0500 87.7 70.4-141

LCS Dup (6050613-BSD1)

Prepared & Analyzed: 06-May-26

Benzene	2.15	0.050	mg/kg	2.00		107	71-111	0.373	17.6	
Toluene	2.01	0.050	mg/kg	2.00		100	75-116	3.30	14.8	
Ethylbenzene	2.02	0.050	mg/kg	2.00		101	74.2-119	3.38	14.2	
m,p-Xylene	4.10	0.100	mg/kg	4.00		102	72.5-123	4.20	13.6	
o-Xylene	2.00	0.050	mg/kg	2.00		100	70.5-124	3.68	13.7	
Total Xylenes	6.10	0.150	mg/kg	6.00		102	72.2-123	4.03	13.3	

Surrogate: 4-Bromofluorobenzene (PID) 0.0465 mg/kg 0.0500 92.9 70.4-141

Batch 6050614 - Volatiles**Blank (6050614-BLK1)**

Prepared & Analyzed: 06-May-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							

Surrogate: 4-Bromofluorobenzene (PID) 0.109 mg/kg 0.100 109 70.4-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6050614 - Volatiles**LCS (6050614-BS1)**

Prepared & Analyzed: 06-May-26

Benzene	2.19	0.050	mg/kg	2.00		109	71-111			
Toluene	2.19	0.050	mg/kg	2.00		109	75-116			
Ethylbenzene	2.20	0.050	mg/kg	2.00		110	74.2-119			
m,p-Xylene	4.34	0.100	mg/kg	4.00		108	72.5-123			
o-Xylene	2.24	0.050	mg/kg	2.00		112	70.5-124			
Total Xylenes	6.58	0.150	mg/kg	6.00		110	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.103		mg/kg	0.100		103	70.4-141			

LCS Dup (6050614-BSD1)

Prepared & Analyzed: 06-May-26

Benzene	2.10	0.050	mg/kg	2.00		105	71-111	3.83	17.6	
Toluene	2.01	0.050	mg/kg	2.00		101	75-116	8.37	14.8	
Ethylbenzene	2.01	0.050	mg/kg	2.00		101	74.2-119	9.04	14.2	
m,p-Xylene	3.93	0.100	mg/kg	4.00		98.3	72.5-123	9.79	13.6	
o-Xylene	2.07	0.050	mg/kg	2.00		104	70.5-124	7.67	13.7	
Total Xylenes	6.01	0.150	mg/kg	6.00		100	72.2-123	9.06	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0977		mg/kg	0.100		97.7	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6050603 - General Prep - Organics**Blank (6050603-BLK1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	45.6		mg/kg	50.0		91.1	52.4-130			
Surrogate: 1-Chlorooctadecane	42.8		mg/kg	50.0		85.5	39.9-141			

LCS (6050603-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	190	10.0	mg/kg	200		95.2	78.7-123			
DRO >C10-C28	196	10.0	mg/kg	200		97.9	74.8-123			
Total TPH C6-C28	386	10.0	mg/kg	400		96.5	78.6-121			
Surrogate: 1-Chlorooctane	49.1		mg/kg	50.0		98.2	52.4-130			
Surrogate: 1-Chlorooctadecane	46.5		mg/kg	50.0		93.1	39.9-141			

LCS Dup (6050603-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	188	10.0	mg/kg	200		93.9	78.7-123	1.36	11.3	
DRO >C10-C28	193	10.0	mg/kg	200		96.7	74.8-123	1.25	10.9	
Total TPH C6-C28	381	10.0	mg/kg	400		95.3	78.6-121	1.30	10.5	
Surrogate: 1-Chlorooctane	47.0		mg/kg	50.0		94.1	52.4-130			
Surrogate: 1-Chlorooctadecane	44.2		mg/kg	50.0		88.4	39.9-141			

Batch 6050617 - General Prep - Organics**Blank (6050617-BLK1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	42.6		mg/kg	50.0		85.2	52.4-130			
Surrogate: 1-Chlorooctadecane	35.4		mg/kg	50.0		70.8	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6050617 - General Prep - Organics**LCS (6050617-BS1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	198	10.0	mg/kg	200		98.8	78.7-123		
DRO >C10-C28	211	10.0	mg/kg	200		106	74.8-123		
Total TPH C6-C28	409	10.0	mg/kg	400		102	78.6-121		
Surrogate: 1-Chlorooctane	43.3		mg/kg	50.0		86.6	52.4-130		
Surrogate: 1-Chlorooctadecane	36.8		mg/kg	50.0		73.5	39.9-141		

LCS Dup (6050617-BSD1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	202	10.0	mg/kg	200		101	78.7-123	2.06	11.3
DRO >C10-C28	216	10.0	mg/kg	200		108	74.8-123	2.12	10.9
Total TPH C6-C28	417	10.0	mg/kg	400		104	78.6-121	2.09	10.5
Surrogate: 1-Chlorooctane	45.5		mg/kg	50.0		91.0	52.4-130		
Surrogate: 1-Chlorooctadecane	39.1		mg/kg	50.0		78.2	39.9-141		

Batch 6050618 - General Prep - Organics**Blank (6050618-BLK1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	ND	10.0	mg/kg						
DRO >C10-C28	ND	10.0	mg/kg						
EXT DRO >C28-C36	ND	10.0	mg/kg						
Surrogate: 1-Chlorooctane	40.8		mg/kg	50.0		81.6	52.4-130		
Surrogate: 1-Chlorooctadecane	36.1		mg/kg	50.0		72.2	39.9-141		

LCS (6050618-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	185	10.0	mg/kg	200		92.6	78.7-123		
DRO >C10-C28	183	10.0	mg/kg	200		91.6	74.8-123		
Total TPH C6-C28	369	10.0	mg/kg	400		92.1	78.6-121		
Surrogate: 1-Chlorooctane	41.1		mg/kg	50.0		82.1	52.4-130		
Surrogate: 1-Chlorooctadecane	37.1		mg/kg	50.0		74.2	39.9-141		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 13:52

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050618 - General Prep - Organics**LCS Dup (6050618-BSD1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	190	10.0	mg/kg	200		94.8	78.7-123	2.31	11.3	
DRO >C10-C28	189	10.0	mg/kg	200		94.7	74.8-123	3.32	10.9	
Total TPH C6-C28	379	10.0	mg/kg	400		94.8	78.6-121	2.81	10.5	
Surrogate: 1-Chlorooctane	43.6		mg/kg	50.0		87.1	52.4-130			
Surrogate: 1-Chlorooctadecane	39.6		mg/kg	50.0		79.1	39.9-141			

Batch 6050619 - General Prep - Organics**Blank (6050619-BLK1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	40.8		mg/kg	50.0		81.6	52.4-130			
Surrogate: 1-Chlorooctadecane	39.2		mg/kg	50.0		78.3	39.9-141			

LCS (6050619-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	207	10.0	mg/kg	200		104	78.7-123			
DRO >C10-C28	187	10.0	mg/kg	200		93.6	74.8-123			
Total TPH C6-C28	394	10.0	mg/kg	400		98.6	78.6-121			
Surrogate: 1-Chlorooctane	42.3		mg/kg	50.0		84.6	52.4-130			
Surrogate: 1-Chlorooctadecane	40.5		mg/kg	50.0		81.0	39.9-141			

LCS Dup (6050619-BSD1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	216	10.0	mg/kg	200		108	78.7-123	3.98	11.3	
DRO >C10-C28	187	10.0	mg/kg	200		93.3	74.8-123	0.346	10.9	
Total TPH C6-C28	402	10.0	mg/kg	400		101	78.6-121	1.95	10.5	
Surrogate: 1-Chlorooctane	50.4		mg/kg	50.0		101	52.4-130			
Surrogate: 1-Chlorooctadecane	45.0		mg/kg	50.0		89.9	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
GC-NC	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Page 1 of 12Page 68 of 73

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name:

Energy Transfer

Site Manager:

Peyton Oliver

Project Name:

Ameredev Station

Project Location:

Lea County, NM

Project #:

Invoice to:

Precision Group

peyton.oliver@pndllc.com

Receiving Laboratory:

Cardinal

Sampler Signature:

Miguel De Luna

Comments:

LAB # (LAB USE ONLY)		SAMPLE IDENTIFICATION	
DATE		SAMPLING	
TIME		YEAR 2025	
WATER		MATRIX	
SOIL			
HCL		PRESERVATIVE METHOD	
HNO ₃			
ICE			
None			
# CONTAINERS			
FILTERED (Y/N)			
BTEX 8021B BTE			
TPH TX 1005			
TPH 8015M (GRO			
PAH 8270C			
Total Metals Ag As B			
TCLP Metals Ag As B			
TCLP Volatiles			
TCLP Semi Volatiles			
RCI			
GC/MS Vol. 8260B			
GC/MS Semi. Vol. 8			
PCB's 8082 / 608			
NORM			
PLM (Asbestos)			
Chloride EPA 4500			
Chloride Sulfate			
General Water Che			
Anion/Cation Balan			
Hold			

11	SSW 11 (0.5-1')	5/4/2026	1020	X																					
12	SSW 12 (0.5-1')	5/4/2026	1025	X																					
13	Confirmation sample 4 (EB 1') (0-0.5')	5/4/2026	1030	X																					
14	Confirmation sample 5 (EB 1') (0-0.5')	5/4/2026	1035	X																					
15	Confirmation sample 6 (EB 1') (0-0.5')	5/4/2026	1040	X																					
16	Confirmation sample 6 (EB 1') (0.5-1')	5/4/2026	1045	X																					
17	Confirmation sample 7 (EB 1') (0-0.5')	5/4/2026	1050	X																					
18	Confirmation sample 7 (EB 1') (0.5-1')	5/4/2026	1055	X																					
19	Confirmation sample 7 (EB 1') (0.5-1.5')	5/4/2026	1100	X																					
20	Confirmation sample 8 (EB 1') (0-0.5')	5/4/2026	1105	X																					
Relinquished by: <i>Handwritten Signature</i>		Date: 5/16/26	Time:	Received by: <i>Handwritten Signature</i>	Date: 5/16/26	Time: 1041																			
Relinquished by:		Date:	Time:	Received by:	Date:	Time:																			
Relinquished by:		Date:	Time:	Received by:	Date:	Time:																			

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #

LAB USE ONLY

REMARKS:

☒ STANDARD

☐ RUSH: Same Day 24 hr 48 hr 72 hr

☐ Rush Charges Authorized

☐ Special Report Limits or TRRP Report

Page 3 of 12



1624 East County Rd 140 Midland

Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name:	Energy Transfer	Site Manager:	Peyton Oliver
--------------	-----------------	---------------	---------------

Project Name: Ameredev Station

Lea County, NM

Precision Group

Receiving Laboratory:	Sampler Signature:
Cardinal	Miguel De Luna

Comments:

ORIGINAL COPY

ANALYSIS REQUEST

(Circle or Specify Method No.)

Hold

☒ STANDARD

Sample Temperature

☐ Rush Charges Authorized☐ Special Report Limits or TRRP Report

(Circle) HAND DELIVERED FEDEX UPS Tracking #

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name:

Energy Transfer

Site Manager:

Peyton Oliver

Project Name:

Ameredev Station

Project Location:

Lea County, NM

Project #:

Invoice to:

Precision Group

peyton.oliver@pndtlc.com

Receiving Laboratory:

Cardinal

Sampler Signature:

Miguel De Luna

Comments:

LAB USE ONLY LAB #	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)	ANALYSIS REQUEST (Circle or Specify Method No.) BTEX 8021B BTEX 8260B TPH TX 1005 TPH 8015M (GRO - DRO - ORO - MRO) PAH 8270C Total Metals Ag As Ba Cd Cr Pb Se Hg TCLP Metals Ag As Ba Cd Cr Pb Se Hg TCLP Volatiles TCLP Semi Volatiles RCI GC/MS Vol. 8260B / 624 GC/MS Semi. Vol. 8270C/625 PCB's 8082 / 608 NORM PLM (Asbestos) Chloride EPA 4500 Chloride Sulfate TDS General Water Chemistry (see attached list) Anion/Cation Balance Hold
		DATE	TIME	WATER	SOIL	HCL	HNO ₃			
		YEAR 2025								

31	Confirmation sample 11 (EB 1') (0.5'-1')	5/4/2026	1200	X				X	1	X
32	Confirmation sample 11 (EB 1') (1'-1.5)	5/4/2026	1205	X				X	1	X
33	Confirmation sample 11 (EB 1') (1.5'-2')	5/4/2026	1210	X				X	1	X
34	Confirmation sample 11 (EB 1') (2'-2.5)	5/4/2026	1215	X				X	1	X
35	Confirmation sample 16 (EB 1') (0-0.5)	5/4/2026	1220	X				X	1	X
36	Confirmation sample 17 (EB 1') (0-0.5)	5/4/2026	1225	X				X	1	X
37	Confirmation sample 18 (EB 1') (0-0.5)	5/4/2026	1230	X				X	1	X
38	Confirmation sample 19 (EB 1') (0-0.5)	5/4/2026	1235	X				X	1	X
39	Confirmation sample 20 (EB 1') (0-0.5)	5/4/2026	1240	X				X	1	X
40	Confirmation sample 28 (EB 1.5') (0-0.5')	5/4/2026	1245	X				X	1	X

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>Handwritten signature</i>	5/6/26	12:16	<i>Handwritten signature</i>	5/6/26	12:11
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #

Page 5 of 12



1624 East County Rd 140
Tomball 76706
Midland,

Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name: Energy Transfer		Site Manager: Peyton Oliver	
Project Name: Ameredev Station		Project #:	
Project Location: Lea County, NM		Project #:	
Invoice to: Precision Group		Sampler Signature: <u>peyton.oliver@precisiongroup.com</u>	
Receiving Laboratory: Cardinal Laboratory		Miguel De Luna	
Comments:			

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)		
		DATE	TIME	WATER	SOIL	HCL	HNO ₃			ICE	None
45	Confirmation sample 12 (EB 1') (0.0-0.5)	5/5/2026	0900	X	X	X	X	X	1		
46	Confirmation Sample 12 (EB 1') (0.5-1.0')	5/5/2026	0905	X	X	X	X	X	1		
47	Confirmation Sample 12 (EB 1') (1.0'-1.5')	5/5/2026	0910	X	X	X	X	X	1		
48	Confirmation Sample 12 (EB 1') (1.5'-2.0')	5/5/2026	0915	X	X	X	X	X	1		
49	Confirmation Sample 12 (EB 1') (2.0'-2.5')	5/5/2026	0920	X	X	X	X	X	1		
50	Confirmation Sample 12 (EB 1') (2.5'-3.0')	5/5/2026	0925	X	X	X	X	X	1		
51	Confirmation Sample 12 (EB 1') (3.0'-3.5')	5/5/2026	0930	X	X	X	X	X	1		
52	Confirmation Sample 12 (EB 1') (3.5'-4.0')	5/5/2026	0935	X	X	X	X	X	1		
53	Confirmation Sample 13 (EB 1') (0.0-0.5')	5/5/2026	0940	X	X	X	X	X	1		
54	Confirmation Sample 13 (EB 1') (0.5-1.0')	5/5/2026	0945	X	X	X	X	X	1		

Relinquished by: <u>5/6/176</u>	Date: <u>5/6/176</u>	Time: <u>1741</u>
Relinquished by: <u>5/6/176</u>	Date: <u>5/6/176</u>	Time: <u>1741</u>
Relinquished by: <u>5/6/176</u>	Date: <u>5/6/176</u>	Time: <u>1741</u>

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

BTX 8021B	BTX 8260B
TPH TX 1005	
TPH 8015M (GRO - DRO - ORO - MRO)	
PAH 8270C	
Total Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Volatiles	
TCLP Semi Volatiles	
RCI	
GC/MS Vol. 8260B / 624	
GC/MS Semi. Vol. 8270C/625	
PCB's 8082 / 608	
NORM	
PLM (Asbestos)	
Chloride	
Chloride Sulfate TDS	
General Water Chemistry (see attached list)	
Anion/Cation Balance	
Hold	

ORIGINAL COPY

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 12, 2026

PEYTON OLIVER

PRECISION GROUP

2845 PECOS HWY

CARLSBAD, NM 88220

RE: AMEREDEV STATION

Enclosed are the results of analyses for samples received by the laboratory on 05/06/26 10:41.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CONFIRMATION SAMPLE 13 (EB 1')	H262543-01	Soil	05-May-26 09:50	06-May-26 10:41
CONFIRMATION SAMPLE 13 (EB 1')	H262543-02	Soil	05-May-26 09:55	06-May-26 10:41
CONFIRMATION SAMPLE 13 (EB 1')	H262543-03	Soil	05-May-26 10:00	06-May-26 10:41
CONFIRMATION SAMPLE 14 (EB 1')	H262543-04	Soil	05-May-26 10:05	06-May-26 10:41
CONFIRMATION SAMPLE 14 (EB 1')	H262543-05	Soil	05-May-26 10:10	06-May-26 10:41
CONFIRMATION SAMPLE 14 (EB 1')	H262543-06	Soil	05-May-26 10:15	06-May-26 10:41
CONFIRMATION SAMPLE 14 (EB 1')	H262543-07	Soil	05-May-26 10:20	06-May-26 10:41
CONFIRMATION SAMPLE 15 (EB 1')	H262543-08	Soil	05-May-26 10:25	06-May-26 10:41
CONFIRMATION SAMPLE 15 (EB 1')	H262543-09	Soil	05-May-26 10:30	06-May-26 10:41
CONFIRMATION SAMPLE 15 (EB 1')	H262543-10	Soil	05-May-26 10:35	06-May-26 10:41
CONFIRMATION SAMPLE 15 (EB 1')	H262543-11	Soil	05-May-26 10:40	06-May-26 10:41
NSW 4 (0.0-1.0')	H262543-12	Soil	05-May-26 10:45	06-May-26 10:41
NSW 5 (0.0-1.0')	H262543-13	Soil	05-May-26 10:50	06-May-26 10:41
CONFIRMATION SAMPLE 21 (EB 1')	H262543-14	Soil	05-May-26 10:55	06-May-26 10:41
CONFIRMATION SAMPLE 21 (EB 1')	H262543-15	Soil	05-May-26 11:00	06-May-26 10:41
CONFIRMATION SAMPLE 21 (EB 1')	H262543-16	Soil	05-May-26 11:05	06-May-26 10:41
CONFIRMATION SAMPLE 22 (EB 1')	H262543-17	Soil	05-May-26 11:10	06-May-26 10:41
CONFIRMATION SAMPLE 23 (EB 1')	H262543-18	Soil	05-May-26 11:15	06-May-26 10:41
CONFIRMATION SAMPLE 23 (EB 1')	H262543-19	Soil	05-May-26 11:20	06-May-26 10:41
CONFIRMATION SAMPLE 23 (EB 1')	H262543-20	Soil	05-May-26 11:25	06-May-26 10:41
CONFIRMATION SAMPLE 23 (EB 1')	H262543-21	Soil	05-May-26 11:30	06-May-26 10:41
CONFIRMATION SAMPLE 24 (EB 1')	H262543-22	Soil	05-May-26 11:35	06-May-26 10:41
CONFIRMATION SAMPLE 25 (EB 1')	H262543-23	Soil	05-May-26 11:40	06-May-26 10:41
CONFIRMATION SAMPLE 25 (EB 1')	H262543-24	Soil	05-May-26 11:45	06-May-26 10:41
CONFIRMATION SAMPLE 25 (EB 1')	H262543-25	Soil	05-May-26 11:50	06-May-26 10:41
CONFIRMATION SAMPLE 25 (EB 1')	H262543-26	Soil	05-May-26 11:55	06-May-26 10:41
CONFIRMATION SAMPLE 25 (EB 1')	H262543-27	Soil	05-May-26 12:00	06-May-26 10:41

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1')	H262543-28	Soil	05-May-26 12:05	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-29	Soil	05-May-26 12:10	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-30	Soil	05-May-26 12:15	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-31	Soil	05-May-26 12:20	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-32	Soil	05-May-26 12:25	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-33	Soil	05-May-26 12:30	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-34	Soil	05-May-26 12:35	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-35	Soil	05-May-26 12:40	06-May-26 10:41
CONFIRMATION SAMPLE 26 (EB 1')	H262543-36	Soil	05-May-26 12:45	06-May-26 10:41
CONFIRMATION SAMPLE 27 (EB 1')	H262543-37	Soil	05-May-26 12:50	06-May-26 10:41
CONFIRMATION SAMPLE 27 (EB 1')	H262543-38	Soil	05-May-26 12:55	06-May-26 10:41
CONFIRMATION SAMPLE 27 (EB 1')	H262543-39	Soil	05-May-26 13:00	06-May-26 10:41
CONFIRMATION SAMPLE 27 (EB 1')	H262543-40	Soil	05-May-26 13:05	06-May-26 10:41
CONFIRMATION SAMPLE 27 (EB 1')	H262543-41	Soil	05-May-26 13:10	06-May-26 10:41
CONFIRMATION SAMPLE 27 (EB 1')	H262543-42	Soil	05-May-26 13:15	06-May-26 10:41
SSW 4 (0.0'-1.0')	H262543-43	Soil	05-May-26 01:20	06-May-26 10:41
SSW 5 (0.0'-1.0')	H262543-44	Soil	05-May-26 13:25	06-May-26 10:41
SSW 6 (0.0'-1.0')	H262543-45	Soil	05-May-26 13:30	06-May-26 10:41
SSW 7 (0.0'-1.0')	H262543-46	Soil	05-May-26 13:35	06-May-26 10:41
SSW 8 (0.0'-1.0')	H262543-47	Soil	05-May-26 13:40	06-May-26 10:41
SSW 9 (0.0'-1.0')	H262543-48	Soil	05-May-26 13:45	06-May-26 10:41
SSW 10 (0.0'-1.0')	H262543-49	Soil	05-May-26 13:50	06-May-26 10:41
ESW 1 (0.0'-1.0')	H262543-50	Soil	05-May-26 13:55	06-May-26 10:41
ESW 2 (0.0'-1.0')	H262543-51	Soil	05-May-26 14:00	06-May-26 10:41
CONFIRMATION SAMPLE 52 (EB 1')	H262543-52	Soil	05-May-26 14:05	06-May-26 10:41
CONFIRMATION SAMPLE 52 (EB 1')	H262543-53	Soil	05-May-26 14:10	06-May-26 10:41
CONFIRMATION SAMPLE 53 (EB 1')	H262543-54	Soil	05-May-26 14:15	06-May-26 10:41
CONFIRMATION SAMPLE 54 (EB 1')	H262543-55	Soil	05-May-26 14:20	06-May-26 10:41
CONFIRMATION SAMPLE 55 (EB 1')	H262543-56	Soil	05-May-26 14:25	06-May-26 10:41
NSW 6 (0.0'-1.0')	H262543-57	Soil	05-May-26 14:30	06-May-26 10:41

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:Reported:
12-May-26 14:11

NSW 7 (0.0-1.0')

H262543-58

Soil

05-May-26 14:35

06-May-26 10:41

CASE NARRATIVE:

No labels with lot numbers on sample containers for traceability.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 13 (EB 1') (1.0'-1.5')
H262543-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1090		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)		98.4 %		70.4-141	6050614	JH	06-May-26	8021B	
---------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane		88.1 %		52.4-130	6050619	JF	06-May-26	8015B	
---------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane		84.6 %		39.9-141	6050619	JF	06-May-26	8015B	
-------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 13 (EB 1') (1.5'-2.0')**H262543-02 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	672		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		104 %		70.4-141	6050614	JH	06-May-26	8021B	
--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		93.1 %		52.4-130	6050619	JF	06-May-26	8015B	
----------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		90.3 %		39.9-141	6050619	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 13 (EB 1') (2.0'-2.5')**H262543-03 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	160		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	95.2 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	88.3 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	85.3 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 14 (EB 1') (0.0'-0.5')**H262543-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1040		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	110 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	81.7 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	80.7 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 14 (EB 1') (0.5'-1.0')**H262543-05 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	880		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	101 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	84.6 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.8 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 14 (EB 1') (1.0'-1.5')**H262543-06 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	592		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.4 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	87.6 %	52.4-130	6050619	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	85.1 %	39.9-141	6050619	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 14 (EB 1') (1.5'-2.0')**H262543-07 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	224		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	102 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050619	JF	07-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050619	JF	07-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050619	JF	07-May-26	8015B

Surrogate: 1-Chlorooctane	93.1 %	52.4-130	6050619	JF	07-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	91.3 %	39.9-141	6050619	JF	07-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 15 (EB 1') (0.0'-0.5')**H262543-08 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1390		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	114 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	82.8 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	70.0 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 15 (EB 1') (0.5'-1.0')**H262543-09 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1070		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	103 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	86.0 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	72.0 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 15 (EB 1') (1.0'-1.5')**H262543-10 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	528		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	104 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.3 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	77.1 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 15 (EB 1') (1.5'-2.0')**H262543-11 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	192		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.0 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	79.9 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	66.9 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

NSW 4 (0.0-1.0')**H262543-12 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	688		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	105 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	87.4 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	74.6 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

NSW 5 (0.0-1.0')**H262543-13 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	368		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	94.5 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	86.7 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	74.7 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 21 (EB 1') (0.0'-0.5')**H262543-14 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2760		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	123 %	70.4-141	6050614	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	84.4 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	74.6 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 21 (EB 1') (0.5'-1.0')**H262543-15 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2040		16.0	mg/kg	4	6050609	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050614	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050614	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050614	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			109 %	70.4-141		6050614	JH	06-May-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			86.5 %	52.4-130		6050620	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			74.4 %	39.9-141		6050620	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 21 (EB 1') (1.0'-1.5')**H262543-16 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	208		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	106 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	78.8 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	67.0 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 22 (EB 1') (0.0'-0.5')**H262543-17 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2960		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	114 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	91.9 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	79.2 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 23 (EB 1') (0.0'-0.5')**H262543-18 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2840		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	124 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	21.6	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	93.5 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	82.5 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 23 (EB 1') (0.5'-1.0')**H262543-19 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	672		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	118 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	67.4 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	56.3 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 23 (EB 1') (1.0'-1.5')**H262543-20 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	320		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	110 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	86.5 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	74.8 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 23 (EB 1') (1.5'-2.0')**H262543-21 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	80.0		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			119 %	70.4-141		6050615	JH	06-May-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			88.1 %	52.4-130		6050620	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			76.4 %	39.9-141		6050620	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 24 (EB 1') (0.0'-0.5')**H262543-22 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2290		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	129 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	18.5	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	85.4 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	74.3 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1') (0.0'-0.5')**H262543-23 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	3250		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	128 %	70.4-141	6050615	JH	06-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	MS	07-May-26	8015B
DRO >C10-C28*	41.7	10.0	mg/kg	1	6050620	MS	07-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	MS	07-May-26	8015B

Surrogate: 1-Chlorooctane	87.4 %	52.4-130	6050620	MS	07-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	81.2 %	39.9-141	6050620	MS	07-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1') (0.5'-1.0')**H262543-24 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1600		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	108 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	84.9 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	75.2 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1') (1.0'-1.5')**H262543-25 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1020		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	105 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050620	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	83.3 %	52.4-130	6050620	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	73.4 %	39.9-141	6050620	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1') (1.5'-2.0')**H262543-26 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	736		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			101 %	70.4-141		6050615	JH	07-May-26	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			84.4 %	52.4-130		6050620	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			73.6 %	39.9-141		6050620	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1') (2.0'-2.5')**H262543-27 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	496		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	126 %		70.4-141			6050615	JH	07-May-26	8021B	
---------------------------------------	-------	--	----------	--	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
DRO >C10-C28*	37.8		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050620	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane	86.1 %		52.4-130			6050620	JF	06-May-26	8015B	
---------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane	77.7 %		39.9-141			6050620	JF	06-May-26	8015B	
-------------------------------	--------	--	----------	--	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 25 (EB 1') (2.5'-3.0')**H262543-28 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	256		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	115 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	10.8	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	109 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	108 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (0.0'-0.5')**H262543-29 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2920		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	123 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	106 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	99.6 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (0.5'-1.0')**H262543-30 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1310		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	122 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	106 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	105 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (1.0'-1.5')**H262543-31 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1490		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	104 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	101 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	97.5 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (1.5'-2.0')**H262543-32 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1500		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	103 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	116 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	111 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (2.0'-2.5')**H262543-33 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1280		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	99.8 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	116 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	111 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (2.5'-3.0')**H262543-34 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1020		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	118 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	106 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	103 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (3.0'-3.5')**H262543-35 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1120		16.0	mg/kg	4	6050610	KH	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050615	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050615	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050615	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	108 %	70.4-141	6050615	JH	07-May-26	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	105 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	100 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 26 (EB 1') (3.5'-4.0')**H262543-36 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	880		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.9 %	70.4-141	6050616	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	99.1 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	94.3 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 27 (EB 1') (0.0'-0.5')**H262543-37 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1950		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.4 %		70.4-141	6050616	JH	06-May-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			103 %		52.4-130	6050621	JF	06-May-26	8015B	
----------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			98.4 %		39.9-141	6050621	JF	06-May-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 27 (EB 1') (0.5'-1.0')**H262543-38 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1170		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	93.9 %	70.4-141	6050616	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	107 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	101 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 27 (EB 1') (1.0'-1.5')**H262543-39 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	944		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.2 %		70.4-141	6050616	JH	06-May-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			101 %		52.4-130	6050621	JF	06-May-26	8015B	
----------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			97.3 %		39.9-141	6050621	JF	06-May-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 27 (EB 1') (1.5'-2.0')**H262543-40 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	768		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	06-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		91.8 %		70.4-141	6050616	JH	06-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		107 %		52.4-130	6050621	JF	06-May-26	8015B	
----------------------------------	--	-------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		103 %		39.9-141	6050621	JF	06-May-26	8015B	
--------------------------------------	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 27 (EB 1') (2.0'-2.5')**H262543-41 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	432		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	90.9 %	70.4-141	6050616	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	105 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	101 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 27 (EB 1') (2.5'-3.0')**H262543-42 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	256		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.8 %	70.4-141	6050616	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	104 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	98.0 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 4 (0.0'-1.0')**H262543-43 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	288		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.1 %		70.4-141	6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			109 %		52.4-130	6050621	JF	06-May-26	8015B	
---------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			105 %		39.9-141	6050621	JF	06-May-26	8015B	
-------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 5 (0.0'-1.0')**H262543-44 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1420		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		93.1 %		70.4-141	6050616	JH	07-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		102 %		52.4-130	6050621	JF	06-May-26	8015B	
----------------------------------	--	-------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		98.9 %		39.9-141	6050621	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 6 (0.0'-1.0')**H262543-45 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	240		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.3 %	70.4-141		6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050621	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			92.5 %	52.4-130		6050621	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			89.2 %	39.9-141		6050621	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 7 (0.0'-1.0')**H262543-46 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	112		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.6 %	70.4-141	6050616	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050621	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	101 %	52.4-130	6050621	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	97.2 %	39.9-141	6050621	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 8 (0.0'-1.0')**H262543-47 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	80.0		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.4 %	70.4-141		6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050621	JF	07-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050621	JF	07-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050621	JF	07-May-26	8015B	

Surrogate: 1-Chlorooctane			95.5 %	52.4-130		6050621	JF	07-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			91.4 %	39.9-141		6050621	JF	07-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 9 (0.0'-1.0')**H262543-48 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.3 %	70.4-141		6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			93.3 %	52.4-130		6050623	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			90.4 %	39.9-141		6050623	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

SSW 10 (0.0'-1.0')**H262543-49 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.1 %	70.4-141		6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			88.3 %	52.4-130		6050623	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			84.5 %	39.9-141		6050623	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

ESW 1 (0.0'-1.0')**H262543-50 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	304		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.6 %	70.4-141	6050616	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	99.3 %	52.4-130	6050623	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	95.8 %	39.9-141	6050623	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

ESW 2 (0.0'-1.0')**H262543-51 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	128		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			90.9 %	70.4-141		6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			97.8 %	52.4-130		6050623	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			93.8 %	39.9-141		6050623	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 52 (EB 1') (0.0-0.5')**H262543-52 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	864		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		91.1 %		70.4-141	6050616	JH	07-May-26	8021B	
--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>		99.5 %		52.4-130	6050623	JF	06-May-26	8015B	
----------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>		93.7 %		39.9-141	6050623	JF	06-May-26	8015B	
--------------------------------------	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 52 (EB 1') (0.5'-1.0')**H262543-53 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	176		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
----------	-----	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.4 %		70.4-141	6050616	JH	07-May-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			94.2 %		52.4-130	6050623	JF	06-May-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			88.2 %		39.9-141	6050623	JF	06-May-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 53 (EB 1') (0.0'-0.5')**H262543-54 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	624		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.4 %	70.4-141	6050616	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	100 %	52.4-130	6050623	JF	06-May-26	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	95.6 %	39.9-141	6050623	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 54 (EB 1') (0.0'-0.5')**H262543-55 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	224		16.0	mg/kg	4	6050611	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050616	JH	07-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050616	JH	07-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050616	JH	07-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	92.3 %	70.4-141	6050616	JH	07-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	88.8 %	52.4-130	6050623	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.4 %	39.9-141	6050623	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

CONFIRMATION SAMPLE 55 (EB 1') (0.0'-0.5')**H262543-56 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	592		16.0	mg/kg	4	6050628	AC	06-May-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6050636	JH	06-May-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6050636	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	96.8 %	70.4-141	6050636	JH	06-May-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6050623	JF	06-May-26	8015B

Surrogate: 1-Chlorooctane	90.7 %	52.4-130	6050623	JF	06-May-26	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	83.6 %	39.9-141	6050623	JF	06-May-26	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

NSW 6 (0.0-1.0')**H262543-57 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0		16.0	mg/kg	4	6050628	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050636	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050636	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.1 %	70.4-141		6050636	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			93.5 %	52.4-130		6050623	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			88.1 %	39.9-141		6050623	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

NSW 7 (0.0-1.0')**H262543-58 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6050628	AC	06-May-26	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6050636	JH	06-May-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6050636	JH	06-May-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6050636	JH	06-May-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.2 %	70.4-141		6050636	JH	06-May-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6050623	JF	06-May-26	8015B	

Surrogate: 1-Chlorooctane			92.8 %	52.4-130		6050623	JF	06-May-26	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			86.9 %	39.9-141		6050623	JF	06-May-26	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6050609 - 1:4 DI Water										
Blank (6050609-BLK1)				Prepared & Analyzed: 06-May-26						
Chloride	ND	16.0	mg/kg							
LCS (6050609-BS1)				Prepared & Analyzed: 06-May-26						
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (6050609-BSD1)				Prepared & Analyzed: 06-May-26						
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
Duplicate (6050609-DUP1)				Source: H262542-50		Prepared & Analyzed: 06-May-26				
Chloride	1440	16.0	mg/kg		1360			5.71	20	
Matrix Spike (6050609-MS1)				Source: H262542-50		Prepared & Analyzed: 06-May-26				
Chloride	1870	16.0	mg/kg	400	1360	128	80-120			QM-07
Batch 6050610 - 1:4 DI Water										
Blank (6050610-BLK1)				Prepared & Analyzed: 06-May-26						
Chloride	ND	16.0	mg/kg							
LCS (6050610-BS1)				Prepared & Analyzed: 06-May-26						
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (6050610-BSD1)				Prepared & Analyzed: 06-May-26						
Chloride	464	16.0	mg/kg	400		116	80-120	7.14	20	
Duplicate (6050610-DUP1)				Source: H262543-16		Prepared & Analyzed: 06-May-26				
Chloride	192	16.0	mg/kg		208			8.00	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050610 - 1:4 DI Water**Matrix Spike (6050610-MS1)****Source: H262543-16**

Prepared & Analyzed: 06-May-26

Chloride	608	16.0	mg/kg	400	208	100	80-120
----------	-----	------	-------	-----	-----	-----	--------

Batch 6050611 - 1:4 DI Water**Blank (6050611-BLK1)**

Prepared & Analyzed: 06-May-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6050611-BS1)

Prepared & Analyzed: 06-May-26

Chloride	416	16.0	mg/kg	400	104	80-120
----------	-----	------	-------	-----	-----	--------

LCS Dup (6050611-BSD1)

Prepared & Analyzed: 06-May-26

Chloride	416	16.0	mg/kg	400	104	80-120	0.00	20
----------	-----	------	-------	-----	-----	--------	------	----

Duplicate (6050611-DUP1)**Source: H262543-36**

Prepared & Analyzed: 06-May-26

Chloride	960	16.0	mg/kg	880	8.70	20
----------	-----	------	-------	-----	------	----

Matrix Spike (6050611-MS1)**Source: H262543-36**

Prepared & Analyzed: 06-May-26

Chloride	1230	16.0	mg/kg	400	880	87.5	80-120
----------	------	------	-------	-----	-----	------	--------

Batch 6050628 - 1:4 DI Water**Blank (6050628-BLK1)**

Prepared & Analyzed: 06-May-26

Chloride	ND	16.0	mg/kg
----------	----	------	-------

LCS (6050628-BS1)

Prepared & Analyzed: 06-May-26

Chloride	400	16.0	mg/kg	400	100	80-120
----------	-----	------	-------	-----	-----	--------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6050628 - 1:4 DI Water										
LCS Dup (6050628-BSD1)				Prepared & Analyzed: 06-May-26						
Chloride	432	16.0	mg/kg	400		108	80-120	7.69	20	
Duplicate (6050628-DUP1)				Source: H262543-56 Prepared & Analyzed: 06-May-26						
Chloride	512	16.0	mg/kg		592			14.5	20	
Matrix Spike (6050628-MS1)				Source: H262543-56 Prepared & Analyzed: 06-May-26						
Chloride	928	16.0	mg/kg	400	592	84.0	80-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050614 - Volatiles**Blank (6050614-BLK1)**

Prepared & Analyzed: 06-May-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.109		mg/kg	0.100		109	70.4-141			

LCS (6050614-BS1)

Prepared & Analyzed: 06-May-26

Benzene	2.19	0.050	mg/kg	2.00		109	71-111			
Toluene	2.19	0.050	mg/kg	2.00		109	75-116			
Ethylbenzene	2.20	0.050	mg/kg	2.00		110	74.2-119			
m,p-Xylene	4.34	0.100	mg/kg	4.00		108	72.5-123			
o-Xylene	2.24	0.050	mg/kg	2.00		112	70.5-124			
Total Xylenes	6.58	0.150	mg/kg	6.00		110	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.103		mg/kg	0.100		103	70.4-141			

LCS Dup (6050614-BSD1)

Prepared & Analyzed: 06-May-26

Benzene	2.10	0.050	mg/kg	2.00		105	71-111	3.83	17.6	
Toluene	2.01	0.050	mg/kg	2.00		101	75-116	8.37	14.8	
Ethylbenzene	2.01	0.050	mg/kg	2.00		101	74.2-119	9.04	14.2	
m,p-Xylene	3.93	0.100	mg/kg	4.00		98.3	72.5-123	9.79	13.6	
o-Xylene	2.07	0.050	mg/kg	2.00		104	70.5-124	7.67	13.7	
Total Xylenes	6.01	0.150	mg/kg	6.00		100	72.2-123	9.06	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0977		mg/kg	0.100		97.7	70.4-141			

Matrix Spike (6050614-MS1)

Source: H262542-50

Prepared & Analyzed: 06-May-26

Benzene	2.09	0.050	mg/kg	2.00	ND	104	59.5-111			
Toluene	2.03	0.050	mg/kg	2.00	ND	102	65-115			
Ethylbenzene	2.06	0.050	mg/kg	2.00	ND	103	65.7-117			
m,p-Xylene	4.03	0.100	mg/kg	4.00	ND	101	58.6-127			
o-Xylene	2.11	0.050	mg/kg	2.00	ND	105	62.2-123			
Total Xylenes	6.13	0.150	mg/kg	6.00	ND	102	62.8-123			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050614 - Volatiles**Matrix Spike (6050614-MS1)**

Source: H262542-50

Prepared & Analyzed: 06-May-26

Surrogate: 4-Bromofluorobenzene (PID) 0.0991 mg/kg 0.100 99.1 70.4-141

Matrix Spike Dup (6050614-MSD1)

Source: H262542-50

Prepared & Analyzed: 06-May-26

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Benzene	2.13	0.050	mg/kg	2.00	ND	107	59.5-111	2.30	7.19	
Toluene	2.04	0.050	mg/kg	2.00	ND	102	65-115	0.358	7.68	
Ethylbenzene	2.09	0.050	mg/kg	2.00	ND	105	65.7-117	1.71	8.6	
m,p-Xylene	4.14	0.100	mg/kg	4.00	ND	104	58.6-127	2.82	8.91	
o-Xylene	2.22	0.050	mg/kg	2.00	ND	111	62.2-123	5.45	9.01	
Total Xylenes	6.37	0.150	mg/kg	6.00	ND	106	62.8-123	3.73	8.88	

Surrogate: 4-Bromofluorobenzene (PID) 0.0997 mg/kg 0.100 99.7 70.4-141

Batch 6050615 - Volatiles**Blank (6050615-BLK1)**

Prepared & Analyzed: 06-May-26

Analyte	Result	Reporting Limit	Units
Benzene	ND	0.050	mg/kg
Toluene	ND	0.050	mg/kg
Ethylbenzene	ND	0.050	mg/kg
Total Xylenes	ND	0.150	mg/kg
Total BTEX	ND	0.300	mg/kg

Surrogate: 4-Bromofluorobenzene (PID) 0.105 mg/kg 0.100 105 70.4-141

LCS (6050615-BS1)

Prepared & Analyzed: 06-May-26

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits
Benzene	2.14	0.050	mg/kg	2.00		107	71-111
Toluene	2.08	0.050	mg/kg	2.00		104	75-116
Ethylbenzene	2.16	0.050	mg/kg	2.00		108	74.2-119
m,p-Xylene	4.25	0.100	mg/kg	4.00		106	72.5-123
o-Xylene	2.27	0.050	mg/kg	2.00		114	70.5-124
Total Xylenes	6.52	0.150	mg/kg	6.00		109	72.2-123

Surrogate: 4-Bromofluorobenzene (PID) 0.105 mg/kg 0.100 105 70.4-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050615 - Volatiles**LCS Dup (6050615-BSD1)**

Prepared & Analyzed: 06-May-26

Benzene	2.21	0.050	mg/kg	2.00		110	71-111	3.10	17.6	
Toluene	2.04	0.050	mg/kg	2.00		102	75-116	1.94	14.8	
Ethylbenzene	2.08	0.050	mg/kg	2.00		104	74.2-119	3.82	14.2	
m,p-Xylene	4.05	0.100	mg/kg	4.00		101	72.5-123	4.66	13.6	
o-Xylene	2.14	0.050	mg/kg	2.00		107	70.5-124	5.89	13.7	
Total Xylenes	6.20	0.150	mg/kg	6.00		103	72.2-123	5.09	13.3	

Surrogate: 4-Bromofluorobenzene (PID) 0.0956 mg/kg 0.100 95.6 70.4-141

Matrix Spike (6050615-MS1)

Source: H262543-16

Prepared: 06-May-26 Analyzed: 07-May-26

Benzene	2.11	0.050	mg/kg	2.00	ND	106	59.5-111			
Toluene	2.02	0.050	mg/kg	2.00	ND	101	65-115			
Ethylbenzene	2.05	0.050	mg/kg	2.00	ND	103	65.7-117			
m,p-Xylene	4.05	0.100	mg/kg	4.00	ND	101	58.6-127			
o-Xylene	2.13	0.050	mg/kg	2.00	ND	107	62.2-123			
Total Xylenes	6.18	0.150	mg/kg	6.00	ND	103	62.8-123			

Surrogate: 4-Bromofluorobenzene (PID) 0.0956 mg/kg 0.100 95.6 70.4-141

Matrix Spike Dup (6050615-MSD1)

Source: H262543-16

Prepared: 06-May-26 Analyzed: 07-May-26

Benzene	2.16	0.050	mg/kg	2.00	ND	108	59.5-111	2.20	7.19	
Toluene	2.12	0.050	mg/kg	2.00	ND	106	65-115	5.00	7.68	
Ethylbenzene	2.16	0.050	mg/kg	2.00	ND	108	65.7-117	5.02	8.6	
m,p-Xylene	4.21	0.100	mg/kg	4.00	ND	105	58.6-127	3.94	8.91	
o-Xylene	2.26	0.050	mg/kg	2.00	ND	113	62.2-123	5.93	9.01	
Total Xylenes	6.48	0.150	mg/kg	6.00	ND	108	62.8-123	4.63	8.88	

Surrogate: 4-Bromofluorobenzene (PID) 0.103 mg/kg 0.100 103 70.4-141

Batch 6050616 - Volatiles**Blank (6050616-BLK1)**

Prepared & Analyzed: 06-May-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050616 - Volatiles**Blank (6050616-BLK1)**

Prepared & Analyzed: 06-May-26

Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		92.1	70.4-141			

LCS (6050616-BS1)

Prepared & Analyzed: 06-May-26

Benzene	2.04	0.050	mg/kg	2.00		102	71-111			
Toluene	1.96	0.050	mg/kg	2.00		98.0	75-116			
Ethylbenzene	1.92	0.050	mg/kg	2.00		96.0	74.2-119			
m,p-Xylene	3.95	0.100	mg/kg	4.00		98.8	72.5-123			
o-Xylene	1.88	0.050	mg/kg	2.00		94.1	70.5-124			
Total Xylenes	5.83	0.150	mg/kg	6.00		97.2	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0462		mg/kg	0.0500		92.4	70.4-141			

LCS Dup (6050616-BSD1)

Prepared & Analyzed: 06-May-26

Benzene	2.09	0.050	mg/kg	2.00		105	71-111	2.63	17.6	
Toluene	2.03	0.050	mg/kg	2.00		101	75-116	3.46	14.8	
Ethylbenzene	1.99	0.050	mg/kg	2.00		99.7	74.2-119	3.76	14.2	
m,p-Xylene	4.09	0.100	mg/kg	4.00		102	72.5-123	3.39	13.6	
o-Xylene	1.94	0.050	mg/kg	2.00		97.2	70.5-124	3.31	13.7	
Total Xylenes	6.03	0.150	mg/kg	6.00		101	72.2-123	3.36	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0466		mg/kg	0.0500		93.1	70.4-141			

Matrix Spike (6050616-MS1)

Source: H262543-36

Prepared: 06-May-26 Analyzed: 07-May-26

Benzene	1.98	0.050	mg/kg	2.00	ND	98.8	59.5-111			
Toluene	1.92	0.050	mg/kg	2.00	ND	95.9	65-115			
Ethylbenzene	1.87	0.050	mg/kg	2.00	ND	93.7	65.7-117			
m,p-Xylene	3.84	0.100	mg/kg	4.00	ND	96.1	58.6-127			
o-Xylene	1.82	0.050	mg/kg	2.00	ND	91.1	62.2-123			
Total Xylenes	5.66	0.150	mg/kg	6.00	ND	94.4	62.8-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0462		mg/kg	0.0500		92.3	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050616 - Volatiles

Matrix Spike Dup (6050616-MSD1)		Source: H262543-36			Prepared: 06-May-26 Analyzed: 07-May-26					
Benzene	1.98	0.050	mg/kg	2.00	ND	99.1	59.5-111	0.240	7.19	
Toluene	1.94	0.050	mg/kg	2.00	ND	96.8	65-115	0.884	7.68	
Ethylbenzene	1.90	0.050	mg/kg	2.00	ND	95.0	65.7-117	1.36	8.6	
m,p-Xylene	3.91	0.100	mg/kg	4.00	ND	97.7	58.6-127	1.67	8.91	
o-Xylene	1.85	0.050	mg/kg	2.00	ND	92.6	62.2-123	1.65	9.01	
Total Xylenes	5.76	0.150	mg/kg	6.00	ND	96.0	62.8-123	1.66	8.88	
Surrogate: 4-Bromofluorobenzene (PID)	0.0465		mg/kg	0.0500		93.0	70.4-141			

Batch 6050636 - Volatiles

Blank (6050636-BLK1)		Prepared & Analyzed: 06-May-26								
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		96.0	70.4-141			

LCS (6050636-BS1)		Prepared & Analyzed: 06-May-26								
Benzene	2.13	0.050	mg/kg	2.00		106	71-111			
Toluene	2.03	0.050	mg/kg	2.00		101	75-116			
Ethylbenzene	1.94	0.050	mg/kg	2.00		97.2	74.2-119			
m,p-Xylene	3.74	0.100	mg/kg	4.00		93.6	72.5-123			
o-Xylene	1.88	0.050	mg/kg	2.00		94.2	70.5-124			
Total Xylenes	5.63	0.150	mg/kg	6.00		93.8	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0457		mg/kg	0.0500		91.4	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050636 - Volatiles**LCS Dup (6050636-BSD1)**

Prepared & Analyzed: 06-May-26

Benzene	2.16	0.050	mg/kg	2.00		108	71-111	1.73	17.6	
Toluene	2.04	0.050	mg/kg	2.00		102	75-116	0.338	14.8	
Ethylbenzene	1.95	0.050	mg/kg	2.00		97.7	74.2-119	0.498	14.2	
m,p-Xylene	3.77	0.100	mg/kg	4.00		94.2	72.5-123	0.569	13.6	
o-Xylene	1.91	0.050	mg/kg	2.00		95.6	70.5-124	1.52	13.7	
Total Xylenes	5.68	0.150	mg/kg	6.00		94.6	72.2-123	0.889	13.3	

Surrogate: 4-Bromofluorobenzene (PID) 0.0459 mg/kg 0.0500 91.8 70.4-141

Matrix Spike (6050636-MS1)

Source: H262548-01

Prepared: 06-May-26 Analyzed: 07-May-26

Benzene	2.25	0.050	mg/kg	2.00	ND	112	59.5-111			QM-07
Toluene	2.13	0.050	mg/kg	2.00	ND	107	65-115			
Ethylbenzene	2.06	0.050	mg/kg	2.00	ND	103	65.7-117			
m,p-Xylene	3.97	0.100	mg/kg	4.00	ND	99.4	58.6-127			
o-Xylene	2.02	0.050	mg/kg	2.00	ND	101	62.2-123			
Total Xylenes	5.99	0.150	mg/kg	6.00	ND	99.8	62.8-123			

Surrogate: 4-Bromofluorobenzene (PID) 0.0467 mg/kg 0.0500 93.5 70.4-141

Matrix Spike Dup (6050636-MSD1)

Source: H262548-01

Prepared: 06-May-26 Analyzed: 07-May-26

Benzene	2.23	0.050	mg/kg	2.00	ND	112	59.5-111	0.687	7.19	QM-07
Toluene	2.12	0.050	mg/kg	2.00	ND	106	65-115	0.653	7.68	
Ethylbenzene	2.06	0.050	mg/kg	2.00	ND	103	65.7-117	0.0754	8.6	
m,p-Xylene	3.98	0.100	mg/kg	4.00	ND	99.6	58.6-127	0.218	8.91	
o-Xylene	2.00	0.050	mg/kg	2.00	ND	99.9	62.2-123	0.839	9.01	
Total Xylenes	5.98	0.150	mg/kg	6.00	ND	99.7	62.8-123	0.137	8.88	

Surrogate: 4-Bromofluorobenzene (PID) 0.0465 mg/kg 0.0500 93.0 70.4-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050619 - General Prep - Organics**Blank (6050619-BLK1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	40.8		mg/kg	50.0		81.6	52.4-130			
Surrogate: 1-Chlorooctadecane	39.2		mg/kg	50.0		78.3	39.9-141			

LCS (6050619-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	207	10.0	mg/kg	200		104	78.7-123			
DRO >C10-C28	187	10.0	mg/kg	200		93.6	74.8-123			
Total TPH C6-C28	394	10.0	mg/kg	400		98.6	78.6-121			
Surrogate: 1-Chlorooctane	42.3		mg/kg	50.0		84.6	52.4-130			
Surrogate: 1-Chlorooctadecane	40.5		mg/kg	50.0		81.0	39.9-141			

LCS Dup (6050619-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	216	10.0	mg/kg	200		108	78.7-123	3.98	11.3	
DRO >C10-C28	187	10.0	mg/kg	200		93.3	74.8-123	0.346	10.9	
Total TPH C6-C28	402	10.0	mg/kg	400		101	78.6-121	1.95	10.5	
Surrogate: 1-Chlorooctane	50.4		mg/kg	50.0		101	52.4-130			
Surrogate: 1-Chlorooctadecane	45.0		mg/kg	50.0		89.9	39.9-141			

Matrix Spike (6050619-MS1)

Source: H262542-42

Prepared & Analyzed: 06-May-26

GRO C6-C10	280	10.0	mg/kg	200	77.0	101	62-135			
DRO >C10-C28	4860	10.0	mg/kg	200	4610	126	47-147			
Total TPH C6-C28	5140	10.0	mg/kg	400	4690	114	50.5-136			
Surrogate: 1-Chlorooctane	46.9		mg/kg	50.0		93.9	52.4-130			
Surrogate: 1-Chlorooctadecane	96.8		mg/kg	50.0		194	39.9-141			S-04

Matrix Spike Dup (6050619-MSD1)

Source: H262542-42

Prepared & Analyzed: 06-May-26

GRO C6-C10	278	10.0	mg/kg	200	77.0	101	62-135	0.746	19.4	
DRO >C10-C28	4870	10.0	mg/kg	200	4610	131	47-147	4.40	50.6	
Total TPH C6-C28	5150	10.0	mg/kg	400	4690	116	50.5-136	2.13	426	
Surrogate: 1-Chlorooctane	46.7		mg/kg	50.0		93.4	52.4-130			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050619 - General Prep - Organics**Matrix Spike Dup (6050619-MSD1)**

Source: H262542-42

Prepared & Analyzed: 06-May-26

Surrogate: 1-Chlorooctadecane	87.3		mg/kg	50.0		175	39.9-141			S-04
-------------------------------	------	--	-------	------	--	-----	----------	--	--	------

Batch 6050620 - General Prep - Organics**Blank (6050620-BLK1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							

Surrogate: 1-Chlorooctane	44.0		mg/kg	50.0		88.0	52.4-130			
---------------------------	------	--	-------	------	--	------	----------	--	--	--

Surrogate: 1-Chlorooctadecane	37.7		mg/kg	50.0		75.5	39.9-141			
-------------------------------	------	--	-------	------	--	------	----------	--	--	--

LCS (6050620-BS1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	213	10.0	mg/kg	200		107	78.7-123			
DRO >C10-C28	194	10.0	mg/kg	200		97.2	74.8-123			
Total TPH C6-C28	407	10.0	mg/kg	400		102	78.6-121			

Surrogate: 1-Chlorooctane	53.4		mg/kg	50.0		107	52.4-130			
---------------------------	------	--	-------	------	--	-----	----------	--	--	--

Surrogate: 1-Chlorooctadecane	45.0		mg/kg	50.0		90.1	39.9-141			
-------------------------------	------	--	-------	------	--	------	----------	--	--	--

LCS Dup (6050620-BSD1)

Prepared & Analyzed: 06-May-26

GRO C6-C10	202	10.0	mg/kg	200		101	78.7-123	5.11	11.3	
DRO >C10-C28	180	10.0	mg/kg	200		89.8	74.8-123	7.93	10.9	
Total TPH C6-C28	382	10.0	mg/kg	400		95.5	78.6-121	6.44	10.5	

Surrogate: 1-Chlorooctane	51.2		mg/kg	50.0		102	52.4-130			
---------------------------	------	--	-------	------	--	-----	----------	--	--	--

Surrogate: 1-Chlorooctadecane	43.1		mg/kg	50.0		86.2	39.9-141			
-------------------------------	------	--	-------	------	--	------	----------	--	--	--

Matrix Spike (6050620-MS1)

Source: H262543-08

Prepared & Analyzed: 06-May-26

GRO C6-C10	191	10.0	mg/kg	200	ND	95.6	62-135			
DRO >C10-C28	185	10.0	mg/kg	200	ND	92.5	47-147			
Total TPH C6-C28	376	10.0	mg/kg	400	9.83	91.6	50.5-136			

Surrogate: 1-Chlorooctane	46.9		mg/kg	50.0		93.8	52.4-130			
---------------------------	------	--	-------	------	--	------	----------	--	--	--

Surrogate: 1-Chlorooctadecane	38.6		mg/kg	50.0		77.2	39.9-141			
-------------------------------	------	--	-------	------	--	------	----------	--	--	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050620 - General Prep - Organics

Matrix Spike Dup (6050620-MSD1)		Source: H262543-08			Prepared & Analyzed: 06-May-26					
GRO C6-C10	184	10.0	mg/kg	200	ND	92.0	62-135	3.88	19.4	
DRO >C10-C28	178	10.0	mg/kg	200	ND	89.1	47-147	3.67	50.6	
Total TPH C6-C28	362	10.0	mg/kg	400	9.83	88.1	50.5-136	3.88	426	
Surrogate: 1-Chlorooctane	45.2		mg/kg	50.0		90.5	52.4-130			
Surrogate: 1-Chlorooctadecane	37.0		mg/kg	50.0		73.9	39.9-141			

Batch 6050621 - General Prep - Organics

Blank (6050621-BLK1)		Prepared & Analyzed: 06-May-26								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	53.7		mg/kg	50.0		107	52.4-130			
Surrogate: 1-Chlorooctadecane	51.0		mg/kg	50.0		102	39.9-141			

LCS (6050621-BS1)		Prepared & Analyzed: 06-May-26								
GRO C6-C10	228	10.0	mg/kg	200		114	78.7-123			
DRO >C10-C28	209	10.0	mg/kg	200		104	74.8-123			
Total TPH C6-C28	437	10.0	mg/kg	400		109	78.6-121			
Surrogate: 1-Chlorooctane	64.8		mg/kg	50.0		130	52.4-130			
Surrogate: 1-Chlorooctadecane	58.5		mg/kg	50.0		117	39.9-141			

LCS Dup (6050621-BSD1)		Prepared & Analyzed: 06-May-26								
GRO C6-C10	229	10.0	mg/kg	200		114	78.7-123	0.426	11.3	
DRO >C10-C28	209	10.0	mg/kg	200		105	74.8-123	0.278	10.9	
Total TPH C6-C28	438	10.0	mg/kg	400		110	78.6-121	0.355	10.5	
Surrogate: 1-Chlorooctane	59.4		mg/kg	50.0		119	52.4-130			
Surrogate: 1-Chlorooctadecane	55.2		mg/kg	50.0		110	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6050621 - General Prep - Organics

Matrix Spike (6050621-MS1)		Source: H262543-28			Prepared: 06-May-26 Analyzed: 07-May-26					
GRO C6-C10	225	10.0	mg/kg	200	ND	113	62-135			
DRO >C10-C28	225	10.0	mg/kg	200	10.8	107	47-147			
Total TPH C6-C28	450	10.0	mg/kg	400	12.7	109	50.5-136			
Surrogate: 1-Chlorooctane	59.8		mg/kg	50.0		120	52.4-130			
Surrogate: 1-Chlorooctadecane	53.2		mg/kg	50.0		106	39.9-141			
Matrix Spike Dup (6050621-MSD1)		Source: H262543-28			Prepared: 06-May-26 Analyzed: 07-May-26					
GRO C6-C10	230	10.0	mg/kg	200	ND	115	62-135	2.04	19.4	
DRO >C10-C28	215	10.0	mg/kg	200	10.8	102	47-147	4.84	50.6	
Total TPH C6-C28	445	10.0	mg/kg	400	12.7	108	50.5-136	1.26	426	
Surrogate: 1-Chlorooctane	59.1		mg/kg	50.0		118	52.4-130			
Surrogate: 1-Chlorooctadecane	57.8		mg/kg	50.0		116	39.9-141			

Batch 6050623 - General Prep - Organics

Blank (6050623-BLK1)		Prepared & Analyzed: 06-May-26								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	48.9		mg/kg	50.0		97.8	52.4-130			
Surrogate: 1-Chlorooctadecane	46.9		mg/kg	50.0		93.9	39.9-141			
LCS (6050623-BS1)		Prepared & Analyzed: 06-May-26								
GRO C6-C10	197	10.0	mg/kg	200		98.6	78.7-123			
DRO >C10-C28	187	10.0	mg/kg	200		93.4	74.8-123			
Total TPH C6-C28	384	10.0	mg/kg	400		96.0	78.6-121			
Surrogate: 1-Chlorooctane	52.1		mg/kg	50.0		104	52.4-130			
Surrogate: 1-Chlorooctadecane	50.7		mg/kg	50.0		101	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-May-26 14:11

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6050623 - General Prep - Organics**LCS Dup (6050623-BSD1)**

Prepared & Analyzed: 06-May-26

GRO C6-C10	196	10.0	mg/kg	200		98.1	78.7-123	0.536	11.3	
DRO >C10-C28	188	10.0	mg/kg	200		93.8	74.8-123	0.427	10.9	
Total TPH C6-C28	384	10.0	mg/kg	400		95.9	78.6-121	0.0662	10.5	
Surrogate: 1-Chlorooctane	50.2		mg/kg	50.0		100	52.4-130			
Surrogate: 1-Chlorooctadecane	48.2		mg/kg	50.0		96.5	39.9-141			

Matrix Spike (6050623-MS1)

Source: H262543-48

Prepared & Analyzed: 06-May-26

GRO C6-C10	208	10.0	mg/kg	200	ND	104	62-135			
DRO >C10-C28	192	10.0	mg/kg	200	ND	96.1	47-147			
Total TPH C6-C28	400	10.0	mg/kg	400	1.15	99.7	50.5-136			
Surrogate: 1-Chlorooctane	53.1		mg/kg	50.0		106	52.4-130			
Surrogate: 1-Chlorooctadecane	50.8		mg/kg	50.0		102	39.9-141			

Matrix Spike Dup (6050623-MSD1)

Source: H262543-48

Prepared & Analyzed: 06-May-26

GRO C6-C10	206	10.0	mg/kg	200	ND	103	62-135	0.789	19.4	
DRO >C10-C28	201	10.0	mg/kg	200	ND	100	47-147	4.30	50.6	
Total TPH C6-C28	407	10.0	mg/kg	400	1.15	101	50.5-136	1.69	426	
Surrogate: 1-Chlorooctane	52.2		mg/kg	50.0		104	52.4-130			
Surrogate: 1-Chlorooctadecane	51.2		mg/kg	50.0		102	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in cursive script, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Page 7 of 12



1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Peyton Oliver

Amnerdev Station

Project #

Lea County, NM

Invoice to:

Continued on next page

Precision Group

peyt

@pndtlc.com

1

Cardinal Laboratory

--	--

Miguel De Lurda

Comments

NO labels

ORIGINAL COPY

Page 8 of 12



1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Peyton Oliver

Amnerdev Station

Lea County, NM

Project #:

Precision Group

Cardinal Laboratory

Sampler Signature: peyton.oliver@pndtlc.com

Miguel De Luna

Comments:

[illegible]

ORIGINAL COPY

NO labels

Page 79 of 83

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name: Energy Transfer		Site Manager: Peyton Oliver	
Project Name: Ameredev Station			
Project Location: Lea County, NM		Project #:	
Invoice to: Precision Group		paylor.oliver@pndtlc.com	
Receiving Laboratory: Cardinal Laboratory		Sampler Signature: Miguel De Luna	
Comments:			

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD					# CONTAINERS	FILTERED (Y/N)	
		DATE	TIME		WATER	SOIL	HCL	HNO ₃	ICE			None
21	Confirmation Sample 23 (EB 1') (1.5-2.0')	5/5/2026	1130	X						1		
22	Confirmation Sample 24 (EB 1') (0.0-0.5')	5/5/2026	1135	X						1		
23	Confirmation Sample 25 (EB 1') (0.0-0.5')	5/5/2026	1140	X						1		
24	Confirmation Sample 25 (EB 1') (0.5-1.0')	5/5/2026	1145	X						1		
25	Confirmation Sample 25 (EB 1') (1.0-1.5')	5/5/2026	1150	X						1		
26	Confirmation Sample 25 (EB 1') (1.5-2.0')	5/5/2026	1155	X						1		
27	Confirmation Sample 25 (EB 1') (2.0-2.5')	5/5/2026	1200	X						1		
28	Confirmation Sample 25 (EB 1') (2.5-3.0')	5/5/2026	1205	X						1		
29	Confirmation Sample 26 (EB 1') (0.0-0.5')	5/5/2026	1210	X						1		
30	Confirmation Sample 26 (EB 1') (0.5-1.0')	5/5/2026	1215	X						1		

Retinquished by: <i>Alisa Falds</i>	Date: 5/16/26	Time:
Retinquished by: <i>Shelley</i>	Date: 5/16/26	Time:
Retinquished by:	Date:	Time:

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

LAB USE ONLY

Sample Temperature: 48.8 / 40.1

4.9.4

#440

(Circle) HAND DELIVERED FEDEX UPS Tracking #

ANALYSIS REQUEST (Circle or Specify Method No.)

BTEX 8021B BTEX 8260B

TPH TX 1005

TPH 8015M (GRO - DRO - ORO - MRO)

PAH 8270C

Total Metals Ag As Ba Cd Cr Pb Se Hg

TCLP Metals Ag As Ba Cd Cr Pb Se Hg

TCLP Volatiles

TCLP Semi Volatiles

RCI

GC/MS Vol. 8260B / 624

GC/MS Semi. Vol. 8270C/625

PCB's 8082 / 608

NORM

PLM (Asbestos)

Chloride

Chloride Sulfate TDS

General Water Chemistry (see attached list)

Anion/Cation Balance

Hold

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name: Energy Transfer		Site Manager: Peyton Oliver	
Project Name: Amerdev Station			
Project Location: Lea County, NM		Project #:	
Invoice To: Precision Group		peyton.oliver@pndllc.com	
Receiving Laboratory: Cardinal Laboratory		Sampler Signature: Miguel De Luna	
Comments:			

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD					# CONTAINERS	FILTERED (Y/N)	
		DATE	TIME		WATER	SOIL	HCL	HNO ₃	ICE			None
31	Confirmation Sample 26 (EB 1') (1.0'-1.5')	5/5/2026	1220	X						1		
32	Confirmation Sample 26 (EB 1') (1.5'-2.0')	5/5/2026	1225	X						1		
33	Confirmation Sample 26 (EB 1') (2.0'-2.5')	5/5/2026	1230	X						1		
34	Confirmation Sample 26 (EB 1') (2.5'-3.0')	5/5/2026	1235	X						1		
35	Confirmation Sample 26 (EB 1') (3.0'-3.5')	5/5/2026	1240	X						1		
36	Confirmation Sample 26 (EB 1') (3.5'-4.0')	5/5/2026	1245	X						1		
37	Confirmation Sample 27 (EB 1') (0.0'-0.5')	5/5/2026	1250	X						1		
38	Confirmation Sample 27 (EB 1') (0.5'-1.0')	5/5/2026	1255	X						1		
39	Confirmation Sample 27 (EB 1') (1.0'-1.5')	5/5/2026	1300	X						1		
40	Confirmation Sample 27 (EB 1') (1.5'-2.0')	5/5/2026	1305	X						1		

Relinquished by: <i>Steve Gula</i>	Date: 5/6/26	Time:	Received by: <i>Stedriqueysia</i>	Date:	Time:
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

Sample Temperature	48/64.0
4.9	
#140	

ANALYSIS REQUEST (Circle or Specify Method No.)	
BTEX 8021B BTEX 8260B	
TPH TX 1005	
TPH 8015M (GRO - DRO - ORO - MRO)	
PAH 8270C	
Total Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Volatiles	
TCLP Semi Volatiles	
RCI	
GC/MS Vol. 8260B / 624	
GC/MS Semi. Vol. 8270C/625	
PCB's 8082 / 608	
NORM	
PLM (Asbestos)	
Chloride	
Chloride Sulfate TDS	
General Water Chemistry (see attached list)	
Anion/Cation Balance	
Hold	

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver	
Project Name:		Amerede Station		Project #:			
Project Location: (county, state)		Lea County, NM		Project #:			
Invoice to:		Precision Group		p Dayton,oliver@pndllc.com			
Receiving Laboratory:		Cardinal Laboratory		Sampler Signature:		Miguel De Luna	
Comments:							

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS	FILTERED (Y/N)		
		DATE	TIME	WATER	SOIL	HCL	HNO ₃			ICE	None
41	Confirmation Sample 27 (EB 1') (2.0'-2.5')	5/5/2026	1310	X				X	1		
42	Confirmation Sample 27 (EB 1') (2.5'-3.0')	5/5/2026	1315	X				X	1		
43	SSW 4 (0.0'-1.0')	5/5/2026	1320	X				X	1		
44	SSW 5 (0.0'-1.0')	5/5/2026	1325	X				X	1		
45	SSW 6 (0.0'-1.0')	5/5/2026	1330	X				X	1		
46	SSW 7 (0.0'-1.0')	5/5/2026	1335	X				X	1		
47	SSW 8 (0.0'-1.0')	5/5/2026	1340	X				X	1		
48	SSW 9 (0.0'-1.0')	5/5/2026	1345	X				X	1		
49	SSW 10 (0.0'-1.0')	5/5/2026	1350	X				X	1		
50	ESW 1 (0.0'-1.0')	5/5/2026	1355	X				X	1		

LAB USE ONLY	REMARKS:
☒ STANDARD	
☐ RUSH: Same Day 24 hr 48 hr 72 hr	
☐ Rush Charges Authorized	
☐ Special Report Limits or TRRP Report	

ANALYSIS REQUEST (Circle or Specify Method No.)
BTEX 8021B BTEX 8260B
TPH TX 1005
TPH 8015M (GRO - DRO - ORO - MRO)
PAH 8270C
Total Metals Ag As Ba Cd Cr Pb Se Hg
TCLP Metals Ag As Ba Cd Cr Pb Se Hg
TCLP Volatiles
TCLP Semi Volatiles
RCI
GC/MS Vol. 8260B / 624
GC/MS Semi. Vol. 8270C/625
PCB's 8082 / 608
NORM
PLM (Asbestos)
Chloride
Chloride Sulfate TDS
General Water Chemistry (see attached list)
Anion/Cation Balance
Hold

ORIGINAL COPY

NO labels

Page 12 of 12

1624 East County Rd 140
Midland, Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

ORIGINAL COPY

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 12, 2026

PEYTON OLIVER

PRECISION GROUP

2845 PECOS HWY

CARLSBAD, NM 88220

RE: AMEREDEV STATION

Enclosed are the results of analyses for samples received by the laboratory on 08/06/26 16:21.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:Reported:
12-Aug-26 12:58

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
ESW 3 0'-1'	H264549-01	Soil	06-Aug-26 09:00	06-Aug-26 16:21
SSW 3 1'-1.5'	H264549-02	Soil	06-Aug-26 09:05	06-Aug-26 16:21
ESW 4 1'-1.5'	H264549-03	Soil	06-Aug-26 09:10	06-Aug-26 16:21
CS 30 (EB 1.5') 0-0.5'	H264549-04	Soil	06-Aug-26 09:15	06-Aug-26 16:21

CASE NARRATIVE:

No labels with lot numbers on sample containers for traceability.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

ESW 3 0'-1'
H264549-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	<16.0		16.0	mg/kg	4	6081042	KH	11-Aug-26	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6080743	JH	11-Aug-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.7 %	70.7-129		6080743	JH	11-Aug-26	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	

Surrogate: 1-Chlorooctane			81.5 %	48-117		6080724	JF	11-Aug-26	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			79.9 %	39-120		6080724	JF	11-Aug-26	8015B	
-------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

SSW 3 1'-1.5'
H264549-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0		16.0	mg/kg	4	6081042	KH	11-Aug-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6080743	JH	11-Aug-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			95.6 %		70.7-129	6080743	JH	11-Aug-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			81.1 %		48-117	6080724	JF	11-Aug-26	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			78.3 %		39-120	6080724	JF	11-Aug-26	8015B	
--------------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

ESW 4 1'-1.5'
H264549-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	96.0		16.0	mg/kg	4	6081042	KH	11-Aug-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6080743	JH	11-Aug-26	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			94.7 %	70.7-129		6080743	JH	11-Aug-26	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6080724	JF	11-Aug-26	8015B	
<i>Surrogate: 1-Chlorooctane</i>			78.6 %	48-117		6080724	JF	11-Aug-26	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			76.2 %	39-120		6080724	JF	11-Aug-26	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

CS 30 (EB 1.5') 0-0.5'**H264549-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	128		16.0	mg/kg	4	6081042	KH	11-Aug-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Toluene*	<0.050	0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Ethylbenzene*	<0.050	0.050	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total Xylenes*	<0.150	0.150	mg/kg	50	6080743	JH	11-Aug-26	8021B	
Total BTEX	<0.300	0.300	mg/kg	50	6080743	JH	11-Aug-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	91.3 %	70.7-129	6080743	JH	11-Aug-26	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	6080726	JF	11-Aug-26	8015B
DRO >C10-C28*	19.9	10.0	mg/kg	1	6080726	JF	11-Aug-26	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	6080726	JF	11-Aug-26	8015B

Surrogate: 1-Chlorooctane	79.5 %	48-117	6080726	JF	11-Aug-26	8015B
---------------------------	--------	--------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	76.5 %	39-120	6080726	JF	11-Aug-26	8015B
-------------------------------	--------	--------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 6081042 - 1:4 DI Water									
Blank (6081042-BLK1)									
					Prepared: 10-Aug-26 Analyzed: 11-Aug-26				
Chloride	ND	16.0	mg/kg						
LCS (6081042-BS1)									
					Prepared: 10-Aug-26 Analyzed: 11-Aug-26				
Chloride	432	16.0	mg/kg	400	108	80-120			
LCS Dup (6081042-BSD1)									
					Prepared: 10-Aug-26 Analyzed: 11-Aug-26				
Chloride	416	16.0	mg/kg	400	104	80-120	3.77	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6080743 - Volatiles**Blank (6080743-BLK1)**

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0918		mg/kg	0.100		91.8	70.7-129			

LCS (6080743-BS1)

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

Benzene	2.18	0.050	mg/kg	2.00		109	93.2-121			
Toluene	2.18	0.050	mg/kg	2.00		109	88.7-117			
Ethylbenzene	1.99	0.050	mg/kg	2.00		99.5	81.4-123			
m,p-Xylene	4.15	0.100	mg/kg	4.00		104	76.3-126			
o-Xylene	1.95	0.050	mg/kg	2.00		97.3	76.2-125			
Total Xylenes	6.10	0.150	mg/kg	6.00		102	76.6-125			
Surrogate: 4-Bromofluorobenzene (PID)	0.0786		mg/kg	0.100		78.6	70.7-129			

LCS Dup (6080743-BSD1)

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

Benzene	2.15	0.050	mg/kg	2.00		107	93.2-121	1.46	7.62	
Toluene	2.07	0.050	mg/kg	2.00		103	88.7-117	5.34	9.57	
Ethylbenzene	1.91	0.050	mg/kg	2.00		95.5	81.4-123	4.09	11	
m,p-Xylene	3.94	0.100	mg/kg	4.00		98.5	76.3-126	5.18	11.2	
o-Xylene	1.84	0.050	mg/kg	2.00		92.2	76.2-125	5.39	11	
Total Xylenes	5.78	0.150	mg/kg	6.00		96.4	76.6-125	5.25	11.1	
Surrogate: 4-Bromofluorobenzene (PID)	0.0804		mg/kg	0.100		80.4	70.7-129			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6080724 - General Prep - Organics**Blank (6080724-BLK1)**

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	42.6		mg/kg	50.0		85.3	48-117			
Surrogate: 1-Chlorooctadecane	37.2		mg/kg	50.0		74.4	39-120			

LCS (6080724-BS1)

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

GRO C6-C10	205	10.0	mg/kg	200		103	80.3-117			
DRO >C10-C28	197	10.0	mg/kg	200		98.4	73.6-125			
Total TPH C6-C28	402	10.0	mg/kg	400		100	78.1-120			
Surrogate: 1-Chlorooctane	43.7		mg/kg	50.0		87.4	48-117			
Surrogate: 1-Chlorooctadecane	39.6		mg/kg	50.0		79.2	39-120			

LCS Dup (6080724-BS1)

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

GRO C6-C10	206	10.0	mg/kg	200		103	80.3-117	0.273	7.91	
DRO >C10-C28	195	10.0	mg/kg	200		97.7	73.6-125	0.723	9.09	
Total TPH C6-C28	401	10.0	mg/kg	400		100	78.1-120	0.214	8.12	
Surrogate: 1-Chlorooctane	44.7		mg/kg	50.0		89.3	48-117			
Surrogate: 1-Chlorooctadecane	40.0		mg/kg	50.0		80.0	39-120			

Batch 6080726 - General Prep - Organics**Blank (6080726-BLK1)**

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	41.3		mg/kg	50.0		82.6	48-117			
Surrogate: 1-Chlorooctadecane	39.6		mg/kg	50.0		79.2	39-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PRECISION GROUP
2845 PECOS HWY
CARLSBAD NM, 88220

Project: AMEREDEV STATION
Project Number: ETC
Project Manager: PEYTON OLIVER
Fax To:

Reported:
12-Aug-26 12:58

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6080726 - General Prep - Organics**LCS (6080726-BS1)**

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

GRO C6-C10	194	10.0	mg/kg	200		96.8	80.3-117		
DRO >C10-C28	189	10.0	mg/kg	200		94.7	73.6-125		
Total TPH C6-C28	383	10.0	mg/kg	400		95.7	78.1-120		
Surrogate: 1-Chlorooctane	42.3		mg/kg	50.0		84.6	48-117		
Surrogate: 1-Chlorooctadecane	40.3		mg/kg	50.0		80.5	39-120		

LCS Dup (6080726-BS1)

Prepared: 07-Aug-26 Analyzed: 11-Aug-26

GRO C6-C10	195	10.0	mg/kg	200		97.5	80.3-117	0.712	7.91
DRO >C10-C28	190	10.0	mg/kg	200		95.1	73.6-125	0.475	9.09
Total TPH C6-C28	385	10.0	mg/kg	400		96.3	78.1-120	0.595	8.12
Surrogate: 1-Chlorooctane	43.7		mg/kg	50.0		87.3	48-117		
Surrogate: 1-Chlorooctadecane	42.2		mg/kg	50.0		84.4	39-120		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in cursive script, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Analysis Request of Chain of Custody Record



Precision Group

1624 East County Rd 140
Texas 79706
Tel (575) 234-1152
Fax (575) 214-6030

Page 1 of 1

Client Name:		Energy Transfer		Site Manager:		Peyton Oliver									
Project Name:		Amerdev Station		Project #:											
Project Location: (county, state)		Lea County, NM		Project #:											
Invoice to:		Precision Group		Sampler Signature:		Miguel De Luna									
Receiving Laboratory:		Cardinal		SAMPLER SIGNATURE:		Miguel De Luna									
Comments:															
LAB # 810126 (LAB USE ONLY)		SAMPLE IDENTIFICATION		SAMPLING		MATRIX		PRESERVATIVE METHOD		# CONTAINERS		FILTERED (Y/N)		ANALYSIS REQUEST (Circle or Specify Method No.)	
				DATE	TIME	WATER	SOIL	HCL	HNO ₃	ICE	None				
1		ESU3 0-1'		8-6-26 0900		X		X		1		X		BTEX 8021B BTEX 8260B	
2		ESU3 1-1.5'		8-6-26 0905		X		X		1		X		TPH TX 1005	
3		ESU4 1-1.5'		8-6-26 0910		X		X		1		X		TPH 8015M GRO - DRO - ORO - MRO)	
4		CS30 (EB1.5) 0-0.5'		8-6-26 0915		X		X		1		X		PAH 8270C	
														Total Metals Ag As Ba Cd Cr Pb Se Hg	
														TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
														TCLP Volatiles	
														TCLP Semi Volatiles	
														RCI	
														GC/MS Vol. 8260B / 624	
														GC/MS Semi. Vol. 8270C/625	
														PCB's 8082 / 608	
														NORM	
														PLM (Asbestos)	
														Chloride EPA 4500	
														Chloride Sulfate TDS	
														General Water Chemistry (see attached list)	
														Anion/Cation Balance	
														Hold	
Relinquished by:		Date: Time:		Received by:		Date: Time:		LAB USE ONLY		REMARKS:					
Relinquished by:		Date: Time:		Received by:		Date: Time:		LAB USE ONLY		REMARKS:					
Relinquished by:		Date: Time:		Received by:		Date: Time:		LAB USE ONLY		REMARKS:					

ORIGINAL COPY

NO labels

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Martin Savarica

(Authorized Agent's Printed Name and Title)

SIGNATURE: Martin Savarica

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 932-942-4937**MANIFEST #****0538376**Billing Precision Group
Post 12716COMPANY NAME: ETCDATE: 4-16-26LEASE: Ameredeu Station (32.1513117, -103.2797721)PHONE: 939-661-3622AFE #: Grid# 237722 API: ERRA0500-2450003QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Rayton OliverDate 4/16/26Signature [Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1674 ECP40 Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 7-1DATE RECEIVED: 4/16/26 TIME RECEIVED: 9:00 ☒ AM ☐ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Robert KuraDRIVER'S SIGNATURE: [Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4-16-26TIME IN: 9:49 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A

NORM

TESTING:

(Less than 50 MCR)

Shake Out:

H₂O S

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: [Signature]

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Martin Saurdia

(Authorized Agent's Printed Name and Title)

SIGNATURE: Martin Saurdia

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 132-812-4937**MANIFEST #****0538377**

Bill Precision Group

PO# 12716

COMPANY NAME: ETCDATE: 4/16/26LEASE: Ameredeu Station (32.1513417, -103.2197721)PHONE: 939-661-3622AFE #: Qid# 237722 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Beyon OliverDate 4-16-26Signature Beyon Oliver**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1624 ECRIMM Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 7-1DATE RECEIVED: 4-16-26 TIME RECEIVED: 10:40 ☒ AM ☐ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Ruben LaraDRIVER'S SIGNATURE: Ruben Lara

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/16/26TIME IN: 11:33 ☒ AM ☐ PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM TESTING: P

(Less than 50 MCR)

H₂O S

Shake Out:		
1	2	3

392847

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____
Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Martin Sanchez

(Authorized Agent's Printed Name and Title)

SIGNATURE: Martin Sanchez

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (214) 241-1137**MANIFEST #****0538378**Billing Precision Group
PO# 12716COMPANY NAME: Etc Precision GroupDATE: 4-16-76LEASE: Ameredeo Station (32.1513417, -103.2797721)PHONE: 934-661-3622AFE #: Agid# 237722

API: _____

RIG NAME: _____

WELL #: _____

STATE & COUNTY ORIGIN: Lea Co NM

QUANTITY: _____

☐ BBLs☒ YARDS

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners☐ Other: _____

Authorize Washout?

☐ Yes☐ No

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Raylon OliverDate 4-16-76Signature Raylon Oliver**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1624 ECR140 Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 71

DATE

TIME

☐ AM

DISPATCHER

DISPATCHER

RECEIVED: 4-16-76RECEIVED: 12:32☒ PM

NAME: _____

PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Ruben JuanDRIVER'S SIGNATURE: Ruben Juan

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/16/20TIME IN: 01:18

AM / PM

TIME OUT: _____

AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM
TESTING:(Less than 50
MCR)

Shake Out:

	1	2	3
H ₂ O			
S			

392879

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Mark S. Sanchez

(Authorized Agent's Printed Name and Title)

SIGNATURE: Mark S. Sanchez

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (325) 212-4937**MANIFEST #****0538379**COMPANY NAME: Etc Precision GroupDATE: 4-16-26LEASE: Amended Station (32-1513417-103294421)PHONE: 939 661 3622AFE #: 0194# 237722 API: PO# 12716

QUANTITY: _____

☐ BBLs

RIG NAME: _____ WELL #: _____

☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name

Byron Oliver

Date

4-16-26

Signature

[Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1679 ECR 140 Midland TX

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: 7-1DATE RECEIVED: 4-16-26 TIME RECEIVED: 7:15 ☐ AM ☒ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."

DRIVER: Ruben LunaDRIVER'S SIGNATURE: [Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

TO BE COMPLETED BY OWL LANDFILL EMPLOYEES

FACILITY RECEIVED AT (Check One):

DATE: 4/16/26TIME IN: 2:56 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/A
 TCLP: PASS FAIL N/A
 TOX: PASS FAIL N/A

NORM TESTING:

(Less than 50 MCR)

H₂O S

Shake Out:		
1	2	3

392907

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Martin Sanchez
(Authorized Agent's Printed Name and Title)SIGNATURE: Martin Sanchez

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 312-512-1137**MANIFEST #****0538380**

Bill Precision Group
PO# 12716

COMPANY NAME: Eric Precision GroupDATE: 7-16-26LEASE: Ameridon Station (32.1513417, -103.2197121)PHONE: 939-661 3622AFE #: 0912#237772 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name

Peyton Oliver

Date

4-16-26

Signature

[Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1679 ECR140 Midland TX

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: 7-1DATE RECEIVED: 3:40 TIME RECEIVED: 4-16-26 ☐ AM ☒ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: [Signature]DRIVER'S SIGNATURE: [Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/16/26TIME IN: 4:25 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A

NORM

TESTING:

[Signature]

(Less than 50 MCR)

Shake Out:

	1	2	3
H ₂ O			
S			

392936

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Martin Savadka
(Authorized Agent's Printed Name and Title)SIGNATURE: Martin Savadka

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 432-542-1937**MANIFEST #****0538381**Bill Precision Group
PO# 12716COMPANY NAME: ETC Precision GroupDATE: 4-17-26LEASE: Amcreder Station (32.153 - 103.77977)PHONE: 939-661-3622AFE #: Qy16 # 237782 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name

Peyton Oliver

Date

4-17-26

Signature

PLO**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1674 FCR 140 Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 7-1DATE RECEIVED: 4-17-26 TIME RECEIVED: 8:00 ☒ AM ☐ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Rubber RunDRIVER'S SIGNATURE: Rubber Run

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/17/26TIME IN: 8:36 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A**NORM TESTING:**

(Less than 50 MCR)

Shake Out:

	1	2	3
H ₂ O			
S			

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Martin Sanchez

(Authorized Agent's Printed Name and Title)

SIGNATURE: Martin Sanchez

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 132-892-1195**MANIFEST #**0538382Bill Precision
PO# 12716COMPANY NAME: ETC / Precision GroupDATE: 4-17-26LEASE: Amercedev Station (321513, -103.279777)PHONE: 939-661-3622AFE #: Qgid# 237122 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached: (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Rayton OliverDate 4-17-26Signature 393060**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18JPWHP #: 39909TRUCK #: 69ADDRESS: 1679 ECR1902 MIDLAND STATION

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: T-1DATE RECEIVED: 4-17-26 TIME RECEIVED: 9:15 ☒ AM ☐ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Ruben Lara
(Driver's Name Printed)DRIVER'S SIGNATURE: Ruben Lara**I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE****TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/17/26TIME IN: 10:15 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: TIME IN: _____ TIME OUT: 18ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/A
TCLP: PASS FAIL N/A
TOX: PASS FAIL N/A

NORM TESTING:

(Less than 50 MCR)

H₂O S

Shake Out:		
1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____
Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Martin Sandoval
(Authorized Agent's Printed Name and Title)SIGNATURE: Martin Sandoval

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 132-812-4452**MANIFEST #****0538383**

B.I. Precision Group
PO# 12716

COMPANY NAME: ETC Precision GroupDATE: 4-17-76LEASE: American Station (32.1513 - 103.27977)PHONE: 934 661 3622AFE #: 2910# 737122 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDS

STATE & COUNTY ORIGIN: La Co NM**Waste Description (check only one box)**☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Reylon OliverDate 4-17-76Signature [Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18 ydWHP #: 9004TRUCK #: 69ADDRESS: 1679 Camino Real NW

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 7-1DATE RECEIVED: 4-17-76 TIME RECEIVED: 11:00 ☐ AM ☒ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Reylon OliverDRIVER'S SIGNATURE: [Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: _____

TIME IN: 11:44 (AM / PM)

TIME OUT: _____ (AM / PM)

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A**NORM TESTING:**

(Less than 50 MCR)

Shake Out:

H₂O S

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____
Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: [Signature]

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Martin Sanchez
(Authorized Agent's Printed Name and Title)SIGNATURE: Martin Sanchez

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 132-842-11937**MANIFEST #****0538384**Bill Precision Group
Dot# 12716COMPANY NAME: ETC Precision GroupDATE: 4-17-26LEASE: Ampladu Station (32.1513 - 103.2-197)PHONE: 739-661-3622AFE #: 0912# 737722 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Peyton OliverDate 4-17-26Signature PO**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18 yrdWHP #: 9004TRUCK #: 69ADDRESS: 1024 E CR 140 Midland TX

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: 7.1DATE RECEIVED: 4-17-26 TIME RECEIVED: 1230 ☐ AM

DISPATCHER

DISPATCHER

RECEIVED: 4-17-26 RECEIVED: 1230 ☐ PM

NAME: _____

PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Ruben LunaDRIVER'S SIGNATURE: Ruben Luna

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/17/26TIME IN: 1:33 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM
TESTING:P
(Less than 50
MCR)H₂O
S

Shake Out:

1	2	3

7/1343696

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Martin Salvador

(Authorized Agent's Printed Name and Title)

SIGNATURE: [Signature]

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 432.842.4437**MANIFEST #****0538385**Bill Hession Group
PO# 12716COMPANY NAME: ETC / Hession GroupDATE: 4-20-26LEASE: Amesbury Station (321513-103-77977)PHONE: 939 661 3622AFE #: 231722 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Lea Co NM

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Peyton OliverDate 4-20-26Signature [Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Hession GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1629 E CR 190 Midland TX

TICKET #:

ROLL OFF BIN#:

TRAILER #: T-1DATE RECEIVED: 4-20-26 TIME RECEIVED: 8:00 ☐ AM ☒ PM

DISPATCHER

4/20/26

DISPATCHER

NAME:

PHONE #:

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Prober LaraDRIVER'S SIGNATURE: [Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/20/26TIME IN: 9:03 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM
TESTING:(Less than 50
MCR)

Shake Out:

H₂O

S

1	2	3

393614

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN:

(Authorized Agent's Printed Name and Title)

SIGNATURE:

COMPANY MAN EMAIL:

COMPANY MAN PHONE:

MANIFEST #

0538386

Bill Hee'son Group
PO# 12716COMPANY NAME: ETC / Precision GroupLEASE: Amercedev Station (32.1513 - 103271977)AFE #: Orgid #237722 API: _____

RIG NAME: _____ WELL #: _____

STATE & COUNTY ORIGIN: Lea Co NMDATE: 4-20-26PHONE: 939 661 3622QUANTITY: _____ ☐ BBLs18 ☒ YARDS**Waste Description (check only one box)**☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners☐ Other: _____

Authorize Washout?

☐ Yes☒ No

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name

Peyton Oliver

Date

4-20-26

Signature

[Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1674 ECR 140 Midland TX

TICKET #:

ROLL OFF BIN#:

TRAILER #: 7-1DATE RECEIVED: 4-20-26 TIME RECEIVED: 12 ☒ AM ☐ PM

DISPATCHER NAME:

DISPATCHER PHONE #:

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."

DRIVER:

Ruben [Signature]

DRIVER'S SIGNATURE:

[Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/20/26TIME IN: 11:00 ☒ AM ☐ PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT:

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: ☒ PASS ☐ FAIL ☐ N/ATCLP: ☒ PASS ☐ FAIL ☐ N/ATOX: ☒ PASS ☐ FAIL ☐ N/A

NORM TESTING:

(Less than 50 MCR)

H₂O S

Shake Out:		
1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptances testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Daniel J. Miller
(Authorized Agent's Printed Name and Title)SIGNATURE: [Signature]COMPANY MAN EMAIL: Daniel.J.Miller@owl-llc.comCOMPANY MAN PHONE: 505-391-1254**MANIFEST #****0538387**

Bill Praisner Group
PO# 12716

COMPANY NAME: ETC/Precision GroupDATE: 4-20-26LEASE: Amerender Station (32.1513, -103.27977)PHONE: 939 661 3672AFE #: Original# 237722

API: _____

RIG NAME: _____

WELL #: _____

STATE & COUNTY ORIGIN: Lea Co NM

QUANTITY: _____

☐ BBLS☒ YARDS

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name

[Signature] Peyton Oliver

Date

4-20-26

Signature

[Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1826 TCR 140 Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 7-1

DATE

RECEIVED: 4-20-26

TIME

RECEIVED: 12:00☐ AM☒ PM

DISPATCHER

NAME: _____

DISPATCHER

PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."

DRIVER: [Signature]

(Driver's Name Printed)

DRIVER'S SIGNATURE: [Signature]

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

TO BE COMPLETED BY OWL LANDFILL EMPLOYEES

FACILITY RECEIVED AT (Check One):

DATE: 4/20/26TIME IN: 12:54

AM/PM

TIME OUT: _____

AM/PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM
TESTING:(Less than 50
MCR)H₂O
S

Shake Out:

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Orin Jacks
(Authorized Agent's Printed Name and Title)SIGNATURE: [Signature]COMPANY MAN EMAIL: Orin.Jacks@EnergyTransfer.comCOMPANY MAN PHONE: 575-341-0524**MANIFEST #**

0538388

Bill Precision Group
Po# 12716

COMPANY NAME: ETC Precision GroupDATE: 4-20-26LEASE: Amerede Station (32,1513-103,279772)PHONE: 939 661 3622AFE # 09510 #237722 API: _____QUANTITY: _____ ☐ BBLs

RIG NAME: _____ WELL #: _____

18 ☒ YARDSSTATE & COUNTY ORIGIN: Leo 10 Nm

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☒ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Payton OliverDate 4-20-26Signature [Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision GroupYARD #: 18WHP #: 9009TRUCK #: 69ADDRESS: 1679 ECR140 Midland Tx

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: 7-1DATE RECEIVED: 4-20-26 TIME RECEIVED: 7:00 ☐ AM ☒ PM

DISPATCHER NAME: _____

DISPATCHER PHONE #: _____

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Robert LeeDRIVER'S SIGNATURE: [Signature]

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 4/20/26TIME IN: 3:22

AM / PM

TIME OUT: _____

AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM TESTING: P

(Less than 50 MCR)

H₂O S

Shake Out:

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name) [Signature]

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Chas Lara
(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (937) 710-1800**MANIFEST #**0538389Chas Lara
OwnerCOMPANY NAME: Energy TransferDATE: 8/31/22LEASE: Amerco dev stationPHONE: (939) 6661-3622AFE #: 09012#73772 API: _____QUANTITY: _____ ☐ BBLSRIG NAME: 32.15215N-103.280708 WELL #: _____18 ☒ YARDSSTATE & COUNTY ORIGIN: New Mexico Lea County

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name Chas LaraDate 8/31/22Signature [Signature]**TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENT**COMPANY NAME: Precision Group

YARD #: _____

WHP #: 90009TRUCK #: 87350609ADDRESS: 1624 E. CR. 140 Midland TX

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: DD01

DATE

TIME

☒ AM

DISPATCHER

DISPATCHER

RECEIVED: 8/31/22RECEIVED: 10:15☐ PMNAME: VerlonPHONE #: (936) 6661-3622

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Samuel PerezDRIVER'S SIGNATURE: Samuel Perez

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 8-31-22TIME IN: 11:39

AM / PM

TIME OUT: _____

AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A

NORM

TESTING:

(Less than 50 MCR)

Shake Out:

H₂O
S

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

EMPLOYEE SIGNATURE: LA

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Chris Lara
(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (432) 219-1690**MANIFEST #****0538390**Choceito PrecisionCOMPANY NAME: ETCDATE: 8/31/26LEASE: Amercedev stationPHONE: (936) 661-3622AFE #: 0908# 237722 API: _____QUANTITY: _____ ☐ BBLsRIG NAME: 32.1515N-103.2802W WELL #: _____18 ☒ YARDS

STATE & COUNTY ORIGIN: _____

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____

Date _____

Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Precision Grow YARD #: _____ WHP #: 9009 TRUCK #: 823069ADDRESS: 1624 East CR 140 Midland TX TICKET #: _____ ROLL OFF BIN #: _____ TRAILER #: BDADATE RECEIVED: 8/31/26 TIME RECEIVED: 12:30 ☐ AM ☒ PMDISPATCHER NAME: PeytonDISPATCHER PHONE #: (936) 661-3622

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Samuel PerezDRIVER'S SIGNATURE: Samuel Perez

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 8/31/26 TIME IN: 1:11 AM/PM ☒ PMTIME OUT: _____ AM/PM ☐ AM☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: TIME IN: _____ TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/A

TCLP: PASS FAIL N/A

TOX: PASS FAIL N/A

NORM TESTING:

(Less than 50 MCR)

Shake Out:		
1	2	3
H ₂ O		
S		

423560

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____
Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Annis Lara
(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (932) 661-6906**MANIFEST #****0538391**Amos to PrecisionCOMPANY NAME: ETCDATE: 8/31/26LEASE: Amos to PrecisionPHONE: (932) 661-3627AFE #: Grid # 737777 API: _____QUANTITY: _____ ☐ BBLsRIG NAME: 32.1515N-105.780708 WELL #: _____18 ☒ YARDS**STATE & COUNTY ORIGIN:**

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____ Date _____ Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Precision Group

YARD #: _____

WHP #: 9009TRUCK #: 823068ADDRESS: 1624 East 12140 Midland TX

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: BD1DATE RECEIVED: 8/31/26 TIME RECEIVED: 1:45 ☐ AM ☒ PMDISPATCHER NAME: PeytonDISPATCHER PHONE #: (936) 661-3627

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Samuel PerezDRIVER'S SIGNATURE: Samuel Perez

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 8/31/26TIME IN: 2:45AM / PM ☒

TIME OUT: _____

AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM TESTING: P

(Less than 50 MCR)

H₂O S

Shake Out:

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Chris Lara

(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (932) 6661-1906**MANIFEST #****0538392**Chargelot PrecisionCOMPANY NAME: ETCDATE: 8/31/20LEASE: Amerden StationPHONE: (939) 6661-3627AFE #: CD Grid # 237727 API: _____QUANTITY: _____ ☐ BBLsRIG NAME: 32.1515N-103.780708 WELL #: _____18 ☒ YARDS**STATE & COUNTY ORIGIN:** _____

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☒ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____

Date _____

Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Precision Group

YARD #: _____

WHP #: 90009TRUCK #: 873449ADDRESS: 1624 East CR 1406 Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 1501DATE RECEIVED: 8/31/20 TIME: _____ ☐ AMDISPATCHER NAME: PeytonDISPATCHER PHONE #: (932) 6661-3627RECEIVED: 3:12 ☒ PM

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."

DRIVER: Samuel Perez

(Driver's Name Printed)

DRIVER'S SIGNATURE: Samuel Perez

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

TO BE COMPLETED BY OWL LANDFILL EMPLOYEES

FACILITY RECEIVED AT (Check One):

DATE: 8-31-20TIME IN: 3:55 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jar, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM TESTING: 10

(Less than 50 MCR)

Shake Out:		
1	2	3
<u>1</u>	<u>1</u>	<u>1</u>

H₂O
S

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Chris Lane

(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 1320 661 3122**MANIFEST #****0575525**COMPANY NAME: FTCDATE: 9-1-26LEASE: Amerdev StationPHONE: 938 661 3122AFE #: 237722 API: _____RIG NAME: 321515 105.180708 WELL #: _____
 QUANTITY: _____ ☐ BBLs
 _____ ☒ YARDS
STATE & COUNTY ORIGIN: _____

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners☐ Other: _____

Authorize Washout?

☐ Yes☐ No

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☐ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____

Date _____

Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Provision group

YARD #: _____

WHP #: 9057TRUCK #: 1273ADDRESS: 16701 I Cr 140 Midland TX

TICKET #: _____

ROLL OFF BIN#: _____

TRAILER #: 2DATE RECEIVED: 9-1-26 TIME RECEIVED: 8:40 ☒ AM

DISPATCHER

DISPATCHER

RECEIVED: 9-1-26 RECEIVED: 8:40 ☐ PMNAME: PetionPHONE #: 938 661 3122

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Jose Favela Jr

(Driver's Name Printed)

DRIVER'S SIGNATURE: Jose Favela Jr**I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE****TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 9-1-26TIME IN: 9:30 AM / PM

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/ANORM TESTING: 7

(Less than 50 MCR)

H₂O S

Shake Out:

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

EMPLOYEE SIGNATURE: _____

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300

Dallas, TX 75219

505.231.1212

ar@ndblandfill.com

COMPANY MAN: Chris Lova
(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (936) 661-6906**MANIFEST #****0575526**COMPANY NAME: ETCLEASE: Amesbury StationAFE #: 227722 API: _____RIG NAME: 311515-103.24008 WELL #: _____

STATE & COUNTY ORIGIN: _____

DATE: 9/1/26PHONE: (936) 661-3622QUANTITY: _____ ☐ BBLs_____ ☐ YARDS

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☒ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☐ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____ Date _____ Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Provision Group YARD #: _____ WHP #: 7029 TRUCK #: 1273ADDRESS: 1624 S. Cr 190, Raymond, TX TICKET #: _____ ROLL OFF BIN #: _____ TRAILER #: 2DATE: _____ TIME: ☒ AM

DISPATCHER

DISPATCHER

RECEIVED: 9/1/26 RECEIVED: 10:20 ☐ PMNAME: KeytonPHONE #: (936) 661-7072

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Jose Favela Jr DRIVER'S SIGNATURE: Jose Favela Jr

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 9/1/26TIME IN: 10:29 ☒ AM ☐ PM

TIME OUT: _____

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A**NORM
TESTING:**(Less than 50
MCR)H₂O
S

Shake Out:

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____
Employee (Printed Name)

EMPLOYEE SIGNATURE: _____

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Chris Lavan
(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: (936) 661-6900**MANIFEST #****0575527**COMPANY NAME: ETCLEASE: Amerdev StationAFE #: 237722 API: _____RIG NAME: 32.1515 - 103.2702 WELL #: _____DATE: 9/1/26PHONE: (939) 661-3622QUANTITY: _____ ☐ BBLS_____ ☒ YARDS**STATE & COUNTY ORIGIN:** _____

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit LinersAuthorize Washout? ☐ Yes ☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☐ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____

Date _____

Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Precision Group

YARD #: _____

WHP #: 9009TRUCK #: 1273

ADDRESS: _____

TICKET #: _____

ROLL OFF BIN #: _____

TRAILER #: 2

DATE

TIME

☐ AM

DISPATCHER

DISPATCHER

RECEIVED: 9/1/26RECEIVED: 1:00☒ PMNAME: DextonPHONE #: (936) 661-3622

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."

DRIVER: Jose Favela Jr

(Driver's Name Printed)

DRIVER'S SIGNATURE: Jose Favela Jr

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

TO BE COMPLETED BY OWL LANDFILL EMPLOYEES

FACILITY RECEIVED AT (Check One):

DATE: 9-1-26TIME IN: 1:00

AM / PM

TIME OUT: _____

AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: _____

TIME IN: _____

TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A**NORM****TESTING:**

(Less than 50
MCR)

Shake Out:

H₂O
S

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____

Employee (Printed Name)

EMPLOYEE SIGNATURE: _____

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

**OWL Landfill Services, LLC**

DBA: Northern Delaware Basin Landfill

3889 Maple Ave. Suite 300
Dallas, TX 75219
505.231.1212
ar@ndblandfill.com

COMPANY MAN: Chris Lara

(Authorized Agent's Printed Name and Title)

SIGNATURE: _____

COMPANY MAN EMAIL: _____

COMPANY MAN PHONE: 1321661-6906**MANIFEST #****0575528**COMPANY NAME: Amerdev Station ETCLEASE: Amerdev StationAFE #: 237722 API: _____RIG NAME: 321515-103.280208 WELL #: _____DATE: 9/1/26PHONE: 936661-3622QUANTITY: _____ ☐ BBLs_____ ☒ YARDS**STATE & COUNTY ORIGIN:** _____

Waste Description (check only one box)

☐ RCRA Exempt☐ RCRA Non-Exempt☐ Water Based Cuttings (DRY)☐ Water Based Cuttings (WET)☒ Contaminated Soil☐ Produced Sands☐ Oil Based Cuttings (DRY)☐ Oil Based Cuttings (WET)☐ Injectable Fluids☐ Non-Injectable Fluids☐ Oil Base Mud☐ Water Base Mud☐ Muds w/Cement☐ Tank Bottoms☐ Rig Trash☐ Pit Liners

Authorize Washout?

☐ Yes☐ No☐ Other: _____

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste load is (Check the appropriate classification)

☐ RCRA EXEMPT:

Oilfield wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (NDBL Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oilfield waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ SDS Information☐ RCRA Hazardous Waste Analysis☐ Process Knowledge☐ Other (Provide Description Below)☐ EMERGENCY NON-OILFIELD:

Emergency non-hazardous, non-oilfield waste that has been ordered by the Department of Public Safety (the order, documentation of non-hazardous waste determination and a description of that waste must accompany this form)

(Print) Authorized Agent's Name _____

Date _____

Signature _____

TO BE COMPLETED BY THE TRANSPORTER WHILE THE GENERATOR IS PRESENTCOMPANY NAME: Precision GroupYARD #: _____ WHP #: 9009 TRUCK #: 1273

ADDRESS: _____

TICKET #: _____ ROLL OFF BIN #: _____ TRAILER #: 2DATE RECEIVED: 9/1/26 TIME RECEIVED: 1:30 ☐ AMDISPATCHER NAME: Peyton DISPATCHER PHONE #: 936661-3622☒ PM

The following statement must be signed by the truck driver prior to unloading at disposal facility:

"I CERTIFY THAT NO OTHER MATERIAL HAS BEEN PLACED IN THIS VESSEL SINCE LOADING OF MATERIAL DESCRIBED IN PART 1 ABOVE."DRIVER: Jose Favela JRDRIVER'S SIGNATURE: Jose Favela JR

(Driver's Name Printed)

I, (TRANSPORTER), CERTIFY THAT THE INFORMATION GIVEN ON THIS MANIFEST IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE**TO BE COMPLETED BY OWL LANDFILL EMPLOYEES**

FACILITY RECEIVED AT (Check One):

DATE: 9/1/26 TIME IN: 2:23 AM / PM ☒

TIME OUT: _____ AM / PM

☐ Northern Delaware Basin Landfill

2029 W. NM Highway 128 | Jal, New Mexico 88252

WASHOUT BY: _____

WASHOUT: TIME IN: _____ TIME OUT: _____

ACCEPTANCE TESTING: PAINT FILTER: PASS FAIL N/ATCLP: PASS FAIL N/ATOX: PASS FAIL N/A

NORM

TESTING:

(Less than 50 MCR)

H₂O
S

Shake Out:

1	2	3

Gallon Test: _____

SERVICE NOTES:

This is to certify that: _____ Employee (Printed Name)

EMPLOYEE SIGNATURE: JA

has received the above indicated waste, waste has passed all acceptance testing of this facility and the waste has been disposed of in an authorized manner at a permitted site.

White Copy: Disposal Facility

Yellow: Transporter

Pink: Generator

Part 1 - Generator

Part 2 - Transporter

Part 3 - Disposal Facility

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 626885

QUESTIONS

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2607539547
Incident Name	NAPP2607539547 AMEREDEV PUMP STATION @ A-08-25S-36E
Incident Type	Oil Release
Incident Status	Remediation Closure Report Received

Location of Release Source

Please answer all the questions in this group.

Site Name	AMEREDEV PUMP STATION
Date Release Discovered	03/14/2026
Surface Owner	Private

Incident Details

Please answer all the questions in this group.

Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Cause: Equipment Failure Pump Crude Oil Released: 53 BBL Recovered: 35 BBL Lost: 18 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	The release was from a welded steel nipple on discharge positive displacement (pd) pump.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 626885

QUESTIONS (continued)

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	all above actions complete

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ryan Reich Email: ryan.reich@energytransfer.com Date: 09/22/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 626885

QUESTIONS (continued)

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Greater than 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	4400
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	5877.5
GRO+DRO (EPA SW-846 Method 8015M)	5114.5
BTEX (EPA SW-846 Method 8021B or 8260B)	1.4
Benzene (EPA SW-846 Method 8021B or 8260B)	0.5
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	03/14/2026
On what date will (or did) the final sampling or liner inspection occur	08/06/2026
On what date will (or was) the remediation complete(d)	08/31/2026
What is the estimated surface area (in square feet) that will be reclaimed	9200
What is the estimated volume (in cubic yards) that will be reclaimed	334
What is the estimated surface area (in square feet) that will be remediated	9200
What is the estimated volume (in cubic yards) that will be remediated	324
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 626885

QUESTIONS (continued)

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Ryan Reich Email: ryan.reich@energytransfer.com Date: 09/22/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 626885

QUESTIONS (continued)

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 626885

QUESTIONS (continued)

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	610741
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/06/2026
What was the (estimated) number of samples that were to be gathered	4
What was the sampling surface area in square feet	800

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	9200
What was the total volume (cubic yards) remediated	334
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	9200
What was the total volume (in cubic yards) reclaimed	334
Summarize any additional remediation activities not included by answers (above)	Spill contained and limited to production pad, all remediation/reclamation activities conducted on production pad.
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Ryan Reich Email: ryan.reich@energytransfer.com Date: 09/22/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 626885

QUESTIONS (continued)

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID: 237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 626885

CONDITIONS

Operator: ETP CRUDE LLC 8111 Westchester Drive Dallas, TX 75225	OGRID:
	237722
	Action Number: 626885
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Remediation closure approved.	9/24/2026
michael.buchanan	Operator failed to provide proper Sampling Notification pursuant to 19.15.29.12.D.(1).(a) NMAC. Failure to provide proper sampling notice is a compliance issue and the OCD may pursue compliance actions pursuant to 19.15.5 NMAC. Operator shall ensure future compliance with 19.15.29.12.D.(1).(a) NMAC.	9/24/2026
michael.buchanan	A reclamation report will not be accepted until reclamation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	9/24/2026
michael.buchanan	The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. The OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan.	9/24/2026
michael.buchanan	A revegetation report will not be accepted until revegetation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	9/24/2026
michael.buchanan	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	9/24/2026
michael.buchanan	Per 19.15.29.13 E. NMAC, if a reclamation and revegetation report has been submitted to the surface owner, it may be used if the requirements of the surface owner provide equal or better protection of freshwater, human health, and the environment. A copy of the approval of the reclamation and revegetation report from the surface owner and a copy of the approved reclamation and revegetation report will need to be submitted to the OCD via the Permitting website.	9/24/2026