<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

State of New Mexico

Form C-101 Permit 24102

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

241 Electricit or 1 Electric for Dribe, Re Ester, Deed Es, 1 Ecobrer, or 1200 it Eche					
1	. Operator Name and Address	2. OGRID Number			
YATES I	ETROLEUM CORPORATION	25575 3. API Number			
	105 S 4TH ST ARTESIA , NM 88210				
ARTESIA, NW 00210		30-025-37723			
4. Property Code	5. Property Name	6. Well No.			
35456	35456 RIMES BIM STATE COM				

7. Surface Location

UL-	Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
c	9	12	10S	33E	C	660	N	1650	W	LEA

8. Pool Information

Wildcat Mississippian 0

Additional Well Information

	De U.S.	10.0		V.	561		
9. Work Type New Well	10. Well Type GAS		11. Cable/Rotary	12. Lease Ty State	ype 13. Ground Level E 4219	13. Ground Level Elevation 4219	
14. Multiple N	15. Proposed	000	16. Formation Mississippian Age Rocks-Undivided	17. Contract	tor 18. Spud Da	te	
Depth to Ground water 50			Distance from nearest fresh water well 1000		Distance to nearest surface > 1000	water	
Pit: Liner: Synthetic Closed Loop Syst	_	mils thid		g Method: Vater 🔀 Brine 🗀	Diesel/Oil-based Gas/Air		

19. Proposed Casing and Cement Program

	1.5.51.51.21.1.1.552	A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1				
Туре	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	400	0
Int1	12.25	9.625	40	4000	1350	0
Prod	8.5	5.5	17	11930	2025	3500

Casing/Cement Program: Additional Comments

Yates Petroleum Corporation proposes to drill and test the Mississippian/intermediate formations. Approximately 400' of surface casing will be set and cement circulated. Intermediate casing will be set at 4000', cement circulated to surface. If commercial, production casing will be ran, cemented, perforated, and stimulaed as needed to gain production.

Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	5000	5000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to	OIL CONSERVATION DIVISION			
NMOCD guidelines \Box , a general permit X , or an (attached) alternative OCD-approved plan \Box .	Approved By: Paul Kautz			
Printed Name: Electronically filed by Debbie Caffall	Title: Geologist			
Title: Regulatory Agent	Approved Date: 2/22/2006 Expiration Date: 2/22/2007			
Email Address: debbiec@ypcnm.com				
Date: 2/22/2006 Phone: 505-748-4376	Conditions of Approval Attached			

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

District II

1301 W. Grand Ave., Artesia, NM 88210 Phone:(505) 748-1283 Fax:(505) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Form C-102 Permit 24102

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code 3. Pool Name		Pool Name
30-025-37723	50000000000000000000000000000000000000	Wildcat	Mississippian
4. Property Code	5. Property	Name	6. Well No.
35456	RIMES BIM STATE COM		001
7. OGRID No.	8. Operator Name		9. Elevation
25575	YATES PETROLEUM CORPORATION 4219		


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	12	10S	33E		660	N	1650	w	LEA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	То	ownship	Range	Lot	Idn	Feet From	N/S L	ine	Feet From	E/W Line	County
107571575	ated Acres		13. J	foint or Infill		14	. Consolidation (Code		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Debbie Caffall Title: Regulatory Agent Date: 2/22/2006

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Herschel Jones Date of Survey: 2/16/2006 Certificate Number: 3640

Permit Comments

Operator: YATES PETROLEUM CORPORATION , 25575 Well: RIMES BIM STATE COM #001

API: 30-025-37723

Created By	Comment	Comment Date
dustyb	MUD Program: 0-400' FW Gel; 400'-2065' FW; 2065'-4000' Red Bed Mud/Oil; 4000'-7600' Cut Brine; 7600'-11180' SGel/Starch; 11180'-TD S/Starch/4-6% KCL.	2/22/2006
dustyb	BOPE PROGRAM: A 5000# BOPR will be installed on the 9.625" casing and tested daily for operational.	2/22/2006
dustyb	Sources at Yates Petroleum Corporation have relayed information to me that there will not be enough H2S anticapated from the surface to the Mississippian formation for the submission of a contingency plan per rule 118.	2/22/2006

Permit Conditions of Approval

Operator: YATES PETROLEUM CORPORATION , 25575 Well: RIMES BIM STATE COM #001

API: 30-025-37723

OCD Reviewer	Condition
pkautz	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
pkautz	prior to any pit construction notify Gary Wink at 505-393-6161 ext 114