

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011  
Permit 146706

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

1. Operator Name and Address OXY USA WTP LIMITED PARTNERSHIP PO Box 4294 Houston, TX 77210		2. OGRID Number 192463
		3. API Number 30-015-40129
4. Property Code 39149	5. Property Name CORRAL DRAW 2 STATE	6. Well No. 002H

**7. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
B	2	25S	29E	2	401	N	1691	E	EDDY

**8. Pool Information**

PIERCE CROSSING; BONE SPRING; EAST	96473
------------------------------------	-------

**Additional Well Information**

9. Work Type New Well	10. Well Type OIL	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3076
14. Multiple N	15. Proposed Depth 11994	16. Formation Bone Spring	17. Contractor	18. Spud Date 6/15/2012
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

**19. Proposed Casing and Cement Program**

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	455	560	0
Int1	12.25	9.625	40	3190	1190	0
Prod	8.75	5.5	17	11994	1770	2690

**Casing/Cement Program: Additional Comments**

Additional information will be sent with the C-144 CLEZ

**Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	5000	5000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines <input type="checkbox"/> , a general permit <input type="checkbox"/> , or an (attached) alternative OCD-approved plan <input type="checkbox"/> . Printed Name: Electronically filed by KAREN M SINARD Title: Email Address: karen_sinard@oxy.com Date: 4/4/2012	<b>OIL CONSERVATION DIVISION</b>	
	Approved By: Randy Dade	
	Title: District Supervisor	
	Approved Date: 4/5/2012	Expiration Date: 4/5/2014
	Phone: 713-366-5485	

Conditions of Approval Attached

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised October 12, 2005  
Submit to Appropriate District Office  
State Lease- 4 Copies  
Fee Lease- 3 Copies  
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number <b>30-015-</b>	Pool Code <b>96473</b>	Pool Name <b>Pierce Crossings Bone Springs, East</b>
Property Code	Property Name <b>CORRAL DRAW "2" STATE</b>	Well Number <b>2H</b>
OCRD No. <b>192463</b>	Operator Name <b>OXY USA WPP LP</b>	Elevation <b>3075.6'</b>

Surface Location		Range		Lot		Feet from the		East/West line		County	
UL or lot no.	Section	Township	Range	lot	Idn	Feet from the	North/South line	Feet from the	East/West line	County	
<b>B</b>	<b>2</b>	<b>25 SOUTH</b>	<b>29 EAST, N.M.P.M.</b>			<b>401'</b>	<b>NORTH</b>	<b>1691'</b>	<b>EAST</b>	<b>EDDY</b>	

Bottom Hole Location If Different From Surface		Range		Lot		Feet from the		North/South line		East/West line		County	
UL or lot no.	Section	Township	Range	lot	Idn	Feet from the	North/South line	Feet from the	East/West line	County			
<b>0</b>	<b>2</b>	<b>25 SOUTH</b>	<b>29 EAST, N.M.P.M.</b>			<b>330'</b>	<b>SOUTH</b>	<b>1752'</b>	<b>EAST</b>	<b>EDDY</b>			
Dedicated Acres <b>160</b>	Joint or Infill <b>N</b>	Consolidation Code	Order No.										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p><b>SURFACE LOCATION</b> NEW MEXICO EAST NAD 1927 X=424070.4 Y=618129.5 LAT: N 32.1653106° LONG: W 103.9515785°</p>		<p><b>OPERATOR CERTIFICATION</b></p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered, by the division.</p> <p>Signature <u><i>David Stewart</i></u> Date <u><i>4/4/12</i></u> Printed Name <u><i>David Stewart Res Advisor</i></u></p>	
<p><b>BOTTOM HOLE LOCATION</b> NEW MEXICO EAST NAD 1927 X=618082.3 Y=419485.3 LAT: N 32.1527348° LONG: W 103.9517835°</p>		<p><b>SURVEYOR CERTIFICATION</b></p> <p>I hereby certify that the well location shown on this plat was located from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.</p> <p><b>NOVEMBER 18, 2011</b> Date of Survey Signature and Seal of JOURNAL LAND SURVEYOR Professional Surveyor <u><i>Samuel Paul</i></u> Certificate Number <u><i>15079</i></u> WOL 111118W-6 (04)</p>	

PROJECT AREA  
PRODUCING AREA  
GRID AZ = 180°35'  
4575.5'  
330'  
330'  
1691'  
1752'

## Permit Comments

**Operator:** OXY USA WTP LIMITED PARTNERSHIP , 192463

**Well:** CORRAL DRAW 2 STATE #002H

**API:** 30-015-40129

Created By	Comment	Comment Date
CSHAPARD	Land s/S	4/5/2012

# Permit Conditions of Approval

**Operator:** OXY USA WTP LIMITED PARTNERSHIP , 192463

**Well:** CORRAL DRAW 2 STATE #002H

**API:** 30-015-40129

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string