District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources**

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

APPLICATION FOR PERMI	T TO DRILL, RE-ENTER	, DEEPEN, PLUGBACK,	OR ADD A ZONE

	etor Name and Address	2. OGRID Number		
CHE\	4323			
	ndy Stedman-Daniel ston, TX 77252	3. API Number 30-025-40996		
1100	3001, 111 //252			
4. Property Code	5. Property Name	6. Well No.		
29923	CENTRAL VACUUM UNIT	436		

7. Surface Location

19-	7. Surface Execution									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
P	25	17S	34E	P	600	S	1100	E	LEA	l

8. Proposed Bottom Hole Location

	OF TEMPOSE DOTTOM TOTAL DOTTOM									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
P	25	17S	34E	P	600	S	1100	E	Lea	

9. Pool Information

VACUUM:GRAYBURG-SAN ANDRES	62180

Additional Well Information

11. Work Type New Well	12. Weil Type OIL	13. Cable/Rotary	14. Lesse Type State	15. Ground Level Elevation 3993	
16. Multiple 17. Proposed Depth N 5300		18. Formation San Andres	19. Contractor	20. Spud Date	
Depth to Ground water		Distance from nearest fresh water	r well	Distance to nearest surface water	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf 14.75 11.75		42	1555	1300		
Int1	11	8.625	32	3200	750	
Prod	7 875	5.5	17	5300	1150	

Casing/Cement Program: Additional Comments

SURF: 13.6PPG,1.72 FT3/SK, 8.759 GPS MIX WTR TOC-SURF INTER:LEAD: 12.8PPG,1.97 FT3/SK, 10.850 GPS MIX WTR, TOC-SURF TAIL: 14.2PPG, 1.51 FT3/8K, 7.334 GPS MIX WTR, TOC-SURF PROD: LEAD: 13.5PPG, 1.27 FT3/8K, 6.096 GPS MIX WTR, TOC-SURF TAIL: 16.00 PPG, 1.12 FT3/SK, 3.495 GPS MIX WTR, TOC-SURF

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	3000	1500	
Blind	5000	3000	
Pipe	5000	3000	

best of my knowledge and bel		OIL CONSERVATION DIVISION Approved By: Paul Kautz				
I further certify I have comp 19.15.14.9 (B) NMAC ⊠, if	plied with 19.15.14.9 (A) NMAC 🛮 and/or applicable.					
Signature:						
Printed Name: Electronic	cally filed by Denise Pinkerton	Title: Geologist				
Title: Regulatory Special	list	Approved Date: 2/14/2013	Expiration Date: 2/14/2015			
Email Address: leakejd@	chevron.com	[11]				
Date: 2/11/2013	Phone: 432-687-7375	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code		3. Pool Name	
30-025-40996	62180 VACUU		M;GRAYBURG-SAN ANDRES	
4. Property Code	5. Property Name		6. Well No.	
29923	CENTRAL VA	CUUM UNIT	436	
7. OGRID No.	8. Operator Name		9. Elevation	
4323	CHEVRON U S A INC		3993	

10 Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
P	25	17S	34E		600	S	1100	E	LEA	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot	Idn	Feet From	N/S L	ine	Feet From	E/W Line	County
7.02000	cated Acres	13.	Joint or Infill		14	Consolidation (Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

to the		

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Denise Pinkerton Title: Regulatory Specialist Date: 2/11/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: RONALD EIDSON Date of Survey: 10/23/2012 Certificate Number: 3239

Permit Comments

Operator: CHEVRON U S A INC , 4323 Well: CENTRAL VACUUM UNIT #436 API: 30-025-40996

Created By	Comment	Comment Date
DPINKERTON	WILL MAIL IN C-144 INFO AND PLATS, TODAY	2/11/2013
pkautz	Land s/S	2/13/2013
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-05782	2/14/2013

Permit Conditions of Approval

Operator: CHEVRON U S A INC , 4323

Well: CENTRAL VACUUM UNIT #436

API: 30-025-40996

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Estimated depth from ground level to Rustler Anhydrite is 1530'. Surface casing must be set 25' below top of Rustler Anhydrite to seal off protectable water.