District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe. NM 8750

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

Form C-101 August 1, 2011 Permit 157664

1220 S. St Francis Dr. Santa Fe, NM 87505

Al	PLICATION	ON FOR PE	RMIT T	O DRILL, I	RE-ENTER	R, DEEP	EN, PLUGBA	CK, OR A	DD A ZONE		
			erator Name a					2. OGRID	Number		
		6000	PACHE C	ORP rpark Lane					873 3. API Number		
			idland, TX	•							
			1000					30-025-	41051		
	4. Property Co.	s e		5.	Property Nam	ne	6. Well No.				
	22503			NORTHEA	ST DRINK	ARD UN	IT	364			
		- 1		7. Su	rface Loc	ation	100	50	- 31		
UL - Lo	t Section	Township	Range	Lot Idn	Feet From	N/S Lin	ne Feet From	E/W Line	County		
0	3	218	37E	0	215	S	1830	E	LEA		
			8	. Proposed	Bottom H	ole Loca	ation	200	100		
UL - Lo	t Section	Township	Range	Lot Idn	Feet From	N/S Lin		E/W Line	County		
0	3	218	37E	0	30	S	1875	E	Lea		
-					17.6						
UNICE	;BLI-TU-DR	NORTH		9. Po	ol Inform	ation			22		
011102	,521 10 210	, . , . , . , . ,		Additiona	l Well Int	formati	on	1			
11 70	ork Type	12. Well T	ma			Villiati	14. Lease Type	15 Gen	and Level Elevation		
New	(III)	OIL	, pe	13. Cable/Rotary			Private	13. 010	3432		
16.	Multiple	17. Proposed	Depth		Formation		19. Contractor	19. Contractor 20. Spud Date			
	N		-		rinkard						
De	pth to Ground v	vater		Distance fro	m nearest fresh	water well		Distance to	nearest surface water		
			21. Pı	roposed Cas	sing and C	Cement	Program				
Туре	Hole Size	Casing Ty	pe C	asing Weight/	ft Sett	Setting Depth Sacks o			Estimated TOC		
Surf	7.875	8.625		24		1305	48	-	0		
Prod	7.873	5.5		17 6950			99	0	0		
			Casing/C	Cement Pro	gram: Ad	ditional	Comments				
			22. Pı	roposed Blo	wout Prev	ention	Program				
Type Working Pressure				Test Pressure		Manufacturer					
Ну	dril		3000			2000	0				
			n above is tr	ue and complete	to the	OII	CONSERVA	TION DI	VISION		
pest of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC 🔀 and/or								inor, bi	, isloit		
9.15.14.9	(B) NMAC	if applicable.	(1)		Appr	oved By:	Paul Kautz				
ignatur			. D. Lt		Tist	Carter					
Printed Name: Electronically filed by Bobby Smith						Title: Geologist Approved Date: 3/8/2013 Expiration Date: 3/8/2015					
Title: Email Address: bobby.smith@apachecorp.com						OVEG DAT	c. 3/0/2VI3	Expiration	Date. JIOIZVIJ		
			HUO. QIOON		1						

DISTRICT I 1825 N. French Dr., Hobbs, NM 68240 Phone (676) 393-9161 Fax: (676) 398-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone (676) 746-1289 Fax: (675) 748-9720

811 S. First St., Artesia, NM 88210 Phone (576) 748-1283 Fax: (575) 748-9720 DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone (505) 534-6178 Fax: (505) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 476-3480 Fax: (505) 476-3482 State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102 Revised August 1, 2011

Submit one copy to appropriate District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

□ AMENDED REPORT

30 -025 -	22900 Eunice; Bli-Ju-Dr. No	rth
Property Code	Property Name	Well Number
22503	NORTHEAST DRINKARD UNIT	364
OGRID No.	Operator Name	Elevation
873	APACHE CORPORATION	3432'


Surface Location

1	UL or lot No.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
1	0	3	21 S	37 E		215	SOUTH	1830	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township Range		Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	3	21 S	37 E		30	SOUTH	1875	EAST	LEA
Dedicated Acre	s Joint o	r Infill Co	nsolidation (Code Or	der No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SECTION 3, TOWNSHIP 21 SOUTH, RANGE 37 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO.

APACHE CORPORATION NORTHEAST DRINKARD UNIT #364 ELEV. - 3432'

Lat = N 32*30'04.71" Long = W 103*08'53.93" NMSPCE = N 548136.748 E 906678.088 (NAD-83) Lat = N 32*30'04.28" Long = W 103*08'52.23" NMSPCE = N 548076.851 E 865494.134 (NAD-27)

 150' WEST
 150' EAST

 0FF SET □
 ○
 □ OFF SET

 3427.1'
 3441.7'

□ 150' SOUTH OFF SET 3428.4'

WELL IS LOCATED ABOUT 5 MILES NORTH OF EUNICE, NEW MEXICO.

Directions to Location:

FROM MILE CATTLE GUARD 18 OF HWY 207, GO SOUTH 100 FEET THENCE WEST 100 FEET TO PROPOSED LOCATION.

BASIN SURVEYS P.O. BOX 1786 -HOBBS, NEW MEXICO

W.O. Number: 27414 | Drawn By: J. SMALL

Date: 09-27-2012 | Disk: JMS 27414 |

200 0 200 400 FEET

SCALE: 1" = 200'

APACHE CORPORATION

REF: NORTHEAST DRINKARD UNIT #364 / WELL PAD TOPO

THE NORTHEAST DRINKARD UNIT #364 LOCATED 215'

FROM THE SOUTH LINE AND 1830' FROM THE EAST LINE OF

SECTION 3, TOWNSHIP 21 SOUTH, RANGE 37 EAST,

N.M.P.M., LEA COUNTY, NEW MEXICO.

Survey Date: 09-18-2012 | Sheet 1 of 1 Sheets

Permit Comments

Operator: APACHE CORP , 873
Well: NORTHEAST DRINKARD UNIT #364

API: 30-025-41051

Created By	Comment	Comment Date
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-05861	3/7/2013
pkautz	Land p/P	3/7/2013
pkautz	Rejected - Please remove the attached plats for Blinebry O & G, Tubb O & G, and Drinkard pool.	3/7/2013
VBROWN	PLATS REMOVED FOR BLINEBRY O&G, TUBB O&G AND DRINKARD POOL. APPROPRIATE PLAT ATTACHED.	3/7/2013

Permit Conditions of Approval Operator: APACHE CORP , 873 Well: NORTHEAST DRINKARD UNIT #364 API: 30-025-41051

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	In order to seal off protectable water, the surface casing must be set 25' below top Rustler Anhydrite