<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101 August 1, 2011

1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER	K, DELPEN, PLUGDACK, OK ADD A ZONE
Operator Name and Address	2. OGRID Number
COG OPERATING LLC One Concho Center	229137
One Concho Center	3. API Number

Midland, TX 79701 30-015-41378 4. Property Code 5. Property Name 6. Well No. MYOX 21 STATE COM 38521 010H

7. Surface Location

	7. Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
M	21	25S	28E	M	190	S	430	W	EDDY	

8. Proposed Bottom Hole Location

	of Proposed Bottom Hote Bottation								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	21	25S	28E	D	330	N	360	W	Eddy

9. Pool Information

WILLOW LAKE; DELAWARE, SW	96855
---------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 2994	
16. Multiple 17. Proposed Dept N 10605		18. Formation Delaware	19. Contractor	20. Spud Date 5/26/2013	
Depth to Ground	water	Distance from nearest fresh water	r well	Distance to nearest surface water	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	350	
Int1	12.25	9.625	36	2350	700	
Prod	7.875	5.5	17	10605	1300	2150

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 350' with Fresh Water. Run 13-3/8", 48#, H-40 csg and cmt to surface. Drill 12-1/4" hole to 2350' with Brine, and run 9-5/8", 36#, J-55 and cement to surface. Drill 7-7/8" curve and lateral with cut brine to approx 10,605' MD. Run 5-1/2' 17#, P-110 csg and cement to 2150'

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and belief.	n given above is true and complete to the	OIL CONSERVATION DIVISION Approved By: Randy Dade				
I further certify I have complied w 19.15.14.9 (B) NMAC ⊠, if applic	ith 19.15.14.9 (A) NMAC 🛮 and/or able.					
Signature:						
Printed Name: Electronically fi	led by Diane Kuykendall	Title: District Supervisor				
Title: Production Reporting M	gr	Approved Date: 5/21/2013	Expiration Date: 5/21/2015			
Email Address: dkuykendall@	conchoresources.com					
Date: 5/20/2013	Phone: 432-683-7443	Conditions of Approval Attached				

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rto Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

D...... 167467

162

1. API Number	2. Pool Code	3. Poo	1 Name
30-015-41378			DELAWARE, SW
4. Property Code	5. Property	y Name	6. Well No.
38521	MYOX 21 ST	ATE COM	010H
7. OGRID No.	8. Operator	r Name	9. Elevation
229137	COG OPERA	TING LLC	2994


10	Surface	Location

- 2		10. Surface Location								
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	M	21	25S	28E		190	S	430	W	EDDY

11. Bottom Hole Location If Different From Surface

					THE PARTY OF THE P				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	21	25S	28E	D	330	N	360	W	EDDY
	cated Acres	13. J	oint or Infill	14	Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 5/20/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Mayte Reyes Date of Survey: 4/5/2013 Certificate Number: 17777

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: MYOX 21 STATE COM #010H API: 30-015-41378

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	5/20/2013
CSHAPARD	Land p/P	5/20/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: MYOX 21 STATE COM #010H API: 30-015-41378

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string