<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-8178 Fax:(505) 334-8170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 173646

	me and Address	AND THE RESERVE AND THE RESERV	450 450	•	E-ENTER, DEEP	- 5	V12	_	RID Number		
		ED PARTNERSHIP							192463		
	Box 4294							3. API I	Number	00	
	uston, TX 77210	-	December Name					0.14/-11	30-015-416	88	
. Property Co.	1604	5.	Property Name TIGGER 9	STATE				6. Well	015		
300	004	3	HOOLIKS	100000					015		
	1- "	T	1-		Feet From	Time	1		Terror	15 .	
L-Lot Section Township 17S			Range Lot Idn Fee		N/S Line S	Feet From	808	E/W Line	County		
- 1	9	1/3	29E		1746	3		000		Euc	
		-		8. Propose	d Bottom Hole Locati						
L - Lot	Section	Township	Range	Lot Idn	Feet From	A CONTRACTOR OF THE CONTRACTOR			E/W Line	County	
1.	9	178	29E		1830	S		870	E	Edo	
				9. P	ool Information						
MPIRE; GL	ORIETA-YESO, E	AST		1. 4.					96610		
				Addition	nal Well Information						
1. Work Type		12. Well Type	13	3. Cable/Rotary	iai vven intormation	14. Lease Type	1	15. Ground	d Level Elevation	0	
	v Well	OIL				State		3566			
6. Multiple		17. Proposed Dep	oth 18	3. Formation	La Property	19. Contractor	19. Contractor 20.). Spud Date		
N 5500			100.00				11/7/2014				
N		5500		Yeso Form	ation				11/7/2014		
epth to Groun		oop system in lieu		stance from nearest fr	esh water well	rogram	1		11/7/2014 o nearest surface w	vater	
We will be Type	using a closed-lo	oop system in lieu o	of lined pits	21. Proposed C	asing and Cement P	Depth	Sads of	Distance to		Estimated TOC	
We will be Type Surf	using a closed-lo Hole Size 11	Casing Si 8.625	of lined pits	istance from nearest from 1985 and 1985	esh water well asing and Cement Pi	Depth)	Sacks of	Distance to			
We will be Type	using a closed-lo	oop system in lieu o	of lined pits	21. Proposed C Casing Weight/ft 24 17	asing and Cement Pi	Depth) 0	Sacks of	Distance to f Cement		Estimated TOC	
We will be Type Surf	using a closed-lo Hole Size 11	Casing Si 8.625	of lined pits	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Proposed C	asing and Cement Pr Setting 400 550 rogram: Additional Co	Depth	Sacks of	Distance to f Cement		Estimated TOC	
We will be Type Surf	Hole Size 11 7.875	Casing Si 8.625	of lined pits	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Proposed B	asing and Cement Pi Setting 400	Depth 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Sacks of 1! 9i	Distance to f Cement	o nearest surface w	Estimated TOC 0 0	
We will be Type Surf	Hole Size 11 7.875	Casing Si 8.625	of lined pits	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Norking Pressure	asing and Cement Pr Setting 400 550 rogram: Additional Co	Depth O O Depth O O Depth Depth	Sacks of 1! 9i	Distance to f Cement	o nearest surface w	Estimated TOC	
We will be Type Surf	Hole Size 11 7.875 Type Annular	Casing Si 8.625 5.5	of lined pits	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Working Pressure 3000	asing and Cement Pr Setting 400 550 rogram: Additional Co	Depth	Sacks of 1! 9i	Distance to f Cement	o nearest surface w	Estimated TOC 0 0	
We will be Type Surf	Hole Size 11 7.875	Casing Si 8.625 5.5	of lined pits	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Norking Pressure	asing and Cement Pr Setting 400 550 rogram: Additional Co	Depth O O Depth O O Depth Depth	Sacks of 1! 9i	Distance to f Cement	o nearest surface w	Estimated TOC 0 0	
Type Surf Prod 23. I hereby c	Hole Size 11 7.875 Type Annular Double Ram ertify that the info	Casing Si 8.625 5.5	of lined pits ze in the second seco	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Working Pressure 3000 3000 plete to the best of	asing and Cement Presenting 400 5500 Fogram: Additional Collowout Prevention Presenting Presentation Presenting Presentin	Depth	Sacks of 1! 9i	Distance to	o nearest surface w	Estimated TOC 0 0	
We will be Type Surf Prod 3. I hereby converge a further ceral	Hole Size 11 7.875 Type Annular Double Ram ertify that the info	Casing Si 8.625 5.5	of lined pits ze in the second seco	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Working Pressure 3000 3000 plete to the best of	asing and Cement Presenting 400 5500 Fogram: Additional Collowout Prevention Presenting Presentation Presenting Presentin	Depth	Sacks of 1: 9:	Distance to	o nearest surface w	Estimated TOC 0 0	
We will be Type Surf Prod 3. I hereby conowledge a further cera K, if applical Signature:	Hole Size 11 7.875 Type Annular Double Ram ertify that the info	Casing Si 8.625 5.5	of lined pits ze e is true and com (A) NMAC ⊠ and	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Working Pressure 3000 3000 plete to the best of	asing and Cement Properties Setting 400 550 Fogram: Additional Colomout Prevention Properties Prope	Depth	Sacks of 1: 9: ure	Distance to	o nearest surface w	Estimated TOC 0 0	
Type Surf Prod 23. I hereby conowledge a further circle. Signature: Printed Name:	Hole Size 11 7.875 Type Annular Double Ram ertify that the info	Casing Si 8.625 5.5	of lined pits ze e is true and com (A) NMAC ⊠ and	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Working Pressure 3000 3000 plete to the best of	asing and Cement Pr Setting 400 550 rogram: Additional Colowout Prevention Pr my IMAC Approved By:	Depth	Sacks of 1: 9: ure	Distance to	o nearest surface w	Estimated TOC 0 0	
Type Surf Prod 23. I hereby conowledge a further cerat, if applical Signature: Printed Name: Title:	Hole Size 11 7.875 Type Annular Double Ram ertify that the infond belief, iffy I have complible.	Casing Si 8.625 5.5	of lined pits ze e is true and com (A) NMAC ⊠ and	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Pr 22. Proposed B Working Pressure 3000 3000 plete to the best of	asing and Cement Pr Setting 400 550 rogram: Additional Colowout Prevention Pr my IMAC Approved By: Title:	Depth	Sacks of 1: 9: ure	F Cement 90 60	Ma	Estimated TOC 0 0	
Type Surf Prod	Hole Size 11 7.875 Type Annular Double Ram ertify that the infond belief, iffy I have complible.	Casing Si 8.625 5.5 5.5 cormation given above ied with 19.15.14.9 cally filed by KAREN mard@oxy.com	of lined pits ze e is true and com (A) NMAC ⊠ and	21. Proposed C Casing Weight/ft 24 17 Casing/Cement Proposed B Working Pressure 3000 3000 plete to the best of	asing and Cement Pr Setting 400 550 rogram: Additional Co lowout Prevention Pr my IMAC Approved By: Title: Approved Date:	Depth	Sacks of 1: 9: ure Pill CONSER*	F Cement 90 60	o nearest surface w	Estimated TOC 0 0	

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Plane (575) 303-6161. Fax (575) 393-0720
DISTRICT II
BISTRICT II
STILL STREET St., Ariesau, NM 88210
Plane (575) 748-1283 Fax (575) 748-9720
DISTRICT III
1000 Rto Brazos Road, Aztec, NM 87410
Plane (505) 334-6178 Fax (505) 334-6170
DISTRICT IV

DISTRICT IV 1220 S St. Francis Dt., Santa Fe, NM 87505 Phone (505) 476-3460 Fax (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number		9/06	ool Code	F	maice	616	Pool Name	a-Gesc	Fast
Property Code		1 4 4	Т	Property Natt IGGER 9 S			Д (С.	We	Il Number
OGRID No.			Operator Name					Elevation	
192463			OXY U.S.A. WTP LP						3566'
UL or lot No Section	Township	Range	Lot Idn	Surface Locat Feet from the	North/South line	Foot	from the	East/West line	County
I 9	17-S	29-E	Lorium	1746	SOUTH		308	EAST	EDDY
		E	Sottom Hol	e Location If Diff	erent From Surface				
UL or lot No. Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet	from the	East/West line	County
1 9	17-S	29-E		1830	SOUTH	8	370	EAST	EDDY
Dedicated Acres Joint of Honor Acres Joint On Honor		onsolidation Coo		er No RESTS HAVE BEEN	CONSOLIDATED OR A	NON-STA	NDARD UN	IT HAS BEEN APPROVI	ED BY THE DIVISION
NAD 2 SURFACE Y=671. x=579 LAT.=32.0 LONG.=104 BOTTOM HO Y=671.	OORDINATES 7 NME LOCATION 780.4 N 826.8 E 346539* N .073407* W LE LOCATION 864.0 N 764.3 E		— — A - B - C - D -	Y=672681.7 I Y=671360.5 I	N, X=579321.2 E N, X=580629.9 E N, X=580636.7 E N, X=579324.9 E	В	I hereby ce complete to that this on unleased m proposed b well at this of such min pooling ag heretofore Printed N SUR I hereby ce was plottee me or under and correct to the pooling and the pooling ag heretofore. Date of S Signature	VEYOR CERTIF entify that the well location of from field notes of actua er my supervision, and tha et to the best of my belief. APRIL 10, 20 urvey APRIL 10, 20 urve	herein is true and we and belief, and working interest or including the varight to drill this stract with an owner or to a voluntary pooling order ICATION ICATION IN Shown on this plat of surveys made by at the same is true O13 Al Surveyor. Al Surveyor. Al Surveyor. Al Surveyor. Al Surveyor. Al Surveyor.

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173646

PERMIT COMMENTS

Operator Name and Address:	API Number:
OXY USA WTP LIMITED PARTNERSHIP [192463]	30-015-41688
PO Box 4294	Well:
Houston, TX 77210	TIGGER 9 STATE #015

Created By	Comment	Comment Date
CSHAPARD	Land s/S	9/18/2013

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173646

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
OXY USA WTP LIMITED PARTNERSHIP [192463]	30-015-41688
PO Box 4294	Well:
Houston, TX 77210	TIGGER 9 STATE #015

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string