<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 173648

OXY	ne and Address USA WTP LIMITI	ED PARTNERS	HIP		,	A.S.				RID Number 192463		
PO Box 4294 Houston, TX 77210 4. Property Code					3. API Number 30-015-41690							
								6. Well No.				
309	504	-	TIGO	GER 9 STA	ATE				-	020		
						rface Location						
JL - Lot O	Section 9	Township 179	Range	29E	Lot Idn O	Feet From 940	N/S Line S	Feet From	2220	E/W Line	County	
		110		202	DAMES AND A	Same and the same	5.000		LLLU		Luc	
JL - Lot	Section	Township	Range		8. Proposed	Feet From	N/S Line	Feet From		E/W Line	County	
0	9	179		29E	O	940		reet Floir	2220	E	Edd	
	44	*	80		0 Do	ol Information	22	300		44	144	
MPIRE: GLO	RIETA-YESO, EA	ST			9. P0	oi illioi illatioli				96610		
im irc, occ	MEM 1200, E				.1.1.02.12					300.0		
1 West Trees		42 Well Tone	31	12.0		ll Well Information			15 C	nd Level Elevation		
Work Type New	Well	12. Well Type Oll		13. 0	able/Rotary		14. Lease Ty St	ate	15. Groun	3570		
6. Multiple		17. Proposed	Depth	18. Fo	ormation	S. D. F.	19. Contracto	The Contract of the Contract o		Date		
N 5500			00		Yeso Formation Distance from nearest fresh water well					12/5/2014		
	- National State of the State o	Depth to Ground water						Distance to nearest surface water				
epth to Groun	ising a closed-lo			S	21. Proposed Ca	sing and Cemen						
We will be u	Hole Size	Casing 8.6	ı Size 25	S	21. Proposed Cassing Weight/ft	sing and Cemen	ing Depth 400		of Cement		Estimated TOC	
We will be u	ising a closed-lo	Casing	ı Size 25	S Cs	21. Proposed Caasing Weight/ft 24 17	sing and Cemen Setti	ing Depth 400 5500		of Cement		Estimated TOC	
We will be u	Hole Size	Casing 8.6	ı Size 25	S Cs	21. Proposed Cassing Weight/ft	sing and Cemen Setti	ing Depth 400 5500		of Cement		Estimated TOC	
We will be u	Hole Size	Casing 8.6	ı Size 25	Ca Ca	21. Proposed Caasing Weight/ft 24 17	sing and Cemen Setti	ing Depth 400 5500 al Comments		of Cement		Estimated TOC	
We will be u	Hole Size 11 7.875	Casing 8.6	ı Size 25	Ca Ca	21. Proposed Carsing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure	sing and Cemen Setti	ing Depth 400 5500 al Comments n Program Test P	ressure	of Cement		Estimated TOC	
We will be u	Hole Size 11 7.875 Type Annular	Casing 8.6	ı Size 25	Ca Ca	21. Proposed Ca asing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure 3000	sing and Cemen Setti	ing Depth 400 5500 al Comments n Program Test P	ressure	of Cement		Estimated TOC 0 0	
We will be u	Hole Size 11 7.875	Casing 8.6	ı Size 25	Ca Ca	21. Proposed Carsing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure	sing and Cemen Setti	ing Depth 400 5500 al Comments n Program Test P	ressure	of Cement		Estimated TOC 0 0	
Type Surf Prod	Hole Size 11 7.875 Type Annular Double Ram ertify that the inford belief. ify I have complications	Casing 8.6 5.	Size 25 5	Ca Ca Work	21. Proposed Ca asing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure 3000	sing and Cemen Setti gram: Additional	ing Depth 400 5500 al Comments n Program Test P	ressure	of Cement 190 960	Ma	Estimated TOC 0 0	
Type Surf Prod 3. I hereby conowledge ar further certail	Hole Size 11 7.875 Type Annular Double Ram ertify that the inford belief. fy I have complicite.	Casing 8.6 5.	Size 25 5	Ca Ca Work Work Wand/or	21. Proposed Casing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure 3000 3000	sing and Cemen Setti gram: Additional	ing Depth 400 5500 al Comments Test P 21 30	ressure 00 00 00 OIL CONSE	of Cement 190 960	Ma	Estimated TOC 0 0	
We will be u Type Surf Prod 3. I hereby conowledge ar further certail	Hole Size 11 7.875 Type Annular Double Ram ertify that the inford belief. fy I have complicite.	Casing 8.6 5.	Size 25 5	Ca Ca Work Work Wand/or	21. Proposed Casing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure 3000 3000	gram: Additional	ing Depth 400 5500 al Comments Test P 21 30 y: Randy E	ressure 00 00 00 OIL CONSE	of Cement 190 960	Ma	Estimated TOC 0 0	
Type Surf Prod 3. I hereby conowledge are further petrical, if applicabilistications are invited Name:	Hole Size 11 7.875 Type Annular Double Ram ertify that the inford belief. fy I have complicite. Electronic	Casing 8.6 5.	Size 25 5	Ca Ca Work Work Wand/or	21. Proposed Casing Weight/ft 24 17 asing/Cement Pro 22. Proposed Bloking Pressure 3000 3000	sing and Cemen Setti gram: Additiona wout Prevention by IAC Approved By	ing Depth 400 5500 al Comments Test P 21 30 y: Randy E District (ressure 00 00 OIL CONSE	of Cement 190 960	Ma	Estimated TOC 0 0 anufacturer	

DISTRICT 1
1625 N. French Dr., Hobbs, NM 88240
Phone (\$75) 393-6161 Fax (\$75) 393-0720
DISTRICT II
811 S. Frat St., Artesia, NM 88210
Phone (\$75) 748-1283 Fax. (\$75) 748-9720
DISTRICT III
1000 Rio Brazoa Road, Aziec, NM 87410
Phone: (\$05) 334-6178 Fax. (\$505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (\$05) 476-3460 Fax. (\$505) 476-3462

API Number

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□AMENDED REPORT

Pool Name

WELL LOCATION AND ACREAGE DEDICATION PLAT

Pool Code

API Number	96	Pool Code	Property Name	poice. G	Pool Name	a-4850.	East
2 Property Code		T	Wel	Well Number			
O OGRID No.				Elevation			
192463		C	XY U.S.A.	WTPLP		3570'	
			Surface Location				
CONTROL MAN A	Township Range 17-S 29-E	Lot Idn	Feet from the 940	North/South line SOUTH	Feet from the 2220	East/West line EAST	County
0 9	17-S 29-E				2220	LAST	LDD1
TH as let No. Continu	Township Range	Lot Idn	Location If Diffe	North/South line	Feet from the	East/West line	County
UL or lot No. Section	Township Range	Lorium	reet from the	Notti Bodin inc	reet from the	LALIE TO LA TITA	
Dedicated Acres Joint or Inf NO ALLOWABLE WILL BE ASSIGNED			DESTS HAVE BEEN (ONSOLIDATED OR A N	VON-STANDARD LINI	T HAS BEEN APPROVE	D BY THE DIVISION
GEODETIC C'OO NAD 27 I SURFACE LO Y=670966 X=578419 LAT.=32.844 LONG.=104,07	RDINATES NME DCATION 0.8 N — — — — — — — — — — — — — — — — — —				OPER I hereby cer complete to that this or unleased m proposed b well at this of such min pooling ag heretofore Signature Printed Canal E-mail A SUR' I hereby ce was plottee me or unde and correct	RATOR CERTIFI tify that the information be the best of my knowledge parization either owns a we ineral interest in the land i ottom hole location or has location pursuant to a con- perement or a compulsory pentered by the division. WEYOR CERTIFI etrify that the well location of from field potes of actual et my supervision, and that t to the best of my bellet. APRIL 9, 20	CATION erein is true and eand belief, and orking interest or neluding the a right to drill this tract with an owner or to a voluntary ording order A 9/8/3 Date COM ICATION a shown on this plat I surveys made by t the same is true
		040,		-2220'	AEGA A	Number Gare	Edson 12641 FJ Eidson 3239

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173648

PERMIT COMMENTS

Operator Name and Address:	API Number:
OXY USA WTP LIMITED PARTNERSHIP [192463]	30-015-41690
PO Box 4294	Well:
Houston, TX 77210	TIGGER 9 STATE #020

Created By	Comment	Comment Date
CSHAPARD	Land s/S	9/18/2013

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173648

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
OXY USA WTP LIMITED PARTNERSHIP [192463]	30-015-41690		
PO Box 4294	Well:		
Houston, TX 77210	TIGGER 9 STATE #020		

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string