<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-8178 Fax:(505) 334-8170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 172930

| NADE | e and Address EL AND GUSSM | | LLC | | | | | | | OGRID Number 155615 | |
|--|--|--|--|-----------------------------|---|--|---|-------------------------------|------------------------------------|------------------------|--|
| 601 N MARIENFELD MIDLAND , TX 79701 | | | | | | | 3. A | 3. API Number 30-005-29208 | | | |
| 4. Property Code 5. Property Name SOUTH TOBAC STATE UNIT | | | | | | | | | 6. Well No. 002 | | |
| | | | | | 7 Surfac | e Location | | | | | |
| JL - Lot | Section | Township | Range | 2.2 | | et From | N/S Line | Feet From | 0,0000 | E/W Line | County |
| Α | 29 | 80 | S | 33E | A | 350 | N | | 1292 | E | Chaves |
| | | | | | 8. Proposed Bot | tom Hole Loca | ntion | | | | |
| The state of the s | | Range | 2000 | | et From N/S Line | | Feet From | | E/W Line | County | |
| A | 29 | 08 | S | 33E | A | 350 | N | | 1292 | | Chaves |
| | | | | | 9. Pool In | formation | | | | | |
| HAVEROO S. | AN ANDRES (C | HAVES) ** | | | | | | | | 1 | 12049 |
| | | | | | Additional W | ell Information | 1 | | | | |
| 11. Work Type 12. Well T | | | pe DIL | 13. Cable/Rotary | | | 14. Lease Type State | | 15. Ground Level Elevation 4396 | | n |
| 6. Multiple N | | 17. Propose | | | . Formation San Andres | | 19. Contractor | | 20. Spud Date 11/10/2013 | | |
| Depth to Ground water | | | | Distance from nearest fresh | | | | | Distance to nearest surface water | | |
| | | an avatam in I | | | | | | | | | |
| We will be us | sing a closed-io | op system in i | eu of lined pit | | 21. Proposed Casing | and Cement | Program | | | | |
| Туре | Hole Size | Casir | g Size | | 21. Proposed Casing | Setting | g Depth | Sad | s of Ceme | nt | Estimated TOC |
| Type Surf | Hole Size 12.25 | Casir 9. | g Size | | asing Weight/ft 36 | Setting 18 | g Depth 355 | Sad | 1100 | nt | 0 |
| Туре | Hole Size | Casir 9. | g Size | | sing Weight/ft | Setting 18 | g Depth | Sad | | nt | |
| Type Surf Prod | Hole Size 12.25 7.875 | Casir 9. | g Size 325 .5 | Cs | asing Weight/ft 36 | Setting 18 48 | g Depth 355 300 | Sad | 1100 | nt | 0 |
| Type Surf Prod | Hole Size 12.25 | Casir 9. | g Size 325 .5 | Cs | ssing Weight/ft 36 17 | Setting 18 48 | g Depth 355 300 | Sad | 1100 | nt | 0 |
| Type Surf Prod | Hole Size 12.25 7.875 | Casir 9. | g Size 325 .5 | Ca | ssing Weight/ft 36 17 | Settin 18 48 m: Additional | g Depth 855 800 Comments | Sad | 1100 | nt | 0 |
| Type Surf Prod | Hole Size 12.25 7.875 ted to top of Rus | Casir 9. | g Size 325 .5 | Ca | using Weight/ft 36 17 sing/Cement Progra 22. Proposed Bloworking Pressure | Settin 18 48 m: Additional | g Depth 1555 1600 Comments Program Test Pre | essure | 1100 | nt | 0 |
| Type Surf Prod | Hole Size 12.25 7.875 ted to top of Rus Type Annular | Casir 9. | g Size 325 .5 | Ca | asing Weight/ft 36 17 sing/Cement Progra 22. Proposed Bloworking Pressure 1500 | Settin 18 48 m: Additional | g Depth 1555 1000 Comments Program Test Pre 150 | essure | 1100 | nt | 0 0 Manufacturer cameron |
| Surf Prod | Hole Size 12.25 7.875 ted to top of Rus | Casir 9. | g Size 325 .5 | Ca | using Weight/ft 36 17 sing/Cement Progra 22. Proposed Bloworking Pressure | Settin 18 48 m: Additional | g Depth 1555 1600 Comments Program Test Pre | essure | 1100 | nt | 0 0 Manufacturer |
| Type Surf Prod drill uninterrup 3. I hereby cer conowledge and further certif | Hole Size 12.25 7.875 ted to top of Rus Type Annular Double Ram rtify that the inford belief. y I have complie | Casin 9,0 | g Size 325 .5 water. | Ca Ca Work | asing Weight/ft 36 17 sing/Cement Progra 22. Proposed Bloworking Pressure 1500 | Settin 18 48 m: Additional ut Prevention | g Depth 1555 1000 Comments Program Test Pre 150 | essure 0 | 1100 | nt DIVISION | 0 0 Manufacturer cameron |
| Type Surf Prod irill uninterrup 3. I hereby ce nowledge and further certif, if applicable signature: | Hole Size 12.25 7.875 ted to top of Rus Type Annular Double Ram rtify that the inford belief. y I have complied. | Casir 9.0 Estler with fresh rmation given a sed with 19.15.1 | g Size 525 .5 water. bove is true ar | Ca Ca Work | asing Weight/ft 36 17 asing/Cement Progra 22. Proposed Bloworking Pressure 1500 3000 te to the best of my | Setting 18 48 mr. Additional of the prevention o | g Depth | o 0 0 OIL CONS | 1100 | | 0 0 Manufacturer cameron |
| Type Surf Prod Irill uninterrup 3. I hereby ce; nowledge and further certif d, if applicable Signature: | Hole Size 12.25 7.875 ted to top of Rus Type Annular Double Ram rtify that the inford belief. y I have compliee. | Casin 9,0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | g Size 525 .5 water. bove is true ar | Ca Ca Work | asing Weight/ft 36 17 asing/Cement Progra 22. Proposed Bloworking Pressure 1500 3000 te to the best of my | Settin 18 48 m: Additional ut Prevention | p Depth | o OIL CONS | 1100 | | 0 0 Manufacturer cameron |
| Type Surf Prod drill uninterrup 3. I hereby certinowledge and further certif | Hole Size 12.25 7.875 ted to top of Rus Type Annular Double Ram rtify that the inford belief. y I have complide. Electronic: General M | Casin 9,0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | g Size 525 .5 water. bove is true ar | Ca Ca Work | asing Weight/ft 36 17 asing/Cement Progra 22. Proposed Bloworking Pressure 1500 3000 te to the best of my | Setting 18 48 m: Additional of ut Prevention | Paul Kau Geologis | ossure 0 0 OIL CONS | 1100 | | 0 0 Manufacturer cameron cameron |

DISTRICT 1
1025 N. Freuch Dr. Hobbs, NM 88240
Phone: (575) 393-6161 Fax (575) 393-0720
DISTRICT II
811 S. First St. Attesta, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1600 Rto Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fc. NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

Property Code

API Number

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

Well Number

San Andres

WELL LOCATION AND ACREAGE DEDICATION PLAT

Property Name

Pool Code

| | | | | SOUT | TH TOBA | CSI | ATEUNIT | | | | 2 |
|---------------------------|---------------|----------------|--|---|-----------------|-----------|------------------|--|--|--|---|
| ()(jR1) No. Operator Name | | | | | | | Elevation | | | | |
| 155615 NADE | | | EL AND GUSSMAN PERMIAN LLC. | | | | | | 4396' | | |
| Surface Location | | | | | | | | | | | |
| UL or lot No. | Section | Township | Range | Lot Ide | Feet from | n the | North/South line | Feet from the | East | /West line | County |
| A | 29 | 8-S | 33-E | | 350 |) | NORTH | 1292 | E | EAST | CHAVES |
| | | <u></u> | <u>. </u> | Bottom I | Jole Location I | lf Differ | ent From Surface | <u></u> | | *************************************** | <u> </u> |
| UL or lot No. | Section | Township | Range | Lot ldr | Feet from | n the | North/South line | Feet from the | East. | /West line | County |
| | ~ | | | | | | | | | | |
| Dedicated Acres | Joint or | lnfill C | Consolidation C | ode | Order No. | I | | | | | <u> </u> |
| NO ALLOWABLE WI | ILL BE ASSIGN | NED TO THIS CO | OMPLETION UN | TIL ALL IN | TERESTS HAVE | BEEN CO | ONSOLIDATED OR A | NON-STANDARD UNIT | HAS B | EEN APPROV | ED BY THE DIVISION |
| | | | | | | | | | | | |
| | | | SURFACE Y=945 | 27 NME LOCATIO 665.4 N 3273.4 E 597325* | DN N | | | I hereby certice complete to that this orgal undeased min proposed bot well at this le of such mine pooling affine hereofore et al. Signature Printed Na Printed Na SURV I hereby cert, was plotted I | ify that de he best of | of my knowledge either owns a were the land a companion of the land a coloration or has sursuant to a companion of the division. CON CON CON CONTRACTOR OF THE BOOK CONTRACTOR OF A CONTRACTOR OF THE BOOK CO | herein is true and lee and belief, and vorking interest or including the sa right to delil this stract with an owner or to a voluntary sootling order 9/6//3 Date 9 USS. Com |
| | | | on street | | | | | Date of Sur | AU- vey Seal) o | GUST 7, 2 Professiona Professiona A Maria | Stirveyor: 08/14/2013 Eidson 12641 |

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 478-3470 Fax:(505) 478-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 172930

PERMIT COMMENTS

| Operator Name and Address: | API Number: | | |
|---|-----------------------------|--|--|
| NADEL AND GUSSMAN PERMIAN, LLC [155615] | 30-005-29208 | | |
| 601 N MARIENFELD | Well: | | |
| MIDLAND , TX 79701 | SOUTH TOBAC STATE UNIT #002 | | |

| Created By | Comment | Comment Date |
|------------|--|--------------|
| pkautz | Land s/S | 10/4/2013 |
| DMULL | Holding this APD because Nadel & Gussman is out of compliance with the Inactive Well list. Sending letter to Santa Fe. | 10/11/2013 |

Form APD Conditions

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 172930

PERMIT CONDITIONS OF APPROVAL

| Operator Name and Address: | API Number: | | |
|---|-----------------------------|--|--|
| NADEL AND GUSSMAN PERMIAN, LLC [155615] | 30-005-29208 | | |
| 601 N MARIENFELD | Well: | | |
| MIDLAND, TX 79701 | SOUTH TOBAC STATE UNIT #002 | | |

| OCD Reviewer | Condition |
|-----------------|--|
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz | Will require administrative order for non-standard location |
| DMULL | Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines |