

Submit within 45 days of well completion	<div>State of New Mexico</div> <div>Energy, Minerals and Natural Resources</div> <div>Oil Conservation Division</div> <div>1220 S. St Francis Dr.</div> <div>Santa Fe, NM 87505</div>	Revised February 15, 2012				
		1. WELL API NO: 30-015-38306				
		2. Well Name: WYATT DRAW 13 MD #001H				
		3. Well Number: 001H				
<div>HYDRAULIC FRACTURING FLUID DISCLOSURE</div> <div><input type="checkbox"/> Original</div> <div><input checked="" type="checkbox"/> Amends disclosure submitted on 9/4/2012</div>		4. Surface Hole Location: Unit:D Lot:D Section:24 Township:19S Range:25E Feet from:250 N/S Line:N Feet from:350 E/W Line:W				
		5. Bottom Hole Location: Unit:D Lot: Section:13 Township:19S Range:25E Feet from:330 N/S Line:N Feet from:350 E/W Line:W				
		6. latitude: longitude: 32.6528958662188 - 104.445680980669				
		7. County: Eddy				
8. Operator Name and Address: MEWBOURNE OIL CO Po Box 5270 Hobbs 88241			9. OGRID: 14744		10. Phone Number: 575-393-5905	
11. Last Fracture Date: 7/27/2012 Frac Performed by: Baker Hughes			12. Production Type: O			
13. Pool Code(s): 97565			14. Gross Fractured Interval: 2,690 ft to 2,715 ft			
15. True Vertical Depth (TVD): 2,703 ft			16. Total Volume of Fluid Pumped: 1,898,904 gals			
17. HYDRAULIC FLUID COMPOSITION AND CONCENTRATION:						
Trade Name	Supplier	Purpose	Ingredients	(CAS #) Chemical Abstract Service #	Maximum Ingredient Concentration in Additive (% by mass)	Maximum Ingredient Concentration in HF Fluid (% by mass)
Water	Operator	Carrier	Water	7732-18-5	100%	93.77917%
Enzyme G-I	Baker Hughes	Breaker	Hemicellulase Enzyme Concentrate	9025-56-3	3%	0.0013%
			Water	7732-18-5	97%	0.04206%
GBW-18	Baker Hughes	Breaker	Sodium Persulfate	7775-27-1	100%	0.01009%
ClayCare, tote	Baker Hughes	Clay Control	Choline Chloride	67-48-1	75%	0.0411%
			Water	7732-18-5	30%	0.01644%
Clay Master-5C	Baker Hughes	Clay Control	Oxyakylated Amine Quat	138879-94-4	60%	0.00871%
FRW-14 (Small Tote)	Baker Hughes	Friction Reducer	No Hazardous Ingredients	N.A.	100%	0.08764%
			Guar Gum	9000-30-0	60%	0.13431%
			Paraffinic Petroleum Distillate	64742-55-8	60%	0.13431%
NE-35, 330 gl tote	Baker Hughes	Non-emulsifier	Petroleum Distillate	64742-47-8	60%	0.13431%
			Mixture of Surfactants	Trade Secret	50%	0.04639%
			Propylene Glycol	57-55-6	30%	0.02783%
Sand, Brown, 20/40	Baker Hughes	Proppant	Crystalline Silica (Quartz)	14808-60-7	100%	5.44872%
Ingredients shown above are subject to 29 CFR 1910			Aliphatic Hydrocarbon	Trade Secret	0%	0.0204198%
			Oxyalkylated Alcohol	Trade Secret	0%	0.0015775%
			Polyglycol Ester	Trade Secret	0%	0.0007011%
			Polyol Ester	Trade Secret	0%	0.000964%
			Sodium Chloride	7647-14-5	0%	0.0035056%
			Vinyl Copolymer	Trade Secret	0%	0.0241883%
Water	7732-18-5	0%	0.0362824%			
18. I, as Operator, hereby certify that the information shown on this disclosure form is true and complete to the best of my knowledge and belief.						
Signature: Signed Electronically		Printed Name: NM Young		Title: Manager		
Date: 10/24/2013						
E-mail Address: myoung@mewbourne.com						

NMOCD does not require the reporting of information beyond MSDS data as described in 29 CFR 1910.1200. NMOCD does not require the reporting or disclosure of proprietary, trade secret or confidential business information.