<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3482

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 180024

Phone:(505) 4	76-3470 Fax:(505) 4		ION EOD DI	ERMIT TO D	DIII DE E	NTER DE	EDEN	PLUCBAC	K OD VL	ND A 70	NE		
	ame and Address		ONFORF	-RIVIII IOD	NILL, NE-E	N IEK, DE	EFEIN,	, PLUGBAC	IN, OR AL	_	RID Number 25575		
	5 S 4TH ST TESIA , NM 88210	)								3. API	Number 30-015-4196	9	
4. Property Co	de 835	5.	Property Name Thoma	as AJJ						6. Wel	I No. 007H		
		'			7. Surfa	ce Location							
UL - Lot	Section 8	Township 19S	Range	Lot I		et From 1500		V/S Line S	Feet From	150	E/W Line	County	Eddy
	•			8.	Proposed Bo	ttom Hole Lo	cation	19.19	•				
UL - Lot	Section 8	Township 19S	Range	25E		eet From 1700		N/S Line S	Feet From	330	E/W Line W	County	Eddy
	1201	202	şî.	7/2	9. Pool I	nformation	100	×	2)		šš.	460	
PENASCO D	RAW;SA-YESO (A	ASSOC)									50270		
					Additional W	/ell Informati	ion						
11. Work Type	La transport	12. Well Type		13. Cable/Rota		ren iniormati		Lease Type		15. Groun	nd Level Elevation		
2	w Well	OIL	1					Private		7	3455		
16. Multiple 17. Proposed Depth N 6987				18. Formation 19. Contractor Yeso Formation			20. Spud Date 3/6/2014						
Depth to Grou	nd water			Distance from r	Distance from nearest fresh water well			Distance	Distance to nearest surface water				
We will be	using a closed-lo	oop system in lieu	of lined pits										
				21. Pro	posed Casin	g and Cemer	nt Progr	ram			Shi:		
Туре	Hole Size	Casing S		Casing We	ight/ft	Sett	ting Dept	th		f Cement		Estimated 1	TOC
Surf	14.75	9.625		36			900			685 1205		0	
Prod	8.75	5.5	72	17			6987		12	205	200	0	
				Casing/Co	ement Progra	am: Additiona	al Comn	ments					
				22 Dro	posed Blowd	ut Droventio	n Droar	ram					
	Туре			Working Pres		ut Freventio	ni Fiogi	Test Press	ure	-	Mai	nufacturer	
	Double Ram			3000				3000					
		rmation given abov	ve is true and	complete to the	e best of my			(	OIL CONSER	VATION	DIVISION		
knowledge a I further cer X, if applica	tify I have compli	ed with 19.15.14.9	(A) NMAC 🗵	and/or 19.15.1	14.9 (B) NMAC								
Signature:													
Printed Name:		ally filed by LORI F				Approved B	Ву:	Randy Dad					
Title:	Land Reg	ulatory Technician	(I)			Title:		District Sup	ervisor	,			
	Address: lorif@yatespetroleum.com						Approved Date: 1/16/2014 Expiration Date: 1/16/2016						
Email Address	: lorif@yate 1/16/2014			75-748-4448				roval Attached			xpiration bate. I/ i	0/2010	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 180024

### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-41969	2. Pool Code 50270	3. Pool Name PENASCO DRAW:SA-YESO (ASSOC)
4. Property Code 12835	5. Property Name Thomas AJJ	6. Well No. 007H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3455

#### 10. Surface Location

				10.0	ulluce Lecution				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	8	198	25E		1500	S	150	E	Eddy

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	8	198	25E	100 and 100 an	1700	S	330	W	Eddy
12. Dedicated Ac			13. Joint or Infill		14. Consolidation Code			15. Order No.	7
160.00	0								

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	o

#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

LORI FLORES E-Signed By:

Title: Land Regulatory Technician

1/16/2014 Date:

### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Gary Jones Surveyed By: 11/8/2013 Date of Survey: Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 180024

## **PERMIT COMMENTS**

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-41969
105 S 4TH ST	Well:
ARTESIA , NM 88210	Thomas AJJ #007H

Created By	Comment	Comment Date
CMAY	10' Samples 900'-TD. Logging: NO WIRELINE LOGS, HORIZONTAL-MWD-GR, DST's: None, Coring: None. Mudlogging: YES SURFACE TO TD	1/16/2014
CMAY	PRESSURE CONTROL EQUIPMENT: A 3000 psi system will be nippled up and tested on 9 5/8" casing. MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD: 0'-900' 407 PSI. 900'-2348' 1062 PSI.	1/16/2014
CMAY	H2S is anticipated. H2S plans will be sent to OCD by mail.	1/16/2014
CMAY	Well will be drilled vertically to 1871'. Well will then be kicked off at approx. 1871' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 2637' MD (2348' TVD). Hole size will then be reduced to 8 1/2" and drilled to 6987' MD (2200' TVD) where 5 1/2" casing will be set and cemented. Production string will be cemented to surface. Penetration point of producing zone will be encountered at 1523' FSL and 643' FEL, 8-19S-25E. Deepest TVD in the well is 2348' in the lateral hole.	
CMAY	CASING DESIGN FACTORS: BURST 1.0 TENSILE 1.8 COLLAPSE 1.125	1/16/2014
CMAY	The C-102 and horizontal information will be sent to OCD by mail.	1/16/2014
CSHAPARE	Land p/P	1/16/2014

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 180024

Form APD Conditions

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-41969
105 S 4TH ST	Well:
ARTESIA, NM 88210	Thomas AJJ #007H

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string