District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 182979

1. Operator N YA			ORPORATIO	N					2.	OGRID Number 25575		
	5 S 4TH ST TESIA , NM								3.	API Number 30-025-41744		
4. Property Code 37947				5. Property Name CARAVAN STATE UNIT						6. Well No. 010H		
						7. Surf	ace Location					
UL - Lot	Section	1	Township	Range	14/9	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	101
В	1-1-10	33	2	4S	33E	Pakt 100	15	N	2150	E		Lea
						8. Proposed B	ottom Hole Locat	ion				
UL - Lot	Section	1	Township	Range	The section	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	-
0	1	33	2	4S	33E	0	330	S	2150	D E		Lea

5. Fooi illiotitiation	
TRISTE DRAW;BONE SPRING, EAST	96682

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3479
16. Multiple N	17. Proposed Depth 15808	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 7/1/2014
Depth to Ground water	17(2)	Distance from nearest fresh water well		Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Туре	Hole Size	Casing Size	Casing Weight/ft	Casing Weight/ft Setting Depth		Estimated TOC	
Surf	17.5	13.375	48	1195	895	0	
Int1	12.25	9.625	36	5200	1700	0	
Prod	8.75	5.5	17	15808	1975	4700	

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	3000	
Double Ram	5000	5000	

knowledge and b	pelief.	ove is true and complete to the best of my		OIL CONS	SERVATION DIVISION
Signature:					
Printed Name:	Electronically filed by LOR	FLORES	Approved By:	Paul Kautz	
Title:	Land Regulatory Technicia	an	Title:	Geologist	41 - 27 - 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Email Address:	lorif@yatespetroleum.com	Approved Date:	3/20/2014	Expiration Date: 3/20/2016	
Date:	3/13/2014	Conditions of Approval Attached			

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 182979

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name					
30-025-41744	96682	TRISTE DRAW;BONE SPRING, EAST					
4. Property Code	5. Property Name	6. Well No.					
37947	CARAVAN STATE UNIT	010H					
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3479					


10. Surface Location

	Tot Guillage Evolution										
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
١	В	33	248	33E		15	N	2150	E	Lea	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	33	248	33E	N. S. S. B. S. S. S.	330	S	2150	E	Lea
12. Dedicated Acre	25		13. Joint or Infill	***	14. Consolidation Cod	de		15. Order No.	
160.00									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a computsory pooling order heretofore entered by the division.

E-Signed By: LORI FLORES

Title: Land Regulatory Technician

Date: 3/13/2014

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones
Date of Survey: 1/10/2014
Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 182979

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41744
105 S 4TH ST	Well:
ARTESIA, NM 88210	CARAVAN STATE UNIT #010H

Created By	Comment	Comment Date
BILLM	Logging: HORIZONTAL-MWD-GR-HORIZONTAL	3/13/2014
BILLM	Mudlogging: 2000' to TD	3/13/2014
BILLM	Mud Level Monitoring: After surface casing is set an electronic PVT system will be installed as our primary mud level monitoring system. A seconday system will also be implemented as to ensure the PVT system is functioning properly. The secondary system will be comprised of the derrick hand checking the fluid level in the pits periodically using a nut on the end of a rope hanging just above the fluid level in the pit.	3/13/2014
BILLM	Mud Level Monitoring: After surface casing is set an electronic PVT system will be installed as our primary mud level monitoring system. A seconday system will also be implemented as to ensure the PVT system is functioning properly. The secondary system will be comprised of the derrick hand checking the fluid level in the pits periodically using a nut on the end of a rope hanging just above the fluid level in the pit.	3/13/2014
BILLM	PRESSURE CONTROL EQUIPMENT: A 3000 psi system will be nippled up and tested on 13 3/8" casing and a 5M on 9 5/8" casing.	3/13/2014
BILLM	MAXIMUM ANTICIPATED BHP: 0'-1195' 572 PSI, 1195'-5200' 2758 PSI, 5200'-11085' 5303 PSI.	3/13/2014
BILLM	H2S is not anticipated.	3/13/2014
BILLM	Well will be drilled to 10607". Well will then be kicked off at approx. 10607' and directionally drilled at 12 degrees per 100' with an 8 3/4" hole to 11361' MD (11085' TVD) where hole size will then be reduced to 8 1/2" and drilled to 15808' MD (11055' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. Production casing will be cemented in two stages with a DV/Packer stage tool at approx. 7500' (cement volumes will be adjusted per tool placement). Penetration point of the producing zone will be encountered at 496' FNL and 2150' FEL, 33-24S-33E. Deepest TVD is	3/13/2014
BILLM	The C-102 form and the drilling report will be mailed in.	3/13/2014
pkautz	Land s/S	3/13/2014

Form APD Conditions

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 478-3470 Fax:(505) 478-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 182979

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41744
105 S 4TH ST	Well:
ARTESIA, NM 88210	CARAVAN STATE UNIT #010H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water