District I 1825 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 184235

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

	2. OGRID Number 6137				
	6137				
333 W. Sheridan Avenue					
	30-015-42321				
ne	6. Well No.				
40505 Cottontail 16 State Com 001H					
	me tontail 16 State Com				

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	16	25S	29E	1100000	150	S	1950	E	Eddy

8. Proposed Bottom Hole Location

ſ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	В	16	25S	29E	В	330	N	1980	E	Eddy

9. Pool Information

WILLOW LAKE; BONE SPRING, SOUTHEAST	96217

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 2969
18. Multiple N	17. Proposed Depth 13321	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 6/10/2014
Depth to Ground water		Distance from nearest fresh water well		

☐ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	700	765	0
Int1	12.25	9.625	48	2950	515	0
Prod	8.75	5.5	17	13321	1545	4750

Casing/Cement Program: Additional Comments

Cementing Program (cement volumes based on at least Surface 100% excess, Intermediate 75% excess and Production Casing is 25% excess) ACTUAL CEMENT VOLUMES WILL BE ADJUSTED BASED ON FLUID CALIPER AND CALIPER LOG DATA. TOC for All Strings: Surface: 700 ft 0ft (700ft of fill of Tail) Intermediate: 2950ft 0ft (1950ft of Lead & 1000 ft of fill of Tail) Production Casing: 13321ft 4750ft (1444ft of Lead #1, 2000ft of fill of Lead #2 & 5127ft of fill of Tail)

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer						
Annular	3000	3000							
Double Ram	3000	3000	- 1						

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC And/or 19.15.14.9 (B) NMAC And/or				OIL CONSER	RVATION DIVISION	
Printed Name:	Electronically filed by Randy Bo	lles	Approved By:	Randy Dade		
Title: Manager, Regulatory Affairs			Title:	District Supervisor		
Email Address:	I Address: randy.bolles@dvn.com			Approved Date: 4/16/2014 Expiration Date: 4/16/2016		
Date:	4/16/2014	Conditions of Ap	proval Attached	1111 1111 1111 1111 1111		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 184235

WELL LOCATION AND ACREAGE DEDICATION PLAT

	WEED EGG, CHOIL AND MORE TO DEDIGHT DATE								
1. API Number	2. Pool Code	3. Pool Name							
30-015-42321	96217	WILLOW LAKE; BONE SPRING, SOUTHEAST							
4. Property Code	5. Property Name	6. Well No.							
40505	Cottontail 16 State Com	001H							
7. OGRID No.	8. Operator Name	9. Elevation							
6137	DEVON ENERGY PRODUCTION COMPANY, LP	2969							


10. Surface Location

	10. Juliuce Location										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
0	16	258	29E		150	S	1950	E	Eddy		

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	16	25S	29E	Electric Control	330	N	1980	E	Eddy
12. Dedicated Acr	res		13. Joint or Infill	•	14. Consolidation Co	de		15. Order No.	100
160.00	160.00				Commun	nitization			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Randy Bolles E-Signed By:

Manager, Regulatory Affairs Title:

4/16/2014 Date:

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Filmon F. Jaramillo Surveyed By:

6/1/2013 Date of Survey: Certificate Number: 12797

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 184235

PERMIT COMMENTS

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-015-42321
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	Cottontail 16 State Com #001H

Created By	Comment	Comment Date
coucht	The BOP system used to drill the intermediate hole will consist of a 13-5/8" 3M Double Ram and Annular preventer. The BOP system will be tested as a 3M system prior to drilling out the surface casing shoe. The BOP system used to drill the production hole will consist of a 13-5/8" 3M Double Ram and Annular preventer. The BOP system will be tested as a 3M system prior to drilling out the intermediate casing shoe. In addition to the rams and annular preventer, additional BOP accessories include a kelly cock, floor safety valve, choke lines, and choke manifold rated at 3,000 psi WP.	4/15/2014
CSHAPARD	Land s/S	4/16/2014

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 184235

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-015-42321
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	Cottontail 16 State Com #001H

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string