District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 2320 S. S. Expensis Dr. Scata Fo. NM 87558

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 200136

1. Operato		e and Address /BOURNE OIL CO)						2. OG	RID Number 14744		
		8ox 5270 os, NM 88241							3. API	Number 30-025-42446		
4. Propert	y Code 3142			5. Property Name TORO 36	6 B3BO STAT	Έ			6. We	II No. 001H		
						7. Surf	ace Location					
UL - Lot	В	Section 36	Township 23	Range	34E Lot	ldn B	Feet From 205	N/S Line	Feet From 1980	E/W Line E	County	Lea
					8. P	roposed B	ottom Hole Locatio	on				
JL - Lot	0	Section 36	Township 2:	Range 3S	34E Lot	ldn O	Feet From 330	N/S Line S	Feet From 1650	E/W Line	County	Lea
				•	•	9. Poo	Information		•		•	
		IDGE:BONE SPRI								2200		

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3397
16. Multiple N	17. Proposed Depth 16130	18. Formation 3rd Bone Spring Sand	19. Contractor	20. Spud Date 3/16/2015
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

■ We will be using a closed-loop system in lieu of lined pits

21 Droposed Casing and Coment Drogram

			Zi. Fioposeu Casing	and Cement Frogram		
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	875	646	0
Int1	12.25	9.625	36	3450	0	0
Int1	12.25	9.625	40	4350	0	0
Int1	12.25	9.625	40	5100	1015	0
Prod	8.75	5.5	17	16130	1200	4900

Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equiptment before Yates formation for safety & insurance purposes.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	2000	1500	Schaffer
Double Ram	3000	3000	Schaffer
Annular	3000	1500	Schaffer

knowledge and l	belief. I have complied with 19.15.14.	ve is true and complete to the best of my 9 (A) NMAC ⊠ and/or 19.15.14.9 (B)		OIL CONS	SERVATION DIVISION
Printed Name:	Electronically filed by Monty	Whetstone	Approved By:	Paul Kautz	
Title:	Vice President Operations		Title:	Geologist	
Email Address:	prodmgr@mewbourne.com	Approved Date:	2/20/2015	Expiration Date: 2/20/2017	
Date:	2/20/2015	Conditions of Ap	proval Attached	X	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

ermit 200136

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-42446	2. Pool Code 2200	3. Pool Name ANTELOPE RIDGE;BONE SPRING	
4. Property Code	5. Property Name	6. Well No.	
314213	TORO 36 B3BO STATE	001H	
7. OGRID No.	8. Operator Name	9. Elevation	
14744	MEWBOURNE OIL CO	3397	


10. Surface Location

	7771						23.072		
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	36	23S	34E	В	205	N	1980	F	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot O	Section 36	Township 23S	Range 34E	Lot Idn O	Feet From 330	N/S Line S	Feet From 1650	E/W Line	County
	12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 200136

PERMIT COMMENTS

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-025-42446
PO Box 5270	Well:
Hobbs, NM 88241	TORO 36 B3BO STATE #001H

Created By Comment Comment Date <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 200136

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
MEWBOURNE OIL CO [14744]	30-025-42446		
PO Box 5270	Well:		
Hobbs, NM 88241	TORO 36 B3BO STATE #001H		

OCD Reviewer	Condition
DMULL	Will require a directional survey with the C-104
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water