District | 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District ||

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 2320 S. S. Expensis Dr. Spate Fo. NM 87558

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 478-3470 Fax:(505) 478-3462

BRADLEY;BONE SPRING

Depth to Ground water

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101 August 1, 2011

7280

Distance to nearest surface water

Permit 205245

1. Operato		and Address RESOURCE	SINC								2. OG	RID Number 7377		
		Box 2267 nd, TX 7970	2								3. API	Number 30-025-42615	,	
4. Propert	y Code 4040			5. Prop	erty Name THOR 21						6. Wel	No. 501H		
							7. Sur	face Location						
UL - Lot	Α	Section	Township	26S	Range 3	3E	Lot Idn	Feet From 230	N/S Line	N	Feet From 645	E/W Line	County	Lea
							8. Proposed I	Bottom Hole Location	on					
UL - Lot	Р	Section	Township	26S	Range 3	33E	Lot Idn	Feet From 50	N/S Line	S	Feet From 330	E/W Line	County	Lea

		Additional Well Information		
11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lesse Type Private	15. Ground Level Elevation 3288
18. Multiple N	17. Proposed Depth 15859	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 10/1/2015

Distance from nearest fresh water well

■ We will be using a closed-loop system in lieu of lined pits

21	Proposed	Casing	and Cement	Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	855	600	0
Int1	12.25	9.625	40	4000	1000	0
Int1	12.25	9.625	40	4900	1000	0
Prod	8.75	5.5	17	15859	1975	4400

Casing/Cement Program: Additional Comments

22 Proposed Plowaut Provention Program

	22. Proposed Blowout Preve	ntion Program	
Type	Working Pressure	Test Pressure	Manufacturer
Double Pam	10000	2000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONS	ERVATION DIVISION
Printed Name:	Electronically filed by Stan Wagne	er	Approved By:	Paul Kautz	
Title:	Regulatory Analyst		Title:	Geologist	
Email Address: Stan_Wagner@eogresources.com			Approved Date:	6/3/2015	Expiration Date: 6/3/2017
Date:	6/2/2015 Phone: 432-686-3689			proval Attached	No. W. Carlotte and Carlotte an

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-42615	7280	BRADLEY;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
40402	THOR 21	501H
7. OGRID No.	8. Operator Name	9. Elevation
7377	EOG RESOURCES INC	3288


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	21	26S	33E		230	N	645	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 21	Township 26S	Range 33E	Lot Idn	Feet From 50	N/S Line S	Feet From 330	E/W Line E	County Lea
12. Dedicated Acres 160.00			13. Joint or Infill		14. Consolidation Co	de		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

Permit 205245

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-42615
P.O. Box 2267	Well:
Midland, TX 79702	THOR 21 #501H

Created By Comment Comment Date

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesie, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Senta Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 205245

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-42615
P.O. Box 2267	Well:
Midland, TX 79702	THOR 21 #501H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water