District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 217899

| APPLICATION FOR PERMIT TO DRILL | . RE-ENTER. DEEPEN | . PLUGBACK | OR ADD A ZONE |
|---------------------------------|--------------------|------------|---------------|
| | | | |

| | ES PETROLEUM | M CORPORATION | ON | | | | 2. OG | RID Number 25575 | |
|--------------------|-----------------------------|---------------|-------------------------------|---------------|--------------------------------|---------------|------------------|------------------------|---------------|
| | S 4TH ST ESIA , NM 88210 | D | | | | | 3. AP | Number 30-025-43117 | |
| Property Code 3160 | | | 5. Property Name COUNTY FA | IR BTY STATE | | | 6. We | II No. 001H | |
| | | | | 7. Sur | face Location | | | | |
| JL - Lot D | Section 2 | Township 25 | S Range 35E | Lot Idn | Feet From 200 | N/S Line | Feet From 400 | E/W Line W | County Lea |
| | | | | 8. Proposed E | Bottom Hole Locati | on | | | |
| IL - Lot M | Section 2 | Township 25 | Range S 35E | Lot Idn | Feet From 330 | N/S Line S | Feet From 400 | E/W Line W | County Lea |
| | | | | 9. Pod | Information | | | | |
| VC-025 S-09 | S253502D;UPR | WOLFCAMP | | | Secretary of the second second | | | 981 | 87 |

Additional Well Information

| Depth to Ground water | | Distance from nearest fresh water well | | Distance to nearest surface water |
|---------------------------|-----------------------------|--|-------------------------|------------------------------------|
| 16. Multiple N | 17. Proposed Depth 16788 | 18. Formation Wolfcamp | 19. Contractor | 20. Spud Date 12/1/2016 |
| 11. Work Type New Well | 12. Well Type OIL | 13. Cable/Rotary | 14. Lease Type State | 15. Ground Level Elevation 3253 |

☐ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

| Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 17.5 | 13.375 | 48 | 955 | 735 | 0 |
| Int1 | 12.25 | 9.625 | 36 | 5250 | 1715 | 0 |
| Prod | 8.5 | 5.5 | 17 | 16788 | 1190 | 12483 |
| Prod | 8.75 | 5.5 | 17 | 12483 | 630 | 4750 |

Casing/Cement Program: Additional Comments

Well will be drilled vertically to approximately 11733' well will then be kicked off, and directionally drilled at 12 degrees per 100' with a 8.75" hole to 12483' MD (12210' TVD). Hole size will then be reduced to 8.5" and drilled to 16788' MD (12210' TVD) where 5.5" casing will be set. Production casing will be cemented 500' into previous casing string. Penetration point of producing zone will be encountered at 677' FNL and 400' FEL, 2-258-35E. Deepest TVD is 12210' in lateral.

22. Proposed Blowout Prevention Program

| Type | Working Pressure | Test Pressure | Manufacturer |
|------------|------------------|---------------|--------------|
| Double Ram | 3000 | 3000 | |
| Double Ram | 5000 | 5000 | |

| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature: | | | | OIL CONS | SERVATION DIVISION |
|---|----------------------------------|---------------------|------------------|-----------------|-----------------------------|
| Printed Name: | Electronically filed by Travis H | ahn | Approved By: | Paul Kautz | |
| Title: | Land Regulatory Agent | | Title: | Geologist | 1(0.15)) |
| Email Address: | thahn@yatespetroleum.com | | Approved Date: | 3/9/2016 | Expiration Date: 3/9/2018 |
| Date: | 3/8/2016 | Phone: 575-748-4120 | Conditions of Ap | proval Attached | 300 00 00 00 00 00 00 00 00 |

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number 30-025-43117 | 2. Pool Code 98187 | 3. Pool Name WC-025 S-09 S253502D;UPR WOLFCAMP |
|-------------------------------|--|---|
| 4. Property Code 316029 | Property Name COUNTY FAIR BTY STATE | 6. Well No. 001H |
| 7. OGRID No. 25575 | 8. Operator Name YATES PETROLEUM CORPORATION | 9. Elevation 3253 |


10. Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| D | 2 | 25S | 35E | 4 | 200 | N | 400 | W | Lea |

11. Bottom Hole Location If Different From Surface

| UL - Lot M | Section 2 | Township 25S | Range 35E | Lot Idn M | Feet From 330 | N/S Line S | Feet From 400 | E/W Line W | County Lea |
|-------------------------------|-----------|--------------|---------------------|--------------|------------------------|---------------|------------------|---------------|---------------|
| 12. Dedicated Acres 160.91 | | | 13. Joint or Infill | 80 | 14. Consolidation Code | • | | 15. Order No. | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

| Operator Name and Address: | API Number: |
|-------------------------------------|-----------------------------|
| YATES PETROLEUM CORPORATION [25575] | 30-025-43117 |
| 105 S 4TH ST | Well: |
| ARTESIA , NM 88210 | COUNTY FAIR BTY STATE #001H |

| Created By | Comment | Comment Date |
|---------------|---|-----------------|
| thahn | C-102 and drilling diagrams will follow. Please note H2S is not anticipated in this well. | 3/8/2016 |
| thahn | Samples: 30' Sample to 5000'. 10' Samples 5000'-TD. Logging: HORIZONTAL-MWD-GR CURVE & LATERAL, CNL/LDT/NGT-CURVE-INTERM CSG, CNL/GR-CURVE-SURF CSG, DLL/MSFL-CURVE-INTERM, SG DIPOLE SONIC-CURVE. DST's: None. Coring: None. Mudlogging: 2000' to TD | 3/8/2016 |
| thahn | Samples: 30' Sample to 5000'. 10' Samples 5000'-TD. Logging: HORIZONTAL-MWD-GR CURVE & LATERAL, CNL/LDT/NGT-CURVE-INTERM CSG, CNL/GR-CURVE-SURF CSG, DLL/MSFL-CURVE-INTERM, SG DIPOLE SONIC-CURVE. DST's: None. Coring: None. Mudlogging: 2000' to TD | 3/8/2016 |
| thahn | MAXIMUM ANTICIPATED BHP (DEPTHS ARE TVD): 0'-955' 457 PSI, 955'-5250' 2785 PSI, 5250'-12210' 5841 PSI | 3/8/2016 |

Permit 217899

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 217899

PERMIT CONDITIONS OF APPROVAL

| Operator Name and Address: | API Number: |
|-------------------------------------|-----------------------------------|
| YATES PETROLEUM CORPORATION [25575] | 30-025-43117 |
| 105 S 4TH ST ARTESIA , NM 88210 | Well: COUNTY FAIR BTY STATE #001H |

| OCD Reviewer | Condition |
|-----------------|--|
| pkautz | Will require a directional survey with the C-104 |
| pkautz | Pit construction and closure must satisfy all requirements of your approved plan. |
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz | 1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing |
| pkautz | If cement does not circulate to surface, must run temperature survey or other log to determine top of cement |
| pkautz | Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water |
| pkautz | Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186 |
| pkautz | 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe. |