

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 240791

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address OXY USA WTP LIMITED PARTNERSHIP PO Box 4294 Houston, TX 77210		2. OGRID Number 192463
4. Property Code 318404		3. API Number 30-015-44411
5. Property Name TURKEY TRACK 4 3 STATE		6. Well No. 023H

7. Surface Location

UL - Lot L	Section 4	Township 19S	Range 29E	Lot Idn L	Feet From 1435	N/S Line S	Feet From 360	E/W Line W	County Eddy
---------------	--------------	-----------------	--------------	--------------	-------------------	---------------	------------------	---------------	----------------

8. Proposed Bottom Hole Location

UL - Lot I	Section 3	Township 19S	Range 29E	Lot Idn I	Feet From 1894	N/S Line S	Feet From 180	E/W Line E	County Eddy
---------------	--------------	-----------------	--------------	--------------	-------------------	---------------	------------------	---------------	----------------

9. Pool Information

TURKEY TRACK;BONE SPRING	60660
--------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3406
16. Multiple N	17. Proposed Depth 18003	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 4/2/2018
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	400	307	0
Int1	12.25	9.625	36	3000	923	0
Prod	8.75	5.5	20	18003	3187	2500

Casing/Cement Program: Additional Comments

Proposed Mud Program: 0-400' Water-based Mud - 400-3000' Brine - 3000-7363' Water-based Mud - 7363'-TD Oil-based Mud. BOP Program: 13-5/8" 5M three ram stack w/ 5M annular preventer, 5M choke manifold. Additional information will be sent along with the H2S and Gas Capture plan.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	5000	
Double Ram	5000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ if applicable. Signature:	OIL CONSERVATION DIVISION
Printed Name: Electronically filed by KELLEY MONTGOMERY	Approved By: Raymond Podany
Title: Manager Regulatory	Title: Geologist
Email Address: kelley_montgomery@oxy.com	Approved Date: 8/25/2017 Expiration Date: 8/25/2019
Date: 8/22/2017 Phone: 713-366-5716	Conditions of Approval Attached

District 1
 1625 N. French Dr., Hobbs, NM 88240
 Phone: (505) 595-4141 Fax: (505) 393-0720
 District 2
 811 S. First St., Artesia, NM 88210
 Phone: (505) 748-1240 Fax: (505) 748-4920
 District 3
 1000 Pecos Avenue Road, Aztec, NM 87410
 Phone: (505) 394-4178 Fax: (505) 334-6170
 District 4
 1230 S. St. Francis Dr., Santa Fe, NM 87501
 Phone: (505) 426-3460 Fax: (505) 476-3452

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-102
 Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-	Pool Code 60660	Pool Name TURKEY TRACK; Bone Spring
Property Code	Property Name TURKEY TRACK "4-3" STATE	Well Number 23H
CORR No. 192463	Operator Name OXY USA INC. WTP LV	Elevation 3406.4'

Surface Location


UL or lot no.	Section	Township	Range	Lot 140	Feet from the	North/South line	Feet from the	East/West line	County
L	4	19 SOUTH	29 EAST, N.M.P.M.		1435'	SOUTH	360'	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot 140	Feet from the	North/South line	Feet from the	East/West line	County
I	3	19 SOUTH	29 EAST, N.M.P.M.		1894'	SOUTH	180'	EAST	EDDY

Dedicated Acres 320	Joint or Infill Y	Consolidation Code	Order No.
-------------------------------	-----------------------------	--------------------	-----------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and
 complete to the best of my knowledge and belief, and that this
 organization either owns a working interest or undivided mineral
 interest in the land including the proposed bottom hole location or
 has a right to drill this well at this location pursuant to a contract
 with an owner of such an interest or working interest, or to a
 voluntary pooling agreement or a compulsory pooling order
 heretofore entered by the division

Signed and dated by the division
Sarah Chapman 8/22/17
 Signature Date
Sarah Chapman
 Printed Name
Sarah-chapman@oxy.com
 E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this
 plat was plotted from the actual survey
 made by me or my surveyor, and that the
 same is true and correct to the best of my belief.

Date of Survey
JUNE 29, 2017
 Signature and Seal
Terry J. Paul
 Professional Surveyor
 Certificate Number
15079

WO# 170629W1-a (NA)

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

Form APD Comments

Permit 240791

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address: OXY USA WTP LIMITED PARTNERSHIP [192463] PO Box 4294 Houston, TX 77210	API Number: 30-015-44411
	Well: TURKEY TRACK 4 3 STATE #023H

Created By	Comment	Comment Date
justinmorris	Top Perforated Interval: 1893 FSL 340 FWL L 4-19S-29E - Lat: 32.6877601 Long: -104.08772250. Bottom Perforated Interval: 1894 FSL 340 FEL I 3-19S-29E - Lat: 32.6876161 Long: -104.0551715. A closed loop system will be utilized consisting of above ground steel tanks and haul-off bins. Disposal of liquids, drilling fluids and cuttings will be disposed of at an approved facility.	8/22/2017
justinmorris	Oxy requests the option to contract a Surface Rig to drill, set surface casing, and cement for this well. If the timing between rigs is such that Oxy would not be able to preset surface, the Primary Rig will MIRU and drill the well in its entirety per the APD. Additional information on the spudder rig will be sent with the H2S and Gas Capture Plan.	8/22/2017

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions

Permit 240791

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: OXY USA WTP LIMITED PARTNERSHIP [192463] PO Box 4294 Houston, TX 77210		API Number: 30-015-44411
		Well: TURKEY TRACK 4 3 STATE #023H
OCD Reviewer	Condition	
RPodany	Will require a directional survey with the C-104	
RPodany	Cement is required to circulate on both surface and intermediate1 strings of casing	