

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 250896

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address MARATHON OIL PERMIAN LLC 5555 San Felipe St. Houston, TX 77056		2. OGRID Number 372098
4. Property Code 321178		3. API Number 30-025-44687
5. Property Name FLOWMASTER FEE 24 34 15 WA		6. Well No. 014H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	15	24S	34E		589	S	1918	W	Lea

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	15	24S	34E	C	200	N	2317	W	Lea

9. Pool Information

ANTELOPE RIDGE;WOLFCAMP	2220
-------------------------	------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 3518
16. Multiple N	17. Proposed Depth 17351	18. Formation Wolfcamp	19. Contractor	20. Spud Date 5/10/2018
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1150	1022	0
Int1	8.75	7	29	12000	1139	850
Prod	6.125	4.5	13.5	17351	630	11600

Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	10000	5000	Cameron
Annular	5000	2500	Shaffer

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ if applicable. Signature:	OIL CONSERVATION DIVISION
Printed Name: Electronically filed by Melissa Szudera	Approved By: Paul F Kautz
Title: Regulatory Compliance Representative	Title: Geologist
Email Address: mszudera@marathonoil.com	Approved Date: 4/13/2018 Expiration Date: 4/13/2020
Date: 4/11/2018 Phone: 701-260-7272	Conditions of Approval Attached

Page 1 of 1

Page 2 of 2

Page 3 of 3

Page 4 of 4

Page 5 of 5

Page 6 of 6

Page 7 of 7

Page 8 of 8

Page 9 of 9

Page 10 of 10

Page 11 of 11

Page 12 of 12

Page 13 of 13

Page 14 of 14

Page 15 of 15

Page 16 of 16

Page 17 of 17

Page 18 of 18

Page 19 of 19

Page 20 of 20

Page 21 of 21

Page 22 of 22

Page 23 of 23

Page 24 of 24

Page 25 of 25

Page 26 of 26

Page 27 of 27

Page 28 of 28

Page 29 of 29

Page 30 of 30

Page 31 of 31

Page 32 of 32

Page 33 of 33

Page 34 of 34

Page 35 of 35

Page 36 of 36

Page 37 of 37

Page 38 of 38

Page 39 of 39

Page 40 of 40

Page 41 of 41

Page 42 of 42

Page 43 of 43

Page 44 of 44

Page 45 of 45

Page 46 of 46

Page 47 of 47

Page 48 of 48

Page 49 of 49

Page 50 of 50

Page 51 of 51

Page 52 of 52

Page 53 of 53

Page 54 of 54

Page 55 of 55

Page 56 of 56

Page 57 of 57

Page 58 of 58

Page 59 of 59

Page 60 of 60

Page 61 of 61

Page 62 of 62

Page 63 of 63

Page 64 of 64

Page 65 of 65

Page 66 of 66

Page 67 of 67

Page 68 of 68

Page 69 of 69

Page 70 of 70

Page 71 of 71

Page 72 of 72

Page 73 of 73

Page 74 of 74

Page 75 of 75

Page 76 of 76

Page 77 of 77

Page 78 of 78

Page 79 of 79

Page 80 of 80

Page 81 of 81

Page 82 of 82

Page 83 of 83

Page 84 of 84

Page 85 of 85

Page 86 of 86

Page 87 of 87

Page 88 of 88

Page 89 of 89

Page 90 of 90

Page 91 of 91

Page 92 of 92

Page 93 of 93

Page 94 of 94

Page 95 of 95

Page 96 of 96

Page 97 of 97

Page 98 of 98

Page 99 of 99

Page 100 of 100

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 250896

PERMIT COMMENTS

Operator Name and Address: MARATHON OIL PERMIAN LLC [372098] 5555 San Felipe St. Houston, TX 77056		API Number: 30-025-44687
		Well: FLOWMASTER FEE 24 34 15 WA #014H
Created By	Comment	Comment Date
acovarrubias	FTP - 200' FSL & 2315' FWL; 32.21083394, -103.45889555	4/11/2018
acovarrubias	GCP, C-102, and Directional will be sent via email.	4/11/2018

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions

Permit 250896

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: MARATHON OIL PERMIAN LLC [372098] 5555 San Felipe St. Houston, TX 77056	API Number: 30-025-44687
	Well: FLOWMASTER FEE 24 34 15 WA #014H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Will require a administrative order for non-standard location prior to placing the well on production.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface -- 2) PRODUCTION CASING - Cement must tie back into intermediate casing --
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool - 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.