
Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resou	rces Revised July 18, 2013 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OH CONCERNATION DIVIGI	20 021 20682
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OIL CONSERVATION DIVISIO	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr. Santa Fe, NM 87505	STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Salita Fe, INIVI 87303	6. State Oil & Gas Lease No.
87505		
(DO NOT USE THIS FORM FOR PROPODIFFERENT RESERVOIR. USE "APPLI	ICES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO CATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name BRAVO DOME CARBON DIOXIDE GAS UNIT (27111)
PROPOSALS.)  1. Type of Well: Oil Well	Gas Well Other: CO <sub>2</sub> PRODUCER	8. Well Number <b>181J</b>
2. Name of Operator		9. OGRID Number <b>16696</b>
3. Address of Operator	OXY USA INC	10. Pool name or Wildcat
	94, HOUSTON, TX 77210-4294	BRAVO DOME CARBON DIOXIDE GAS 640 (96010)
4. Well Location		
	eet from the _SOUTH line and2296	
Section 18	Township 21N Range 30E 11. Elevation (Show whether DR, RKB, RT,	NMPM County HARDING
GL: 5378'		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK		AL WORK ALTERING CASING
TEMPORARILY ABANDON		NCE DRILLING OPNS. ☐ P AND A ☐
PULL OR ALTER CASING	MULTIPLE COMPL CASING/	CEMENT JOB
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM  OTHER:	□ OTHER.	TEMPORARILY ABANDON
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
WELLBORE SCHEMATIC ENCLOSED		
7/22/2019		
TRAVEL TO LOCATION, FOUND WELL WITH 450 PSI, BLED DOWN IN 5 MINUTES		
RIG UP WIRELINE AND SET CIBP @ 2675', DUMP 10 FT OF CEMENT ON TOP OF PLUG. LOAD WELLBORE WITH 50 BBLS INHIBITED WATER		
PRESSURE TEST PLUG AND CASING TO 500 PSI FOR 30 MINUTES. GOOD TEST (ENCLOSED DIGITAL COPY OF CHART) RIG DOWN EQUIPMENT AND SECURE WELL		
a 15	D: D1 D1	
Spud Date:	Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
P.		
SIGNATURE_	TITLE_ SR ENGINEERING ADV	ISOR _ DATE 7/23/2019
Type or print nameAL GIUSSANI E-mail address: albert_giussani@oxy.com _ PHONE: _806 638 1296  For State Use Only		
APPROVED BY: William V. Jone Conditions of Approval (if any):	V. Jones TITLE Engineer	DATE26 July 2019
Conditions of Approval (II ally).		

## WELLBORE SCHEMATIC: BDCDGU 21 30 18 1 J

AFTER TA



WELL

NAME BDCDGU 21 30 18 1 J

API 30-021-20683

LOCATION TOWNSHIP 21 N

RANGE 30 E
SECTION 18
UNIT LETTER J

1780 'FROM SOUTH LINE, 2296' FROM EAST LINE

36.047069,-103.784708 NAD83

GL: 5378'

## PRESSURE TEST CHART:

