<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe NM 87505

Form C-101 August 1, 2011

Permit 278157

	ncis Dr., Santa Fe, N '6-3470 Fax:(505) 4			Odrita i	C, IVIVI O	7000					
		APPLICA	ATION FOR PER	RMIT TO DRILL, RE-E	NTER, DEEF	PEN, PLUGBAC	K, OR ADD	A ZON	NE .		
	me and Address CIDENTAL PERM	IANITO						2. OGR	ID Number 157984		
	. Box 4294	IAN LID						3. API N			
	ıston, TX 77210-	4294							30-025-46879)	
4. Property Cod 195			5. Property Name SOUTH H	HOBBS G/SA UNIT				6. Well	No. 297		
				7. Surfa	ce Location			,			
UL - Lot	Section	Township	Range		eet From	N/S Line	Feet From		E/W Line	County	
L	5	198	38	E L	2443	S	9	52	W		Lea
				8. Proposed Bo	ttom Hole Loca	ation					
UL - Lot K	Section 5	Township 19S	Range 38I		eet From 2450	N/S Line	Feet From	124	E/W Line W	County	Lea
		1								1	
HOBBS:GRA	YBURG-SAN ANI	DRES		9. P001	Information				31920		
TIODBO,OTV	T BOTTO-OATT AIN	BILLO							01020		
11. Work Type		12. Well Typ			Vell Information		45.0	N			
	v Well		DIL DIL	13. Cable/Rotary	13. Cable/Rotary 14. I			14. Lease Type 15. Ground Level Elevati			
16. Multiple		17. Propose	d Depth	18. Formation	19. Contractor 20.			. Spud Date			
				San Andres					2/2020		
Depth to Ground water Distance from nearest from					h water well	ater well Distance to nearest surface water					
⊠ We will be ι	using a closed-lo	op system in lie	eu of lined pits								
	-		•	21. Proposed Casin	a and Coment	Program					
Туре	Hole Size	Casing	g Size	Casing Weight/ft		Depth	Sacks of C	Cement		Estimated To	ОС
Surf	13.5	9.9	25	36	16	50	690)		0	
Prod	8.75	7	7	26	45	500	900)		0	
				Casing/Cement Progra	am: Additional	Comments					
				22. Proposed Blowd	out Prevention	Program					
	Туре		Working Pre	essure		Test Pressure			Manufad	turer	
F	Annular		5000			3000					
23. I hereby o		ormation given a	bove is true and co	mplete to the best of my		•	OIL CONSERV	ATION D	IVISION		
		ed with 19.15.14	4.9 (A) NMAC ⊠ ar	nd/or 19.15.14.9 (B) NMA							
⊠, if applicat			() () () ()	(=)							
Signature:											
Printed Name:	Flectronic	ally filed by KEI	LEY MONTGOMER	V	Approved By:	Paul F Kau	tz				
Title:		Regulatory	LL I WONT GOWEN	1	Title:	Geologist	<u> </u>				
Email Address:		ntgomery@oxy.	.com		Approved Date			Fv	piration Date: 2/15	/2022	
Date:	2/10/2020		Phone: 713	-366-5716		of Approval Attache	d	1 - 1			
Duto.	211012020		I Holle, I I J	000 01 10	Jonations	, , , , ppi o vai Ailabiic	⊶				

District 1
1625 N. Franch Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Braucos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

API Number

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

Pool Name


☐ AMENDED REPORT

WELL LOCATION AND ACREA	$\Im E$ $DEDICATION$	IPLAT
-------------------------	----------------------	-------

Pool Code

		31920)	1 +	tobbs,	; 67ayb	urg So	in An	dres		
erty Code 52		SC	Property Name SOUTH HOBBS G/SA UNIT						Well Number 297		
RID No.		Operator Name								Elevation	
184		OCCIDENTAL PERMIAN LTD.								3621.4'	
			Surfa	ce Lo	ocation						
Section	Township	Range		Lot Idn	Feet from the	North/South line	Feet from the	East/Wes.	t line	County	
5	19 SOUTH	38 EAST, N.	М. Р. М.		2443'	SOUTH	952'	WES7	r	LEA	
11		Bottom Ho.	le Location	n If I	Different I	From Surfac	e			***************************************	
Section	Township	Range	Į.	Lot Idn	Feet from the	North/South line	Feet from the	East/Wes	t line	County	
5	19 SOUTH	38 EAST, N.	М. Р. М.		2450'	SOUTH	1424'	WES7	r	LEA	
Acres	Joint or Infill	Consolidation Code	Order No.			II		***************************************			
	Section	Section Township 5 19 SOUTH Section Township 19 SOUTH	Section Township Range 5 19 SOUTH 38 EAST, N.	Section Township Range 5 19 SOUTH 38 EAST, N.M.P.M. Section Township Range 5 19 SOUTH 38 EAST, N.M.P.M. Section Township Range 5 19 SOUTH 38 EAST, N.M.P.M.	Section Township Range Lot Idn	Property Name South HOBBS G/SA	Section Township Range Lot Idn Feet from the North/South line Bottom Hole Location I Different From Surface Section Township Range Lot Idn Feet from the North/South line Bottom Hole Location I Different From Surface Section Township Range Lot Idn Feet from the North/South line 2443' SOUTH Bottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line 5 19 SOUTH 38 EAST, N.M.P.M. 2450' SOUTH	Section Township Range Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the Section If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the Section If Different From Surface	Property Name SOUTH HOBBS G/SA UNIT Operator Name OCCIDENTAL PERMIAN LTD. Surface Location Section Township Range Lot Idn Feet from the North/South line Feet from the East/Wes South Hole Location If Different From Surface Bottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the East/Wes South Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the East/Wes South 19 South 38 EAST, N.M.P.M. 2450' South 1424' WEST	Property Name SOUTH HOBBS G/SA UNIT Operator Name OCCIDENTAL PERMIAN LTD. Surface Location Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Dottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Dottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Dottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Dottom Hole Location If Different From Surface	

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

			01001					
Date: 2/15/2020			GAS CAI	PTURE PLAN				
	0	a codin Na	(457004) OOOIDENT	AL DEDMIANTED				
☑ Original	Operato	or & OGRID No.:	[157984] OCCIDENT	AL PERMIAN LTD				
Amended - Reason for Amendment:								
his Gas Capture Plan outlines acti	ons to be take	n by the Operator to	reduce well/product	ion facility flaring/venti	ing for new con	npletion (new	drill, recomplete to new zone, re-frac) a	activit
lote: Form C-129 must be submitte	ed and approv	ed prior to exceedin	g 60 days allowed b	y Rule (Subsection A	of 19.15.18.12	NMAC).		
Vell(s)/Production Facility - Name								
he well(s) that will be located at the	e production to			T_ :		1	12 .	
Well Name		API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments	
SOUTH HOBBS G/SA UNIT #297		30-025-46879	L-5-19S-38E	2443S 0952W	2100	None	GAS WILL BE RE-INJECTED	
OCCIDENTAL PERMIAN LTD a equire 0' of pipeline to col drilling, completion and estimated OCCIDENTAL PERMIAN LTD b	uction facility a and will be con nect the facili first production nave periodic Processing Pla	nnected to OCCIDE ty to Low Pressure on date for wells tha conference calls to ant located in Sec.	ntal Permian LtD gathering system. It are scheduled to be discuss changes to 09, Twn. 195, Rr	OCCIDENTAL PERM e drilled in the foresee	gathering syst <u>IIAN LTD</u> p eable future. In n schedules. G	em located in rovides (perio addition, <u>OC</u> as from these	dically) to OCCIDENTAL PERMIAN LT	. It wil
	ed fluids cont re operational	ain minimal sand, that issues on OCCIDE	ne wells will be turne	d to production facilitien system at that tien	es. Gas sales s	should start a	ruring flowback, the fluids and sand co s soon as the wells start flowing throu lation, it is	
Safety requirements during cleanou ather than sold on a temporary bas		rom the use of unde	erbalanced air cleand	out systems may nece	essitate that sa	nd and non-pi	peline quality gas be vented and/or fla	red
Alternatives to Reduce Flaring								
Below are alternatives considered f	rom a concep	tual standpoint to re	duce the amount of	gas flared.				
Power Generation — On least	20							

Α

- - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form APD Comments

Permit 278157

PERMIT COMMENTS

Operator Name and Address:	API Number:
OCCIDENTAL PERMIAN LTD [157984]	30-025-46879
P.O. Box 4294	Well:
Houston, TX 77210-4294	SOUTH HOBBS G/SA UNIT #297

Created By	Comment	Comment Date
amaxian	RESUBMITTING BECAUSE ORIGINAL (277874) TIMED OUT DUE TO LACK OF PAYMENT	2/10/2020

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form APD Conditions

Permit 278157

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:			
OCCIDENTAL PERMIAN LTD [157984]	30-025-46879			
P.O. Box 4294	Well:			
Houston, TX 77210-4294	SOUTH HOBBS G/SA UNIT #297			

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	SURFACE & PRODUCTION CASING - Cement must circulate to surface
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD. If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.