Form C-103 State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 280591 District II WELL APLNIIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division Phone:(575) 748-1283 Fax:(575) 748-9720 30-015-45379 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS **TODD 36 STATE** (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 231H 2. Name of Operator 9. OGRID Number DEVON ENERGY PRODUCTION COMPANY, LP 6137 3. Address of Operator 10. Pool name or Wildcat 333 West Sheridan Ave., Oklahoma City, OK 73102 4. Well Location : 330 Unit Letter N feet from the S line and feet 1629 from the W Township 31E NMPM Section 36 23S Range County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3504 GR Pit or Below-grade Tank Application or Closure __ Depth to Groundwater __ Distance from nearest fresh water well _ Distance from nearest surface water Pit Type Pit Liner Thickness: bbls: Construction Material ____ mil Below-Grade Tank: Volume_ 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. See Attached 6/21/2019 Spudded well. **Casing and Cement Program** Date String Fluid Csg Weight Dpth Yield Pres Open Size Size lb/ft TOC Dpth Held Hole 06/21/19 Surf FreshWater 17.5 13.375 54.5 J-55 0 822 855 1.33 С 1500 Υ 06/23/19 Int1 Brine 12.25 9.625 40 J-55 0 8427 745 3.64 С 2000 Υ 06/23/19 Brine 12.25 9.625 0 8427 690 С 2000 Υ Int1 40 J-55 1.33 06/23/19 Int1 Brine 12.25 9.625 40 J-55 0 8427 1725 1.4 С 2000 Υ 06/29/19 CutBrine 8.75 P110RY 6270 С 8500 Prod 5.5 17 15192 290 3.48 Υ 06/29/19 Prod CutBrine 8.75 5.5 17 P110RY 6270 15192 1090 1.47 С 8500 Υ

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to

E-mail address

TITLE

Supervisor Land

Geologist

Jeff.Walla@dvn.com

4/16/2020

575-748-9925

4/20/2020 12:52:06 PM

Telephone No.

DATE

NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square

Electronically Signed

Raymond Podany

Jeff Walla

SIGNATURE

Type or print name

For State Use Only:
APPROVED BY:

TODD 36 STATE 231H

SPUD 6/21/2019 16:00. 6/21/2019-6/23/2019 TD 17-1/2" HOLE @ 832. RIH W/19 JTS 13-3/8" 54.50# J-55 BTC CSG, SET @ 822'. LEAD W/ 855 SX, C CLASS, YLD 1.33 CU FT/SX. DISP W/121 BBL. CIRC 438 SXS CMT TO SURF. PT BOPE 250/5000 PSI, HELD TEST FOR 10 MIN, OK. PT CSG TO 1500 PSI FOR 30 MIN, OK.

6/23/2019-6/29/2019 TD 12-1/4" HOLE @ 8443', RIH W/109 JTS 9-5/8" 40# J-55 BTC SET @ 4369.7', RIH W/94 JTS 9-5/8" 40# L-80 BTC SET @ 8427.7'. LEAD W/745, C CLASS SX, YLD 3.64 CU FT/SK. TAIL W/690 SX C CLASS, YLD 1.33 CU FT/SK. DISP W/636 BBL. NO RETURNS, CMT SZ, LEAD W/ 1725 SX, C CLASS, YLD 1.40 CU FT/SX. PT BOPE 250/5000 PSI, HELD TEST FOR 10 MINS, OK. PT CSG TO 2000 PSI FOR 30 MIN, OK.

6/29/2019-7/8/2019 TD 8-3/4" & 8-1/2" HOLE @ 15207'. RIH W/357 JTS 5-1/2" 17#
P-110RY CSG, SET @ 15192.7'. LEAD W/290 SK, C CLAS, YLD 3.48. TAIL W/1090 SX C CLASS, YLD 1.47. DSP W/353. FULL RETURNS. 1/27/2020:
MIRU WL & PT: PRESS'D PRODUCTION 5.5" CSG TO 8500 PSI; TSTD CSG GOOD 30 MINS. TIH & ran CBL, TOC @ CALCULATED 6270'. 7/8/2019:
Landing Collar/PBTD 15188' MD/ 10564.7' TVD. Rig Released@ 7/8/2019, 8:00.

Comments

Permit 280591

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DRILLING COMMENTS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Permit Number:
Oklahoma City, OK 73102	280591
	Permit Type:
	Drilling

Comments

Created By	Comment	Comment Date
jharms	PLEASE SEE ADD'L COMMENTS IN ATTACHMENT	4/16/2020