June 2015) DF B SUNDRY Do not use th abandoned we	OMB Expires: 5. Lease Serial No. NMNM43744				
SUBMIT IN	7. If Unit or CA/Ag	7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well	8. Well Name and N PLATINUM MDI	8. Well Name and No. PLATINUM MDP1 34-3 FEDERAL COM 25			
Oil Well Gas Well Ott     Ott	9. API Well No.				
OXY USÂ INCORPORATED 3a. Address		10. Field and Pool or Exploratory Area			
5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521		3b. Phone No. (include area code) Ph: 713-215-7000		COTTON DRAW-BONE SPRING	
<ol> <li>Location of Well (Footage, Sec., 7 Sec 34 T23S R31E NENE 11 32.267887 N Lat, 103.760025</li> </ol>	0FNL 898FEL	n)	11. County or Parish EDDY COUNT	ty or Parish, State Y COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	) TO INDICATE NATURE OF	NOTICE, REPORT, OR OT	THER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION		
□ Notice of Intent	☐ Acidize ☐ Alter Casing	Deepen Hydraulic Fracturing	<ul> <li>Production (Start/Resume)</li> <li>Reclamation</li> </ul>	□ Water Shut-Off □ Well Integrity	
Subsequent Report	Casing Repair	□ New Construction		☐ Other	
☐ Final Abandonment Notice	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	<ul><li>Plug and Abandon</li><li>Plug Back</li></ul>	<ul> <li>Temporarily Abandon</li> <li>Water Disposal</li> </ul>	Drilling Operations	
following completion of the involved testing has been completed. Final Al determined that the site is ready for f	bandonment Notices must be fi	esults in a multiple completion or recon- led only after all requirements, includi	npletion in a new interval, a Form 31 ng reclamation, have been completed	160-4 must be filed once 1 and the operator has	
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w, 2.8ppg 1.96 yeild. Full return ment and bbls (the appro		est to HCL-80 csg at blowed by 155 sx face.		
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w, 2.8ppg 1.96 yeild. Full retu ment and bbls (the appro s true and correct. Electronic Submission # For OXY US, nmitted to AFMSS for proc	rmation to 4502', perform FIT to . 2/16/20 RIH & set 7 5/8" 26# / additives 13.2ppg 1.44 yield fo urns throughout job, TOC at sur oved sundry had it reversed) #504060 verified by the BLM Well A INCORPORATED, sent to the essing by PRISCILLA PEREZ on	est to HCL-80 csg at blowed by 155 sx face. Information System Carlsbad 02/21/2020 (20PP1302SE)		
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w, 2.8ppg 1.96 yeild. Full retu ment and bbls (the appro s true and correct. Electronic Submission # For OXY US, nmitted to AFMSS for proc	rmation to 4502', perform FIT to . 2/16/20 RIH & set 7 5/8" 26# / additives 13.2ppg 1.44 yield fo urns throughout job, TOC at sur oved sundry had it reversed) #504060 verified by the BLM Well A INCORPORATED, sent to the essing by PRISCILLA PEREZ on	est to HCL-80 csg at ollowed by 155 sx face. Information System Carlsbad		
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w, 2.8ppg 1.96 yeild. Full retu ment and bbls (the appro s true and correct. Electronic Submission # For OXY US, nmitted to AFMSS for proc	rmation to 4502', perform FIT to . 2/16/20 RIH & set 7 5/8" 26# / additives 13.2ppg 1.44 yield fo urns throughout job, TOC at sur oved sundry had it reversed) #504060 verified by the BLM Well A INCORPORATED, sent to the essing by PRISCILLA PEREZ on	Information System Carlsbad 02/21/2020 (20PP1302SE)		
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w. 2.8ppg 1.96 yeild. Full retu ment and bbls (the appro- s true and correct. Electronic Submission # For OXY US nmitted to AFMSS for proc NTOS Submission)	rmation to 4502', perform FIT to . 2/16/20 RIH & set 7 5/8" 26# / additives 13.2ppg 1.44 yield fo urns throughout job, TOC at sur oved sundry had it reversed) #504060 verified by the BLM Well A INCORPORATED, sent to the sessing by PRISCILLA PEREZ on Title REGUL/	Information System Carlsbad 02/21/2020 (20PP1302SE) ATORY SPECIALIST		
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce 14. I hereby certify that the foregoing is Name( <i>Printed/Typed</i> ) APRIL SA Signature (Electronic S	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w. 2.8ppg 1.96 yeild. Full retu ment and bbls (the appro- s true and correct. Electronic Submission # For OXY US nmitted to AFMSS for proc NTOS Submission)	rmation to 4502', perform FIT to . 2/16/20 RIH & set 7 5/8" 26#   / additives 13.2ppg 1.44 yield fo urns throughout job, TOC at sur- oved sundry had it reversed) #504060 verified by the BLM Well A INCORPORATED, sent to the cessing by PRISCILLA PEREZ on Title REGUL/ Date 02/21/20 OR FEDERAL OR STATE C	Information System Carlsbad 02/21/2020 (20PP1302SE) ATORY SPECIALIST	Date 02/25/202	
2/12/20 MIRU, test BOP to 50 good test. 2/13/20 RIH & tag EMW=14.5ppg 1395psi, good 8246', pump 10bbl spacer the (53bbls) cmt with additives 12 - Update made to casing size - Update made to sacks of ce	TOC ~ 4412'. Drill new fo I test. Drill 8 3/4" to 8261' in 413sx (106bbls) cmt w. 2.8ppg 1.96 yeild. Full retu- ment and bbls (the appro- s true and correct. Electronic Submission # For OXY US nmitted to AFMSS for pro- NTOS Submission) THIS SPACE For ED_ d. Approval of this notice doe uitable title to those rights in th	rmation to 4502', perform FIT to . 2/16/20 RIH & set 7 5/8" 26# J / additives 13.2ppg 1.44 yield fo urns throughout job, TOC at sur- oved sundry had it reversed) wed sundry had it reversed) #504060 verified by the BLM Well A INCORPORATED, sent to the essing by PRISCILLA PEREZ on Title REGUL/ Date 02/21/20 OR FEDERAL OR STATE ( JONATHO TitlePETROLED	Information System Carlsbad 02/21/2020 (20PP1302SE) ATORY SPECIALIST 020 DFFICE USE N SHEPARD JM ENGINEER	Date 02/25/202	

## Revisions to Operator-Submitted EC Data for Sundry Notice #504060

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM43744	NMNM43744
Agreement:		
Operator:	OXY USA INC 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046 Ph: 713-215-7000	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM
	Ph: 713-215-7000	Ph: 713-215-7000
Tech Contact:	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM
	Ph: 713-215-7000	Ph: 713-215-7000
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	COTTON DRAW - BONE SPRING	COTTON DRAW-BONE SPRING
Well/Facility:	PLATINUM MDP1 34-3 FED COM 25H Sec 34 T23S R31E Mer NMP NENE 110FNL 898FEL 32.267887 N Lat, 103.760025 W Lon	PLATINUM MDP1 34-3 FEDERAL COM 25H Sec 34 T23S R31E NENE 110FNL 898FEL 32.267887 N Lat, 103.760025 W Lon

District I 1625 N. French Dr., Hobbs, NM 88240

District II

District IV

Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District III 1000 Rio Brazos Rd., Aztec, NM 87410 CONDITIONS

Action 13432

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS OF APPROVAL

Operator:			OG	RID:	Action Number:	Action Type:		
OXY USA INC	P.O. Box 4294	Houston, TX772104294		16696	13432	C-103N		
OCD Reviewer			Conditio	'n				
ksimmons			None					