

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNE / 32.180358 / -103.3532531	County or Parish/State: LEA / NM
Well Number: 113H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547799	Well Status: Approved Application for Permit to Drill	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 01/22/2021

Time Sundry Submitted: 08:50

Date Operation Actually Began: 01/06/2021

Actual Procedure: 1/6/2021: Drill 12.25 inch intermediate hole to 5295 ft. 1/8/2021: Run 9.625 inch 40 lb J55 intermediate casing to 5276 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 1159 sks of 13.5 ppg lead cmt, 430 sks of 14.8 ppg tail cmt. Drop plug and displace with 397 bbls of freshwater. 90 bbls of cmt back. Pressure test casing to 1571 PSI for 30 minutes, good test. 1/9/2021: Drill 8.5 inch production hole to 20785 ft MD. 1/20/2021: Run 5.5 inch 23 lb T95 production casing to 20774 ft MD. Pump 40 bbls of mud spacer, followed by 535 sks of 10.8 ppg lead cmt, 1925 sks of 13.2 ppg tail cmt. Drop plug and displace with 439 bbls of brine. No spacer to surface. Est TOC at 1100 ft. Intermediate Casing Details: Casing ran: 1/8/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J-ss, Est TOC 0 ft, Depth set 5276 ft, Cement 1589 sacks, Yield 1.33, Class C, Pressure Held 1571 psi, Pres Drop 0. Production Casing details: Casing Date: 1/20/2021, Fluid Type Oil Based Mud, Hole 8.5 inch, Csg Size, 5.5 inch, Weight 23 lbs, Grade T-95, Depth set 20774 ft, EST TOC 1100 ft, Cement 2460 sacks, yield 1.62, Class C. 1/19/2021: TD Reached at 20785 ft MD, 10089 ft TVD. Plug Back Measured depth at 20727 ft MD, 10093 ft TVD. Rig Release on 1/22/2021 at 6:00.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNE / 32.180358 / -103.3532531	County or Parish/State: LEA / NM
Well Number: 113H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547799	Well Status: Approved Application for Permit to Drill	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: RAMSEY	Signed on: JAN 22, 2021 08:50 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 602 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 460-3316	
Email address: NOT ENTERED	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/28/2021
Signature: Jonathon Shepard	

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 16144

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
TAP ROCK OPERATING, LLC Suite 200 Golden, CO80401	372043	16144	C-103N
523 Park Point Drive			

OCD Reviewer	Condition
plmartinez	None