

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM138890

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MULVA FED COM 216H9. API Well No.
30-025-47834-00-X110. Field and Pool or Exploratory Area
UNKNOWN11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

TAP ROCK OPERATING LLC

Contact: BILL RAMSEY

E-Mail: bramsey@taprk.com

3a. Address

602 PARK POINT DRIVE SUITE 200
GOLDEN, CO 80401

3b. Phone No. (include area code)

Ph: 720-360-4028

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 27 T24S R35E SWSE 604FSL 2060FEL
32.182899 N Lat, 103.353493 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Spud well on 11/6/2020 at 11:15

11/6/2020: Drill 17.5 inch surface hole to 1030 ft. Run 12.25 inch 54.5 lb J55 casing to 1021 ft. Pump 20 bbls gel spacer, 40 bbls CTB 15 spacer, followed by 460 sks of 13.5 ppg lead cmt, 500 sks of 14.8 ppg tail cmt. Drop plug and displace with 147 bbls of brine. 100 bbls of cmt returned to surface. Pressure test casing to 1500 psi for 30 minutes, good test.

11/7/2020: Drill 12.25 inch first intermediate hole to 5325 ft.
11/9/2020: Run 9.625 inch 40 lb J-55 casing to 5311 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 1189 sks of 13.5 ppg lead cmt, 420 sks of 14.8 ppg tail cmt. Drop plug and displace with 399 bbls of freshwater. 15 bbls of cmt returned back to surface. Pressure test casing to 1500 psi for 30 minutes, good test.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #537549 verified by the BLM Well Information System**For TAP ROCK OPERATING LLC, sent to the Hobbs****Committed to AFMSS for processing by PRISCILLA PEREZ on 11/16/2020 (21PP0564SE)**

Name (Printed/Typed) BILL RAMSEY

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 11/16/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 12/29/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #537549 that would not fit on the form

32. Additional remarks, continued

11/10/2020: Drill 8.75 inch second intermediate hole to 11663 ft.

11/13/2020: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 11643 ft. Pump 20 bbls chem wash, 20 bbls vis water, followed by 464 sks of 11.5 ppg lead cmt, 98 sks of 13.2 ppg tail cmt.

Drop plug and displace with 532 bbls of cut brine. Est TOC at 3700 ft. Pressure test casing to 2560 PSI for 30 minutes, good test.

Surface Casing Details: Casing ran: 11/6/2020, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1021 ft, Cement 960 sacks, Yield 1.34, Class C, Pressure Held 1500 psi, Pres Drop 0.

First Intermediate Casing Details: Casing ran: 11/9/2020, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5311 ft, Cement 1609 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0.

Second Intermediate Casing Details: Casing ran: 11/13/2020, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 3700 ft, Depth set 11643 ft, Cement 562 sacks, Yield 1.33, Class H, Pressure Held 2560 psi, Pres Drop 0.

Revisions to Operator-Submitted EC Data for Sundry Notice #537549

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD SR	SPUD SR
Lease:	NMNM138890	NMNM138890
Agreement:		
Operator:	TAP ROCK RESOURCES 523 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 720-360-4028	TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 7204603316
Admin Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Tech Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Location:		
State:	NM	NM
County:	LEA	LEA
Field/Pool:	WOLFBONE	UNKNOWN
Well/Facility:	MULVA FED COM 216H Sec 27 T24S R35E SWSE 604FSL 2060FEL 32.182900 N Lat, 103.353496 W Lon	MULVA FED COM 216H Sec 27 T24S R35E SWSE 604FSL 2060FEL 32.182899 N Lat, 103.353493 W Lon

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 13279

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
TAP ROCK OPERATING, LLC Suite 200 Golden, CO80401	372043	13279	C-103N
523 Park Point Drive			
OCD Reviewer	Condition		
plmartinez	None		