

Well Name: EL ZORRO K FEDERAL	Well Location: T8S / R37E / SEC 19 / SESW / 33.601365 / 103.194768	County or Parish/State: ROOSEVELT / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC069966	Unit or CA Name: EL ZORRO K FEDERAL	Unit or CA Number: NMNM71112
US Well Number: 300410021000S1	Well Status: Producing Oil Well	Operator: EOG Y RESOURCES INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/02/2021

Time Sundry Submitted: 09:55

Date Operation Actually Began: 01/18/2021

Actual Procedure: 1/18/21 - MIRU. NU BOP. Pumped 30 bbls brine water down 5-1/2 inch casing. Tubing and casing on vacuum. RIH with GR/JB to 9540 ft. Set a CIBP at 9528 ft. 1/19/21 – RIH and tagged CIBP. Displaced hole with 215 bbls brine with 56 sx salt gel. Tested 5-1/2 inch casing to 500 psi for 10 min, good. 1/20/21 – Pumped 84 bbls brine mud gel. 5-1/2 inch casing never loaded. RIH and tagged plug at 9535 ft. Plug down hole 7 ft from original set at 9528 ft. Set a 2nd CIBP at 9498 ft. Displaced hole with 220 bbls brine mud gel. Spotted 25 sx Class H cement on top of CIBP to 9278 ft. 1/21/21 – Tagged TOC at 9191 ft. Tested well to 925 psi for 10 min, good. Witnessed by Oscar Torrez with BLM. Spotted a 30 sx Class H cement plug from 9096 ft-8832 ft. Spotted a 30 sx Class H cement plug from 7850 ft-7601 ft. Perforated at 5555 ft. Pressured up on 5-1/2 inch casing to 500 psi for 10 min, good. No communication up 8-5/8 inch casing. Spotted a 25 sx Class C cement plug from 5611 ft-5364 ft approximate TOC. 1/22/21 – Tagged TOC at 5363 ft. Perforated at 4196 ft. Pressured up 5-1/2 inch casing to 490 psi for 10 min, good. Did not communicate up 8-5/8 inch casing. Spotted a 30 sx Class C cement plug from 4257 ft-3961 ft. WOC. Tagged TOC at 4015 ft. Perforated at 3587 ft. Tested down 5-1/2 inch casing to 500 psi for 5 min, good. Spotted a 30 sx Class C cement plug from 3644 ft-3348 ft. 1/25/21 – Tagged TOC at 3321 ft. Perforate at 2877 inch. Pressured up 5-1/2 inch casing to 500 psi, good. Did not communicate up 8-5/8 inch casing. Spotted a 30 sx Class C cement plug from 2934 ft-1967 ft. WOC. Tagged TOC at 2634 ft. Perforated at 2360 ft. Pumped down 5-1/2 inch casing and tested to 500 psi for 5 min, good. Did not communicate up 8-5/8 inch casing. Spotted a 30 sx Class C cement plug from 2419 ft-2123 ft. 1/26/21 – Tagged TOC at 2145 ft. Perforated at 466 ft. Pressured down 5-1/2 inch casing to 500 psi in 1 min down to 200 psi. Spotted 25 sx Class C cement at 516 ft. WOC. Tagged TOC at 339 ft. Perforated at 215 ft. Pumped down 5-1/2 inch casing communicated up 8-5/8 inch casing. ND BOP. Pumped a 50 sx Class C cement plug down 5-1/2 inch casing up 8-5/8 inch casing from 215 ft up to surface. 1/27/21 - Cut off wellhead. Installed dry hole marker below ground level as per BLM. Cover cellar and cut off anchors. WELL IS PLUGGED AND ABANDONED.

Accepted for Record Only

X 7

NMOCD 2/12/21

Well Name: EL ZORRO K FEDERAL	Well Location: T8S / R37E / SEC 19 / SESW / 33.601365 / 103.194768	County or Parish/State: ROOSEVELT / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC069966	Unit or CA Name: EL ZORRO K FEDERAL	Unit or CA Number: NMNM71112
US Well Number: 300410021000S1	Well Status: Producing Oil Well	Operator: EOG Y RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: HUERTA	Signed on: FEB 02, 2021 09:54 AM
Name: EOG Y RESOURCES INCORPORATED	
Title: Regulatory Specialist	
Street Address: 105 SOUTH FOURTH STREET	
City: ARTESIA	State: NM
Phone: (575) 748-1471	
Email address: NOT ENTERED	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JENNIFER SANCHEZ	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5756270237	BLM POC Email Address: j1sanchez@blm.gov
Disposition: Accepted	Disposition Date: 02/03/2021
Signature: Jennifer Sanchez	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 16814

CONDITIONS OF APPROVAL

Operator:	EOG RESOURCES INC	P.O. Box 2267	Midland, TX79702	OGRID:	7377	Action Number:	16814	Action Type:	C-103P
OCD Reviewer									Condition
kfortner									None