

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC029339A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
JACKSON A 559. API Well No.
30-015-47065-00-X110. Field and Pool or Exploratory Area
CEDAR LAKE-GLORIETA-YESO11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BURNETT OIL COMPANY INC

Contact: LESLIE GARVIS

E-Mail: LGARVIS@BURNETTOIL.COM

3a. Address

801 CHERRY STREET UNIT 9 SUITE 1500
FORT WORTH, TX 76102-6881

3b. Phone No. (include area code)

Ph: 817-583-8730

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 13 T17S R30E SWNE 1650FNL 1650FEL
32.837200 N Lat, 103.922173 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

10/21/20 - DRILL 20" HOLE, SET & CMT 16" CONDUCTOR PIPE 39.91# @ 150'.

10/26/20 - CONTACTED OMAR WITH BLM CARLSBAD IN REFERENCE TO SPUD IN ON 10/26/20, 12:35 CST.

10/27/20 - HOLE SIZE: 12.25" . SPUD 12.25" HOLE @ 08:30 CST, 10-27-20. RUN 10 JTS OF 8 5/8" 24# J55, ST&C CASING WITH CENTRALIZERS ON JOINT 1,2,3,5,7,9,11. SET CASING SET AT 437'. RU PAR 5 & CMT W/ 20 BBLS MEMBRANE SPACER, 100 SKS THIXOTROPIC, 14.4PPG, 1.58 YLD C+2% CACL + 5 PPS KOLSEAL +0.125 PPS CELLOFLAKE. TAIL, 340 SKS CLASS C, 14.8#, 1.34 YLD + 2% CACL + 0.25 PPS CELLOFLAKE. PLUG DN 18:23 CST, 10/27/20 WITH 30 BBLS /106 SKS OF CEMENT TO SURFACE. NU BOP. TEST BOP W/ MAN WELDING-CHOKE, ANNULAR, PIPE, BLIND RAMS & HCR 250 LOW / 2000 HIGH. CONTACT BLM ON CALL PHONE AND LEFT MESSAGE IN REFERENCE TO 8 5/8" CSG/CMT 12:36 CST, 10/27/20. NO WITNESS.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #536491 verified by the BLM Well Information System**For BURNETT OIL COMPANY INC, sent to the Carlsbad****Committed to AFMSS for processing by PRISCILLA PEREZ on 11/04/2020 (21PP0477SE)**

Name (Printed/Typed) LESLIE GARVIS

Title REGULATORY MANAGER

Signature (Electronic Submission)

Date 11/04/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 12/15/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #536491

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD SR	SPUD SR
Lease:	NMLC029339A	NMLC029339A
Agreement:		
Operator:	BURNETT OIL CO.INC. BURNETT PLAZA - UNIT 9 801 CHERRY STREET - SUITE 1500 FORT WORTH, TX 76102 Ph: 817-583-8730	BURNETT OIL COMPANY INC BURNETT PLAZA - UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881 Ph: 817.332.5108
Admin Contact:	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730
Tech Contact:	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	CEDAR LAKE GLORIETA YESO	CEDAR LAKE-GLORIETA-YESO
Well/Facility:	JACKSON A 55 Sec 13 T17S R30E Mer NMP SWNE 1650FNL 1650FEL	JACKSON A 55 Sec 13 T17S R30E SWNE 1650FNL 1650FEL 32.837200 N Lat, 103.922173 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC029339A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
JACKSON A 559. API Well No.
30-015-47065-00-X110. Field and Pool or Exploratory Area
CEDAR LAKE-GLORIETA-YESO11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BURNETT OIL COMPANY INC

Contact: LESLIE GARVIS

E-Mail: LGARVIS@BURNETTOIL.COM

3a. Address

801 CHERRY STREET UNIT 9 SUITE 1500
FORT WORTH, TX 76102-6881

3b. Phone No. (include area code)

Ph: 817-583-8730

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 13 T17S R30E SWNE 1650FNL 1650FEL
32.837200 N Lat, 103.922173 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

10/28/20 - DRILL 7 7/8" HOLE. CONTACT BLM ON CALL PHONE AND LEFT MESSAGE IN REFERENCE TO 8 5/8" BOP TEST 04:00 CST, 10/28/20. NO WITNESS.

10/30/20 - RUN 74-JT'S 5.5" 17# HCL-80 LT&C BARE CSG, 8-JT'S 5.5" 17# HCL-80 RYT WRAP, DV TOOL, 58-JT'S RYT WRAP, 2-JT 5.5" 17# HCL-80 BARE TO SET SLIPS ON. TOTAL JTS RAN 142, T. PIPE-6131.56, FS-1.47, FC-1.21, DV TOOL-SET @ 2,615', 2.21. CASING SET @ 6124'. ND BOP. PJSM: RU PAR 5 CMT FIRST STAGE W/ 560 SKS 13#, 1.5 YLD. BUMP PLUG @ 20:46 CST, 10/30/20. DROP DV TOOL OPENING DEVICE & OPEN DV TOOL. 21:00 CST, 10/30/20. CIRCULATE DV TOOL W/ RIG PUMP. (CIRCULATED 112 SKS / 30 BBLs OF CMT OFF TOP OF DV TOOL) CEMENT 2ND STAGE W/ LEAD: 610 SKS 13.2#, 1.83 YLD. TAIL: 200 SKS, 13.0#, 1.5 YLD. PLUG DN @ 02:18 CST, 10/31/20. CIRCULATED 153 SKS / 50 BBLs OF CEMENT TO SURFACE PITS. CONTACTED GABRIEL W/ BLM CARLSBAD REFERENCE TO 5.5" CSG & CMT @ 14:30, 10/30/20. NO WITNESS.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #536492 verified by the BLM Well Information System**For BURNETT OIL COMPANY INC, sent to the Carlsbad****Committed to AFMSS for processing by PRISCILLA PEREZ on 11/04/2020 (21PP0484SE)**

Name (Printed/Typed) LESLIE GARVIS

Title REGULATORY MANAGER

Signature (Electronic Submission)

Date 11/04/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 11/18/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #536492 that would not fit on the form

32. Additional remarks, continued

10/31/20 - RIG RELEASED 06:00 CST, 10/31/20.

Revisions to Operator-Submitted EC Data for Sundry Notice #536492

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMLC029339A	NMLC029339A
Agreement:		
Operator:	BURNETT OIL CO.INC. BURNETT PLAZA - UNIT 9 801 CHERRY STREET - SUITE 1500 FORT WORTH, TX 76102 Ph: 817-583-8730	BURNETT OIL COMPANY INC BURNETT PLAZA - UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881 Ph: 817.332.5108
Admin Contact:	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730
Tech Contact:	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	CEDAR LAKE GLORIETA YESO	CEDAR LAKE-GLORIETA-YESO
Well/Facility:	JACKSON A 55 Sec 13 T17S R30E Mer NMP SWNE 1650FNL 1650FEL	JACKSON A 55 Sec 13 T17S R30E SWNE 1650FNL 1650FEL 32.837200 N Lat, 103.922173 W Lon

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 16661

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
BURNETT OIL CO INC 801 Cherry Street Unit #9 Suite 1500 Fort Worth, TX76102	3080	16661	C-103N

OCD Reviewer	Condition
ksimmons	None