

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc. Burnett Plaza - Suite 1500 801 Cherry Street- Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
		³ Reason for Filing Code/ Effective Date New Well/12/29/2020
⁴ API Number 30 - 015-47066	⁵ Pool Name Cedar Lake Glorieta Yeso	⁶ Pool Code 96831
⁷ Property Code 2388	⁸ Property Name Gissler A	⁹ Well Number 60

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	14	17S	30E		990	North	330	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Same as Above									
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 12/29/2020	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G

IV. Well Completion Data

²¹ Spud Date 11/2/2020	²² Ready Date 12/29/2020	²³ TD 6018'	²⁴ PBDT 6007'	²⁵ Perforations 4577-5919	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25"	8.625"	363	440 sxs		
7.875"	5.5"	6015	1310 sxs		

V. Well Test Data

³¹ Date New Oil 12/29/2020	³² Gas Delivery Date 12/29/2020	³³ Test Date 1/7/2021	³⁴ Test Length 24	³⁵ Tbg. Pressure 260	³⁶ Csg. Pressure 70
³⁷ Choke Size	³⁸ Oil 165	³⁹ Water 991	⁴⁰ Gas 396		⁴¹ Test Method P
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Leslie Garvis			Approved by: Kurt Simmons		
Title: Regulatory & Government Affairs Mgr			Title: NMOCD, Santa FE		
E-mail Address: lgarvis@burnettoil.com			Approval Date: 03/17/2021		
Date: 2/2/2021		Phone: 817-583-8730			



**Burnett Oil Company,
Inc.**

**EOW
REPORT**

Gissler A 60


Eddy County, NM

11/02/2020-11/05/2020

Burnett Oil Company, Inc.
 Project: Eddy County, NM NAD 83
 Site: Sec 14-T17S-R30E
 Well: Gissler A 60
 Wellbore: Wellbore #1
 Plan: Plan #4 (Gissler A 60/Wellbore #1)

Gissler A 60
 3718.0
 RKB Elevation: 3718+17 @ 3735.0usft
 North American Datum 1983

0.00 669200.12 663677.58 32° 50' 20.482 N 103° 56' 6.015 W





Burnett Oil Company, Inc.

Eddy County, NM NAD 83

Sec 14-T17S-R30E

Gissler A 60

Wellbore #1

Survey: Survey #1

Standard Survey Report

13 November, 2020



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Gissler A 60
Project:	Eddy County, NM NAD 83	TVD Reference:	3718+17 @ 3735.0usft
Site:	Sec 14-T17S-R30E	MD Reference:	3718+17 @ 3735.0usft
Well:	Gissler A 60	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM NAD 83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 14-T17S-R30E			
Site Position:		Northing:	669,201.50 usft	Latitude:	32° 50' 20.496 N
From:	Map	Easting:	663,666.80 usft	Longitude:	103° 56' 6.141 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.22 °

Well	Gissler A 60					
Well Position	+N/-S	0.0 usft	Northing:	669,200.12 usft	Latitude:	32° 50' 20.482 N
	+E/-W	0.0 usft	Easting:	663,677.58 usft	Longitude:	103° 56' 6.015 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,718.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	11/03/20	6.80	60.52	47,911.61509352

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	83.76	

Survey Program	Date	11/13/20			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
447.0	6,018.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
447.0	0.97	206.89	447.0	-3.4	-1.7	-2.1	0.22	0.22	0.00
1st MWD Survey									
571.0	0.92	220.78	571.0	-5.1	-2.8	-3.4	0.19	-0.04	11.20
697.0	0.62	210.67	697.0	-6.4	-3.8	-4.5	0.26	-0.24	-8.02
823.0	0.40	209.09	822.9	-7.4	-4.4	-5.2	0.17	-0.17	-1.25
949.0	0.31	178.68	948.9	-8.1	-4.6	-5.5	0.16	-0.07	-24.13
1,137.0	0.62	126.12	1,136.9	-9.2	-3.8	-4.8	0.26	0.16	-27.96
1,263.0	0.53	123.13	1,262.9	-9.9	-2.7	-3.8	0.08	-0.07	-2.37
1,388.0	0.53	133.06	1,387.9	-10.7	-1.8	-3.0	0.07	0.00	7.94
1,513.0	0.44	169.98	1,512.9	-11.5	-1.3	-2.6	0.26	-0.07	29.54



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Gissler A 60
Project:	Eddy County, NM NAD 83	TVD Reference:	3718+17 @ 3735.0usft
Site:	Sec 14-T17S-R30E	MD Reference:	3718+17 @ 3735.0usft
Well:	Gissler A 60	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,638.0	0.75	109.42	1,637.9	-12.3	-0.5	-1.8	0.53	0.25	-48.45
1,763.0	1.27	85.69	1,762.9	-12.4	1.7	0.3	0.53	0.42	-18.98
1,889.0	0.92	30.14	1,888.9	-11.5	3.6	2.3	0.85	-0.28	-44.09
2,014.0	0.66	29.09	2,013.9	-10.0	4.4	3.3	0.21	-0.21	-0.84
2,140.0	0.26	31.55	2,139.9	-9.1	4.9	3.9	0.32	-0.32	1.95
2,266.0	0.09	257.52	2,265.9	-8.9	5.0	4.0	0.26	-0.13	-106.37
2,391.0	0.22	282.13	2,390.9	-8.8	4.7	3.7	0.11	0.10	19.69
2,517.0	0.35	262.62	2,516.9	-8.8	4.0	3.1	0.13	0.10	-15.48
2,642.0	0.44	260.68	2,641.9	-9.0	3.2	2.2	0.07	0.07	-1.55
2,768.0	0.53	261.12	2,767.9	-9.1	2.1	1.1	0.07	0.07	0.35
2,894.0	1.10	91.05	2,893.8	-9.2	2.8	1.8	1.29	0.45	-134.98
3,020.0	0.97	93.95	3,019.8	-9.3	5.0	4.0	0.11	-0.10	2.30
3,146.0	0.79	92.72	3,145.8	-9.4	7.0	5.9	0.14	-0.14	-0.98
3,271.0	1.05	110.13	3,270.8	-9.9	8.9	7.8	0.30	0.21	13.93
3,396.0	2.46	76.81	3,395.7	-9.7	12.6	11.5	1.35	1.13	-26.66
3,522.0	2.29	77.17	3,521.6	-8.5	17.7	16.7	0.14	-0.13	0.29
3,647.0	2.37	74.27	3,646.5	-7.2	22.6	21.7	0.11	0.06	-2.32
3,773.0	2.24	77.69	3,772.4	-6.0	27.5	26.7	0.15	-0.10	2.71
3,898.0	2.46	74.27	3,897.3	-4.7	32.5	31.8	0.21	0.18	-2.74
4,024.0	2.42	75.14	4,023.2	-3.3	37.7	37.1	0.04	-0.03	0.69
4,149.0	2.37	73.56	4,148.1	-1.9	42.7	42.2	0.07	-0.04	-1.26
4,274.0	2.42	72.86	4,273.0	-0.4	47.7	47.4	0.05	0.04	-0.56
4,400.0	1.76	96.41	4,398.9	0.2	52.2	51.9	0.85	-0.52	18.69
4,525.0	0.66	40.87	4,523.9	0.5	54.5	54.3	1.19	-0.88	-44.43
4,651.0	0.75	33.22	4,649.9	1.7	55.5	55.3	0.10	0.07	-6.07
4,776.0	0.84	52.73	4,774.9	3.0	56.6	56.6	0.23	0.07	15.61
4,902.0	0.70	310.69	4,900.8	4.0	56.8	56.9	0.95	-0.11	-80.98
5,028.0	0.92	319.13	5,026.8	5.3	55.5	55.8	0.20	0.17	6.70
5,154.0	1.49	269.56	5,152.8	6.0	53.2	53.6	0.90	0.45	-39.34
5,279.0	1.49	266.66	5,277.8	5.9	50.0	50.3	0.06	0.00	-2.32
5,404.0	1.32	264.64	5,402.7	5.7	46.9	47.3	0.14	-0.14	-1.62
5,530.0	1.27	261.91	5,528.7	5.4	44.1	44.4	0.06	-0.04	-2.17
5,656.0	1.41	257.08	5,654.7	4.8	41.2	41.5	0.14	0.11	-3.83
5,782.0	1.36	258.84	5,780.6	4.2	38.2	38.5	0.05	-0.04	1.40
5,907.0	1.23	270.09	5,905.6	3.9	35.4	35.7	0.23	-0.10	9.00
5,954.0	1.36	261.30	5,952.6	3.8	34.4	34.6	0.50	0.28	-18.70
Last MWD Survey 5954 MD/5952.6 TVD 3.8 N 34.4 E N: 669203.9 E: 663711.9									
6,018.0	1.36	261.30	6,016.6	3.6	32.9	33.1	0.00	0.00	0.00
PTB 6018 MD/6016.6 TVD 3.6 N 32.9 E N: 669203.7 E: 663710.4 987.5 FNL & 286.5 FEL									

**PANTHER**
Microsoft
 Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Gissler A 60
Project:	Eddy County, NM NAD 83	TVD Reference:	3718+17 @ 3735.0usft
Site:	Sec 14-T17S-R30E	MD Reference:	3718+17 @ 3735.0usft
Well:	Gissler A 60	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
447.0	447.0	-3.4	-1.7	1st MWD Survey
5,954.0	5,952.6	3.8	34.4	Last MWD Survey 5954 MD/5952.6 TVD 3.8 N 34.4 E N: 669203.9 E: 663711.9
6,018.0	6,016.6	3.6	32.9	PTB 6018 MD/6016.6 TVD 3.6 N 32.9 E N: 669203.7 E: 663710.4 987.5 FNL &

Checked By: _____ Approved By: _____ Date: _____

	JOB NO.: 911D-2020		Report Time: 2400		1 of 1	
	Company: Burnett Oil Company, Inc.		API JOB #			
	LOCATION: Eddy County		WORK ORDER#			
	RIG NAME: Ensign T436		FIELD: Cedar Lake Glorita Yeso			
	STATE: NM		Legal Desc.		Township-Section-Range	
	COUNTY: Eddy					
	WELL NAME: Gissler A 60					

From Monday, November 02, 2020 at 0000 to Monday, November 02, 2020 at 2400

DRILLING SUMMARY				Drilling Parameters							
Start Depth	364.00	Rotary Hours	0.00	WOB	0	Pick UP	0	Slack Off	0	SPM	
End Depth	364.00	Circulating Hours	0.00	RAB	0	SPP	0	FlowRate	0 - 0	0	
Total Drilled:	0.00	Avg. Total ROP:	NA	Mud Data							
Total Rotary Drilled:	0.00	Avg. Rotary ROP:	NA	Type				PV	0	SOLID	0
Total Drilled Sliding:	0.00	Avg. Slide ROP:	NA	Weight	.00 PPG	GAS	0	YP	0	BHT°	.0
Slide Hours:	0.00	Percent Rotary:	NA	Viscosity	0	SAND	0	PH	0	Flow T°	.0
Below Rotary Hrs.	0.00	Percent Slide:	NA	Chlorides	0	WL	0			Oil %	0

PERSONNEL				CASING			BHA		
Lead Directional :	John Overton			Size	lbf/Ft	Set Depth	N/A		
Second Directional :	Greg Hickey			20.00	.00	.00			
MWD Operator1	Ben Unruh								
MWD Operator2									
Directional Company:	Panther								
Geologist:				Signature:					
Company Man:	Walter Roye			Daily Cost			\$4,400.00		
Incl. In:	0	Azm. In:	0	Incl. Out:	0	Azm. Out:	0	Cummulative Cost:	\$4,400.00

GENERAL COMMENT

Date	Start Time	End Time	Hours	Start Depth	End Depth	Activity Code	COMMENT
2-Nov-20	00:00	17:00	17.00	364.0	364.0	Standby	Arrive on Location, Rig up & Strap Tools
2-Nov-20	17:00	24:00	7.00	364	364	Standby	Run Bond Log and Cement w/ 2"

WinSERVE II Daily Report License: NP6211

Daily Report for JOB#: 911D-2020 - Page 1 of 1

	JOB NO.:	911D-2020	Report Time:	2400	2 of 3
	Company:	Burnett Oil Company, Inc.	API JOB #	30-015-47066	
	LOCATION:	Eddy County	WORK ORDER#		
	RIG NAME:	Ensign T436	FIELD:	Cedar Lake Glorita Yeso	
	STATE:	NM	Legal Desc.	Township-Section-Range	
	COUNTY:	Eddy			
	WELL NAME:	Gissler A 60			

From Tuesday, November 03, 2020 at 0000 to Tuesday, November 03, 2020 at 2400

DRILLING SUMMARY				Drilling Parameters							
Start Depth	364.00	Rotary Hours	14.25	WOB	35	Pick UP	106	Slack Off	97	SPM	
End Depth	2760.00	Circulating Hours	0.00	RAB	100	SPP	2500	FlowRate	0 - 605	172	
Total Drilled:	2396.00	Avg. Total ROP:	166.20	Mud Data							
Total Rotary Drilled:	2382.00	Avg. Rotary ROP:	167.16	Type	Brine			PV	0	SOLID	0
Total Drilled Sliding:	14.00	Avg. Slide ROP:	84.00	Weight	10.10 PPG	GAS	0	YP	0	BHT°	107.0
Slide Hours:	0.17	Percent Rotary:	99.42	Viscosity	28	SAND	0	PH	10	Flow T°	.0
Below Rotary Hrs.	20.00	Percent Slide:	.58	Chlorides	0	WL	0			Oil %	0
PERSONNEL				CASING				BHA			
Lead Directional :	John Overton			Size	Ibf/Ft	Set Depth		BHA # 1:DD406TX, 7/8 5.0 1.5°Fix TS, 7 5/8" Stabilizer, Shock Sub, UBHO, NMDC (MWD), 7 5/8" Stabilizer, 6 - 6 1/2" Drill Collars, 4-1/2 IF to 4-1/2XH, 10 jts HWDP, ,			
Second Directional :	Greg Hickey			20.00	.00	.00					
MWD Operator1	Ben Unruh										
MWD Operator2											
Directional Company:	Panther										
Geologist:				Signature:							
Company Man:	Walter Royce						Daily Cost		\$7,700.00		
Incl. In:	0	Azm. In:	0	Incl. Out:	0.44	Azm. Out:	260.68	Cummulative Cost:		\$12,100.00	

GENERAL COMMENT

Date	Start Time	End Time	Hours	Start Depth	End Depth	Activity Code	COMMENT
3-Nov-20	00:00	04:00	4.00	364.0	364.0	Standby	Nipple up & Test
3-Nov-20	04:00	05:15	1.25	364	364	Change BHA	P/U BHA01, Scribe
3-Nov-20	05:15	06:00	0.75	364	364	TIH	TIH
3-Nov-20	06:00	07:00	1.00	364	364	Rig Service-Inhole	Slip & Cut Drill Line
3-Nov-20	07:00	07:50	0.83	364	364	Drilling Cement	Drill Shoe Track
3-Nov-20	07:50	09:00	1.17	364	511	Drilling	Drilling - (WOB:20.00;GPM :598.00;RPM:60)
3-Nov-20	09:00	09:10	0.17	511	511	Survey & Conn.	Survey & Conn.@447m Inc 0.79° Azm 92.72°
3-Nov-20	09:10	09:50	0.67	511	635	Drilling	Drilling - (WOB:20.00;GPM :598.00;RPM:60)
3-Nov-20	09:50	10:00	0.17	635	635	Survey & Conn.	Survey & Conn.@511m Inc 0.9840174° Azm 92.72°
3-Nov-20	10:00	10:35	0.58	635	761	Drilling	Drilling - (WOB:20.00;GPM :598.00;RPM:60)
3-Nov-20	10:35	10:45	0.17	761	761	Survey & Conn.	Survey & Conn.@511m Inc 0.9840174° Azm 92.72°
3-Nov-20	10:45	11:15	0.50	761	887	Drilling	Drilling - (WOB:20.00;GPM :598.00;RPM:60)
3-Nov-20	11:15	11:25	0.17	887	887	Survey & Conn.	Survey & Conn.@823m Inc 0.4° Azm 209.09°
3-Nov-20	11:25	11:55	0.50	887	1013	Drilling	Drilling - (WOB:25.00;GPM :598.00;RPM:70)
3-Nov-20	11:55	12:05	0.17	1013	1013	Survey & Conn.	Survey & Conn.@949m Inc 0.31° Azm 178.68°
3-Nov-20	12:05	12:45	0.67	1013	1201	Drilling	Drilling - (WOB:25.00;GPM :598.00;RPM:70)
3-Nov-20	12:45	13:00	0.25	1201	1201	Survey & Conn.	Survey & Conn.@1137m Inc 0.62° Azm 126.12°
3-Nov-20	13:00	13:50	0.83	1201	1327	Drilling	Drilling - (WOB:25.00;GPM :598.00;RPM:70)

Date	Start Time	End Time	Hours	Start Depth	End Depth	Activity Code	COMMENT
3-Nov-20	13:50	14:00	0.17	1327	1327	Survey & Conn.	Survey & Conn.@1263m Inc 0.53° Azm 123.13°
3-Nov-20	14:00	14:45	0.75	1327	1452	Drilling	Drilling - (WOB:25.00;GPM :598.00;RPM:70)
3-Nov-20	14:45	14:55	0.17	1452	1452	Survey & Conn.	Survey & Conn.@1388m Inc 0.53° Azm 133.06°
3-Nov-20	14:55	15:50	0.92	1452	1577	Drilling	Drilling - (WOB:25.00;GPM :598.00;RPM:70)
3-Nov-20	15:50	16:00	0.17	1577	1577	Survey & Conn.	Survey & Conn.@1513m Inc 0.44° Azm 169.98°
3-Nov-20	16:00	16:35	0.58	1577	1639	Drilling	Drilling - (WOB:26.00;GPM :598.00;RPM:70)
3-Nov-20	16:35	16:40	0.08	1639	1647	Sliding	Sliding - (WOB:26.00;GPM :598.00;TF:30M)
3-Nov-20	16:40	17:00	0.33	1647	1702	Drilling	Drilling - (WOB:26.00;GPM :598.00;RPM:70)
3-Nov-20	17:00	17:15	0.25	1702	1702	Survey & Conn.	Survey & Conn.@1638m Inc 0.75° Azm 109.42°
3-Nov-20	17:15	18:10	0.92	1702	1827	Drilling	Drilling - (WOB:26.00;GPM :598.00;RPM:70)
3-Nov-20	18:10	18:20	0.17	1827	1827	Survey & Conn.	Survey & Conn.@1763m Inc 1.27° Azm 85.69°
3-Nov-20	18:20	18:25	0.08	1827	1836	Drilling	Drilling - (WOB:30.00;GPM :605.00;RPM:60)
3-Nov-20	18:25	18:30	0.08	1836	1842	Sliding	Sliding - (WOB:30.00;GPM :598;TFO:300M))
3-Nov-20	18:30	20:00	1.50	1842	2078	Drilling	Drilling - (WOB:32.00;GPM :605.00;RPM:60)
3-Nov-20	20:00	20:05	0.08	2078	2078	Survey & Conn.	Survey & Conn.@2014m Inc 0.66° Azm 29.09°
3-Nov-20	20:05	20:45	0.67	2078	2204	Drilling	Drilling - (WOB:32.00;GPM :605.00;RPM:60)
3-Nov-20	20:45	20:55	0.17	2204	2204	Survey & Conn.	Survey & Conn.@2140m Inc 0.26° Azm 31.55°
3-Nov-20	20:55	21:30	0.58	2204	2330	Drilling	Drilling - (WOB:34.00;GPM :605.00;RPM:60)
3-Nov-20	21:30	21:35	0.08	2330	2330	Survey & Conn.	Survey & Conn.@2266m Inc 0.09° Azm 257.52°
3-Nov-20	21:35	22:15	0.67	2330	2455	Drilling	Drilling - (WOB:35.00;GPM :605.00;RPM:60)
3-Nov-20	22:15	22:20	0.08	2455	2455	Survey & Conn.	Survey & Conn.@2391m Inc 0.22° Azm 282.13°
3-Nov-20	22:20	22:55	0.58	2455	2581	Drilling	Drilling - (WOB:35.00;GPM :605.00;RPM:60)
3-Nov-20	22:55	23:00	0.08	2581	2581	Survey & Conn.	Survey & Conn.@2517m Inc 0.35° Azm 262.62°
3-Nov-20	23:00	23:35	0.58	2581	2706	Drilling	Drilling - (WOB:35.00;GPM :605.00;RPM:60)
3-Nov-20	23:35	23:40	0.08	2706	2706	Survey & Conn.	Survey & Conn.@2642m Inc 0.44° Azm 260.68°
3-Nov-20	23:40	24:00	0.33	2706	2760	Drilling	Drilling - (WOB:35.00;GPM :605.00;RPM:63)

	JOB NO.: 911D-2020		Report Time: 2400		3 of 3	
	Company: Burnett Oil Company, Inc.		API JOB # 30-015-47066			
	LOCATION: Eddy County		WORK ORDER#			
	RIG NAME: Ensign T436		FIELD: Cedar Lake Glorita Yeso			
	STATE: NM		Legal Desc.		Township-Section-Range	
	COUNTY: Eddy					
	WELL NAME: Gissler A 60					

From Wednesday, November 04, 2020 at 0000 to Wednesday, November 04, 2020 at 2400

DRILLING SUMMARY				Drilling Parameters							
Start Depth	2760.00	Rotary Hours	19.08	WOB	40	Pick UP	175	Slack Off	147	SPM	
End Depth	5846.00	Circulating Hours	0.00	RAB	155	SPP	2850	FlowRate	500 - 605	172	
Total Drilled:	3086.00	Avg. Total ROP:	155.60	Mud Data							
Total Rotary Drilled:	3043.00	Avg. Rotary ROP:	159.46	Type	Brine			PV	0	SOLID	0
Total Drilled Sliding:	43.00	Avg. Slide ROP:	57.33	Weight	10.00 PPG	GAS	0	YP	0	BHT°	118.0
Slide Hours:	0.75	Percent Rotary:	98.61	Viscosity	28	SAND	0	PH	9	Flow T°	.0
Below Rotary Hrs.	24.00	Percent Slide:	1.39	Chlorides	0	WL	0			Oil %	0

PERSONNEL				CASING			BHA		
Lead Directional :	John Overton			Size	lbf/Ft	Set Depth	BHA # 1:DD406TX, 7/8 5.0 1.5"Fix TS, 7 5/8" Stabilizer, Shock Sub, UBHO, NMDC (MWD), 7 5/8" Stabilizer, 6 - 6 1/2" Drill Collars, 4-1/2 IF to 4-1/2XH, 10 jts HWDP, ,		
Second Directional :	Greg Hickey			20.00	.00	.00			
MWD Operator1	Ben Unruh								
MWD Operator2									
Directional Company:	Panther								
Geologist:				Signature:					
Company Man:	Walter Royce			Daily Cost			\$6,700.00		
Incl. In:	0.44	Azm. In:	260.68	Incl. Out:	0	Azm. Out:	0	Cummulative Cost:	\$18,800.00

GENERAL COMMENT

Date	Start Time	End Time	Hours	Start Depth	End Depth	Activity Code	COMMENT
4-Nov-20	00:00	00:25	0.42	2760.0	2832.0	Drilling	Drilling - (WOB:36.00;GPM :605.00;RPM:60)
4-Nov-20	00:25	00:30	0.08	2832	2832	Survey & Conn.	Survey & Conn.@2768m Inc 0.53° Azm 261.12°
4-Nov-20	00:30	00:35	0.08	2832	2850	Drilling	Drilling - (WOB:36.00;GPM :605.00;RPM:60)
4-Nov-20	00:35	00:40	0.08	2850	2858	Sliding	Sliding - (WOB:30.00;GPM :598;TFO:60M))
4-Nov-20	00:40	01:20	0.67	2858	2958	Drilling	Drilling - (WOB:36.00;GPM :605.00;RPM:60)
4-Nov-20	01:20	01:25	0.08	2958	2958	Survey & Conn.	Survey & Conn.@2894m Inc 1.1° Azm 91.05°
4-Nov-20	01:25	02:15	0.83	2958	3084	Drilling	Drilling - (WOB:36.00;GPM :605.00;RPM:60)
4-Nov-20	02:15	02:20	0.08	3084	3084	Survey & Conn.	Survey & Conn.@3020m Inc 0.97° Azm 93.95°
4-Nov-20	02:20	03:05	0.75	3084	3210	Drilling	Drilling - (WOB:36.00;GPM :605.00;RPM:60)
4-Nov-20	03:05	03:10	0.08	3210	3210	Survey & Conn.	Survey & Conn.@3146m Inc 0.79° Azm 92.72°
4-Nov-20	03:10	03:55	0.75	3210	3335	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:60)
4-Nov-20	03:55	04:05	0.17	3335	3335	Survey & Conn.	Survey & Conn.@3271m Inc 1.05° Azm 110.13°
4-Nov-20	04:05	04:20	0.25	3335	3370	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:60)
4-Nov-20	04:20	04:25	0.08	3370	3377	Sliding	Sliding - (WOB:30.00;GPM :598;TFO:40M))
4-Nov-20	04:25	04:45	0.33	3377	3460	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:60)
4-Nov-20	04:45	04:55	0.17	3460	3460	Survey & Conn.	Survey & Conn.@3396m Inc 2.46° Azm 76.81°
4-Nov-20	04:55	05:30	0.33	3460	3586	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:60)
4-Nov-20	05:30	05:35	0.00	3586	3586	Survey & Conn.	Survey & Conn.@3522m Inc 2.29° Azm 77.17°

WinSERVE II Daily Report License: NP6211

Daily Report for JOB#: 911D-2020 - Page 1 of 2

Date	Start Time	End Time	Hours	Start Depth	End Depth	Activity Code	COMMENT
4-Nov-20	05:35	06:05	0.00	3586	3711	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	06:05	06:15	0.00	3711	3711	Survey & Conn.	Survey & Conn.@3647m Inc 2.37° Azm 74.27°
4-Nov-20	06:15	06:45	0.00	3711	3837	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	06:45	06:55	0.00	3837	3837	Survey & Conn.	Survey & Conn.@3773m Inc 2.24° Azm 77.69°
4-Nov-20	06:55	07:25	0.00	3837	3962	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	07:25	07:35	0.00	3962	3962	Survey & Conn.	Survey & Conn.@3898m Inc 2.46° Azm 74.27°
4-Nov-20	07:35	08:05	0.00	3962	4088	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	08:05	08:15	0.00	4088	4088	Survey & Conn.	Survey & Conn.@4024m Inc 2.42° Azm 75.14°
4-Nov-20	08:15	08:45	0.00	4088	4213	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	08:45	08:55	0.00	4213	4213	Survey & Conn.	Survey & Conn.@4149m Inc 2.37° Azm 73.56°
4-Nov-20	08:55	09:30	0.00	4213	4307	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	09:30	09:40	0.00	4307	4315	Sliding	Sliding - (WOB:25.00;GPM :598;TFO:250M))
4-Nov-20	09:40	09:45	0.00	4315	4338	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	09:45	09:55	0.00	4338	4338	Survey & Conn.	Survey & Conn.@4274m Inc 2.42° Azm 72.86°
4-Nov-20	09:55	10:20	0.00	4338	4433	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	10:20	10:30	0.00	4433	4441	Sliding	Sliding - (WOB:25.00;GPM :598;TFO:280M))
4-Nov-20	10:30	10:35	0.00	4441	4464	Drilling	Drilling - (WOB:37.00;GPM :605.00;RPM:65)
4-Nov-20	10:35	10:45	0.00	4464	4464	Survey & Conn.	Survey & Conn.@4400m Inc 1.76° Azm 96.41°
4-Nov-20	10:45	11:35	0.00	4464	4589	Drilling	Drilling - (WOB:35.00;GPM :500.00;RPM:50)
4-Nov-20	11:35	11:45	0.00	4589	4589	Survey & Conn.	Survey & Conn.@4525m Inc 0.66° Azm 40.87°
4-Nov-20	11:45	12:35	0.00	4589	4715	Drilling	Drilling - (WOB:35.00;GPM :500.00;RPM:50)
4-Nov-20	12:35	12:45	0.00	4715	4715	Survey & Conn.	Survey & Conn.@4651m Inc 0.75° Azm 33.22°
4-Nov-20	12:45	13:40	0.00	4715	4840	Drilling	Drilling - (WOB:35.00;GPM :500.00;RPM:50)
4-Nov-20	13:40	13:50	0.00	4840	4840	Survey & Conn.	Survey & Conn.@4776m Inc 0.84° Azm 52.73°
4-Nov-20	13:50	14:05	0.00	4840	4872	Drilling	Drilling - (WOB:35.00;GPM :500.00;RPM:50)
4-Nov-20	14:05	14:10	0.00	4872	4879	Sliding	Sliding - (WOB:35.00;GPM :598;TFO:270M))
4-Nov-20	14:10	14:45	0.00	4879	4966	Drilling	Drilling - (WOB:35.00;GPM :598.00;RPM:60)
4-Nov-20	14:45	14:55	0.00	4966	4966	Survey & Conn.	Survey & Conn.@4902m Inc 0.7° Azm 310.69°
4-Nov-20	14:55	15:30	0.00	4966	5029	Drilling	Drilling - (WOB:37.00;GPM :598.00;RPM:60)
4-Nov-20	15:30	16:10	0.00	5029	5029	Rig Service-Inhole	Rig Service-Inhole
4-Nov-20	16:10	16:40	0.00	5029	5092	Drilling	Drilling - (WOB:37.00;GPM :598.00;RPM:60)
4-Nov-20	16:40	16:50	0.00	5092	5092	Survey & Conn.	Survey & Conn.@5028m Inc 0.92° Azm 319.13°
4-Nov-20	16:50	17:05	0.00	5092	5124	Drilling	Drilling - (WOB:37.00;GPM :598.00;RPM:60)
4-Nov-20	17:05	17:15	0.00	5124	5129	Sliding	Sliding - (WOB:37.00;GPM :598;TFO:200M))
4-Nov-20	17:15	18:00	0.00	5129	5218	Drilling	Drilling - (WOB:37.00;GPM :598.00;RPM:60)
4-Nov-20	18:00	18:10	0.00	5218	5218	Survey & Conn.	Survey & Conn.@5154m Inc 1.49° Azm 269.56°
4-Nov-20	18:10	19:10	0.00	5218	5343	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
4-Nov-20	19:10	19:15	0.00	5343	5343	Survey & Conn.	Survey & Conn.@5279m Inc 1.49° Azm 266.66°
4-Nov-20	19:15	20:15	0.00	5343	5468	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
4-Nov-20	20:15	20:20	0.00	5468	5468	Survey & Conn.	Survey & Conn.@5404m Inc 1.32° Azm 264.64°
4-Nov-20	20:20	21:25	0.00	5468	5594	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
4-Nov-20	21:25	21:35	0.00	5594	5594	Survey & Conn.	Survey & Conn.@5530m Inc 1.27° Azm 261.91°
4-Nov-20	21:35	22:40	0.00	5594	5720	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
4-Nov-20	22:40	22:45	0.00	5720	5720	Survey & Conn.	Survey & Conn.@5656m Inc 1.41° Azm 257.08°
4-Nov-20	22:45	23:50	0.00	5720	5846	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
4-Nov-20	23:50	24:00	0.00	5846	5846	Survey & Conn.	Survey & Conn.@5782m Inc 1.36° Azm 258.84°

	JOB NO.: 911D-2020		Report Time: 2400		4 of 4	
	Company: Burnett Oil Company, Inc.		API JOB # 30-015-47066			
	LOCATION: Eddy County		WORK ORDER#			
	RIG NAME: Ensign T436		FIELD: Cedar Lake Glorita Yeso			
	STATE: NM		Legal Desc.	Township-Section-Range		
	COUNTY: Eddy			--		
	WELL NAME: Gissler A 60					

From Thursday, November 05, 2020 at 0000 to Thursday, November 05, 2020 at 2400

DRILLING SUMMARY				Drilling Parameters							
Start Depth	5846.00	Rotary Hours	1.50	WOB	40	Pick UP	175	Slack Off	147	SPM	
End Depth	6018.00	Circulating Hours	0.42	RAB	155	SPP	2850	FlowRate	598 - 598	172	
Total Drilled:	172.00	Avg. Total ROP:	114.67	Mud Data							
Total Rotary Drilled:	172.00	Avg. Rotary ROP:	114.67	Type	Brine			PV	0	SOLID	0
Total Drilled Sliding:	0.00	Avg. Slide ROP:	NA	Weight	10.00 PPG	GAS	0	YP	0	BHT°	118.0
Slide Hours:	0.00	Percent Rotary:	100.00	Viscosity	28	SAND	0	PH	9	Flow T°	.0
Below Rotary Hrs.	8.25	Percent Slide:	.00	Chlorides	0	WL	0			Oil %	0

PERSONNEL				CASING			BHA		
Lead Directional :	John Overton			Size	lbf/Ft	Set Depth	BHA # 1:DD406TX, 7/8 5.0 1.5"Fix TS, 7 5/8" Stabilizer, Shock Sub, UBHO, NMDC (MWD), 7 5/8" Stabilizer, 6 - 6 1/2" Drill Collars, 4-1/2 IF to 4-1/2XH, 10 jts HWDP, ,		
Second Directional :	Greg Hickey			20.00	.00	.00			
MWD Operator1	Ben Unruh								
MWD Operator2									
Directional Company:	Panther								
Geologist:				Signature:					
Company Man:	Walter Royce			Daily Cost		\$6,700.00			
Incl. In:	1.36	Azm. In:	258.84	Incl. Out:	0	Azm. Out:	0	Cummulative Cost:	\$25,500.00

GENERAL COMMENT

Date	Start Time	End Time	Hours	Start Depth	End Depth	Activity Code	COMMENT
5-Nov-20	00:00	01:10	1.17	5846.0	5971.0	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
5-Nov-20	01:10	01:15	0.08	5971	5971	Survey & Conn.	Survey & Conn.@5954m Inc 1.36° Azm 261.3°
5-Nov-20	01:15	01:35	0.33	5971	6018	Drilling	Drilling - (WOB:40.00;GPM :598.00;RPM:65)
5-Nov-20	01:35	01:40	0.08	6018	6018	Survey & Conn.	Survey & Conn.@5954m Inc 1.36° Azm 261.3°
5-Nov-20	01:40	02:05	0.42	6018	6018	Circulating	Circulating
5-Nov-20	02:05	07:35	5.50	6018	6018	POOH	L/D drill string
5-Nov-20	07:35	08:15	0.67	6018	6018	POOH	L/D BHA
5-Nov-20	08:15	09:00	0.75	6018	6018	Standby	Load out truck and ship tools

WinSERVE II Daily Report License: NP6211 **Daily Report for JOB#: 911D-2020 - Page 1 of 1**

BHA # 1		Mud Motor Report													
JOB NO.:	911D-2020		FIELD:	Cedar Lake Glorita Yeso											
Company:	Burnett Oil Company, Inc.		Legal Desc.	Township-Section-Range											
LOCATION:	Eddy County			--											
RIG NAME:	Ensign T436		Lead DD:	John Overton											
STATE:	NM		Co. Man:	Walter Roye											
COUNTY:	Eddy		Motor Failed?	NO											
WELL NAME:	Gissler A 60														
Time and Depths (This BHA)			MOTOR DATA			Drilling Parameters									
Date In:	03-Nov-20 @ 05:15		Desc:	7/8 5.0 1.50° Fix T.S.		SO/PU:	0 - 147 / 0-175								
Date Out:	05-Nov-20 @ 09:00		MFG.:	Panther		Rot Wt:	0-155								
Hrs In Hole:	51.00		BHA Circ/ All BHA:	36.17 / 36.17		WOB:	0 - 40								
Start Depth:	364.00		Motor SN:	PDS650005		TORQ:	3 - 8								
End Depth:	6018.00		Pad OD:	7.13		SPP:	0 - 2900								
Total Drilled:	5654.00		NB Stab:	0.00		Motor RPM:	172.2								
Avg. Total ROP:	158.15		Bit to Bend:	4.00		Rotary RPM:	50 - 70								
Circ Hrs:Tot/Only	36.17 / .42		Bent Hsg / Sub:	1.5 / 1.5		Flow Rate:	0 - 605								
Percent Slide:	1.01		Lobe/Stage:	7/8 / 5		Avg Diff:	1130								
Percent Hrs:	2.56		Revs/Gal	0.29		Stall Pres.:	1160								
Slide Hours:	.92		Rotor Jet:	0.0		Off Bot Pres.:	134								
Total Sliding:	57.00		Prop BUR:	9		Bit Record									
Avg. Slide ROP:	62.18		Act BUR:	16		/ DD406TX									
Percent Rotary:	98.99		Stator Clearance:			Run #:	1								
Percent Hrs:	97.44		Lower Stab OD:	7.63		Type Bit:	PDC								
Rot / Total Hrs:	34.83 / 35.75		Upper Stab OD:	7.625		IADC#:	TFA: 1.18 in ²								
Rotary Drilled:	5597.00		Extended Motor?	NO		JETS:	6-16								
Avg. Rotary ROP:	160.68		Number of Stalls:			P Drop:	243PSI @ 605 GPM								
Reason POOH:			Stall Duration:			Cond.:									
Mud Data															
Type	Brine		WT:	10.0PPG	Vis:	28	WL:	0	PV:	0	Flow T °:	0.0			
SAND:	0	Chlor:	0	GAS:	0	SOL:	0	Oil %:	0	YP:	0	PH:	9	Bottom Hole T °:	118.0
Formation:															
EXPANDED REASON PULLED:															
BHA PERFORMANCE:															
ADDITIONAL COMMENTS: (Expands to next page if necessary)															
WinSURV II Mud Motor Report															

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017		
		1. WELL API NO. 30-015-47066					
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN					
		3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name Gissler A 6. Well Number: 60			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							
8. Name of Operator Burnett Oil Co. Inc.				9. OGRID 03080			
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102				11. Pool name or Wildcat Cedar Lake Glorieta Yeso			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	
Surface:	A	14	17S	30E		990	
BH:							
13. Date Spudded 11/2/2020	14. Date T.D. Reached 11/4/2020	15. Date Rig Released 11/6/2020		16. Date Completed (Ready to Produce) 12/29/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3718 GL	
18. Total Measured Depth of Well 6018'		19. Plug Back Measured Depth 6007		20. Was Directional Survey Made? N		21. Type Electric and Other Logs Run CNL	
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta 4476-4554', Yeso Top: 4554' Bottom: Not Reached							
23. CASING RECORD (Report all strings set in well)							
CASING SIZE	WEIGHT LB./FT.	DEPTH SET		HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED	
16"	39	150'		20"			
8.625"	24	363'		12.25"	440		
5.5"	17	6015'		7.875"	1310		
24. LINER RECORD							
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN			
				25. TUBING RECORD			
SIZE	DEPTH SET	PACKER SET					
	2 875	4840 2631					
26. Perforation record (interval, size, and number) 4577-4888' 0.42, 40, Open 4969-5157' 0.42, 40, Open 5220-5497' 0.42, 40, Open 5616-5919' 0.42, 40, Open				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
				DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED		
				4577-4888'	FRAC 543,312 gal SW+31,000# 100 Mesh+209,980# 40/70+37,300# 40/70CS		
				4969-5157'	FRAC 445,998 gal SW+30,080# 100 Mesh+210,000# 40/70+37,500# 40/70CS		
				5220-5497'	FRAC 562,926 gal SW+30,600# 100 Mesh+208,500# 40/70+37,800# 40/70CS		
				5616-5919'	FRAC 579,768 gal SW+30,100# 100 Mesh+208,400# 40/70+37,600# 40/70CS		
28. PRODUCTION							
Date First Production 12/29/2020		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit			Well Status (Prod. or Shut-in) Producing		
Date of Test 1/7/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 165	Gas - MCF 396	Water - Bbl. 991	
Flow Tubing Press. 260	Casing Pressure 70	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 40	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By	
31. List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:	
34. If an on-site burial was used at the well, report the exact location of the on-site burial:							
				Latitude	Longitude	NAD83	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature 		Printed Name Leslie Garvis		Title Regulatory & Government Affairs Manager		Date	
E-mail Address lgarvis@burnettoil.com							

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 19559

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
BURNETT OIL CO INC Suite 1500 Fort Worth, TX76102	3080	19559	C-104C

OCD Reviewer	Condition
ksimmons	Please provide a C-102 "as drilled" and all drilling and completion sundries as they become available from BLM.