

Well Name: CYPRESS 34 FEDERAL	Well Location: T23S / R29E / SEC 34 / NWNW / 32.2677034 / -103.9805281	County or Parish/State: EDDY / NM
Well Number: 211H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM086024, NMNM86024	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547266	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 03/22/2021

Time Sundry Submitted: 08:49

Date Operation Actually Began: 03/13/2021

Actual Procedure: 3/13/2021: Test BOPS. Drill 12.25 inch first intermediate hole to 3185 ft. 3/15/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 3169 ft. Pump 20 bbls chem water, 20 bbls visc water, followed by 890 sks of 13.5 ppg lead cmt, 604 sks of 14.8 ppg tail cmt. Drop plug and displace with 237 bbls of freshwater. 210 bbls of cement returned to surface. Pressure test casing to 1550 PSI for 30 minutes, good test. 3/16/2021: Drill 8.75 inch second intermediate hole to 9760 ft. 3/18/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 9746 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 593 sks of 11.5 lead cmt, 150 sks of 13.2 ppg tail cmt. Drop plug and displace with 445 bbls of cut brine. 90 bbls of cement returned to surface. Pressure test casing to 2150 for 30 minutes, good test. First Intermediate Casing Details: Casing ran: 3/15/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 3169 ft, Cement 1494 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 3/18/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 9746 ft, Cement 743 sacks, Yield 1.35, Class C, Pressure Held 2150 psi, Pres Drop 0.

Well Name: CYPRESS 34 FEDERAL	Well Location: T23S / R29E / SEC 34 / NWNW / 32.2677034 / -103.9805281	County or Parish/State: EDDY / NM
Well Number: 211H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM086024, NMNM86024	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547266	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: RAMSEY	Signed on: MAR 22, 2021 08:48 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 602 Park Point Drive Suite 200	
City: Golden	State: CO
Phone: (720) 460-3316	
Email address: NOT ENTERED	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/23/2021
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 21775

CONDITIONS OF APPROVAL

Operator: TAP ROCK OPERATING, LLC Suite 200 Golden, CO80401		523 Park Point Drive	OGRID: 372043	Action Number: 21775	Action Type: C-103N
OCD Reviewer ksimmons			Condition None		