Form 3160-4 UNITED STATES (August 2007) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT									FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010							
4											ase Serial					
1a. Type	of Well 🛛	Oil Well	Gas	Well	DD	Dry 🗖	Other								-	r Tribe Name
b. Type	of Completion	🛛 🛛 Ne	ew Well	U Wor	k Ove	er 🔲	Deepen	🗖 Plug	g Back	🗖 Difi	f. Re	esvr.	7 11			(NT 1 1 1
		Other	•										7. UI	nit of CA A	Igreem	ent Name and No.
2. Name o OXY U	of Operator USA INCORF	PORATED) E	-Mail: A	PRIL	Contact: _HOOD	APRIL S @OXY.(SANTOS COM					8. Le C	ase Name	and Wo C 17-8	ell No. FEDERAL COM
											9. API Well No. 30-015-45088-00-S1					
4. Locatio	on of Well (Re	port locatio		id in acc	ordan	ce with Fe	Federal requirements)*						10. Field and Pool, or Exploratory PURPLE SAGE-WOLFCAMP (GAS			
At sur	face SESE	601FSL 1	201FEL 32	2.21193		_at, 104.0 9E Mer N		N Lon					11. S	ec., T., R.,	M., or	Block and Survey
At top	prod interval	reported be	low SES R29E Mer I	E 247F	SL 4	90FEL 32	2.21054	2 N Lat, 1	03.99957	78 W Lo	n		or Area Sec 17 T24S R29E Mer NM 12. County or Parish 13. State			
	al depth NE	NE 23FNL	540FEL 3	2.2394			999677	W Lon					EDDY NM			
14. Date \$ 10/02	Spudded /2019			ate T.D. /19/201		hed		🗖 D &	Complete A X 7/2020	ed Ready t	o Pro	od.	17. Elevations (DF, KB, RT, GL)* 2927 GL			
18. Total	Depth:	MD TVD	20560 10138		19. I	Plug Back	T.D.:	MD TVD		511 138		20. Dep	epth Bridge Plug Set: MD TVD			
21. Type GAMN	Electric & Oth MARAY	er Mechan	ical Logs R	un (Subi	nit co	py of eacl	1)			W	as D	ell cored ST run? ional Sur		🛛 No	□ Yes	s (Submit analysis) s (Submit analysis) s (Submit analysis)
23. Casing	and Liner Rec	ord (Repor	rt all strings			-	- -	~	Г			~				
Hole Size	e Size/G	rade	Wt. (#/ft.)	Top (ME		Bottom (MD)	0		No. of Sks. & Type of Cement		Slurry (BBl		Cement Top*		Amount Pulled	
17.50	0 13	.375 J55	54.5			42	20		71		650		157	0		
9.87		7.625 HCL-80 5.500 P-110		. 0		934 2054	_				170 101		810	0		
6.75	5.50	0 P-110	20.0		0 2		46	6		831			204 9		9151	
04 TT 1	a Dacand															
24. Tubin Size	g Record Depth Set (N	(D) Pa	cker Depth	(MD)	Siz	ze De	pth Set (acker Dep	oth (MD)	Size	De	pth Set (M	D)	Packer Depth (MI
				(511						<i>_</i>				- /	
	cing Intervals		_					ation Rec							-	
1 A)	Formation WOLFC					20415			rated Interval S 10199 TO 20415		Size 0.42		No. Holes	ACTI	Perf. Status	
B)	WOLFC			0199		20415			1019910	20413	┢	0.42	20	1095	ACT	VL
C)																
D)	Fracture, Treat	mont Com	opt Squaage	Eta												
27. Acid, 1	Depth Interva			, Lu.				А	mount and	l Type o	f Ma	aterial				
	1019	9 TO 204	15 383262	BBLS SI	ICKV	VATER, 12	214 BBLS	ACID ANI	D 2043578	6 LBS S	AND)				
			_													
28. Produc	ction - Interval	Α														
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL		Gas MCF	Water BBL	Oil G Corr.		Ga Gr	s avity		Producti	on Method		
03/13/2020	_	24		2116.	_	4432.0	6436					FLOWS FROM WELL		OM WELL		
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	N	Gas MCF	Water BBL	Ratio	Gas:Oil Well Status Ratio							
120	SI action - Interva	1592.0		2116	3	4432	643	6	2		PC	WC				
Date First	Test	Hours	Test	Oil		Gas	Water	Oil G		Ga			Producti	on Method		
Produced	Date	Tested	Production	BBL		MCF	BBL	Corr.		Gr	avity					
Choke	Tbg. Press.	Csg.	24 Hr.	Oil	To	Gas	Water	Gas:C)il	We	ell Sta	tus				

•

28b. Produ	ction - Interva	al C															
Date First Produced			Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API		Gas Gravity	1	Production Method						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio		Well S	tatus	I						
28c. Produ	ction - Interva	ıl D															
Date First Produced			Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API		Gas Gravity		Production Method							
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio		Well S	/ell Status							
29. Disposi SOLD	ition of Gas(S	old, used	l for fuel, vent	ed, etc.)		•											
30. Summary of Porous Zones (Include Aquifers): Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures										31. Formation (Log) Markers							
	overies.	i interva	l tested, cushic	n used, time	tool open,	flowing and	snut-in pre	ssures									
I	Formation		Тор	Bottom Descriptions, Con							Name		Top Meas. Depth				
CHERRY CANYON BRUSHY CANYON BONE SPRINGS BONE SPRING 1ST BONE SPRING 2ND BONE SPRING 3RD WOLFCAMP			3763 4987 6616 7605 8435 9536 10000	4987 6616 7605 8435 9536 10000	6616 OIL, GAS, WATER 7605 OIL, GAS, WATER 8435 OIL, GAS, WATER			RUSTLER SALADO CASTILE LAMAR CHERRY CANYON BRUSHY CANYON BONE SPRINGS BONE SPRING 1ST BONE SPRING 2ND BONE SPRING 3RD WOLFCAMP			290 606 1218 2850 3763 4987 6616 7605 8435 9536 10000						
52. CC 2ND B 3RD B WOLF LOGS	ONT'D ONE SPRIN ONE SPRIN CAMP ATTACHED	IGS - 84 IGS - 95 - 10000 IN ED(536'	20.	LLED AME	NDED C-1	02 PLAT {	& WBD AF	RE AT	TACHE	D						
33. Circle enclosed attachments:2. Geologic Report3. DST Report4. Directional Survey1. Electrical/Mechanical Logs (1 full set req'd.)2. Geologic Report3. DST Report4. Directional Survey5. Sundry Notice for plugging and cement verification6. Core Analysis7 Other:																	
	y certify that t		Electr	onic Submi For O	ssion #5136 XY USA IN	olete and corr 595 Verified NCORPORA ssing by TA	by the BL ATED, ser NJA BAC	M Well Ir nt to the C A on 12/18	nform Carlsba 8/2020	ation Sys ad) (21TAE		ched instruction	ns):				
Signatu	ire	(Electro	nic Submissi	on)			D	ate <u>05/01/</u>	/2020								
			Title 43 U.S. titious or frad								to make to any de	epartment or ag	gency				

** REVISED **

•

.

Additional data for transaction #513695 that would not fit on the form

32. Additional remarks, continued

 *** tubing exception filed 4/30/20 ? tubing attcipated to be installed between 6/1/20 and 6/15/20 ***

•

Revisions to Operator-Submitted EC Data for Well Completion #513695

	Operator Submitted	BLM Revised (AFMSS)
Lease:	NMNM94651	NMNM94651
Agreement:		
Operator:	OXY USA INC. 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713-215-7000	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM
	Ph: 713-366-5771	Ph: 713-366-5771
Tech Contact:	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM
	Ph: 713-366-5771	Ph: 713-366-5771
Well Name: Number:	OXBOW CC 17-8 FEDERAL COM 36H	OXBOW CC 17-8 FEDERAL COM 36H
Location: State: County: S/T/R: Surf Loc:	NM EDDY Sec 17 T24S R29E Mer NMP SESE 601FSL 1201FEL 32.211935 N Lat, 104.001852	NM EDDY Sec 17 T24S R29E Mer NMP 2 V 8E6# 601FSL 1201FEL 32.211935 N Lat, 104.001852 W Lon
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Logs Run:	GAMMA RAY	GAMMARAY
Producing Intervals	- Formations: WOLFCAMP	WOLFCAMP
Porous Zones:	CHERRY CANYON BRUSHY CANYON BONE SPRINGS 1ST BONE SPRINGS 2ND BONE SPRINGS 3RD BONE SPRINGS WOLFCAMP	CHERRY CANYON BRUSHY CANYON BONE SPRINGS BONE SPRING 1ST BONE SPRING 2ND BONE SPRING 3RD WOLFCAMP
Markers:	RUSTLER SALADO CASTILLE LAMAR CHERRY CANYON BRUSHY CANYON BONE SPRINGS 1ST BONE SPINGS	RUSTLER SALADO CASTILE LAMAR CHERRY CANYON BRUSHY CANYON BONE SPRINGS BONE SPRING 1ST BONE SPRING 2ND BONE SPRING 3RD WOLFCAMP

District II

District IV

District I 1625 N. French Dr., Hobbs, NM 88240

Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District III 1000 Rio Brazos Rd., Aztec, NM 87410 CONDITIONS

Action 16540

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS OF APPROVAL

Operator:				OGRID:	Action Number:	Action Type:
OXY USA INC	P.O. Box 4294	Houston, TX772104294		16696	16540	C-105
OCD Reviewer			Cor	ndition		
plmartinez			Nor	ne		