Office	. <b>19:</b> ~40190202	pisii48:22 I	M	State of Ne	w Mexico			F	orm CP488 1	
District I – (575	5) 393-6161		Energy	, Minerals and	l Natural Reso	urces			August 1, 2011	
	Dr., Hobbs, NM	88240					WELL API NO	Э.		
District II – (57		110	OIL C	ONSERVA'	TION DIVIS	ION	30-015-45273			
District III – (50	Artesia, NM 882	210		220 South St. Francis Dr.			5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87410					STATE FEE					
District IV - (5				Santa Fe, N	NM 87505	Ì	6. State Oil &	Gas Lease No.		
1220 S. St. Fran 87505	ncis Dr., Santa Fe	, NM								
67303	SIINDI	V NOTIC	ES AND RE	EPORTS ON W	/EIIS		7 Lease Name	e or Unit Agreer	nant Nama	
	THIS FORM FO	OR PROPOSA	LS TO DRILL		OR PLUG BACK	го а		/18 B3LK State		
	Well: Oil Wel	11 🛛 G	as Well	Other			8. Well Numb	er 1H		
2. Name of			us wen	o uno			9. OGRID Nu	mber 14744		
	Oil Company	,					y. Odiab itu	14714		
3. Address of Operator								10. Pool name or Wildcat		
	0, Hobbs, NM	I 88240						canlon Draw; Bone Spring (55510)		
4. Well Loc							,		,	
			2100	C ( C 1	0 4 1	1 000				
I .	t LetterM			feet from the	7.	and205		heWest	line	
Sec	tion	13			19S Range	28E	NMPM	Cour	ity Eddy	
4. 8 3. 10				n (Show wheth	er DR, RKB, RT	, GR, etc.)				
	Mark and	THE PARTY OF	3388' GL							
TEMPORAR PULL OR AL DOWNHOLE OTHER:  13. Description of star proportion	REMEDIAL W ILY ABANDO TER CASING COMMINGL Tibe proposed Outling any proposed completi	ORK N N N N N N N N N N N N N N N N N N N	i). SEE RUI	ABANDON LANS COMPL COMPL COMPL COMPL COMPL COMPL COMPL COMPL COMPLETE TO THE PROPERTY OF THE P	СОММЕ	IAL WORK ENCE DRIL S/CEMENT : details, and altiple Com	JOB Divergive pertinent depletions: Attack	ALTERING ( P AND A  ates, including on wellbore diagn	CASING   Castimated date ram of	
				Т						
Casing Type		-		Casing Grade	Casing Weight	Top MD	Setting Depth	Sacks Cement	Top Cement	
Surface	Spud Mud	17.5	13 3/8"	H40	48	0	250	250	0	
Intermediate	Brine	12.25	9 5/8"	J55	36	0	1100	290	0	
Production	Cut Brine	8.75	7"	P110	26	0	8857	885	900	
Liner	ОВМ	6.125	4 1/2"	P110	13.5	8117	15891	315		
Spud Date:	Est. May 20	21		Rig Relea	ase Date:					
I hereby certif	v that the info	rmation ah	ove is true a	nd complete to	the best of my l	novledge	and haliaf			
SIGNATURE	Andre	. Ye Mo	der	TITLE	Engineer	diowiedge		ATE 4/19/20	121	
	- Trans		)					1/1//20		
Type or print r For State Use		Taylor		E-mail a	ddress: _ataylo:	r@mewbou	ime.com I	PHONE: (575) 3	393-5905	
APPROVED I	01.	Garcia		TITLE_	Petroleum S	pecialist	D	DATE5/13	/2021	

Well Name: Rattlesnake 13/18 B3LK St Com #1H

30-015-45273

<b>Casing Type</b>	Fluid Type	<b>Hole Size</b>	<b>Casing Size</b>	<b>Casing Grade</b>	Casing Weight	Top MD	<b>Setting Depth</b>	Sacks Cement	<b>Top Cement</b>
Surface	Spud Mud	17.5	13 3/8"	H40	48	0	250	250	0
Intermediate	Brine	12.25	9 5/8"	J55	36	0	1100	290	0
Production	Cut Brine	8.75	7"	P110	26	0	8857	885	900
Liner	OBM	6.125	4 1/2"	P110	13.5	8117	15891	315	8117

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

COMMENTS

Action 24699

## **COMMENTS**

Operator:			OGRID:	Action Number:	Action Type:
MEWBOURNE OIL CO	P.O. Box 5270	Hobbs, NM88241	14744	24699	C-103A

Created By	Comment	Comment Date
kpickford	KP GEO Review 4/21/2021	04/21/2021

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 24699

## **CONDITIONS OF APPROVAL**

Operator:			OGRID:	Action Number:	Action Type:
MEWBOURNE OIL CO	P.O. Box 5270	Hobbs, NM88241	14744	24699	C-103A

OCD Reviewer	ondition			
kpickford	Surface casing must be set 25' below top of Rustler Anhydrite or salt in order to seal off protectable water			
kpickford	Adhere to previous NMOCD Conditions of Approval			