

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 3/31/21
⁴ API Number 30-025-47218	⁵ Pool Name WC-025 G-09 S263416B; Wolfcamp	⁶ Pool Code 98105
⁷ Property Code 328254	⁸ Property Name Railsplitter 15-22 Fed Com	⁹ Well Number 7H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	15	26S	34E		2390	South	1709	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	22	26S	34E		35	South	2208	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/31/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
92591	Western Refining Company, L.P. 6500 Trowbridge Drive El Paso, TX 79905	Oil
371960	Lucid Energy Delaware, LLC 3100 McKinnon St., Ste. 800, Dallas, TX 75201	Gas

IV. Well Completion Data

²¹ Spud Date 9/21/20	²² Ready Date 3/31/21	²³ TD 20480	²⁴ PBDT 20421	²⁵ Perforations 12939 - 20361	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	877	680 sx CIC; Circ 242 sx		
9.875	8.625	12152	685 sx CIC; Circ 605 sx		
7.875	5.5	20470	1450 sx CIH; Circ 0 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/7/21	³² Gas Delivery Date 4/7/21	³³ Test Date 4/7/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 799 bbl	³⁹ Water 4443 bbl	⁴⁰ Gas 1225 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: Rebecca.Deal@dmn.com			Approval Date: 6/4/2021		
Date: 4/29/2021		Phone: 405-228-8429			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-47218	Pool Code 98105	Pool Name WC-025 G-09 S263416B;UPPER WOLFCAMP
Property Code 328254	Property Name RAILSPLITTER 15-22 FED COM	Well Number 7H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3266.8'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	15	26-S	34-E		2390	SOUTH	1709	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	22	26-S	34-E		35	SOUTH	2208	EAST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
480			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rebecca Deal 4/27/2021
Signature Date

Rebecca Deal, Regulatory Analyst
Printed Name

rebecca.deal@dvn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

11/17/2020

Date of Survey

Signature & Seal of Professional Surveyor



03/15/2021

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Final MWD Survey Certification

County, New Mexico

Client: Devon Energy

Well Name: RailSplitter 15-22 Fed Com 7H

Total Job No: SW-200488

API No: 30-025-47218

Start Date: 09/21/2020

End Date: 11/12/2020

Start Depth: 0'

End Depth: 20,480'

Vertical Section from well center at TD: 7,632.49 feet

I, Jamie Hiebert, MWD Operator, hereby certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Signed: *Jamie Hiebert*



Devon Energy

Lea County, NM (NAD83)

S15-T26S-R34E

RAILSPLITTER 15-22 FED COM 7H

OH

Design: OH

Survey Report - Geographic

17 November, 2020





Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 7H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3293.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3293.00usft
Well:	RAILSPLITTER 15-22 FED COM 7H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		S15-T26S-R34E			
Site Position:		Northing:		380,276.36 usft	
From:		Easting:		810,391.12 usft	
Position Uncertainty:		Slot Radius:		Grid Convergence:	
Lat/Long		13-3/16 "		32.042486	
0.00 usft				-103.464999	
				0.46 °	

Well		RAILSPLITTER 15-22 FED COM 7H				
Well Position	+N/-S	0.00 usft	Northing:	380,399.13 usft	Latitude:	32.042753
	+E/-W	0.00 usft	Easting:	813,560.52 usft	Longitude:	-103.454768
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,263.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	9/10/2020	6.53	59.87	47,511.85530347

Design	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	179.52	

Survey Program	Date	11/17/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
120.00	20,426.00	Survey #1 - MWD (OH)	OWSG (Rev2) MWD	OWSG MWD - Standard	
20,480.00	20,480.00	Survey #2 - Proj to TD (OH)	BLIND	OWSG BLIND	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	380,399.13	813,560.52	32.042753	-103.454768
120.00	0.90	80.30	120.00	0.16	0.93	380,399.29	813,561.45	32.042753	-103.454765
212.00	1.00	89.30	211.98	0.29	2.44	380,399.42	813,562.96	32.042754	-103.454760
272.00	1.00	81.50	271.97	0.37	3.49	380,399.51	813,564.00	32.042754	-103.454757
363.00	0.90	86.00	362.96	0.54	4.98	380,399.68	813,565.50	32.042754	-103.454752
455.00	0.80	102.50	454.95	0.45	6.33	380,399.59	813,566.85	32.042754	-103.454748
546.00	0.70	138.90	545.94	-0.10	7.32	380,399.03	813,567.83	32.042753	-103.454745
638.00	0.70	166.90	637.94	-1.07	7.81	380,398.06	813,568.33	32.042750	-103.454743
729.00	1.00	186.10	728.93	-2.41	7.86	380,396.73	813,568.37	32.042746	-103.454743
811.00	1.00	202.50	810.91	-3.78	7.51	380,395.36	813,568.02	32.042743	-103.454744
962.00	1.00	214.80	961.89	-6.08	6.25	380,393.06	813,566.77	32.042736	-103.454748



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 7H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3293.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3293.00usft
Well:	RAILSPLITTER 15-22 FED COM 7H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,054.00	1.10	208.80	1,053.88	-7.51	5.37	380,391.62	813,565.88	32.042732	-103.454751
1,144.00	1.20	206.80	1,143.86	-9.11	4.52	380,390.03	813,565.04	32.042728	-103.454754
1,234.00	1.10	211.00	1,233.84	-10.69	3.65	380,388.44	813,564.17	32.042724	-103.454757
1,326.00	1.40	212.70	1,325.82	-12.39	2.59	380,386.74	813,563.11	32.042719	-103.454760
1,416.00	1.40	220.60	1,415.79	-14.15	1.28	380,384.98	813,561.80	32.042714	-103.454764
1,512.00	1.30	214.60	1,511.76	-15.94	-0.10	380,383.19	813,560.42	32.042709	-103.454769
1,607.00	1.80	216.10	1,606.73	-18.03	-1.59	380,381.10	813,558.93	32.042704	-103.454774
1,702.00	1.80	216.10	1,701.68	-20.44	-3.35	380,378.69	813,557.17	32.042697	-103.454780
1,798.00	2.10	208.40	1,797.63	-23.21	-5.07	380,375.93	813,555.45	32.042689	-103.454785
1,893.00	2.10	213.10	1,892.56	-26.20	-6.85	380,372.94	813,553.67	32.042681	-103.454791
1,988.00	2.10	247.90	1,987.50	-28.31	-9.41	380,370.82	813,551.10	32.042675	-103.454799
2,083.00	4.00	280.90	2,082.37	-28.34	-14.28	380,370.80	813,546.24	32.042676	-103.454815
2,179.00	5.70	290.60	2,178.03	-26.03	-22.03	380,373.11	813,538.49	32.042682	-103.454840
2,274.00	8.70	292.70	2,272.27	-21.60	-33.08	380,377.54	813,527.44	32.042694	-103.454876
2,369.00	9.00	292.70	2,366.13	-15.96	-46.56	380,383.18	813,513.96	32.042710	-103.454919
2,464.00	8.80	293.70	2,459.99	-10.17	-60.07	380,388.97	813,500.45	32.042726	-103.454962
2,559.00	8.90	295.00	2,553.86	-4.14	-73.39	380,394.99	813,487.13	32.042743	-103.455005
2,654.00	8.80	295.50	2,647.73	2.09	-86.61	380,401.23	813,473.91	32.042761	-103.455048
2,749.00	8.70	296.80	2,741.62	8.46	-99.58	380,407.60	813,460.94	32.042779	-103.455089
2,843.00	8.40	298.00	2,834.58	14.89	-111.98	380,414.03	813,448.53	32.042797	-103.455129
2,938.00	8.40	301.30	2,928.56	21.75	-124.04	380,420.89	813,436.48	32.042816	-103.455168
3,034.00	8.30	303.00	3,023.54	29.17	-135.84	380,428.30	813,424.67	32.042836	-103.455206
3,129.00	8.40	305.80	3,117.54	36.96	-147.22	380,436.10	813,413.30	32.042858	-103.455242
3,224.00	8.30	309.00	3,211.53	45.34	-158.18	380,444.47	813,402.34	32.042881	-103.455278
3,319.00	8.00	312.20	3,305.57	54.09	-168.41	380,453.23	813,392.11	32.042906	-103.455310
3,415.00	7.50	317.50	3,400.69	63.20	-177.59	380,462.34	813,382.93	32.042931	-103.455340
3,510.00	7.40	319.50	3,494.89	72.42	-185.75	380,471.56	813,374.77	32.042956	-103.455366
3,605.00	7.20	321.10	3,589.12	81.71	-193.46	380,480.84	813,367.06	32.042982	-103.455390
3,700.00	7.30	322.50	3,683.36	91.13	-200.87	380,490.26	813,359.64	32.043008	-103.455414
3,795.00	7.40	323.40	3,777.58	100.83	-208.19	380,499.96	813,352.32	32.043035	-103.455437
3,891.00	7.50	322.80	3,872.77	110.78	-215.67	380,509.92	813,344.85	32.043062	-103.455461
3,986.00	7.70	321.30	3,966.94	120.69	-223.40	380,519.82	813,337.12	32.043090	-103.455486
4,081.00	7.60	320.90	4,061.09	130.53	-231.34	380,529.67	813,329.18	32.043117	-103.455511
4,176.00	7.40	320.50	4,155.28	140.13	-239.19	380,539.26	813,321.33	32.043144	-103.455536
4,271.00	7.00	316.70	4,249.53	149.06	-247.05	380,548.20	813,313.46	32.043168	-103.455562
4,366.00	6.60	314.50	4,343.86	157.10	-254.92	380,556.24	813,305.60	32.043191	-103.455587
4,462.00	6.80	308.10	4,439.21	164.47	-263.32	380,563.61	813,297.19	32.043211	-103.455614
4,557.00	6.50	304.40	4,533.57	170.98	-272.19	380,570.12	813,288.33	32.043229	-103.455642
4,651.00	5.80	306.30	4,627.03	176.80	-280.41	380,575.94	813,280.11	32.043245	-103.455669
4,746.00	5.40	309.00	4,721.57	182.46	-287.75	380,581.59	813,272.77	32.043261	-103.455692
4,841.00	5.70	307.20	4,816.13	188.12	-294.98	380,587.26	813,265.54	32.043277	-103.455715
4,935.00	5.10	308.90	4,909.71	193.57	-301.95	380,592.70	813,258.57	32.043292	-103.455738
5,030.00	4.20	308.10	5,004.40	198.37	-307.97	380,597.50	813,252.54	32.043305	-103.455757
5,125.00	5.00	308.80	5,099.09	203.11	-313.94	380,602.24	813,246.58	32.043318	-103.455776
5,220.00	5.60	307.90	5,193.68	208.55	-320.82	380,607.68	813,239.70	32.043333	-103.455798
5,315.00	4.80	308.00	5,288.29	213.84	-327.61	380,612.98	813,232.91	32.043348	-103.455820
5,410.00	4.10	303.50	5,383.01	218.16	-333.58	380,617.30	813,226.94	32.043360	-103.455839
5,504.00	4.20	305.00	5,476.76	221.99	-339.20	380,621.13	813,221.32	32.043371	-103.455857
5,599.00	4.50	300.90	5,571.49	225.90	-345.24	380,625.04	813,215.27	32.043382	-103.455876
5,695.00	4.50	298.80	5,667.19	229.65	-351.78	380,628.78	813,208.74	32.043392	-103.455897
5,790.00	4.60	300.00	5,761.89	233.35	-358.34	380,632.48	813,202.18	32.043402	-103.455919
5,885.00	4.50	296.00	5,856.59	236.89	-364.99	380,636.02	813,195.53	32.043412	-103.455940
5,980.00	4.50	297.20	5,951.30	240.23	-371.65	380,639.36	813,188.86	32.043422	-103.455961
6,075.00	4.50	296.10	6,046.01	243.57	-378.32	380,642.70	813,182.20	32.043431	-103.455983
6,171.00	4.20	291.00	6,141.73	246.49	-384.98	380,645.62	813,175.54	32.043439	-103.456004



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 7H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3293.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3293.00usft
Well:	RAILSPLITTER 15-22 FED COM 7H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,266.00	2.80	284.40	6,236.55	248.31	-390.48	380,647.44	813,170.04	32.043444	-103.456022
6,361.00	2.60	282.20	6,331.44	249.34	-394.83	380,648.48	813,165.69	32.043447	-103.456036
6,456.00	2.90	285.60	6,426.34	250.44	-399.25	380,649.58	813,161.27	32.043450	-103.456050
6,551.00	2.00	261.60	6,521.25	250.85	-403.20	380,649.98	813,157.31	32.043452	-103.456063
6,646.00	2.50	216.10	6,616.18	248.93	-406.07	380,648.07	813,154.45	32.043446	-103.456072
6,741.00	2.50	209.70	6,711.09	245.46	-408.31	380,644.59	813,152.20	32.043437	-103.456079
6,837.00	2.50	215.70	6,807.00	241.94	-410.57	380,641.07	813,149.95	32.043427	-103.456087
6,932.00	1.80	196.00	6,901.94	238.82	-412.19	380,637.96	813,148.33	32.043419	-103.456092
7,027.00	1.10	108.70	6,996.91	237.09	-411.74	380,636.23	813,148.78	32.043414	-103.456091
7,122.00	1.20	93.90	7,091.90	236.73	-409.88	380,635.87	813,150.63	32.043413	-103.456085
7,218.00	1.00	78.10	7,187.88	236.84	-408.06	380,635.97	813,152.46	32.043413	-103.456079
7,313.00	1.00	86.60	7,282.86	237.06	-406.42	380,636.19	813,154.10	32.043414	-103.456074
7,408.00	0.80	84.20	7,377.85	237.18	-404.93	380,636.31	813,155.58	32.043414	-103.456069
7,503.00	0.90	99.90	7,472.84	237.11	-403.54	380,636.25	813,156.98	32.043414	-103.456064
7,598.00	0.70	91.00	7,567.83	236.98	-402.22	380,636.11	813,158.29	32.043413	-103.456060
7,694.00	0.80	91.50	7,663.82	236.95	-400.97	380,636.08	813,159.55	32.043413	-103.456056
7,789.00	0.70	88.00	7,758.82	236.95	-399.73	380,636.09	813,160.79	32.043413	-103.456052
7,884.00	0.70	113.90	7,853.81	236.74	-398.62	380,635.87	813,161.90	32.043413	-103.456048
7,980.00	0.60	118.20	7,949.80	236.26	-397.64	380,635.40	813,162.88	32.043411	-103.456045
8,075.00	0.50	124.80	8,044.80	235.79	-396.86	380,634.92	813,163.66	32.043410	-103.456043
8,170.00	0.30	147.30	8,139.80	235.34	-396.38	380,634.48	813,164.14	32.043409	-103.456041
8,265.00	0.10	215.70	8,234.80	235.07	-396.30	380,634.20	813,164.22	32.043408	-103.456041
8,360.00	0.30	245.70	8,329.79	234.90	-396.57	380,634.03	813,163.95	32.043408	-103.456042
8,454.00	0.10	195.70	8,423.79	234.72	-396.82	380,633.85	813,163.70	32.043407	-103.456043
8,548.00	0.30	178.00	8,517.79	234.39	-396.83	380,633.53	813,163.69	32.043406	-103.456043
8,643.00	0.50	145.30	8,612.79	233.80	-396.59	380,632.94	813,163.93	32.043405	-103.456042
8,738.00	0.60	150.90	8,707.79	233.03	-396.11	380,632.16	813,164.41	32.043402	-103.456040
8,832.00	0.50	147.80	8,801.78	232.25	-395.65	380,631.38	813,164.87	32.043400	-103.456039
8,926.00	0.70	171.40	8,895.78	231.34	-395.35	380,630.47	813,165.17	32.043398	-103.456038
9,020.00	0.50	150.30	8,989.77	230.41	-395.06	380,629.55	813,165.46	32.043395	-103.456037
9,114.00	0.60	181.10	9,083.77	229.56	-394.86	380,628.70	813,165.65	32.043393	-103.456036
9,209.00	0.60	184.60	9,178.76	228.57	-394.91	380,627.70	813,165.60	32.043390	-103.456037
9,304.00	0.70	167.90	9,273.76	227.51	-394.83	380,626.64	813,165.69	32.043387	-103.456036
9,398.00	0.70	190.20	9,367.75	226.38	-394.81	380,625.51	813,165.70	32.043384	-103.456036
9,493.00	0.70	164.00	9,462.74	225.25	-394.76	380,624.39	813,165.76	32.043381	-103.456036
9,588.00	0.70	184.10	9,557.74	224.11	-394.64	380,623.25	813,165.88	32.043378	-103.456036
9,683.00	0.40	163.50	9,652.73	223.22	-394.58	380,622.35	813,165.93	32.043375	-103.456036
9,777.00	0.60	193.10	9,746.73	222.42	-394.60	380,621.56	813,165.91	32.043373	-103.456036
9,871.00	0.60	166.30	9,840.72	221.47	-394.60	380,620.60	813,165.92	32.043371	-103.456036
9,967.00	0.50	167.60	9,936.72	220.57	-394.39	380,619.70	813,166.13	32.043368	-103.456035
10,061.00	0.80	149.40	10,030.71	219.60	-393.97	380,618.74	813,166.55	32.043366	-103.456034
10,155.00	1.00	162.10	10,124.70	218.26	-393.38	380,617.39	813,167.14	32.043362	-103.456032
10,250.00	0.80	156.10	10,219.69	216.86	-392.86	380,616.00	813,167.66	32.043358	-103.456030
10,345.00	0.30	183.10	10,314.69	216.01	-392.60	380,615.14	813,167.92	32.043356	-103.456030
10,439.00	0.40	324.40	10,408.68	216.03	-392.81	380,615.16	813,167.71	32.043356	-103.456030
10,533.00	0.80	343.80	10,502.68	216.93	-393.18	380,616.06	813,167.34	32.043358	-103.456031
10,628.00	0.90	350.30	10,597.67	218.30	-393.49	380,617.43	813,167.03	32.043362	-103.456032
10,723.00	1.10	320.70	10,692.65	219.74	-394.19	380,618.87	813,166.32	32.043366	-103.456035
10,818.00	2.00	298.00	10,787.62	221.22	-396.24	380,620.36	813,164.28	32.043370	-103.456041
10,913.00	2.60	289.00	10,882.54	222.70	-399.74	380,621.84	813,160.78	32.043374	-103.456052
11,007.00	2.70	278.50	10,976.44	223.72	-403.94	380,622.86	813,156.58	32.043377	-103.456066
11,102.00	2.60	273.30	11,071.34	224.18	-408.31	380,623.31	813,152.21	32.043378	-103.456080
11,196.00	2.40	266.90	11,165.25	224.20	-412.40	380,623.33	813,148.12	32.043379	-103.456093
11,291.00	2.20	258.30	11,260.18	223.72	-416.17	380,622.85	813,144.35	32.043377	-103.456105
11,386.00	2.20	254.70	11,355.11	222.87	-419.72	380,622.00	813,140.80	32.043375	-103.456117



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 7H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3293.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3293.00usft
Well:	RAILSPLITTER 15-22 FED COM 7H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,481.00	1.90	263.00	11,450.05	222.19	-423.04	380,621.33	813,137.48	32.043373	-103.456128
11,576.00	1.90	278.80	11,544.99	222.24	-426.16	380,621.38	813,134.36	32.043373	-103.456138
11,670.00	1.90	276.50	11,638.94	222.66	-429.25	380,621.79	813,131.27	32.043375	-103.456148
11,765.00	2.30	256.50	11,733.88	222.39	-432.66	380,621.53	813,127.85	32.043374	-103.456159
11,860.00	3.50	241.20	11,828.76	220.55	-437.06	380,619.68	813,123.46	32.043369	-103.456173
11,955.00	4.10	246.40	11,923.55	217.79	-442.71	380,616.93	813,117.81	32.043362	-103.456191
12,049.00	3.40	251.70	12,017.35	215.57	-448.44	380,614.71	813,112.08	32.043356	-103.456210
12,101.00	2.90	252.50	12,069.27	214.69	-451.16	380,613.83	813,109.36	32.043353	-103.456219
12,193.00	2.20	258.00	12,161.18	213.63	-455.10	380,612.76	813,105.41	32.043350	-103.456231
12,288.00	4.10	244.70	12,256.03	211.79	-459.96	380,610.93	813,100.56	32.043346	-103.456247
KOP									
12,383.00	5.30	233.00	12,350.71	207.70	-466.53	380,606.84	813,093.98	32.043334	-103.456268
12,479.00	10.40	210.70	12,445.80	197.57	-474.50	380,596.71	813,086.01	32.043307	-103.456294
12,574.00	29.90	187.80	12,534.66	166.40	-482.18	380,565.54	813,078.34	32.043221	-103.456320
12,668.00	44.60	201.30	12,609.41	112.06	-497.46	380,511.19	813,063.06	32.043072	-103.456371
12,735.40	50.15	190.06	12,655.12	64.42	-510.60	380,463.55	813,049.91	32.042942	-103.456414
RAILSPLITTER 7H FTP (2537 FSL, 2120 FEL)									
12,763.00	52.70	186.00	12,672.33	43.06	-513.60	380,442.20	813,046.92	32.042883	-103.456425
12,858.00	63.20	176.90	12,722.74	-37.20	-515.27	380,361.94	813,045.25	32.042662	-103.456432
12,953.00	71.20	173.10	12,759.54	-124.34	-507.56	380,274.79	813,052.96	32.042423	-103.456409
13,048.00	84.40	173.10	12,779.57	-216.32	-496.42	380,182.81	813,064.09	32.042170	-103.456376
13,143.00	89.50	171.80	12,784.62	-310.33	-483.96	380,088.80	813,076.56	32.041911	-103.456338
13,238.00	91.60	172.80	12,783.71	-404.46	-471.23	379,994.67	813,089.28	32.041652	-103.456300
13,333.00	88.40	169.80	12,783.71	-498.35	-456.87	379,900.79	813,103.65	32.041394	-103.456256
13,427.00	92.40	172.30	12,783.06	-591.17	-442.25	379,807.96	813,118.27	32.041138	-103.456211
13,522.00	92.50	172.50	12,779.00	-685.25	-429.70	379,713.88	813,130.82	32.040879	-103.456173
13,616.00	92.90	173.00	12,774.57	-778.40	-417.85	379,620.74	813,142.67	32.040623	-103.456137
13,711.00	90.40	174.60	12,771.83	-872.79	-407.59	379,526.34	813,152.92	32.040363	-103.456106
13,806.00	89.40	176.50	12,772.00	-967.50	-400.22	379,431.63	813,160.30	32.040103	-103.456085
13,901.00	88.90	176.50	12,773.41	-1,062.31	-394.42	379,336.82	813,166.09	32.039842	-103.456069
13,995.00	90.40	178.00	12,773.98	-1,156.20	-389.91	379,242.94	813,170.60	32.039584	-103.456057
14,090.00	90.10	178.30	12,773.57	-1,251.15	-386.85	379,147.99	813,173.67	32.039323	-103.456049
14,185.00	88.90	178.80	12,774.40	-1,346.11	-384.44	379,053.02	813,176.07	32.039062	-103.456044
14,278.00	89.60	178.20	12,775.61	-1,439.07	-382.01	378,960.06	813,178.51	32.038806	-103.456039
14,373.00	91.30	179.40	12,774.87	-1,534.04	-380.02	378,865.09	813,180.50	32.038545	-103.456035
14,468.00	91.60	179.70	12,772.46	-1,629.01	-379.27	378,770.13	813,181.24	32.038284	-103.456035
14,565.00	87.90	177.50	12,772.89	-1,725.95	-376.90	378,673.18	813,183.61	32.038017	-103.456030
14,658.00	89.70	180.00	12,774.83	-1,818.90	-374.88	378,580.23	813,185.64	32.037762	-103.456026
14,752.00	90.00	180.40	12,775.08	-1,912.90	-375.21	378,486.23	813,185.31	32.037504	-103.456029
14,847.00	90.80	180.60	12,774.42	-2,007.89	-376.03	378,391.24	813,184.48	32.037242	-103.456034
14,942.00	90.20	180.10	12,773.59	-2,102.89	-376.61	378,296.25	813,183.90	32.036981	-103.456039
15,037.00	92.30	181.10	12,771.52	-2,197.85	-377.61	378,201.28	813,182.91	32.036720	-103.456044
15,132.00	90.10	179.20	12,769.53	-2,292.82	-377.86	378,106.31	813,182.66	32.036459	-103.456048
15,227.00	88.30	179.00	12,770.85	-2,387.80	-376.36	378,011.34	813,184.15	32.036198	-103.456045
15,231.92	88.40	179.04	12,770.99	-2,392.71	-376.28	378,006.42	813,184.24	32.036185	-103.456045
S15/22 Crossing									
15,322.00	90.20	179.80	12,772.10	-2,482.78	-375.37	377,916.36	813,185.15	32.035937	-103.456045
15,417.00	89.40	179.70	12,772.43	-2,577.78	-374.96	377,821.36	813,185.56	32.035676	-103.456046
15,512.00	90.50	180.50	12,772.51	-2,672.77	-375.12	377,726.36	813,185.40	32.035415	-103.456049
15,606.00	88.50	180.20	12,773.33	-2,766.76	-375.70	377,632.37	813,184.82	32.035157	-103.456053
15,701.00	90.50	181.20	12,774.16	-2,861.75	-376.86	377,537.39	813,183.66	32.034896	-103.456059
15,796.00	88.80	180.60	12,774.74	-2,956.73	-378.35	377,442.41	813,182.17	32.034634	-103.456067
15,891.00	89.40	181.10	12,776.23	-3,051.71	-379.76	377,347.43	813,180.76	32.034373	-103.456074
15,987.00	90.40	181.20	12,776.40	-3,147.69	-381.68	377,251.45	813,178.83	32.034110	-103.456082
16,082.00	90.10	181.90	12,775.99	-3,242.65	-384.25	377,156.49	813,176.26	32.033849	-103.456093



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 7H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3293.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3293.00usft
Well:	RAILSPLITTER 15-22 FED COM 7H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,177.00	89.20	183.40	12,776.57	-3,337.54	-388.65	377,061.59	813,171.87	32.033588	-103.456110
16,272.00	88.20	183.30	12,778.72	-3,432.35	-394.20	376,966.78	813,166.32	32.033328	-103.456130
16,367.00	87.10	182.60	12,782.62	-3,527.15	-399.08	376,871.99	813,161.44	32.033067	-103.456149
16,462.00	87.60	182.50	12,787.01	-3,621.95	-403.30	376,777.18	813,157.21	32.032807	-103.456165
16,557.00	88.00	182.00	12,790.66	-3,716.81	-407.03	376,682.33	813,153.49	32.032546	-103.456179
16,652.00	87.10	179.90	12,794.72	-3,811.70	-408.60	376,587.43	813,151.91	32.032285	-103.456187
16,747.00	88.70	178.20	12,798.20	-3,906.62	-407.03	376,492.52	813,153.49	32.032024	-103.456184
16,842.00	90.00	177.20	12,799.28	-4,001.53	-403.22	376,397.60	813,157.30	32.031763	-103.456174
16,845.31	90.07	177.20	12,799.27	-4,004.84	-403.06	376,394.30	813,157.46	32.031754	-103.456174
RAILSPLITTER 7H TGT									
16,937.00	91.90	177.10	12,797.70	-4,096.40	-398.49	376,302.74	813,162.02	32.031502	-103.456162
17,032.00	91.30	177.20	12,795.05	-4,191.24	-393.77	376,207.89	813,166.75	32.031242	-103.456149
17,127.00	93.10	178.20	12,791.40	-4,286.09	-389.96	376,113.04	813,170.56	32.030981	-103.456139
17,222.00	93.80	178.50	12,785.68	-4,380.88	-387.23	376,018.26	813,173.29	32.030720	-103.456133
17,317.00	91.90	178.70	12,780.96	-4,475.73	-384.91	375,923.41	813,175.60	32.030459	-103.456128
17,412.00	89.40	179.70	12,779.88	-4,570.70	-383.59	375,828.43	813,176.93	32.030198	-103.456126
17,506.00	89.30	180.30	12,780.95	-4,664.70	-383.59	375,734.44	813,176.93	32.029940	-103.456128
17,601.00	90.70	179.60	12,780.95	-4,759.69	-383.51	375,639.44	813,177.01	32.029679	-103.456131
17,696.00	89.10	179.80	12,781.12	-4,854.69	-383.01	375,544.45	813,177.51	32.029418	-103.456131
17,791.00	90.60	179.90	12,781.36	-4,949.69	-382.76	375,449.45	813,177.76	32.029157	-103.456133
17,885.00	89.60	179.40	12,781.20	-5,043.68	-382.18	375,355.45	813,178.33	32.028898	-103.456134
17,980.00	90.90	179.50	12,780.79	-5,138.68	-381.27	375,260.46	813,179.24	32.028637	-103.456133
18,074.00	90.10	178.70	12,779.97	-5,232.66	-379.80	375,166.48	813,180.72	32.028379	-103.456131
18,168.00	91.90	178.90	12,778.33	-5,326.62	-377.83	375,072.52	813,182.69	32.028120	-103.456127
18,262.00	90.20	179.50	12,776.60	-5,420.59	-376.52	374,978.54	813,184.00	32.027862	-103.456125
18,357.00	89.50	179.30	12,776.85	-5,515.58	-375.52	374,883.55	813,185.00	32.027601	-103.456125
18,452.00	90.10	178.70	12,777.18	-5,610.57	-373.86	374,788.57	813,186.65	32.027340	-103.456122
18,547.00	90.30	180.40	12,776.85	-5,705.56	-373.12	374,693.57	813,187.40	32.027079	-103.456122
18,641.00	89.00	180.90	12,777.43	-5,799.55	-374.18	374,599.58	813,186.33	32.026820	-103.456128
18,736.00	90.20	181.00	12,778.09	-5,894.53	-375.76	374,504.60	813,184.76	32.026559	-103.456135
18,830.00	90.20	181.90	12,777.76	-5,988.50	-378.14	374,410.63	813,182.38	32.026301	-103.456145
18,924.00	89.00	181.90	12,778.42	-6,082.45	-381.25	374,316.69	813,179.26	32.026043	-103.456158
19,019.00	90.90	184.80	12,778.50	-6,177.27	-386.80	374,221.86	813,173.71	32.025782	-103.456178
19,114.00	89.10	184.60	12,778.50	-6,271.95	-394.59	374,127.19	813,165.93	32.025522	-103.456206
19,209.00	87.10	184.20	12,781.65	-6,366.61	-401.87	374,032.52	813,158.65	32.025262	-103.456232
19,303.00	86.70	183.10	12,786.73	-6,460.28	-407.85	373,938.85	813,152.67	32.025005	-103.456254
19,398.00	88.90	182.00	12,790.38	-6,555.11	-412.07	373,844.03	813,148.45	32.024744	-103.456270
19,493.00	90.70	183.60	12,790.71	-6,649.99	-416.71	373,749.15	813,143.81	32.024484	-103.456287
19,588.00	91.70	183.40	12,788.72	-6,744.79	-422.51	373,654.35	813,138.01	32.024223	-103.456308
19,682.00	90.10	180.70	12,787.25	-6,838.71	-425.87	373,560.43	813,134.65	32.023965	-103.456322
19,777.00	90.70	182.60	12,786.58	-6,933.66	-428.61	373,465.48	813,131.91	32.023704	-103.456333
19,871.00	90.40	182.60	12,785.68	-7,027.56	-432.87	373,371.58	813,127.65	32.023446	-103.456349
19,966.00	89.40	180.50	12,785.85	-7,122.52	-435.44	373,276.62	813,125.08	32.023185	-103.456360
20,061.00	89.80	178.90	12,786.51	-7,217.51	-434.94	373,181.63	813,125.58	32.022924	-103.456361
20,156.00	89.50	179.40	12,787.09	-7,312.50	-433.53	373,086.64	813,126.99	32.022663	-103.456359
20,251.00	90.50	179.80	12,787.09	-7,407.49	-432.87	372,991.64	813,127.65	32.022402	-103.456359
20,345.00	92.50	181.50	12,784.63	-7,501.45	-433.93	372,897.69	813,126.58	32.022144	-103.456365
20,412.53	90.50	180.58	12,782.86	-7,568.94	-435.16	372,830.20	813,125.36	32.021958	-103.456371
RAILSPLITTER 7H LTP (100 FSL, 2120 FEL)									
20,414.54	90.44	180.56	12,782.84	-7,570.95	-435.18	372,828.19	813,125.34	32.021953	-103.456371
100' FSL HL Crossing									
20,426.00	90.10	180.40	12,782.79	-7,582.41	-435.28	372,816.73	813,125.24	32.021921	-103.456372
20,480.00	90.10	180.40	12,782.70	-7,636.41	-435.65	372,762.73	813,124.86	32.021773	-103.456374
BHL - RAILSPLITTER 7H BHL (20 FSL, 2120 FEL)									



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 7H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3293.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3293.00usft
Well:	RAILSPLITTER 15-22 FED COM 7H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
12,288.00	12,256.03	211.79	-459.96	KOP
15,231.92	12,770.99	-2,392.71	-376.28	S15/22 Crossing
20,414.54	12,782.84	-7,570.95	-435.18	100' FSL HL Crossing
20,480.00	12,782.70	-7,636.41	-435.65	BHL

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-47218
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Railsplitter 15-22 Fed Com
8. Well Number	7H
9. OGRID Number	6137
10. Pool name or Wildcat	WC-025 G-09 S263416B; Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator	Devon Energy Production Company, L.P.
3. Address of Operator	333 West Sheridan, Oklahoma City, OK 73102
4. Well Location Unit Letter <u>J</u> : <u>2390</u> feet from the <u>South</u> line and <u>1709</u> feet from the <u>East</u> line Section <u>15</u> Township <u>26S</u> Range <u>34E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3267	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/12/20 - 3/31/21: MIRU WL & PT. TIH & ran CBL, TOC @ 8320'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12,939'-20,361'. Frac totals 18,619,858# prop, 84 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD @ 20,421'. CHC, FWB, ND BOP. Tubing to be ran at later date. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 4/29/2021

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429
For State Use Only

APPROVED BY: John Garcia TITLE Petroleum Specialist DATE 6/3/2021
 Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-025-47218								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Railsplitter 15-22 Fed Com				
						6. Well Number: 7H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat WC-025 G-09 S263416B; Wolfcamp				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	J	15	26S	34E		2390	South	1709	East	Lea
BH:	O	22	26S	34E		35	South	2208	East	Lea
13. Date Spudded 9/21/20	14. Date T.D. Reached 11/12/20	15. Date Rig Released 11/16/20		16. Date Completed (Ready to Produce) 3/31/21		17. Elevations (DF and RKB, RT, GR, etc.) 3267 GL				
18. Total Measured Depth of Well 20480 MD, 12783 TVD		19. Plug Back Measured Depth 20421		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL				
22. Producing Interval(s), of this completion - Top, Bottom, Name 12939-20361, Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE	WEIGHT LB./FT.	DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED		
13.375	54.5	877		17.5		680 sx CIC; circ 242 sx				
8.625	32	12152		9.875		685 sx CIC; circ 605 sx				
5.5	20	20470		7.875		1450 sx CIH; circ 0 sx		TOC @ 8942		
24. LINER RECORD				25. TUBING RECORD						
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 12939 - 20361, total 724 holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12939-20361 Acidize and frac in 37 stages. See detailed summary attached.						
28. PRODUCTION										
Date First Production 3/31/21		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 4/7/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 799	Gas - MCF 1225	Water - Bbl. 4443	Gas - Oil Ratio 1533.166			
Flow Tubing Press. psi	Casing Pressure psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude		NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Rebecca Deal		Printed Name Rebecca Deal		Title Regulatory Analyst		Date 4/29/2021				
E-mail Address Rebecca.Deal@dmn.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 26217

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 26217
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 26217

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 26217
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 and 3160-5 within 10 days to NMOCD after BLM approval.	6/4/2021