

Submit Copy To Appropriate District

Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-48277
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Mandelbaum Fee
8. Well Number 132H
9. OGRID Number 372043
10. Pool name or Wildcat ANTELOPE RIDGE; WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
TAP ROCK OPERATING, LLC

3. Address of Operator
523 PARK POINT DR, SUITE 200, GOLDEN, CO 80401

4. Well Location
Unit Letter N: 1030 feet from the South line and 2610 feet from the West line
Section 11 Township 24S Range 34E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3487 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: Change Directional Plans ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


Tap Rock Operating LLC, is requesting permission to change the drilling plans for the Mandelbaum Fee 132H. The change in drill plan will deepen the total vertical depth from the previously permitted Bone spring to the targeted Wolfcamp formation. Please see the attached drill plan for more details.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Analyst DATE 6/1/2021

Type or print name Bill Ramsey E-mail address: bramsey@taprk.com PHONE: 720-238-2787

For State Use Only

APPROVED BY:  TITLE DATE 06/04/2021
Conditions of Approval (if any)

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48277	² Pool Code 2220	³ Pool Name ANTELOPE RIDGE: WOLFCAMP
⁴ Property Code 329919	⁵ Property Name MANDELBAUM FEE	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 132H ⁹ Elevation 3487'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	11	24-S	34-E	—	1030'	SOUTH	2610'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	11	24-S	34-E	—	5'	NORTH	1657'	WEST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Raney

6/2/2021

Signature _____

Date _____

Bill Ramsey

Printed Name _____

bramsey@taprk.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

11/16/2020

Date of Survey 12/1/2014

Signature and Seal of Professional Surveyor

Certificate Number



Tap Rock Resources, LLC

**Lea County, NM (NAD 83 NME)
(Mandelbaum Fee) Sec-11_T-24-S_R-34-E
Mandelbaum Fee #132H**

OWB

Plan: Plan #4

Standard Planning Report

19 March, 2021





Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E		
Site Position:		Northing:	447,689.00 usft
From:	Map	Easting:	817,367.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 13' 39.436 N
		Longitude:	103° 26' 26.465 W
		Grid Convergence:	0.48 °

Well	Mandelbaum Fee #132H		
Well Position	+N/-S	0.0 usft	Northing:
	+E/-W	-50.0 usft	Easting:
Position Uncertainty	0.0 usft		Wellhead Elevation:
			Latitude:
			Longitude:
			Ground Level:

Wellbore	OWB				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	03/23/21	6.42	59.81	47,661.93022521

Design	Plan #4				
Audit Notes:					
Version:	Phase:	PLAN	Tie On Depth:	11,484.0	
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	359.54	

Plan Survey Tool Program	Date	03/19/21			
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks	
1	190.0	11,484.0	Intrepid MWD (OWB)	MWD	
			OWSG MWD - Standard		
2	11,484.0	17,394.3	Plan #4 (OWB)	MWD	
			OWSG MWD - Standard		



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
11,484.0	0.48	33.29	11,376.6	-966.7	-934.8	0.00	0.00	0.00	0.00	
11,835.4	0.48	33.29	11,728.0	-964.3	-933.2	0.00	0.00	0.00	0.00	
12,816.4	98.50	359.33	12,290.7	-306.6	-937.8	10.00	9.99	-3.46	-33.92	
15,616.4	98.50	359.33	11,876.8	2,462.4	-970.1	0.00	0.00	0.00	0.00	
15,741.4	96.00	359.33	11,861.0	2,586.4	-971.6	2.00	-2.00	0.00	180.00	
16,591.5	96.00	359.33	11,772.2	3,431.7	-981.5	0.00	0.00	0.00	0.00	
16,691.5	94.00	359.33	11,763.5	3,531.3	-982.6	2.00	-2.00	0.00	180.00	
17,041.4	94.00	359.33	11,739.1	3,880.4	-986.7	0.00	0.00	0.00	0.00	
17,141.4	92.00	359.33	11,733.8	3,980.3	-987.9	2.00	-2.00	0.00	180.00	
17,394.3	92.00	359.33	11,725.0	4,233.0	-990.8	0.00	0.00	0.00	0.00	



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
190.0	0.79	341.17	190.0	1.2	-0.4	1.2	0.42	0.42	0.00
327.0	1.01	13.61	327.0	3.3	-0.4	3.3	0.40	0.16	23.68
414.0	0.84	356.47	414.0	4.7	-0.3	4.7	0.37	-0.20	-19.70
505.0	0.40	331.42	505.0	5.6	-0.5	5.6	0.56	-0.48	-27.53
598.0	0.53	91.30	598.0	5.9	-0.2	5.9	0.87	0.14	128.90
690.0	0.26	112.84	690.0	5.8	0.4	5.8	0.33	-0.29	23.41
781.0	0.22	120.92	781.0	5.6	0.7	5.6	0.06	-0.04	8.88
871.0	0.31	80.93	871.0	5.6	1.1	5.6	0.22	0.10	-44.43
961.0	0.53	79.26	961.0	5.7	1.8	5.7	0.24	0.24	-1.86
1,049.0	0.66	61.86	1,048.9	6.0	2.6	6.0	0.25	0.15	-19.77
1,134.0	1.36	89.10	1,133.9	6.3	4.1	6.2	0.98	0.82	32.05
1,228.0	0.35	149.31	1,227.9	6.0	5.3	6.0	1.30	-1.07	64.05
1,323.0	1.80	247.13	1,322.9	5.2	4.1	5.2	1.98	1.53	102.97
1,418.0	3.03	238.87	1,417.8	3.3	0.6	3.3	1.34	1.29	-8.69
1,512.0	5.05	233.42	1,511.6	-0.4	-4.9	-0.4	2.19	2.15	-5.80
1,607.0	6.33	221.73	1,606.1	-6.8	-11.7	-6.7	1.81	1.35	-12.31
1,702.0	8.31	222.26	1,700.3	-15.8	-19.8	-15.6	2.09	2.08	0.56
1,797.0	9.58	228.59	1,794.2	-26.1	-30.4	-25.9	1.69	1.34	6.66
1,891.0	9.93	230.08	1,886.8	-36.5	-42.5	-36.1	0.46	0.37	1.59
1,986.0	9.54	229.82	1,980.5	-46.8	-54.7	-46.4	0.41	-0.41	-0.27
2,081.0	9.93	230.87	2,074.1	-57.1	-67.1	-56.5	0.45	0.41	1.11
2,176.0	9.71	231.40	2,167.7	-67.2	-79.7	-66.6	0.25	-0.23	0.56
2,271.0	9.67	235.35	2,261.3	-76.8	-92.6	-76.0	0.70	-0.04	4.16
2,366.0	9.58	229.03	2,355.0	-86.5	-105.1	-85.6	1.12	-0.09	-6.65
2,460.0	9.54	225.42	2,447.7	-97.1	-116.5	-96.2	0.64	-0.04	-3.84
2,555.0	9.58	222.52	2,541.4	-108.4	-127.5	-107.4	0.51	0.04	-3.05
2,650.0	9.45	221.29	2,635.1	-120.1	-138.0	-119.0	0.25	-0.14	-1.29
2,744.0	8.75	223.93	2,727.9	-131.1	-148.0	-129.9	0.87	-0.74	2.81
2,839.0	8.57	221.03	2,821.8	-141.6	-157.7	-140.3	0.50	-0.19	-3.05
2,934.0	8.70	222.43	2,915.7	-152.3	-167.2	-150.9	0.26	0.14	1.47
3,029.0	9.19	219.71	3,009.6	-163.4	-176.9	-162.0	0.68	0.52	-2.86
3,122.0	8.66	219.01	3,101.5	-174.6	-186.0	-173.1	0.58	-0.57	-0.75
3,212.0	9.10	216.37	3,190.4	-185.6	-194.5	-184.0	0.67	0.49	-2.93
3,310.0	9.58	218.39	3,287.1	-198.2	-204.2	-196.5	0.59	0.49	2.06
3,405.0	9.01	218.39	3,380.8	-210.2	-213.7	-208.5	0.60	-0.60	0.00
3,499.0	8.53	217.51	3,473.7	-221.5	-222.5	-219.7	0.53	-0.51	-0.94
3,593.0	9.10	218.30	3,566.6	-232.9	-231.4	-231.0	0.62	0.61	0.84
3,687.0	9.36	219.53	3,659.4	-244.6	-240.9	-242.7	0.35	0.28	1.31
3,780.0	8.40	221.64	3,751.3	-255.5	-250.2	-253.5	1.09	-1.03	2.27
3,873.0	9.19	221.91	3,843.2	-266.1	-259.7	-264.0	0.85	0.85	0.29
3,968.0	9.67	218.83	3,936.9	-278.0	-269.7	-275.8	0.73	0.51	-3.24
4,062.0	9.76	220.24	4,029.6	-290.2	-279.8	-288.0	0.27	0.10	1.50
4,155.0	9.67	223.40	4,121.2	-301.9	-290.3	-299.6	0.58	-0.10	3.40
4,249.0	9.93	222.87	4,213.9	-313.6	-301.2	-311.1	0.29	0.28	-0.56
4,343.0	9.19	220.85	4,306.5	-325.2	-311.6	-322.7	0.86	-0.79	-2.15
4,437.0	9.49	220.24	4,399.3	-336.8	-321.6	-334.2	0.34	0.32	-0.65
4,530.0	8.70	211.36	4,491.1	-348.6	-330.2	-346.0	1.73	-0.85	-9.55
4,624.0	7.74	205.82	4,584.2	-360.4	-336.6	-357.7	1.32	-1.02	-5.89
4,717.0	8.09	207.76	4,676.3	-371.8	-342.4	-369.1	0.47	0.38	2.09
4,811.0	7.65	214.08	4,769.4	-382.9	-349.0	-380.1	1.03	-0.47	6.72
4,904.0	6.99	209.43	4,861.6	-392.9	-355.2	-390.1	0.95	-0.71	-5.00
4,998.0	6.15	201.69	4,955.0	-402.6	-359.9	-399.7	1.30	-0.89	-8.23
5,092.0	6.51	204.59	5,048.5	-412.1	-364.0	-409.2	0.51	0.38	3.09



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,187.0	8.97	197.83	5,142.6	-424.1	-368.5	-421.1	2.76	2.59	-7.12
5,281.0	9.05	204.77	5,235.4	-437.8	-373.8	-434.7	1.16	0.09	7.38
5,375.0	9.93	216.28	5,328.1	-451.0	-381.7	-447.9	2.22	0.94	12.24
5,468.0	8.75	220.59	5,419.9	-462.8	-391.1	-459.7	1.47	-1.27	4.63
5,561.0	7.34	224.10	5,512.0	-472.5	-399.8	-469.3	1.60	-1.52	3.77
5,655.0	8.26	224.98	5,605.1	-481.6	-408.8	-478.3	0.99	0.98	0.94
5,749.0	8.18	229.64	5,698.2	-490.7	-418.6	-487.3	0.71	-0.09	4.96
5,843.0	9.54	239.05	5,791.0	-499.0	-430.4	-495.5	2.11	1.45	10.01
5,937.0	9.32	238.52	5,883.8	-507.0	-443.6	-503.4	0.25	-0.23	-0.56
6,031.0	9.54	241.95	5,976.5	-514.6	-457.0	-510.9	0.64	0.23	3.65
6,124.0	8.84	237.90	6,068.3	-522.1	-469.8	-518.3	1.02	-0.75	-4.35
6,218.0	9.05	239.31	6,161.2	-529.7	-482.3	-525.8	0.32	0.22	1.50
6,312.0	9.93	236.58	6,253.9	-537.9	-495.4	-533.9	1.05	0.94	-2.90
6,406.0	10.68	240.54	6,346.4	-546.7	-509.8	-542.5	1.10	0.80	4.21
6,500.0	10.73	246.43	6,438.7	-554.4	-525.4	-550.2	1.16	0.05	6.27
6,593.0	10.86	242.39	6,530.1	-562.0	-541.1	-557.6	0.83	0.14	-4.34
6,687.0	11.74	237.73	6,622.3	-571.2	-557.0	-566.7	1.35	0.94	-4.96
6,781.0	12.62	228.94	6,714.2	-583.0	-572.8	-578.4	2.18	0.94	-9.35
6,874.0	12.48	222.26	6,804.9	-597.1	-587.2	-592.4	1.57	-0.15	-7.18
6,968.0	12.40	221.20	6,896.7	-612.2	-600.7	-607.4	0.26	-0.09	-1.13
7,061.0	11.82	221.12	6,987.7	-626.9	-613.6	-622.0	0.62	-0.62	-0.09
7,155.0	10.95	220.15	7,079.8	-641.0	-625.7	-636.0	0.95	-0.93	-1.03
7,249.0	10.59	223.14	7,172.2	-654.1	-637.3	-649.0	0.71	-0.38	3.18
7,343.0	10.46	223.31	7,264.6	-666.6	-649.1	-661.4	0.14	-0.14	0.18
7,437.0	9.49	223.40	7,357.2	-678.5	-660.3	-673.2	1.03	-1.03	0.10
7,530.0	10.90	220.06	7,448.7	-690.8	-671.2	-685.4	1.64	1.52	-3.59
7,623.0	11.30	221.91	7,539.9	-704.3	-682.9	-698.8	0.58	0.43	1.99
7,718.0	10.51	222.35	7,633.2	-717.6	-695.0	-712.0	0.84	-0.83	0.46
7,812.0	10.24	218.83	7,725.7	-730.5	-706.0	-724.8	0.73	-0.29	-3.74
7,846.8	9.84	219.10	7,760.0	-735.2	-709.8	-729.5	1.17	-1.16	0.77
Brushy Canyon									
7,907.0	9.14	219.62	7,819.3	-742.9	-716.1	-737.1	1.17	-1.16	0.87
8,001.0	8.48	220.94	7,912.2	-753.9	-725.4	-748.0	0.73	-0.70	1.40
8,096.0	7.38	220.59	8,006.3	-763.8	-734.0	-757.9	1.16	-1.16	-0.37
8,191.0	6.46	217.07	8,100.6	-772.7	-741.2	-766.7	1.07	-0.97	-3.71
8,285.0	6.15	218.83	8,194.1	-780.8	-747.5	-774.8	0.39	-0.33	1.87
8,380.0	5.98	218.83	8,288.5	-788.6	-753.8	-782.6	0.18	-0.18	0.00
8,475.0	5.10	213.12	8,383.1	-796.0	-759.2	-789.9	1.09	-0.93	-6.01
8,570.0	4.13	219.18	8,477.8	-802.2	-763.7	-796.1	1.14	-1.02	6.38
8,665.0	5.14	223.58	8,572.5	-807.9	-768.8	-801.8	1.13	1.06	4.63
8,759.0	4.13	226.13	8,666.2	-813.3	-774.1	-807.1	1.10	-1.07	2.71
8,854.0	4.97	213.21	8,760.9	-819.2	-778.8	-812.9	1.39	0.88	-13.60
8,909.0	6.86	216.46	8,815.6	-823.8	-782.1	-817.5	3.49	3.44	5.91
8,949.0	7.60	220.76	8,855.2	-827.7	-785.2	-821.4	2.29	1.85	10.75
8,980.0	8.13	227.71	8,885.9	-830.7	-788.2	-824.4	3.51	1.71	22.42
9,044.0	7.87	224.54	8,949.3	-836.9	-794.6	-830.5	0.80	-0.41	-4.95
9,138.0	6.95	221.47	9,042.5	-845.8	-802.9	-839.3	1.07	-0.98	-3.27
9,236.1	6.52	222.84	9,140.0	-854.3	-810.6	-847.8	0.47	-0.44	1.40
Bone Spring Lime									
9,238.0	6.51	222.87	9,141.9	-854.5	-810.8	-847.9	0.47	-0.44	1.49
9,266.3	6.63	225.84	9,170.0	-856.8	-813.0	-850.2	1.28	0.44	10.49
Upper Avalon									
9,333.0	6.99	232.37	9,236.2	-861.9	-819.0	-855.3	1.28	0.53	9.79



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,427.0	6.64	232.63	9,329.5	-868.7	-827.8	-862.0	0.37	-0.37	0.28
9,513.1	7.48	233.85	9,415.0	-875.0	-836.3	-868.3	0.99	0.98	1.42
Middle Avalon									
9,521.0	7.56	233.95	9,422.8	-875.7	-837.2	-868.9	0.99	0.98	1.25
9,614.0	7.65	233.42	9,515.0	-882.9	-847.1	-876.1	0.12	0.10	-0.57
9,707.0	6.86	231.22	9,607.2	-890.1	-856.4	-883.2	0.90	-0.85	-2.37
9,801.0	8.09	227.71	9,700.4	-898.1	-865.7	-891.1	1.40	1.31	-3.73
9,896.0	9.14	226.39	9,794.4	-907.8	-876.1	-900.7	1.12	1.11	-1.39
9,927.0	9.02	227.07	9,825.0	-911.1	-879.6	-904.0	0.51	-0.38	2.19
Lower Avalon									
9,990.0	8.79	228.50	9,887.2	-917.7	-886.8	-910.5	0.51	-0.37	2.27
10,085.0	8.66	229.99	9,981.1	-927.1	-897.8	-919.9	0.27	-0.14	1.57
10,179.0	8.44	234.12	10,074.1	-935.7	-908.8	-928.4	0.69	-0.23	4.39
10,273.0	6.99	238.87	10,167.2	-942.7	-919.3	-935.3	1.68	-1.54	5.05
10,275.8	6.95	239.13	10,170.0	-942.9	-919.5	-935.5	1.85	-1.45	9.46
1st Bone Spring Sand									
10,368.0	5.71	249.86	10,261.6	-947.3	-928.6	-939.8	1.85	-1.34	11.63
10,463.0	4.84	249.50	10,356.2	-950.3	-936.8	-942.8	0.92	-0.92	-0.38
10,557.0	4.04	235.27	10,450.0	-953.6	-943.3	-946.0	1.44	-0.85	-15.14
10,652.0	1.85	219.01	10,544.8	-956.7	-947.0	-949.1	2.44	-2.31	-17.12
10,652.2	1.85	219.01	10,545.0	-956.7	-947.0	-949.1	0.00	0.00	0.00
2nd Bone Spring Carb									
10,746.0	0.40	167.85	10,638.8	-958.2	-947.9	-950.6	1.74	-1.55	-54.52
10,841.0	0.66	125.67	10,733.8	-958.9	-947.4	-951.2	0.48	0.27	-44.40
10,857.2	0.80	120.52	10,750.0	-959.0	-947.2	-951.3	0.98	0.89	-31.84
2nd Bone Spring Sand									
10,935.0	1.54	109.85	10,827.8	-959.6	-945.7	-952.0	0.98	0.94	-13.71
11,030.0	1.27	150.10	10,922.8	-960.9	-944.0	-953.3	1.05	-0.28	42.37
11,125.0	1.41	144.74	11,017.7	-962.8	-942.8	-955.2	0.20	0.15	-5.64
11,219.0	1.93	116.70	11,111.7	-964.5	-940.7	-956.9	1.01	0.55	-29.83
11,242.3	1.87	116.10	11,135.0	-964.8	-940.0	-957.2	0.29	-0.28	-2.56
3rd Bone Spring Carb									
11,314.0	1.67	113.98	11,206.7	-965.8	-938.0	-958.2	0.29	-0.27	-2.96
11,408.0	1.32	110.29	11,300.6	-966.7	-935.8	-959.1	0.39	-0.37	-3.93
11,484.0	0.48	33.29	11,376.6	-966.7	-934.8	-959.2	1.71	-1.11	-101.32
11,500.0	0.48	33.29	11,392.6	-966.6	-934.7	-959.1	0.00	0.00	0.00
11,600.0	0.48	33.29	11,492.6	-965.9	-934.2	-958.4	0.00	0.00	0.00
11,700.0	0.48	33.29	11,592.6	-965.2	-933.8	-957.7	0.00	0.00	0.00
11,757.4	0.48	33.29	11,650.0	-964.8	-933.5	-957.3	0.00	0.00	0.00
3rd Bone Spring Sand									
11,800.0	0.48	33.29	11,692.6	-964.5	-933.3	-957.0	0.00	0.00	0.00
11,835.4	0.48	33.29	11,728.0	-964.3	-933.2	-956.7	0.00	0.00	0.00
11,850.0	1.88	7.57	11,742.6	-964.0	-933.1	-956.5	10.00	9.57	-176.14
11,900.0	6.86	1.60	11,792.4	-960.2	-932.9	-952.7	10.00	9.97	-11.94
11,950.0	11.86	0.65	11,841.8	-952.0	-932.8	-944.5	10.00	10.00	-1.90
12,000.0	16.86	0.25	11,890.2	-939.6	-932.7	-932.1	10.00	10.00	-0.78
12,020.8	18.94	0.15	11,910.0	-933.2	-932.6	-925.7	10.00	10.00	-0.50
3rd BS W Sand									
12,050.0	21.86	0.04	11,937.3	-923.1	-932.6	-915.6	10.00	10.00	-0.39
12,100.0	26.86	359.90	11,982.9	-902.5	-932.6	-894.9	10.00	10.00	-0.28
12,113.7	28.23	359.87	11,995.0	-896.1	-932.7	-888.6	10.00	10.00	-0.22
Wolfcamp A X Sand									
12,150.0	31.86	359.80	12,026.4	-878.0	-932.7	-870.4	10.00	10.00	-0.19



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
12,196.6	36.52	359.73	12,065.0	-851.8	-932.8	-844.2	10.00	10.00	-0.15
Wolfcamp A Y Sand									
12,200.0	36.86	359.73	12,067.7	-849.7	-932.8	-842.2	10.00	10.00	-0.13
12,250.0	41.86	359.67	12,106.3	-818.0	-933.0	-810.5	10.00	10.00	-0.12
12,268.6	43.72	359.65	12,120.0	-805.4	-933.1	-797.9	10.00	10.00	-0.10
Wolfcamp A Lower									
12,300.0	46.86	359.62	12,142.1	-783.1	-933.2	-775.6	10.00	10.00	-0.09
12,350.0	51.86	359.58	12,174.6	-745.2	-933.5	-737.7	10.00	10.00	-0.08
12,400.0	56.86	359.54	12,203.8	-704.5	-933.8	-697.0	10.00	10.00	-0.07
12,450.0	61.86	359.51	12,229.2	-661.5	-934.1	-654.0	10.00	10.00	-0.06
12,500.0	66.86	359.48	12,250.9	-616.5	-934.5	-609.0	10.00	10.00	-0.06
12,550.0	71.86	359.46	12,268.5	-569.7	-935.0	-562.2	10.00	10.00	-0.05
12,554.9	72.35	359.46	12,270.0	-565.0	-935.0	-557.5	10.00	10.00	-0.05
Wolfcamp B									
12,600.0	76.86	359.43	12,282.0	-521.6	-935.4	-514.1	10.00	10.00	-0.05
12,650.0	81.86	359.41	12,291.2	-472.5	-935.9	-464.9	10.00	10.00	-0.05
12,700.0	86.86	359.38	12,296.1	-422.7	-936.5	-415.2	10.00	10.00	-0.05
12,750.0	91.86	359.36	12,296.7	-372.7	-937.0	-365.2	10.00	10.00	-0.05
12,800.0	96.86	359.34	12,292.9	-322.9	-937.6	-315.4	10.00	10.00	-0.05
12,816.4	98.50	359.33	12,290.7	-306.6	-937.8	-299.1	10.00	10.00	-0.05
12,900.0	98.50	359.33	12,278.3	-224.0	-938.7	-216.4	0.00	0.00	0.00
13,000.0	98.50	359.33	12,263.5	-125.1	-939.9	-117.5	0.00	0.00	0.00
13,100.0	98.50	359.33	12,248.8	-26.2	-941.0	-18.6	0.00	0.00	0.00
13,200.0	98.50	359.33	12,234.0	72.7	-942.2	80.3	0.00	0.00	0.00
13,300.0	98.50	359.33	12,219.2	171.6	-943.3	179.2	0.00	0.00	0.00
13,400.0	98.50	359.33	12,204.4	270.5	-944.5	278.1	0.00	0.00	0.00
13,500.0	98.50	359.33	12,189.6	369.4	-945.7	377.0	0.00	0.00	0.00
13,600.0	98.50	359.33	12,174.9	468.3	-946.8	475.9	0.00	0.00	0.00
13,700.0	98.50	359.33	12,160.1	567.2	-948.0	574.8	0.00	0.00	0.00
13,800.0	98.50	359.33	12,145.3	666.1	-949.1	673.7	0.00	0.00	0.00
13,900.0	98.50	359.33	12,130.5	765.0	-950.3	772.6	0.00	0.00	0.00
14,000.0	98.50	359.33	12,115.7	863.9	-951.4	871.5	0.00	0.00	0.00
14,100.0	98.50	359.33	12,100.9	962.8	-952.6	970.4	0.00	0.00	0.00
14,200.0	98.50	359.33	12,086.2	1,061.7	-953.8	1,069.3	0.00	0.00	0.00
14,300.0	98.50	359.33	12,071.4	1,160.5	-954.9	1,168.2	0.00	0.00	0.00
14,400.0	98.50	359.33	12,056.6	1,259.4	-956.1	1,267.1	0.00	0.00	0.00
14,500.0	98.50	359.33	12,041.8	1,358.3	-957.2	1,366.0	0.00	0.00	0.00
14,600.0	98.50	359.33	12,027.0	1,457.2	-958.4	1,464.9	0.00	0.00	0.00
14,700.0	98.50	359.33	12,012.3	1,556.1	-959.5	1,563.8	0.00	0.00	0.00
14,800.0	98.50	359.33	11,997.5	1,655.0	-960.7	1,662.7	0.00	0.00	0.00
14,900.0	98.50	359.33	11,982.7	1,753.9	-961.8	1,761.6	0.00	0.00	0.00
15,000.0	98.50	359.33	11,967.9	1,852.8	-963.0	1,860.5	0.00	0.00	0.00
15,100.0	98.50	359.33	11,953.1	1,951.7	-964.2	1,959.4	0.00	0.00	0.00
15,200.0	98.50	359.33	11,938.4	2,050.6	-965.3	2,058.3	0.00	0.00	0.00
15,300.0	98.50	359.33	11,923.6	2,149.5	-966.5	2,157.2	0.00	0.00	0.00
15,400.0	98.50	359.33	11,908.8	2,248.4	-967.6	2,256.1	0.00	0.00	0.00
15,500.0	98.50	359.33	11,894.0	2,347.3	-968.8	2,355.0	0.00	0.00	0.00
15,600.0	98.50	359.33	11,879.2	2,446.2	-969.9	2,453.9	0.00	0.00	0.00
15,616.4	98.50	359.33	11,876.8	2,462.4	-970.1	2,470.1	0.00	0.00	0.00
15,700.0	96.83	359.33	11,865.7	2,545.2	-971.1	2,553.0	2.00	-2.00	0.00
15,741.4	96.00	359.33	11,861.0	2,586.4	-971.6	2,594.1	2.00	-2.00	0.00
15,800.0	96.00	359.33	11,854.9	2,644.7	-972.3	2,652.4	0.00	0.00	0.00
15,900.0	96.00	359.33	11,844.5	2,744.1	-973.4	2,751.8	0.00	0.00	0.00



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	MD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	North Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	Survey Calculation Method:	Grid
Well:	Mandelbaum Fee #132H		Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
16,000.0	96.00	359.33	11,834.0	2,843.5	-974.6	2,851.3	0.00	0.00	0.00	
16,100.0	96.00	359.33	11,823.6	2,943.0	-975.8	2,950.7	0.00	0.00	0.00	
16,200.0	96.00	359.33	11,813.1	3,042.4	-976.9	3,050.2	0.00	0.00	0.00	
16,300.0	96.00	359.33	11,802.6	3,141.9	-978.1	3,149.6	0.00	0.00	0.00	
16,400.0	96.00	359.33	11,792.2	3,241.3	-979.2	3,249.1	0.00	0.00	0.00	
16,500.0	96.00	359.33	11,781.7	3,340.8	-980.4	3,348.5	0.00	0.00	0.00	
16,591.5	96.00	359.33	11,772.2	3,431.7	-981.5	3,439.5	0.00	0.00	0.00	
16,600.0	95.83	359.33	11,771.3	3,440.2	-981.6	3,448.0	2.00	-2.00	0.00	
16,691.5	94.00	359.33	11,763.5	3,531.3	-982.6	3,539.1	2.00	-2.00	0.00	
16,700.0	94.00	359.33	11,762.9	3,539.9	-982.7	3,547.6	0.00	0.00	0.00	
16,800.0	94.00	359.33	11,755.9	3,639.6	-983.9	3,647.4	0.00	0.00	0.00	
16,900.0	94.00	359.33	11,748.9	3,739.4	-985.1	3,747.1	0.00	0.00	0.00	
17,000.0	94.00	359.33	11,741.9	3,839.1	-986.2	3,846.9	0.00	0.00	0.00	
17,041.4	94.00	359.33	11,739.1	3,880.4	-986.7	3,888.2	0.00	0.00	0.00	
17,100.0	92.83	359.33	11,735.6	3,938.9	-987.4	3,946.7	2.00	-2.00	0.00	
17,141.4	92.00	359.33	11,733.8	3,980.3	-987.9	3,988.1	2.00	-2.00	0.00	
17,200.0	92.00	359.33	11,731.8	4,038.8	-988.6	4,046.6	0.00	0.00	0.00	
17,300.0	92.00	359.33	11,728.3	4,138.7	-989.7	4,146.6	0.00	0.00	0.00	
17,394.3	92.00	359.33	11,725.0	4,233.0	-990.8	4,240.8	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
PBHL (Mandelbaum F - hit/miss target - Shape)	-2.00	359.54	11,724.4	4,233.0	-990.0	451,922.00	816,327.00	32° 14' 21.406 N	103° 26' 38.163 W	
- plan misses target center by 1.0usft at 17394.3usft MD (11725.0 TVD, 4233.0 N, -990.8 E)										
- Rectangle (sides W100.0 H241.3 D30.0)										
4000*VS (Mandelbaur - plan misses target center by 0.6usft at 17153.4usft MD (11733.4 TVD, 3992.2 N, -988.0 E)	-4.00	359.54	11,732.9	3,992.2	-988.1	451,681.20	816,328.93	32° 14' 19.023 N	103° 26' 38.164 W	
- Rectangle (sides W100.0 H500.0 D30.0)										
LTP (Mandelbaum Fe - plan misses target center by 26.8usft at 17298.3usft MD (11728.3 TVD, 4137.1 N, -989.7 E)	0.00	0.00	11,755.1	4,138.0	-989.0	451,827.00	816,328.00	32° 14' 20.466 N	103° 26' 38.161 W	
- Point										
3500*VS (Mandelbaur - plan misses target center by 2.3usft at 16652.1usft MD (11766.5 TVD, 3492.1 N, -982.2 E)	-6.00	359.54	11,767.8	3,492.2	-984.0	451,181.20	816,332.96	32° 14' 14.075 N	103° 26' 38.165 W	
- Rectangle (sides W100.0 H1,000.0 D30.0)										
2500*VS (Mandelbaur - plan misses target center by 5.5usft at 15646.5usft MD (11872.5 TVD, 2492.2 N, -970.5 E)	-8.50	359.54	11,872.9	2,492.2	-976.0	450,181.20	816,341.00	32° 14' 4.180 N	103° 26' 38.168 W	
- Rectangle (sides W100.0 H3,434.2 D30.0)										
FTP (Mandelbaum Fe - plan misses target center by 96.9usft at 12177.6usft MD (12049.5 TVD, -862.8 N, -932.8 E)	0.00	0.00	12,103.3	-942.0	-948.0	446,747.00	816,369.00	32° 13' 30.196 N	103° 26' 38.173 W	
- Point										



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Mandelbaum Fee #132H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3513.0usft (H&P 425)
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3513.0usft (H&P 425)
Site:	(Mandelbaum Fee) Sec-11_T-24-S_R-34-E	North Reference:	Grid
Well:	Mandelbaum Fee #132H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #4		

Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
1,030.1	1,030.0	Rustler Anhydrite			
1,220.1	1,220.0	Top Salt			
5,098.6	5,055.0	Base Salt			
5,458.0	5,410.0	Delaware Mountain Gp			
5,468.1	5,420.0	Lamar			
5,488.3	5,440.0	Ramsey Sand			
5,513.6	5,465.0	Bell Canyon			
6,384.3	6,325.0	Cherry Canyon			
7,846.8	7,760.0	Brushy Canyon			
9,236.1	9,140.0	Bone Spring Lime			
9,266.3	9,170.0	Upper Avalon			
9,513.1	9,415.0	Middle Avalon			
9,927.0	9,825.0	Lower Avalon			
10,275.8	10,170.0	1st Bone Spring Sand			
10,652.2	10,545.0	2nd Bone Spring Carb			
10,857.2	10,750.0	2nd Bone Spring Sand			
11,242.3	11,135.0	3rd Bone Spring Carb			
11,757.4	11,650.0	3rd Bone Spring Sand			
12,020.8	11,910.0	3rd BS W Sand			
12,113.7	11,995.0	Wolfcamp A X Sand			
12,196.6	12,065.0	Wolfcamp A Y Sand			
12,268.6	12,120.0	Wolfcamp A Lower			
12,554.9	12,270.0	Wolfcamp B			

Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
11,484.0	11,376.6	-966.7	-934.8	Tie on - 351.4 hold at 11484.0 MD
11,835.4	11,728.0	-964.3	-933.2	KOP - DLS 10.00 TFO -33.92
12,816.4	12,290.7	-306.6	-937.8	EOC - 2800.0 hold at 12816.4 MD
15,616.4	11,876.8	2,462.4	-970.1	Start Drop -2.00
15,741.4	11,861.0	2,586.4	-971.6	Start 850.1 hold at 15741.4 MD
16,591.5	11,772.2	3,431.7	-981.5	Start Drop -2.00
16,691.5	11,763.5	3,531.3	-982.6	Start 349.9 hold at 16691.5 MD
17,041.4	11,739.1	3,880.4	-986.7	Start DLS 2.00 TFO 179.78
17,141.4	11,733.8	3,980.3	-987.9	Start 252.9 hold at 17141.4 MD
17,394.3	11,725.0	4,233.0	-990.8	TD at 17394.3

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 30316

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 30316
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	6/4/2021