<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
811 S. First St., Artesia, NM 88210
District III

State of New Mexico Energy, Minerals & Natural Resources Form C-104 Revised August 1, 2011

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr. Santa Fe. NM 8750 Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit one copy to appropriate District Office

1220 S. St. Franc	is Dr., Santa			T FOR	ALLOWABI	LE AND A	U <b>TH</b>	ORIZA	TION	то т	TRANSI	PORT		
<sup>1</sup> Operator na	ame and A					<u> </u>		<sup>2</sup> OGRI						
OXY USA I											16696			
P.O. BOX 5	60250 MIL	DLAND, TX	79710					<sup>3</sup> Reason NW- 1/3		ing Co	ode/ Effec	tive Date –		
<sup>4</sup> API Numbe	er	<sup>5</sup> Pool	Name					1111 111	72021	6 Po	ol Code			
30-015-46559					E SPRING					133				
<sup>7</sup> Property Co	ode: 3222	45 8 Pro	perty Nan	ne: PLAT	INUM MDP1 3	4-3 FEDERA	L CO	M		<sup>9</sup> W	ell Numb	er: 26H		
II. 10 Sur			_						•	1				
Ul or lot no.			Range	Lot Idn	Feet from the						Vest line	County		
A 11 Rot	34 tom Hole	23S Location	31E	FTP:	110 437' FNL 411	NORTH		793 18' FSL 4			AST	EDDY		
		Township	Range		Feet from the						Vest line	County		
P	3	24S	31E	200 2022	21	SOUTH		414			AST	EDDY		
12 Lse Code		ing Method		onnection	<sup>15</sup> C-129 Pern	nit Number	<sup>16</sup> (	C-129 Effe	ctive Da	ate	<sup>17</sup> C-1	29 Expiration Date		
F		ode : F		nte: 0/2021										
III. Oil ar	nd Gas Ti	ransporter	s											
18 Transpor		•			<sup>19</sup> Transpor							<sup>20</sup> O/G/W		
OGRID 237722					and Add		,				0			
231122			LINIURIONI	II ELIME LA	•					<u> </u>				
151618 ENTERPRISE FI					RPRISE FIEL	D SERVICES	LLC	ı ,				G		
IV. Well C	Completic	on Data												
<sup>21</sup> Spud Da		<sup>22</sup> Ready	Date		<sup>23</sup> TD	<sup>24</sup> PBTE	)	<sup>25</sup> Pe	rforatio	ns		<sup>26</sup> DHC, MC		
1/14/2020	)	1/5/20	21		5'M 8936'V	19137'M 89	35'V	9037'-19038		8'				
<sup>27</sup> <b>H</b> o	ole Size		<sup>28</sup> Casing	g & Tubir	ng Size	<sup>29</sup> De	pth Se	et			<sup>30</sup> Sacl	ks Cement		
17-	-1/2"			13-3/8"		722'						935		
12-	-1/4"			9-5/8"		4454'					-	1697		
8-3	3/4"			7-5/8"		8271'						424		
6-3	3/4"			5-1/2"		19150'						840		
V. Well T		•							•					
<sup>31</sup> Date New 01/10/2022		<sup>2</sup> Gas Delive 01/10/20			Fest Date //01/2021	<sup>34</sup> Test 1 24 H	_	h	<sup>35</sup> Tbg. Pressure		sure	<sup>36</sup> Csg. Pressure 719		
37 Choke Si		<sup>38</sup> Oi			Water	40 (						41 Test Method		
78/120		3111			3554	105	559					F		
<sup>42</sup> I hereby cert								OIL CO	NSERV <i>A</i>	ATION	DIVISIO	N		
been complied complete to the			_		is true and									
complete to the	AMY)	Kilowicug	e and bene		l A	Approved by:	***	IDT ON O	<b>1031</b> 0					
Signature: 🍂	ALW.					-FF	KU	JRT SIMN	1ONS					
Printed name:	_				ח	Γitle:	NI	MOCD, S.	ANTA F	Έ				
JANA MENDI	IOLA						_							
Title.					F	Approval Date	•	06/1	0/2021					
Title: REGULATOR	Y SPECIA	ALIST						00/1	0/2021					
Title: REGULATOR E-mail Address		ALIST						00/1	0/2021					
REGULATOR	s:	com	one:					00/1	0/2021					



U.S. Department of the Interior **BUREAU OF LAND MANAGEMENT**  Sundry Print Repo

Well Name: PLATINUM MDP1 34-3

FEDERAL COM

Well Location: T23S / R31E / SEC 34 /

NENE / 32.2678864 / -103.7596886

County or Parish/State: EDDY /

Type of Well: OIL WELL Well Number: 26H Allottee or Tribe Name:

Lease Number: NMNM043744,

NMNM43744

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3001546559** 

Well Status: Approved Application for

Permit to Drill

Operator: OXY USA **INCORPORATED** 

#### **Subsequent Report**

Type of Submission: Subsequent Report Type of Action: Workover Operations

Date Sundry Submitted: 02/19/2021 Time Sundry Submitted: 04:48

**Date Operation Actually Began: 12/19/2020** 

Actual Procedure: RUPU 12/19/20, RIH & tag cmt & CBP @ 3008', drill out & clean out to PBTD @ 19137'. Pressure test csg to 9800# for 30 min, good test. RIH & perf @ 19038-9037' Total 1200 holes. Frac in 50 stages w/ 412631BBL Produced Water + 8742BBL Brackish Water (10000+ TDS) w/ 20011630# sand, RD Schlumberger 12/30/20. Well ready to produce 01/05/21. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 04/02/2021. Formation Tops for this completion are as follows: Rustler 661'M 661'V Salado (Top of Salt) 981'M 981'V Castile (anhydrite/bottom salt) 2881'M 2881'V Lamar/Delaware 4350'M 4350'V Bell Canyon 4376'M 4376'V Cherry Canyon 5289'M 5289'V Brushy Canyon 6488'M 6488'V Bone Spring 8214'M 8186'V

FEDERAL COM

Well Location: T23S / R31E / SEC 34 / NENE / 32.2678864 / -103.7596886

County or Parish/State: EDDY/

Well Number: 26H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM043744,

NMNM43744

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3001546559** 

Well Status: Approved Application for Permit to Drill

Operator: OXY USA

**INCORPORATED** 

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

**Operator Electronic Signature: MENDIOLA** Signed on: FEB 19, 2021 04:47 PM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: 5 Greenway Plaza, Suite 110

City: Houston State: TX

Phone: (713) 366-5716

**Email address:** 

# **Field Representative**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

### **BLM Point of Contact**

**BLM POC Name:** Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Accepted Disposition Date: 02/24/2021

Signature: Jonathon Shepard

Page 2 of 2

Submit To Appropriate District Office Two Copies District I				State of New Mexico Energy, Minerals and Natural Resources					Form C-105 Revised April 3, 2017								
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210				Oil Conservation Division						1. WELL API NO. 30-015-46559							
District III  1000 Rio Brazos R	,		10		_	11 Conserva 220 South S						2. Type of l	Lease		ie.	⊠ EED/INDI	AN
District IV 1220 S. St. Francis					12	Santa Fe, I				1.		STATE FEE FED/INDIAN  3. State Oil & Gas Lease No.					
				R RE	COMP	LETION RE				LOG							
4. Reason for fili												5. Lease Na					
⊠ COMPLET	ON REP	ORT (	(Fill in bo	xes #1 t	through #3	I for State and Fe	e wells	only)	1		•	6. Well Nun			EDEF	RAL COM	
#33; attach this a	nd the plat					nrough #9, #15 Da ordance with 19.1					l/or						
7. Type of Comp	WELL [	] WOI	RKOVER		EEPENING	G PLUGBAC	к 🗆 г	OIFFE	EREN	NT RESERV	/OIR	C OTHER					
8. Name of Opera	ator: OXY	USA	INC.									9. OGRID:	16696				
10. Address of O	perator: P.	.O. BO	OX 50250	MIDLA	AND, TX 7	9710						11. Pool nam COTTON D			PRIN	\G	
12.Location	Unit Ltr		Section		ownship	Range	Lot			Feet from t	the	N/S Line	_	et from tl		E/W Line	County
Surface:	A		34		3S	31E				110		NORTH	79			EAST	EDDY
BH:  13. Date Spudded	P	3	D. Reache		4S 15 Data P	31E ig Released			16	Data Comp	latad	SOUTH (Ready to Pro	41			EAST Elevations (DF	EDDY
01/14/2020	03/03/	/2020		1	03/07/2020	)			01/0	05/2021					RT,	GR, etc.) 3443	3' GL
18. Total Measur 19165'M 8936'	V				19. Plug Back Measured Depth 19137'M 8935'V				20. Was Directional Sur YES			1 Survey Mad	le? 21. Type Gamma F			pe Electric and Other Logs Run a Ray	
22. Producing Int 9037-19038				n - Top													
23.					CA	SING REC	ORL	<b>)</b> (R	_		ring						
CASING SIZE WEIGHT LB 13.375" J55 54.5					DEPTH SET 722'				<u>LE SIZE</u> 17.5"		CEMENTI 935sx-				AMOUNT	PULLED	
9.625" HC			40	<u>,                                      </u>	4454'			12.25"			1697sx-surf circ						
7.625" HC			26		8271'				8.75"			424sx-					
5.5" P11	0		20		19150'				6.75" 8			840sx-T	OC@	7600'			
24.					LINER RECORD						25.		THD	ING RE	COP	)D	
SIZE	TOP			BOTTC	OTTOM SACKS CE		ENT	SCREEN		1	SIZ			DEPTH S		PACKE	ER SET
26. Perforation re	and linta	mual ai	igo and n	umahan)				27	4.01	ID CHOT	ED	A CTUDE C	EME	NIT CO	LIPP	ZE ETG	
Perf @ 9037-190														RIAL USED			
										9038'			Produ	uced Wate	er + 8	742BBL Bracki	sh Water
												(10000112	O) W/	20011000	<i>5₩</i> 3αι	nu .	
_							DDC	·DI	IO	TION							
28. Date First Produc	rtion		Pro	duction	Method (F	lowing, gas lift, p				TION	1	Well Stati	ıs (Pr	od or Sh	ut_in)	)	
01/10/2021				wing	Wictiou (1		umping	, 512	cun	и туре ритр	,	Prod.	43 (17	ou. or sn			
Date of Test 02/01/2021			Prod'n For Test Period		Oil - Bbl 3111				s - MCF 559		Water - Bbl. 3554		Gas - O 3722	il Ratio			
Flow Tubing		g Press	sure		alculated 24- Oil - Bbl.					Water - Bbl.		Oil C	Oil Gravity - API - (Corr.)		r.)		
Press. 29. Disposition o	719 f Gas <i>(Sol</i>	d, usea	d for fuel,	Hour R vented,		3111			1055	9		3554	30.	Test Wit	nesse	ed By	
31. List Attachmo	ents																
	WBD  32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.  [33. Rig Release Date:																
34. If an on-site b	34. If an on-site burial was used at the well, report the exact location of the on-site burial:																
						Latitude _						Longitude				NAI	
I hereby certification Signature:	fy that th	ne info	ormatio	n shov		th sides of this Printed	form	is tr	ие с	and compl	lete	to the best	of m	y knowi	ledge	e and belief	·
	Name: <u>Jana Mendiola</u> Title: <u>Regulatory Specialist</u> Date: <u>04/05/2021</u>																

E-mail Address: janalyn\_mendiola@oxy.com
Released to Imaging: 6/10/2021 2:44:37 PM

# **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

#### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE


Southeas	tern New Mexico	Northy	Northwestern New Mexico			
T. Rustler 661'	T. Bell Canyon 4376'	T. Ojo Alamo	T. Penn A"			
T. Salado 981'	T. Strawn	T. Kirtland	T. Penn. "B"			
T. Castile 2881'	T. Atoka	T. Fruitland	T. Penn. "C"			
T. Delaware 4350'	T. Miss	T. Pictured Cliffs	T. Penn. "D"			
T. Cherry Canyon 5289'	T. Devonian	T. Cliff House	T. Leadville			
T. Brushy Canyon 6488'	T. Silurian	T. Menefee	T. Madison			
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert			
T. San Andres	T. Simpson	T. Mancos	T. McCracken			
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte			
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite			
T. Blinebry	T. Gr. Wash	T. Dakota				
T.Tubb	T. Delaware Sand	T. Morrison				
T. Drinkard	T. Bone Springs 8214'	T.Todilto				
T. Abo	T. 1st Bone Springs	T. Entrada				
T. Wolfcamp	T. 2 <sup>nd</sup> Bone Springs	T. Wingate				
T. Penn	T. 3 <sup>rd</sup> Bone Springs	T. Chinle				
T. Cisco (Bough C)	T.	T. Permian				
			OIL OR GAS			

			SANDS OR Z	
No. 1, from	to	No. 3, from	to	
No. 2, from	to	No. 4, from	to	
	IMPOI	RTANT WATER SANDS		
Include data on rate of wat	ter inflow and elevation to w	which water rose in hole.		
No. 1, from	to	feet		•
No. 2, from	to	feet		•
No. 3, from	to	feet		
	I ITHOLOGY REC	CORD (Attach additional shoot if	nagagamı)	

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology

OXY USA Inc. Platinum MDP1 34-3 Federal Com 26H API No. 30-015-46559



Perfs @ 9037-19038'

TD- 19165'M 8936'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

ACKNOWLEDGMENTS

Action 22962

#### **ACKNOWLEDGMENTS**

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	22962
	Action Type:
	[C-104] Completion Packet (C-104C)

#### **ACKNOWLEDGMENTS**

I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 22962

#### **CONDITIONS**

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	22962
	Action Type:
	[C-104] Completion Packet (C-104C)

#### CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/10/2021