

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - RT- 04/21/2021
⁴ API Number 30-015-47433	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code: 326058	⁸ Property Name: Vanadium 32 State	⁹ Well Number: 171H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	31	23S	31E		100	NORTH	765	EAST	EDDY

¹¹ Bottom Hole Location FTP: 381' FNL 696' FWL LTP: 126' FSL 676' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	32	23S	31E		20	SOUTH	677	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 12/29/2020	²² Ready Date 04/21/2021	²³ TD 16733'M 11482'V	²⁴ PBDT 16700'M 11482'V	²⁵ Perforations 11847-16627'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		438'	585
12-1/4"		9-5/8"		4201'	1257
6-3/4"		5-1/2"		16715'	500

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
REGULATORY SPECIALIST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 04/21/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:
KURT SIMMONS

Title:
NMOCD, SANTA FE

Approval Date:
06/10/2021

RT C-103 EXPIRES 07/21/2021

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47433	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D; WOLFCAMP
⁴ Property Code 326058	Property Name VANADIUM 32 STATE	⁶ Well Number 171H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3344'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	31	23S	31E		100	NORTH	765	EAST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	32	23S	31E		20	SOUTH	677	WEST	EDDY
¹² Dedicated Acres 160.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977695 Convergence Angle: 00°16'56.77"

☐ Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Vanadium 32 State 171H	Vanadium 32 State 171H	NM Eddy County (NAD 83)	Oxy Vanadium 32 State 171H

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	59.954°	Date:	27-Feb-2021	Lat:	N 32 16 4.45	Northing:	461588.92HUS	Grid Conv:	0.279°
MagDec:	6.875°	FS:	47797nT	Gravity FS:	998.453mgm (9.80665 Based)	Lon:	W 103 48 38.99	Easting:	702835.22HUS	Scale Fact:	0.99993896
								Plan: Oxy Vanadium 32 State 171H Gyro+MWD 0' to 16733MD			

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
Last Gyro Survey	431.00	0.95	212.38	430.99	1.60	-1.74	-0.26	0.36
First MWD Survey	560.00	0.24	245.28	559.98	2.35	-2.75	-1.08	0.59
Actual KOP	10916.00	14.60	77.81	10763.22	147.94	201.31	1241.94	0.11
100' FNL Crossed	11509.00	45.19	158.81	11279.80	376.78	6.92	1394.46	4.75
Wolfcamp A Intersection	11520.74	46.25	159.16	11288.00	385.14	-0.92	1397.48	10.37
100' FSL Crossed	16653.00	89.74	179.18	11481.76	5283.00	-5074.35	1470.20	0.58
Final MWD	16702.00	89.72	179.47	11481.99	5330.27	-5123.34	1470.78	0.58
Proj to TD	16733.00	89.72	179.47	11482.14	5360.15	-5154.34	1471.06	0.00



Schlumberger



Oxy Vanadium 32 State 171H Gyro+MWD 0' to 16733'MD Survey Geodetic Report (Def Survey)

Report Date: March 10, 2021 - 10:29 AM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Vanadium 32 State 171H / Vanadium 32 State 171H Well: Vanadium 32 State 171H Borehole: Vanadium 32 State 171H UWI / API#: Unknown / 30-015-47433 Survey Name: Oxy Vanadium 32 State 171H Gyro+MWD 0' to 16733'MD Survey Date: January 21, 2021 Tort / AHD / DDI / ERD Ratio: 188.108 " / 6729.801 ft / 6.265 / 0.585 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 16' 4.44708", W 103° 48' 38.99179" Location Grid N/E Y/X: N 461588.920 ftUS, E 702835.220 ftUS CRS Grid Convergence Angle: 0.2790 ° Grid Scale Factor: 0.99993896 Version / Patch: 2.10.825.0	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 164.040 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB = 25ft TVD Reference Elevation: 3369.000 ft above MSL Seabed / Ground Elevation: 3344.000 ft above MSL Magnetic Declination: 6.875 ° Total Gravity Field Strength: 998.4525mgN (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47797.000 nT Magnetic Dip Angle: 59.954 ° Declination Date: February 27, 2021 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.2800 ° Total Corr Mag North->Grid North: 6.5950 ° Local Coord Referenced To: Well Head	
---	---	--

Comments	MD (ft)	Incl (°)	Azin Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	461588.92	702835.22	N 32 16 4.45	W 103 48 38.99
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	461588.92	702835.22	N 32 16 4.45	W 103 48 38.99
	64.00	0.18	63.15	64.00	-0.01	0.03	0.05	0.46	0.06	63.15	461588.95	702835.27	N 32 16 4.45	W 103 48 38.99
	92.00	0.14	160.61	92.00	0.01	0.02	0.11	0.86	0.11	81.75	461588.94	702835.33	N 32 16 4.45	W 103 48 38.99
	121.00	0.26	49.55	121.00	0.02	0.02	0.17	1.16	0.17	81.65	461588.94	702835.39	N 32 16 4.45	W 103 48 38.99
	152.00	0.23	40.56	152.00	-0.04	0.12	0.26	0.16	0.29	65.78	461589.04	702835.48	N 32 16 4.45	W 103 48 38.99
	208.00	0.14	98.57	208.00	-0.07	0.19	0.40	0.35	0.45	64.39	461589.11	702835.62	N 32 16 4.45	W 103 48 38.99
	236.00	0.15	159.83	236.00	-0.02	0.15	0.45	0.53	0.47	71.14	461589.07	702835.67	N 32 16 4.45	W 103 48 38.99
	270.00	0.32	184.37	270.00	0.11	0.02	0.46	0.57	0.46	87.91	461588.94	702835.68	N 32 16 4.45	W 103 48 38.99
	302.00	0.53	189.24	302.00	0.33	-0.22	0.43	0.67	0.48	117.16	461588.70	702835.65	N 32 16 4.44	W 103 48 38.99
	333.00	0.62	197.83	333.00	0.60	-0.52	0.35	0.40	0.63	145.93	461588.40	702835.57	N 32 16 4.44	W 103 48 38.99
	365.00	0.74	206.26	364.99	0.89	-0.87	0.21	0.49	0.89	166.61	461588.05	702835.43	N 32 16 4.44	W 103 48 38.99
	396.00	0.86	206.79	395.99	1.21	-1.26	0.01	0.39	1.26	179.38	461587.66	702835.23	N 32 16 4.43	W 103 48 38.99
Last Gyro Survey	431.00	0.95	212.38	430.99	1.60	-1.74	-0.26	0.36	1.76	188.52	461587.18	702834.96	N 32 16 4.43	W 103 48 38.99
First MWD Survey	560.00	0.24	245.28	559.98	2.35	-2.75	-1.08	0.59	2.96	201.39	461586.17	702834.14	N 32 16 4.42	W 103 48 39.00
	652.00	0.15	131.99	651.98	2.48	-2.91	-1.16	0.36	3.14	201.77	461586.01	702834.06	N 32 16 4.42	W 103 48 39.00
	743.00	0.18	189.07	742.98	2.71	-3.13	-1.10	0.18	3.32	199.30	461585.79	702834.12	N 32 16 4.42	W 103 48 39.00
	834.00	0.19	303.68	833.98	2.73	-3.19	-1.25	0.34	3.43	201.32	461585.73	702833.97	N 32 16 4.42	W 103 48 39.01
	926.00	0.21	140.98	925.98	2.77	-3.24	-1.27	0.43	3.48	201.36	461585.68	702833.95	N 32 16 4.42	W 103 48 39.01
	1019.00	0.19	319.18	1018.98	2.78	-3.25	-1.26	0.43	3.49	201.17	461585.67	702833.96	N 32 16 4.41	W 103 48 39.01
	1109.00	0.20	135.56	1108.98	2.78	-3.25	-1.25	0.43	3.48	200.98	461585.67	702833.97	N 32 16 4.41	W 103 48 39.01
	1201.00	0.20	4.27	1200.98	2.78	-3.21	-1.12	0.40	3.40	199.30	461585.71	702834.10	N 32 16 4.42	W 103 48 39.01
	1292.00	0.19	53.15	1291.98	2.57	-2.96	-0.99	0.18	3.12	198.51	461585.96	702834.23	N 32 16 4.42	W 103 48 39.00
	1384.00	0.19	261.96	1383.98	2.50	-2.89	-1.02	0.40	3.06	199.44	461586.03	702834.20	N 32 16 4.42	W 103 48 39.00
	1479.00	0.18	259.87	1478.98	2.46	-2.94	-1.32	0.01	3.22	204.24	461585.98	702833.90	N 32 16 4.42	W 103 48 39.01
	1574.00	0.20	147.87	1573.98	2.60	-3.10	-1.38	0.33	3.40	203.99	461585.82	702833.84	N 32 16 4.42	W 103 48 39.01
	1668.00	0.20	88.87	1667.98	2.80	-3.24	-1.13	0.21	3.43	199.23	461585.68	702834.09	N 32 16 4.42	W 103 48 39.01
	1763.00	0.19	258.59	1762.98	2.83	-3.27	-1.12	0.41	3.45	198.90	461585.65	702834.10	N 32 16 4.41	W 103 48 39.01
	1857.00	0.19	292.28	1856.97	2.73	-3.24	-1.42	0.12	3.54	203.61	461585.68	702833.80	N 32 16 4.42	W 103 48 39.01
	1952.00	0.18	125.41	1951.97	2.74	-3.27	-1.44	0.39	3.57	203.79	461585.65	702833.78	N 32 16 4.41	W 103 48 39.01
	2046.00	0.17	10.10	2045.97	2.73	-3.21	-1.30	0.31	3.47	201.95	461585.71	702833.92	N 32 16 4.42	W 103 48 39.01
	2141.00	0.17	348.26	2140.97	2.47	-2.94	-1.30	0.07	3.21	203.86	461585.98	702833.92	N 32 16 4.42	W 103 48 39.01
	2236.00	0.17	262.32	2235.97	2.31	-2.82	-1.47	0.24	3.18	207.50	461586.10	702833.75	N 32 16 4.42	W 103 48 39.01
	2426.00	0.16	320.30	2425.97	2.02	-2.65	-1.92	0.08	3.27	215.85	461586.27	702833.30	N 32 16 4.42	W 103 48 39.01
	2520.00	0.19	188.80	2519.97	2.04	-2.70	-2.02	0.34	3.38	216.80	461586.22	702833.20	N 32 16 4.42	W 103 48 39.02
	2615.00	0.19	190.14	2614.97	2.33	-3.02	-2.08	0.00	3.66	214.54	461585.90	702833.14	N 32 16 4.42	W 103 48 39.02
	2709.00	0.20	265.00	2708.97	2.44	-3.18	-2.27	0.25	3.91	215.45	461585.74	702832.95	N 32 16 4.42	W 103 48 39.02
	2804.00	0.17	71.70	2803.97	2.40	-3.15	-2.30	0.39	3.90	216.08	461585.77	702832.92	N 32 16 4.42	W 103 48 39.02
	2899.00	0.18	113.29	2898.97	2.48	-3.17	-2.03	0.76	3.76	212.61	461585.75	702833.19	N 32 16 4.42	W 103 48 39.02
	2993.00	0.28	31.96	2992.97	2.43	-3.03	-1.77	0.33	3.51	210.27	461585.89	702833.45	N 32 16 4.42	W 103 48 39.01
	3088.00	0.23	97.02	3087.97	2.35	-2.86	-1.46	0.29	3.21	207.02	461586.06	702833.76	N 32 16 4.42	W 103 48 39.01
	3183.00	0.22	50.41	3182.97	2.35	-2.77	-1.13	0.19	2.99	202.19	461586.15	702834.09	N 32 16 4.42	W 103 48 39.01
	3278.00	0.27	123.47	3277.97	2.45	-2.77	-0.80	0.31	2.89	196.11	461586.15	702834.42	N 32 16 4.42	W 103 48 39.00
	3372.00	0.23	201.72	3371.97	2.76	-3.07	-0.69	0.34	3.15	192.59	461585.85	702834.53	N 32 16 4.42	W 103 48 39.00
	3466.00	0.22	334.05	3465.97	2.73	-3.08	-0.83	0.44	3.19	195.15	461585.84	702834.39	N 32 16 4.42	W 103 48 39.00
	3562.00	0.12	301.29	3561.97	2.48	-2.86	-1.00	0.14	3.03	199.26	461586.06	702834.22	N 32 16 4.42	W 103 48 39.00
	3656.00	0.20	271.64	3655.97	2.36	-2.81	-1.25	0.12	3.07	203.97	461586.11	702833.97	N 32 16 4.42	W 103 48 39.01
	3751.00	0.21	157.19	3750.97	2.42	-2.98	-1.35	0.36	3.26	204.44	461585.96	702833.87	N 32 16 4.42	W 103 48 39.01
	3845.00	0.18	155.47	3844.97	2.80	-3.26	-1.22	0.03	3.48	200.52	461585.66	702834.00	N 32 16 4.41	W 103 48 39.01
	3940.00	0.20	41.71	3939.97	2.86	-3.27	-1.05	0.34	3.43	197.76	461585.65	702834.17	N 32 16 4.41	W 103 48 39.00
	4035.00	0.21	267.14	4034.97	2.73	-3.15	-1.11	0.40	3.34	199.39	461585.77	702834.11	N 32 16 4.42	W 103 48 39.00
	4103.00	0.19	71.94	4102.97	2.70	-3.13	-1.13	0.58	3.32	199.84	461585.79	702834.09	N 32 16 4.42	W 103 48 39.01
	4294.00	0.16	62.89	4293.96	2.63	-2.91	-0.59	0.02	2.97	191.46	461586.01	702834.63	N 32 16 4.42	W 103 48 39.00
	4389.00	0.11	18.83	4388.96	2.53	-2.76	-0.44	0.12	2.79	189.10	461586.16	702834.78	N 32 16 4.42	W 103 48 39.00
	4484.00	0.06	135.62	4483.96	2.50	-2.71	-0.38	0.15	2.74	187.94	461586.21	702834.84	N 32 16 4.42	W 103 48 39.00
	4579.00	0.07	301.50	4578.96	2.50	-2.71	-0.38	0.15	2.74	188.21	461586.21	702834.83	N 32 16 4.42	W 103 48 39.00
	4673.00	0.17	301.74	4672.96	2.35	-2.61	-0.56	0.11	2.67	192.08	461586.31	702834.66	N 32 16 4.42	W 103 48 39.00
	4768.00	0.28	313.89	4767.96	2.05	-2.37	-0.84	0.13	2.52	199.60	461586.55	702834.38	N 32 16 4.42	W 103 48 39.00
	4862.00	0.42	319.78	4861.96	1.54	-1.95	-1.23	0.15	2.31	212.30	461586.97	702833.99	N 32 16 4.43	W 103 48 39.01
	4957.00	0.57	311.19	4956.96	0.82	-1.37	-1.81	0.18	2.27	232.87	461587.55	702833.41	N 32 16 4.43	W 103 48 39.01
	5052.00	0.52	310.99	5051.95	0.06	-0.78	-2.49	0.05	2.61	252.66	461588.14	702832.73	N 32 16 4.44	W 103 48 39.02
	5146.00	0.53	307.69	5145.95	-0.64	-0.23	-3.16	0.03	3.17	265.78	461588.69	702832.06	N 32 16 4.44	W 103 48 39.03
	5241.00	0.61	312.62	5240.95	-1.43	0.38	-3.88	0.10	3.90	275.56	461589.30	702831.34	N 32 16 4.45	W 103 48 39.04
	5335.00	0.60	314.33	5334.94	-2.28	1.06	-4.60	0.02	4.72	282.98	461589.98	702830.62	N 32 16 4.46	W 103 48 39.05
	5430.00	1.43	80.30	5429.93	-2.59	1.61	-3.79	1.94	415	293.00	461589.53	702831.43	N 32 16 4.46	W 103 48 39.04
	5524.00	1.12	5523.38	5523.38	-1.51	2.90	-1.93	2.70	1.93	22.70	461590.70	702832.10	N 32	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	8551.00	15.04	81.76	8476.73	71.96	109.65	645.11	0.21	654.36	80.35	461698.56	703480.29	N 32 16 5.50 W 103 48 31.47	
	8645.00	14.68	81.67	8657.59	75.18	113.12	668.97	0.38	679.46	80.40	461702.04	703604.14	N 32 16 5.52 W 103 48 31.19	
	8740.00	15.37	80.00	8659.34	78.09	117.05	693.28	0.86	703.09	80.42	461705.97	703528.45	N 32 16 5.57 W 103 48 30.91	
	8834.00	14.43	81.59	8750.18	80.92	120.93	717.13	1.09	727.26	80.43	461709.84	703552.31	N 32 16 5.61 W 103 48 30.63	
	8929.00	14.34	82.27	8842.20	84.16	124.24	740.50	0.20	750.85	80.48	461713.16	703575.67	N 32 16 5.64 W 103 48 30.36	
	9023.00	15.01	82.19	8933.14	87.55	127.46	764.09	0.71	774.65	80.53	461716.38	703599.27	N 32 16 5.67 W 103 48 30.09	
	9118.00	14.38	82.20	9025.03	90.97	130.74	787.97	0.66	798.74	80.58	461719.65	703623.14	N 32 16 5.70 W 103 48 29.81	
	9213.00	14.96	80.22	9116.93	93.96	134.42	811.74	0.81	822.79	80.60	461723.33	703646.91	N 32 16 5.74 W 103 48 29.53	
	9307.00	14.19	80.49	9207.91	96.56	138.38	835.06	0.82	846.45	80.59	461727.30	703670.23	N 32 16 5.78 W 103 48 29.26	
	9402.00	14.50	80.25	9299.94	99.24	142.25	858.28	0.33	869.99	80.58	461731.16	703693.44	N 32 16 5.81 W 103 48 28.99	
	9497.00	14.96	79.91	9391.82	101.85	146.33	882.09	0.52	894.14	80.58	461735.24	703717.25	N 32 16 5.85 W 103 48 28.71	
	9591.00	15.21	80.79	9482.58	104.54	150.43	906.20	0.36	918.60	80.57	461739.34	703741.37	N 32 16 5.89 W 103 48 28.43	
	9686.00	15.29	80.99	9574.24	107.53	154.39	930.88	0.10	943.59	80.58	461743.30	703766.04	N 32 16 5.93 W 103 48 28.14	
	9780.00	15.00	80.98	9664.97	110.49	158.23	955.13	0.31	968.15	80.59	461747.14	703790.29	N 32 16 5.97 W 103 48 27.86	
	9875.00	15.02	81.29	9756.73	113.53	162.02	979.44	0.09	992.75	80.61	461750.93	703814.60	N 32 16 6.00 W 103 48 27.58	
	9970.00	15.74	80.09	9848.33	116.45	166.11	1004.30	0.83	1017.95	80.61	461755.02	703839.46	N 32 16 6.04 W 103 48 27.29	
	10064.00	15.20	79.94	9938.92	119.06	170.45	1029.00	0.58	1043.02	80.59	461759.36	703864.15	N 32 16 6.08 W 103 48 27.01	
	10159.00	15.25	80.45	10030.59	121.73	174.70	1053.58	0.15	1067.96	80.59	461763.61	703888.73	N 32 16 6.12 W 103 48 26.70	
	10254.00	14.86	80.46	10122.33	124.49	178.79	1077.91	0.41	1092.64	80.79	461790.75	704079.54	N 32 16 6.38 W 103 48 26.43	
	10349.00	15.05	81.03	10214.11	127.35	182.74	1102.11	0.25	1117.16	80.59	461771.64	703937.26	N 32 16 6.20 W 103 48 26.15	
	10443.00	14.45	82.70	10305.01	130.60	186.13	1125.80	0.78	1141.08	80.61	461775.04	703960.95	N 32 16 6.23 W 103 48 25.87	
	10538.00	13.85	86.04	10397.13	134.75	188.42	1148.90	1.07	1164.25	80.69	461777.33	703984.05	N 32 16 6.26 W 103 48 25.60	
	10633.00	13.85	86.06	10489.37	139.48	189.99	1171.59	0.01	1186.89	80.79	461778.89	704006.73	N 32 16 6.27 W 103 48 25.34	
	10727.00	14.91	82.68	10580.42	143.64	192.30	1194.81	1.44	1210.18	80.86	461781.21	704029.95	N 32 16 6.29 W 103 48 25.07	
	10822.00	14.68	78.06	10672.28	146.32	196.35	1218.71	1.26	1234.42	80.85	461785.26	704053.85	N 32 16 6.33 W 103 48 24.79	
	10916.00	14.60	77.81	10763.22	147.94	201.31	1241.94	0.11	1258.15	80.79	461790.22	704077.08	N 32 16 6.38 W 103 48 24.52	
	10926.00	14.49	78.11	10772.90	148.11	201.84	1244.40	1.33	1260.66	80.79	461790.75	704079.54	N 32 16 6.38 W 103 48 24.49	
	11039.00	15.80	95.35	10882.03	154.71	203.32	1273.56	4.13	1289.69	80.93	461792.22	704108.70	N 32 16 6.40 W 103 48 24.15	
	11133.00	22.46	124.30	10970.99	173.23	191.97	1301.23	12.13	1315.31	81.61	461780.88	704136.37	N 32 16 6.28 W 103 48 23.83	
	11227.00	29.21	146.06	11055.73	208.97	162.72	1328.99	12.28	1338.89	83.02	461751.63	704164.10	N 32 16 5.99 W 103 48 23.51	
	11322.00	33.37	157.31	11136.97	257.03	119.33	1352.01	7.53	1357.27	84.96	461708.24	704187.15	N 32 16 5.56 W 103 48 23.24	
	11416.00	40.91	160.43	11211.85	313.51	66.40	1372.32	8.27	1373.93	87.23	461655.31	704207.46	N 32 16 5.04 W 103 48 23.01	
100' FNL Crossed	11509.00	45.19	158.81	11279.80	376.78	6.92	1394.46	4.75	1394.48	89.72	461595.84	704229.59	N 32 16 4.45 W 103 48 22.75	
	11511.00	45.28	158.78	11281.21	378.19	5.59	1394.97	4.75	1394.98	89.77	461594.51	704230.10	N 32 16 4.43 W 103 48 22.75	
Wolfcamp A Intersection	11520.74	46.25	159.16	11288.00	385.14	-0.92	1397.48	10.37	1397.48	90.04	461588.00	704232.61	N 32 16 4.37 W 103 48 22.72	
	11605.00	54.72	161.97	11341.57	449.97	-62.19	1418.99	10.37	1420.36	92.51	461526.74	704254.12	N 32 16 3.76 W 103 48 22.47	
	11700.00	61.92	168.29	11391.47	530.68	-140.26	1439.54	9.45	1446.36	95.56	461448.67	704274.67	N 32 16 2.99 W 103 48 22.23	
	11794.00	70.04	170.80	11429.70	616.05	-224.62	1455.05	8.98	1472.29	98.78	461364.31	704290.18	N 32 16 2.15 W 103 48 22.06	
	11888.00	77.46	171.66	11455.99	705.52	-313.75	1468.79	7.94	1501.92	102.06	461275.19	704303.91	N 32 16 1.27 W 103 48 21.90	
	11983.00	81.86	172.25	11473.04	798.07	-406.26	1481.86	4.67	1536.54	105.33	461182.68	704316.99	N 32 16 0.36 W 103 48 21.76	
	12077.00	88.78	179.12	11480.71	889.71	-499.57	1488.87	10.35	1570.45	108.55	461089.38	704324.00	N 32 15 59.43 W 103 48 21.68	
	12172.00	89.59	180.93	11482.06	981.02	-594.56	1488.83	2.09	1603.16	111.77	460994.40	704323.96	N 32 15 58.49 W 103 48 21.69	
	12210.00	89.85	180.70	11482.25	1017.40	-638.29	1488.29	0.91	1617.14	113.03	460965.40	704323.42	N 32 15 58.12 W 103 48 21.70	
	12304.00	88.46	183.00	11483.63	1106.88	-726.49	1485.26	2.86	1653.41	116.06	460862.48	704320.38	N 32 15 57.19 W 103 48 21.74	
	12398.00	88.47	182.52	11486.15	1195.87	-820.34	1480.73	0.51	1682.79	118.99	460768.63	704315.86	N 32 15 56.26 W 103 48 21.79	
	12493.00	88.31	181.83	11488.82	1286.12	-915.24	1477.13	0.75	1737.69	121.78	460673.74	704312.26	N 32 15 55.32 W 103 48 21.89	
	12587.00	88.60	182.31	11491.35	1375.47	-1009.14	1473.73	0.60	1786.13	124.40	460579.84	704308.86	N 32 15 54.39 W 103 48 21.84	
	12681.00	88.88	182.33	11493.42	1464.71	-1103.04	1469.93	0.30	1837.77	126.88	460485.95	704305.06	N 32 15 53.46 W 103 48 21.94	
	12776.00	88.93	182.40	11495.24	1554.87	-1197.94	1466.01	0.09	1893.21	129.25	460391.05	704301.14	N 32 15 52.52 W 103 48 21.99	
	12870.00	89.13	182.53	11496.83	1644.04	-1291.84	1461.97	0.25	1950.95	131.46	460297.16	704297.10	N 32 15 51.59 W 103 48 22.04	
	12964.00	89.15	182.14	11498.24	1733.28	-1385.75	1458.14	0.42	2011.59	133.54	460203.25	704293.27	N 32 15 50.66 W 103 48 22.09	
	13059.00	89.72	180.11	11499.18	1824.08	-1480.73	1456.27	2.22	2076.84	135.48	460108.29	704291.40	N 32 15 49.72 W 103 48 22.12	
	13153.00	89.99	179.85	11499.41	1914.46	-1574.73	1456.31	0.40	2144.90	137.24	460014.29	704291.43	N 32 15 48.79 W 103 48 22.12	
	13247.00	90.22	179.02	11499.24	2005.09	-1668.72	1457.23	0.92	2215.44	138.87	459920.30	704292.36	N 32 15 47.86 W 103 48 22.12	
	13342.00	90.04	180.79	11499.03	2096.47	-1763.72	1457.39	1.87	2287.94	140.43	459825.31	704292.52	N 32 15 46.92 W 103 48 22.12	
	13531.00	89.95	179.79	11499.04	2277.91	-1952.71	1456.43	0.53	2436.04	143.28	459636.33	704291.56	N 32 15 45.05 W 103 48 22.14	
	13625.00	89.73	179.23	11499.14	2368.51	-2046.71	1457.24	0.60	2512.48	144.55	459542.34	704292.37	N 32 15 44.12 W 103 48 22.14	
	13720.00	89.85	180.39	11499.32	2459.93	-2141.71	1457.55	1.22	2590.63	145.76	459447.35	704292.68	N 32 15 43.18 W 103 48 22.14	
	13814.00	90.56	180.79	11498.99	2550.03	-2235.70	1456.59	0.87	2668.33	146.92	459353.36	704291.71	N 32 15 42.25 W 103 48 22.16	
	13909.00	90.25	180.12	11498.32	2641.16	-2330.69	1455.83	0.78	2748.01	148.01	459258.37	704290.96	N 32 15 41.31 W 103 48 22.17	
	14003.00	89.75	181.18	11498.32	2731.23	-2424.69	1454.76	1.25	2827.62	149.04	459164.39	704289.89	N 32 15 40.38 W 103 48 22.19	
	14098.00	89.96	180.07	11498.56	2822.28	-2519.68	1453.73	1.19	2908.97	150.02	459069.40	704288.86	N 32 15 39.44 W 103 48 22.21	
	14192.00	89.90	179.87	11498.67	2912.67	-2613.68	1453.78	0.22	2990.78	150.92	458975.41	704288.91	N 32 15 38.51 W 103 48 22.21	
	14287.00	89.79	180.50	11498.93	3003.92	-2708.68	1453.47	0.67	3074.00	151.78	458880.41	704288.60	N 32 15 37.57 W 103 48 22.22	
	14381.00	90.32	179.43	11498.84	3094.31	-2802.67	1453.53	1.27	3157.17	152.59	458786.42	704288.66	N 32 15 36.64 W 103 48 22.22	
	14476.00	90.82	179.82	11497.89	3185.82	-2897.67	1454.15	0.67	3242.07	153.35	458691.44	704289.28	N 32 15 35.70 W 103 48 22.22	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 25069

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 25069
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 25069

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 25069
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-103 EXPIRES 07/21/2021; SUBMIT COMPLETION SUNDRY AND REPORT AS AVAILABLE.	6/10/2021