

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 05/12/2021
⁴ API Number 30 - 015-47958	⁵ Pool Name CEDAR CANYON BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 21H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	10	24S	29E		220	SOUTH	1415	WEST	EDDY

¹¹ Bottom Hole Location FTP- 222' FSL 558' FWL LTP- 209' FNL 564' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	3	24S	29E		52	NORTH	563	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/21/21	²² Ready Date 05/12/2021	²³ TD 19375'M 8746'V	²⁴ PBTD 19343'M 8745'V	²⁵ Perforations 9038-19218'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		560'	564
9-7/8"		7-5/8"		8130'	1973
6-3/4"		5-1/2"		19355'	885

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 05/10/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

KURT SIMMONS

Title: NMCD, SANTA FE

Approval Date: 06/10/2021

RT C-104 EXPIRES 08/12/2021

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 05/12/2021
⁴ API Number 30 - 015-47958	⁵ Pool Name PIERCE CROSSING BONE SPRING EAST	⁶ Pool Code 96473
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 21H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	10	24S	29E		220	SOUTH	1415	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 222' FSL 558' FWL LTP- 209' FNL 564' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	3	24S	29E		52	NORTH	563	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/21/21	²² Ready Date 05/12/2021	²³ TD 19375'M 8746'V	²⁴ PBTD 19343'M 8745'V	²⁵ Perforations 9038-19218'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
14-3/4"		10-3/4"	560'		564
9-7/8"		7-5/8"	8130'		1973
6-3/4"		5-1/2"	19355'		885

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 05/10/2021

Phone:
432-685-5936

OIL CONSERVATION DIVISION

Approved by: KURT SIMMONS

Title: NMOCD, SANTA FE

Approval Date: 06/10/2021

RT C-104 EXPIRES 08/12/2021

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 334-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

District Office

1220 South St. Francis Dr.

Santa Fe, NM 87505

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47958	² Pool Code 96473/11520	³ Pool Name 320 acres PIERCE CROSSING BONE SPRING EAST/CEDAR CANYON BONE SPRING	³ Pool Name 958.62 acres
⁴ Property Code 329988	Property Name TAILS CC 10_3 FEDERAL COM		⁶ Well Number 21H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC		⁹ Elevation 2943'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	10	24S	29E		220	SOUTH	1415	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	3	24S	29E		52	NORTH	563	WEST	EDDY
¹² Dedicated Acres 1278.62	¹³ Joint or Infill Y	¹⁴ Consolidation Code		¹⁵ Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978625 Convergence Angle: 00°11'10.650012"

☐ Horizontal Spacing Unit





OXY



Borehole:				Well:				Field:				Structure:																			
Tails CC 10_3 Federal Com 21H				Tails CC 10_3 Federal Com 21H				NM Eddy County (NAD 83)				Oxy Tails CC 10_3 Federal Com Pad																			
Gravity & Magnetic Parameters						Surface Location						NAD83 New Mexico State Plane, Eastern Zone, US Feet						Miscellaneous													
Model:		IFR1		Dip:		59.97°		Date:		14-Mar-2021		Lat:		N 32 13 31.71		Northing:		445945.1RUS		Grid Conv:		0.1904°		Slot:		Tails CC 10_3 Federal Com 21H		TVD Ref:		RKB(2967.8ft above MSL)	
MagDec:		6.886°		FS:		47699.6nT		Gravity FS:		998.47mgm (9.80665 Based)		Lon:		W 103 58 34.87		Easting:		651725.8RUS		Scale Fact:		0.99992305		Plan:		Oxy Tails CC 10_3 Federal Com 21H Gyro+MWD 0' to 19375MD					

Critical Points									
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)W(-)	DLS	
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	
Last Gyro Survey	557.00	0.82	94.50	557.00	0.06	0.14	0.94	1.80	
First MWD Survey	631.00	0.10	54.64	630.99	0.00	0.14	1.52	1.01	
Actual KOP	7966.00	11.77	231.35	7892.28	-337.76	-392.39	-605.46	0.77	
Second Bone Spring Lower Sandstone Intersection	8616.36	30.34	317.93	8498.80	-248.19	-318.41	-786.42	10.50	
100' FSL Crossed	8913.00	69.63	354.30	8695.26	-42.91	-117.93	-849.97	17.25	
100' FNL Crossed	19327.00	89.57	359.67	8745.90	10325.63	10286.37	-899.62	1.60	
Final MWD	19347.00	89.55	359.99	8746.06	10345.56	10306.37	-899.68	1.60	
Proj to TD	19375.00	89.55	359.99	8746.28	10373.45	10334.37	-899.69	0.00	



Schlumberger



Oxy Tails CC 10_3 Federal Com 21H Gyro+MWD 0' to 19375 MD Survey

Geodetic Report

(Def Survey)

Report Date: April 14, 2021 - 09:32 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Tails CC 10_3 Federal Com Pad / Tails CC 10_3 Federal Com 21H
Well: Tails CC 10_3 Federal Com 21H
Borehole: Tails CC 10_3 Federal Com 21H
UWI / API#: Unknown / Unown
Survey Name: Oxy Tails CC 10_3 Federal Com 21H Gyro+MWD 0' to 19375 MD
Survey Date: March 14, 2021
Tort / AHD / DDI / ERD Ratio: 297.104 * 11633.748 ft / 6.884 / 1.330
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 13' 31.712121", W 103° 58' 34.87072"
Location Grid N/E Y/X: N 445945.100 NUS, E 651725.800 NUS
CRS Grid Convergence Angle: 0.1904 °
Grid Scale Factor: 0.99992305
Version / Patch: 2.10.825.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 354.967 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2967.800 ft above MSL
Sealed / Ground Elevation: 2942.800 ft above MSL
Magnetic Declination: 0.63 °
Total Gravity Field Strength: 998.4704mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47699.600 nT
Magnetic Dip Angle: 59.970 °
Declination Date: March 14, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.1900 °
Total Corr Mag North-to-Grid: 6.6960 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth	Northing (RUS)	Easting (RUS)	Latitude (N S ° ' ")	Longitude (E W ° ' ")	
Last Gyro Survey First MWD Survey	WRP	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	445945.10	651725.80	N 32 13 31.71	W 103 58 34.87	
	SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	445945.10	651725.80	N 32 13 31.71	W 103 58 34.87	
		119.76	0.19	315.95	119.76	0.12	0.11	-0.11	0.20	0.16	315.95	445945.21	651725.69	N 32 13 31.71	W 103 58 34.87
		150.76	0.35	200.17	150.76	0.08	0.06	-0.18	1.50	0.19	288.95	445945.16	651725.62	N 32 13 31.71	W 103 58 34.87
		268.70	0.30	58.96	268.70	-0.11	-0.12	-0.04	0.52	0.12	197.54	445944.98	651725.76	N 32 13 31.71	W 103 58 34.87
		467.91	0.08	56.51	467.91	0.18	0.23	0.53	0.11	0.57	66.57	445945.33	651726.33	N 32 13 31.71	W 103 58 34.86
		520.80	0.20	123.80	520.80	0.14	0.20	0.63	0.35	0.66	72.74	445945.30	651726.43	N 32 13 31.71	W 103 58 34.86
		557.00	0.82	94.50	557.00	0.06	0.14	0.94	1.80	0.95	81.49	445945.24	651726.74	N 32 13 31.71	W 103 58 34.86
		631.00	0.10	54.64	630.99	0.00	0.14	1.52	1.01	1.53	84.86	445945.24	651727.32	N 32 13 31.71	W 103 58 34.85
		719.00	0.07	344.33	718.99	0.09	0.23	1.57	0.11	1.59	81.56	445945.33	651727.37	N 32 13 31.71	W 103 58 34.85
Actual KOP		809.00	0.11	160.92	808.99	0.06	0.20	1.59	0.20	1.60	82.65	445945.30	651727.39	N 32 13 31.71	W 103 58 34.85
		900.00	0.12	167.85	899.99	-0.11	0.12	0.08	0.02	1.63	86.99	445945.13	651727.43	N 32 13 31.71	W 103 58 34.85
		992.00	0.15	307.24	991.99	-0.13	0.01	1.56	0.28	1.56	89.72	445945.11	651727.36	N 32 13 31.71	W 103 58 34.85
		1084.00	0.11	48.94	1083.99	0.00	0.14	1.53	0.22	1.54	84.83	445945.24	651727.33	N 32 13 31.71	W 103 58 34.85
		1176.00	0.14	300.38	1175.99	0.12	0.25	1.50	0.22	1.52	80.41	445945.35	651727.30	N 32 13 31.71	W 103 58 34.85
		1268.00	0.15	291.26	1267.99	0.24	0.35	1.29	0.03	1.34	74.66	445945.45	651727.09	N 32 13 31.71	W 103 58 34.86
		1360.00	0.10	280.45	1359.99	0.31	0.41	1.10	0.06	1.17	69.44	445945.51	651726.90	N 32 13 31.72	W 103 58 34.86
		1453.00	0.19	124.06	1452.99	0.49	0.57	0.88	0.19	1.05	56.87	445945.67	651726.88	N 32 13 31.72	W 103 58 34.86
		1545.00	0.09	330.92	1544.99	0.72	0.78	0.71	0.18	1.05	42.05	445945.88	651726.51	N 32 13 31.72	W 103 58 34.86
		1638.00	0.58	22.65	1637.99	1.20	1.28	0.85	0.57	1.54	33.62	445946.38	651726.65	N 32 13 31.72	W 103 58 34.86
		1733.00	0.19	147.43	1732.99	1.49	1.59	1.12	0.74	1.95	35.17	445946.69	651726.92	N 32 13 31.73	W 103 58 34.86
		1827.00	0.13	208.75	1826.99	1.26	1.37	1.15	0.18	1.79	40.18	445946.47	651726.95	N 32 13 31.72	W 103 58 34.86
		1921.00	0.26	90.31	1920.99	1.15	1.27	1.32	1.96	1.83	45.97	445946.37	651727.12	N 32 13 31.72	W 103 58 34.86
		2016.00	0.23	319.95	2015.99	1.29	1.42	1.41	0.47	2.00	44.84	445946.52	651727.21	N 32 13 31.73	W 103 58 34.85
		2111.00	0.27	276.98	2110.99	1.49	1.59	1.06	0.20	1.91	33.79	445946.69	651726.86	N 32 13 31.73	W 103 58 34.86
		2206.00	0.04	222.70	2205.99	1.51	1.59	0.82	0.26	1.79	27.22	445946.69	651726.62	N 32 13 31.73	W 103 58 34.86
		2300.00	0.05	12.85	2299.99	1.53	1.61	0.81	0.09	1.80	26.62	445946.71	651726.61	N 32 13 31.73	W 103 58 34.86
		2395.00	0.36	68.86	2394.98	1.65	1.76	1.09	0.35	2.07	31.91	445946.86	651726.89	N 32 13 31.73	W 103 58 34.86
		2490.00	0.19	124.06	2489.98	1.64	1.78	1.50	0.31	2.33	40.23	445946.88	651727.30	N 32 13 31.73	W 103 58 34.85
		2584.00	0.23	177.07	2583.98	1.35	1.50	1.64	0.20	2.22	47.57	445946.60	651727.44	N 32 13 31.73	W 103 58 34.85
		2679.00	0.06	295.48	2678.98	1.19	1.33	1.61	0.28	2.09	50.34	445946.43	651727.41	N 32 13 31.72	W 103 58 34.85
		2774.00	0.64	62.79	2773.98	1.41	1.60	2.03	0.71	2.58	51.88	445946.70	651727.83	N 32 13 31.73	W 103 58 34.85
		2868.00	0.17	212.91	2867.98	1.50	1.72	2.42	0.84	2.97	54.67	445946.82	651728.22	N 32 13 31.73	W 103 58 34.84
		2963.00	0.11	298.33	2962.98	1.44	1.64	2.27	0.21	2.80	54.07	445946.74	651728.07	N 32 13 31.73	W 103 58 34.84
		3058.00	0.14	154.54	3057.98	1.38	1.58	2.24	0.25	2.74	54.74	445946.68	651728.04	N 32 13 31.73	W 103 58 34.84
		3153.00	0.10	214.72	3152.98	1.21	1.41	2.24	0.13	2.65	57.83	445946.51	651728.04	N 32 13 31.73	W 103 58 34.84
		3248.00	0.13	103.13	3247.98	1.11	1.32	2.30	0.20	2.65	60.19	445946.42	651728.10	N 32 13 31.72	W 103 58 34.84
		3342.00	0.22	335.45	3341.98	1.25	1.46	2.33	0.34	2.74	57.96	445946.56	651728.13	N 32 13 31.73	W 103 58 34.84
		3437.00	0.15	325.06	3436.98	1.53	1.72	2.18	0.08	2.78	51.65	445946.82	651727.98	N 32 13 31.73	W 103 58 34.85
		3531.00	0.12	18.46	3530.98	1.72	1.72	2.12	0.13	2.87	48.13	445947.02	651727.94	N 32 13 31.73	W 103 58 34.85
		3626.00	0.11	103.98	3625.98	1.78	1.99	2.26	0.16	3.01	48.63	445947.09	651728.06	N 32 13 31.73	W 103 58 34.84
		3720.00	0.15	12.15	3719.98	1.87	2.09	2.37	0.20	3.16	48.65	445947.19	651728.17	N 32 13 31.73	W 103 58 34.84
		3815.00	0.14	272.69	3814.98	2.01	2.22	2.28	0.23	3.18	45.86	445947.32	651728.08	N 32 13 31.73	W 103 58 34.84
		3909.00	0.16	296.70	3908.98	2.09	2.28	2.05	0.07	3.07	41.98	445947.38	651727.85	N 32 13 31.73	W 103 58 34.85
		4004.00	0.74	239.56	4003.97	1.90	2.03	1.40	0.70	2.47	34.68	445947.13	651727.20	N 32 13 31.73	W 103 58 34.85
		4099.00	0.12	134.30	4098.98	1.16	1.16	1.16	0.87	1.17	24.32	445946.24	651725.52	N 32 13 31.72	W 103 58 34.85
		4194.00	2.27	249.40	4193.90	0.18	-0.11	-3.20	0.78	3.20	268.11	445944.99	651722.60	N 32 13 31.69	W 103 58 34.91
		4289.00	3.05	248.56	4288.80	-1.04	-1.69	-7.31	0.82	7.50	256.97	445943.41	651718.49	N 32 13 31.69	W 103 58 34.96
		4383.00	4.74	244.95	4382.58	-3.08	-4.25	-13.16	1.82	13.83	252.10	445940.85	651712.64	N 32 13 31.67	W 103 58 35.02
		4477.00	6.05	245.17	4476.16	-6.09	-7.97	-21.17	1.39	22.62	249.36	445937.13	651704.63	N 32 13 31.63	W 103 58 35.12
	4573.00	7.60	244.75	4571.88	-9.98	-12.81	-31.50	1.62	34.01	247.88	445932.29	651628.30	N 32 13 31.59	W 103 58 35.28	
	4667.00	9.21	243.76	4664.46	-14.86	-18.79	-43.88	1.72	47.73	246.82	445926.32	651681.93	N 32 13 31.53	W 103 58 35.38	
	4762.00	10.63	242.63	4758.04	-20.94	-26.18	-58.48	1.51	64.07	245.89	445918.93	651667.33	N 32 13 31.45	W 103 58 35.55	
	4856.00	11.63	242.73	4850.27	-27.83	-34.50	-74.60	1.06	82.19	245.18	445910.60	651651.21	N 32 13 31.37	W 103 58 35.74	
	4937.00	12.75	242.30	4929.44	-34.36	-42.40	-89.77	1.39	99.28	244.72	445902.70	651636.04	N 32 13 31.29	W 103 58 35.92	
	5032.00	14.61	243.93	5021.74	-42.70	-52.54	-108.81	2.00	121.74	244.43	445892.57	651615.99	N 32 13 31.19	W 103 58 36.15	
	5127.00	13.35	243.56	5113.93	-51.01	-62.69	-130.40	1.33	144.68	244.32	445882.42	651598.41	N 32 13 31.12	W 103 58 36.36	
	5222.00	13.48	242.44	5206.34	-59.25	-72.69	-150.04	0.31	166.72	244.15	445872.41	651575.78	N 32 13 31.00	W 103 58 36.62	
	5316.00	13.33	237.43	5297.78	-68.46	-83.60	-168.88	1.25	188.44	243.66	445861.51	651556.93	N 32 13 30.89	W 103 58 36.84	
	5411.00	12.75	233.40	5390.33	-79.01	-95.74	-186.53	1.13	209.66	242.83	445849.36	651539.29	N 32 13 30.77	W 103 58 37.03	
	5506.00	12.20	233.03	5483.09	-89.81	-108.03	-202.96	0.59	229.92	241.94	445837.08	651522.85	N 32 13 30.65	W 103 58 37.24	
	5601.00	12.80	228.67	5575.83	-101.17	-120.85	-218.03	0.96	250.16	241.11	445824.26	651506.79	N 32 13 30.57	W 103 58 37.43	
	5695.00	12.12	233.24	5667.62	-112.35	-133.47	-224.35	1.06	270.17	240.36	445811.64	651490.92	N 32 13 30.40	W 103 58 37.61	
	5790.00	11.14	229.56	5760.67	-122.91	-145.39	-249.87	1.29	289.09	239.81	445799.72	651475.95	N 32 13 30.28	W 103 58 37.79	
	5884.00	12.09	230.40	5852.75	-133.75	-157.55	-264.37	1.03	307.76	239.21	4457878				

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	9229.00	90.65	359.58	8738.22	267.50	193.10	-856.53	2.80	878.02	282.70	446138.18	650869.34	N 32 13 33.65	W 103 58 44.83
	9341.00	89.67	356.62	8737.91	379.32	305.02	-860.24	2.78	912.72	289.52	446250.10	650865.63	N 32 13 34.76	W 103 58 44.87
	9433.00	89.76	356.66	8738.37	471.28	396.86	-865.63	0.11	952.27	294.63	446341.93	650860.24	N 32 13 35.67	W 103 58 44.93
	9526.00	90.55	358.58	8738.11	564.17	489.78	-869.49	2.23	997.95	299.39	446434.84	650856.38	N 32 13 36.59	W 103 58 44.97
	9619.00	90.36	0.40	8737.37	656.87	582.77	-870.32	1.97	1047.41	303.81	446527.82	650855.55	N 32 13 37.51	W 103 58 44.98
	9713.00	89.67	358.96	8737.86	750.55	676.76	-870.85	2.07	1092.90	307.85	446621.81	650855.02	N 32 13 38.44	W 103 58 44.98
	9806.00	89.30	355.86	8739.20	843.45	769.65	-875.05	3.34	1165.36	311.33	446714.68	650850.82	N 32 13 39.36	W 103 58 45.03
	9898.00	90.38	356.16	8739.46	935.43	861.42	-881.45	1.22	1232.48	314.34	446806.45	650844.42	N 32 13 40.26	W 103 58 45.10
	9992.00	90.00	356.60	8739.14	1029.40	955.23	-887.38	0.62	1303.81	317.11	446900.26	650838.49	N 32 13 41.19	W 103 58 45.16
	10084.00	90.39	358.60	8738.83	1121.30	1047.15	-891.24	2.21	1375.07	319.60	446992.16	650834.63	N 32 13 42.10	W 103 58 45.21
	10177.00	90.32	359.72	8738.25	1214.04	1140.13	-892.60	1.21	1447.98	321.94	447085.14	650833.27	N 32 13 43.02	W 103 58 45.22
	10270.00	89.40	0.51	8738.48	1306.67	1233.13	-892.41	1.30	1522.17	324.11	447178.13	650833.46	N 32 13 43.94	W 103 58 45.21
	10363.00	90.03	2.56	8738.94	1390.05	1326.09	-889.92	2.31	1597.02	326.13	447271.09	650835.95	N 32 13 44.86	W 103 58 45.18
	10456.00	90.26	3.30	8738.71	1491.15	1418.97	-885.17	0.83	1672.42	328.04	447363.96	650840.70	N 32 13 45.78	W 103 58 45.12
	10546.00	90.21	3.88	8738.34	1580.13	1508.79	-879.53	0.65	1746.43	329.76	447453.77	650846.34	N 32 13 46.67	W 103 58 45.05
	10639.00	90.48	3.08	8737.78	1672.11	1601.62	-873.89	0.91	1824.51	331.38	447546.59	650851.98	N 32 13 47.59	W 103 58 44.98
	10731.00	90.60	3.83	8736.91	1763.09	1693.44	-868.34	0.83	1903.10	332.85	447638.41	650857.52	N 32 13 48.50	W 103 58 44.91
	10824.00	89.54	3.08	8736.80	1855.07	1786.27	-862.74	1.40	1983.71	334.22	447731.23	650863.13	N 32 13 49.41	W 103 58 44.85
	10917.00	90.94	2.89	8736.41	1947.16	1879.14	-857.90	1.52	2065.71	335.46	447824.10	650867.97	N 32 13 50.33	W 103 58 44.79
	11009.00	90.53	2.93	8735.23	2038.27	1971.02	-853.23	0.45	2147.77	336.59	447915.96	650872.64	N 32 13 51.24	W 103 58 44.73
	11102.00	90.11	2.65	8734.71	2130.40	2063.91	-848.70	0.54	2231.59	337.65	448008.84	650877.17	N 32 13 52.16	W 103 58 44.67
	11195.00	89.79	0.64	8734.79	2222.77	2156.86	-846.03	2.19	2316.86	338.58	448101.79	650879.84	N 32 13 53.08	W 103 58 44.64
	11287.00	89.63	358.73	8734.98	2314.45	2249.81	-840.91	2.34	2402.91	340.58	448193.78	650879.33	N 32 13 53.99	W 103 58 44.61
	11379.00	90.43	357.04	8734.65	2406.33	2340.79	-849.93	1.90	2490.32	340.04	448285.70	650875.94	N 32 13 54.90	W 103 58 44.67
	11472.00	90.50	356.50	8733.89	2499.28	2433.64	-855.17	0.59	2579.52	340.64	448378.55	650870.70	N 32 13 55.82	W 103 58 44.73
	11566.00	90.95	357.44	8732.70	2593.21	2527.50	-860.14	1.11	2669.85	341.21	448472.40	650865.73	N 32 13 56.75	W 103 58 44.79
	11659.00	89.38	356.12	8732.43	2686.16	2620.35	-865.36	2.21	2759.54	341.72	448565.24	650860.51	N 32 13 57.67	W 103 58 44.84
	11752.00	89.33	356.33	8733.45	2779.13	2713.14	-871.49	0.23	2849.87	342.19	448658.03	650854.38	N 32 13 58.59	W 103 58 44.81
	11844.00	89.21	358.60	8734.59	2871.03	2805.04	-875.55	2.47	2938.51	342.66	448749.91	650850.32	N 32 13 59.50	W 103 58 44.78
	11936.00	89.62	358.65	8735.53	2962.84	2897.00	-877.76	0.45	3027.06	343.14	448841.88	650848.11	N 32 14 0.41	W 103 58 44.98
	12030.00	90.01	359.34	8735.83	3056.61	2990.99	-879.41	0.84	3117.59	343.62	448935.85	650846.46	N 32 14 0.34	W 103 58 44.99
	12125.00	89.39	358.64	8736.33	3151.37	3085.97	-881.08	0.98	3209.29	344.07	449030.83	650844.79	N 32 14 0.28	W 103 58 45.01
	12219.00	89.33	359.37	8737.38	3245.13	3179.95	-882.72	0.78	3300.19	344.49	449124.80	650843.15	N 32 14 0.21	W 103 58 45.02
	12313.00	89.65	359.59	8738.32	3336.83	3273.94	-883.57	0.45	3391.08	344.90	449218.78	650842.30	N 32 14 0.14	W 103 58 45.03
	12408.00	89.03	358.73	8739.24	3433.57	3368.93	-884.96	1.14	3483.22	345.28	449313.76	650840.91	N 32 14 0.08	W 103 58 45.04
	12502.00	89.19	358.29	8740.70	3527.38	3462.88	-887.41	0.50	3574.78	345.63	449407.71	650838.46	N 32 14 0.01	W 103 58 45.07
	12596.00	89.67	358.87	8741.64	3621.19	3556.85	-889.74	0.80	3666.44	345.96	449501.67	650836.13	N 32 14 0.94	W 103 58 45.09
	12690.00	89.37	358.82	8742.43	3714.97	3650.83	-891.63	0.32	3758.13	346.28	449595.64	650834.24	N 32 14 0.87	W 103 58 45.11
	12784.00	89.69	358.58	8743.20	3808.77	3744.80	-893.76	0.43	3849.98	346.58	449689.60	650832.11	N 32 14 0.80	W 103 58 45.13
	12879.00	90.43	360.00	8743.10	3903.49	3839.79	-894.94	1.69	3942.70	346.88	449784.58	650830.93	N 32 14 0.74	W 103 58 45.14
	12973.00	91.33	1.18	8741.65	3997.03	3933.77	-893.97	1.58	4034.07	347.20	449878.56	650831.90	N 32 14 0.67	W 103 58 45.13
	13068.00	90.07	359.64	8740.49	4091.59	4028.75	-893.29	2.09	4126.60	347.50	449973.54	650832.58	N 32 14 0.61	W 103 58 45.11
	13162.00	89.70	358.68	8740.68	4185.34	4122.74	-894.67	1.09	4218.70	347.76	450067.52	650831.20	N 32 14 0.54	W 103 58 45.13
	13256.00	89.45	358.58	8741.38	4279.14	4216.71	-896.92	0.29	4311.05	347.99	450161.48	650828.95	N 32 14 0.47	W 103 58 45.15
	13350.00	89.64	358.66	8742.13	4372.96	4304.50	-899.24	0.24	4403.50	348.26	450255.44	650826.53	N 32 14 0.40	W 103 58 45.16
	13445.00	89.77	358.67	8742.62	4467.77	4405.65	-901.72	0.26	4496.98	348.43	450350.40	650824.15	N 32 14 0.33	W 103 58 45.20
	13539.00	89.07	358.47	8743.57	4561.58	4499.61	-904.07	0.77	4589.54	348.64	450444.36	650821.80	N 32 14 0.26	W 103 58 45.22
	13634.00	89.87	359.38	8744.45	4656.35	4594.59	-905.85	1.28	4683.04	348.85	450539.33	650820.02	N 32 14 0.17	W 103 58 45.24
	13728.00	89.36	358.10	8745.08	4750.14	4688.56	-907.92	1.47	4775.66	349.04	450633.29	650817.95	N 32 14 0.13	W 103 58 45.26
	13822.00	90.24	358.23	8745.41	4843.99	4782.51	-910.93	0.95	4868.49	349.22	450727.24	650814.94	N 32 14 0.06	W 103 58 45.29
	13917.00	89.22	358.86	8746.68	4938.79	4877.47	-912.34	2.23	4962.25	349.39	450822.16	650812.73	N 32 14 0.00	W 103 58 45.31
	14012.00	90.44	0.36	8747.79	5033.46	4972.45	-913.99	2.82	5055.75	349.58	450917.16	650811.88	N 32 14 0.94	W 103 58 45.32
	14106.00	90.85	1.15	8746.74	5126.98	5066.44	-912.75	0.95	5148.00	349.79	451011.14	650813.12	N 32 14 0.87	W 103 58 45.30
	14200.00	91.09	1.32	8745.14	5220.40	5160.40	-910.72	0.31	5240.15	349.99	451105.09	650815.15	N 32 14 0.80	W 103 58 45.27
	14294.00	91.14	1.51	8743.31	5313.79	5254.35	-908.40	0.21	5332.30	350.19	451199.04	650817.47	N 32 14 0.73	W 103 58 45.24
	14388.00	90.10	1.40	8743.60	5407.29	5347.80	-907.29	0.44	5424.86	350.27	451293.00	650816.78	N 32 14 0.66	W 103 58 45.22
	14482.00	90.47	0.48	8743.88	5500.88	5442.33	-906.61	1.77	5517.33	350.54	451387.00	650819.27	N 32 14 0.59	W 103 58 45.22
	14576.00	90.27	0.30	8743.27	5594.46	5536.33	-905.97	1.29	5609.96	350.71	451480.99	650819.90	N 32 14 0.52	W 103 58 45.20
	14671.00	90.27	1.19	8742.83	5688.98	5631.32	-904.73	0.94	5703.53	350.87	451575.97	650821.14	N 32 14 0.47	W 103 58 45.19
	14765.00	90.28	0.40	8742.37	5782.49	5725.31	-903.43	0.84	5796.15	351.03	451669.95	650822.44	N 32 14 0.39	W 103 58 45.17
	14860.00	89.33	359.21	8742.70	5877.15	5820.30	-903.75	1.60	5890.05	351.17	451764.94	650822.12	N 32 14 0.33	W 103 58 45.17
	14955.00	89.19	359.19	8744.01	5971.88	5915.88	-902.18	0.25	5984.12	351.30	451859.92	650820.79	N 32 14 0.27	W 103 58 45.18
	15049.00	89.58	359.01	8745.10	6065.63	6009.26	-906.55	0.56	6077.26	351.42	451953.89	650819.32	N 32 14 0.20	W 103 58 45.19
	15144.00	89.96	0.03	8745.48	6160.32	6104.26	-907.35	1.15	6171.33	351.55	452048.88	650818.52	N 32 14 0.14	W 103 58 45.20
	15239.00	89.34	359.50	8746.06	6254.99	6199.26	-907.74	0.86	6265.36	351.67	452143.87	650818.13	N 32 14 0.08	W 103 58 45.20
	15332.00	89.41	359.13	8747.07	6347.72	6292.24	-908.85	0.40	6357.54	351.78	452236.85	650817.02	N 32 14 0.00	W 103 58 45.21

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 27855

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 27855
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27855

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 27855
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 EXPIRES 08/12/2021 - SUBMIT COMPLETION SUNDRY AND REPORTS AS AVAILABLE	6/10/2021