

Well Name: DIRE WOLF 12 FED	Well Location: T26S / R30E / SEC 12 / NESE / 32.056431 / -103.828759	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154768700X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	03/03/2021	Time Sundry Submitted:	12:29:18 PM
Date Operation Will Begin:	02/19/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	09/11/2020		
US Well Number	3001547687		
Field Contact Name:	D HOOKER	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP642
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	2-21-2021 28" Conductor Hole @ 120' MD		
Disposition:	Accepted		
Accepted Date:	03/10/2021		

Well Name: DIRE WOLF 12 FED	Well Location: T26S / R30E / SEC 12 / NESE / 32.056431 / -103.828759	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154768700X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Mar 9, 2021	Time Sundry Submitted:	1:20:23 PM
Date Operation will begin:	Feb 28, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	D HOOKER	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP642

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3199	1290	1290	1909
INTERMEDIATE	0	0		9960	9960	-6761

Procedure Description:	3-1-2021 12 1/4" HOLE 3-1-2021 Surface Hole @ 1,060' MD, 1,059' TVD Casing shoe @ 1,047' MD, 1,046' TVD Ran 9-5/8" 40# J-55 LTC Cement w/ 425 sx Class C (1.79 yld, 13.5 ppg), Trail w/ 105 sx Class C .(1.35 yld, 14.8 ppg) Test casing to 1,650 psi for 30 min - Good. Circ 210 sx cement to surface Resume drilling 8 3/4" hole
	3-5-2021 8 3/4" hole 3-5-2021 Intermediate Hole @ 10,636' MD, 10,600' TVD Casing shoe @ 10,611' MD, 10,600' TVD Ran 7-5/8", 29.7#, ICYP-110 MO-FXL Stage 1: Cement w/ 395 sx Class H (1.21 yld, 15.6 ppg) Test casing to 2,400 psi for 30 min - Good. Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class H (1.41 yld, 14.8 ppg), TOC 200' by Calc Stage 3: Top out w/ 157 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 5 bbls FW, TOC @ 185, Echometer Resume drilling 6 3/4" hole
Disposition:	Accepted
Accepted Date:	06/11/2021

Received by OCD: 6/14/2021 1:28:01 PM

Page 3 of 5

Well Name: DIRE WOLF 12 FED	Well Location: T26S / R30E / SEC 12 / NESE / 32.056431 / -103.828759	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154768700X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

CONFIDENTIAL

Well Name: DIRE WOLF 12 FED	Well Location: T26S / R30E / SEC 12 / NESE / 32.056431 / -103.828759	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154768700X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Mar 16, 2021	Time Sundry Submitted:	1:27:59 PM
Date Operation will begin:	Mar 12, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	D HOOKER	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP642

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	9960	11502	-8303	18683	18683	-15484
PRODUCTION	9460	9460	-6272	9960	9960	-6761
PRODUCTION	0	0	3675	9460	9460	-6261

Procedure Description: 3-13-2021 6-3/4" HOLE
3-13-2021 Production Hole @ 18,813' MD, 11,446' TVD
Casing shoe @ 18,720' MD, 11,446' TVD
Ran 5-1/2", 20#, ECP-110 DWC 0' - 9,904' (MJ @ 10,778' and 18,231')
Ran 5-1/2", 20#, CYP-110 TLW 9,904' - 10,615'
Ran 5-1/2", 20#, ECP-110 DWC 10,615' - 18,720'
Cement w/ 760 sx Class H (1.23 yld, 14.5 ppg)
Did not circ cement to surface, TOC @ 10,100' by Cal RR 3-14-2021

Disposition: Accepted

Accepted Date: 05/18/2021

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 31859

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 31859
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/14/2021