

Form 3160-4
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Operator Copy

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMLC062269A

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.
GHOST RIDER 22-15 FEDERAL COM 204H

9. API Well No.
30-025-45771-00-S1

10. Field and Pool, or Exploratory
TRISTE DRAW-BONE SPRING

11. Sec., T., R., M., or Block and Survey
or Area Sec 22 T24S R32E Mer NMP

12. County or Parish
LEA

13. State
NM

17. Elevations (DF, KB, RT, GL)*
3597 GL

16. Date Completed
☐ D & A ☒ Ready to Prod.
12/11/2019

15. Date T.D. Reached
06/04/2019

14. Date Spudded
04/04/2019

20. Depth Bridge Plug Set: MD
TVD

19. Plug Back T.D.: MD
TVD 18036

18. Total Depth: MD
TVD 18087

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☐ No ☒ Yes (Submit analysis)

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other

b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other

2. Name of Operator
APACHE CORPORATION

Contact: REESA FISHER
E-Mail: Reesa.Fisher@apachecorp.com

3. Address 303 VETERANS AIRPARK LANE SUITE 3000
MIDLAND, TX 79705

3a. Phone No. (include area code)
Ph: 432-818-1062

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
Sec 22 T24S R32E Mer NMP
At surface SWSE 431FSL 2210FEL 32.196991 N Lat, 103.661125 W Lon
Sec 22 T24S R32E Mer NMP
At top prod interval reported below SWSE 431FSL 2210FEL
Sec 15 T24S R32E Mer NMP
At total depth NWSE 2579FSL 2301FEL

18. Total Depth: MD
TVD 18087

19. Plug Back T.D.: MD
TVD 18036

20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
(3)TCOMS MULTIMODEARRAYS

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 J-55	54.5	0	1097		1050		0	
12.250	9.625 HCL-80	40.0	0	6961		855		0	
8.750	7.625 HCP-110	29.7	0	11723		1595		0	
6.750	5.500 CYP-110	20.0	0	18087		715		0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	10321							

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) BONE SPRING	8786	18087	11060 TO 17960	0.000	1278	PRODUCING
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
11060 TO 17960	16,015,392# PROPANT 440 BBL ACID

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
12/11/2019	12/15/2019	24	→	1179.0	1853.0	3783.0			GAS LIFT
Choke Size	Tbg. Press. Flwg. SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→	1179	1853	3783		POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						



(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #496745 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED

Reclamation Due: 6/11/2020

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr Rate →	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr Rate →	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
AVALON RUSTLER BASE OF SALT DELAWARE BONE SPRING	0 1040 4854 4854 8786	1040 4854 4854 8786	ALLUVIUM SALT SALT SANDSTONE MIXED CARBONATE O/G	AVALON RUSTLER BASE OF SALT DELAWARE BONE SPRING	0 1040 4854 4854 8786

32. Additional remarks (include plugging procedure):
Pilot Hole Well - Orig Hole PBTD @ 10,4601

33. Circle enclosed attachments

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #496745 Verified by the BLM Well Information System.
For APACHE CORPORATION, sent to the Hobbs
Committed to AFMSS for processing by DEBORAH HAM on 01/14/2020 (20DMH0028SE)

Name (please print) REESA FISHER

Title SR STAFF REGULATORY ANALYST

Signature (Electronic Submission)

Date 12/20/2019

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED **

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

DEC 30 2019
RECEIVED

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-025-45771		2 Pool Code 98603		3 Pool Name TRISTE DRAW; BONE SPRING	
4 Property Code 325016		5 Property Name GHOST RIDER 22-15 FEDERAL COM			6 Well Number 204H
7 GRID NO. 873		8 Operator Name APACHE CORPORATION			9 Elevation 3597'

10 Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
0	22	24S	32E		431	SOUTH	2210	EAST	LEA

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	15	24S	32E		2579	SOUTH	2301	EAST	LEA

12 Dedicated Acres 240	13 Joint or Infill	14 Consolidation Code	15 Order No.
----------------------------------	--------------------	-----------------------	--------------

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.



GEODETIC DATA
NAD 83 GRID - NM EAST
SURFACE LOCATION (SL)
N 436049.0 - E 748266.9
LAT: 32.1988893° N
LONG: 103.8611234° W
KICK OFF POINT (KOP)
440' FSL - 2220' FSL (SEC. 22)
N 436057.9 - E 748266.8
LAT: 32.1970136° N
LONG: 103.8611528° W
MD: 10394.0 - TVD: 10391.2
POINT OF PENETRATION (PP)
FIRST TAKE POINT (FTP)
1107' FSL - 2324' FSL (SEC. 22)
N 436724.3 - E 749152.8
LAT: 32.1988474° N
LONG: 103.8614883° W
MD: 11328.0 - TVD: 10917.2
LAST TAKE POINT (LTP)
2452' FSL - 2304' FSL (SEC. 15)
N 443350.8 - E 749134.9
LAT: 32.2170623° N
LONG: 103.8614123° W
MD: 17960.0 - TVD: 10760.1
BOTTOM HOLE (BH)
N 443477.2 - E 749137.0
LAT: 32.2174097° N
LONG: 103.8614029° W
MD: 18087.0 - TVD: 10748.0

CORNER DATA
NAD 83 GRID - NM EAST
A: FOUND BRASS CAP "1918"
N 435588.7 - E 748198.0
H: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
B: FOUND BRASS CAP "1918"
N 438228.5 - E 748178.8
I: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
C: FOUND BRASS CAP "1918"
N 440869.0 - E 748166.1
J: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
D: FOUND BRASS CAP "1918"
N 443508.9 - E 748153.2
K: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
E: FOUND BRASS CAP "1918"
N 446147.2 - E 748140.6
F: CALCULATED CORNER
N 446198.7 - E 751424.1
G: FOUND BRASS CAP "1918"
N 443558.2 - E 751437.1
H: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
I: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
J: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
K: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
L: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
M: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
N: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
O: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
P: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
Q: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
R: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
S: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
T: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
U: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
V: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
W: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
X: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
Y: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
Z: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AA: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AB: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
AC: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
AD: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AE: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AF: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
AG: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
AH: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AI: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AJ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
AK: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
AL: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AM: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AN: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
AO: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
AP: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AQ: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AR: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
AS: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
AT: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AU: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AV: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
AW: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
AX: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
AY: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
AZ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BA: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BB: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
BC: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
BD: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BE: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BF: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
BG: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
BH: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BI: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BJ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
BK: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
BL: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BM: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BN: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
BO: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
BP: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BQ: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BR: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
BS: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
BT: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BU: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BV: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
BW: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
BX: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
BY: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
BZ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CA: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CB: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
CC: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
CD: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CE: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CF: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
CG: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
CH: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CI: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CJ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
CK: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
CL: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CM: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CN: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
CO: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
CP: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CQ: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CR: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
CS: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
CT: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CU: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CV: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
CW: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
CX: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
CY: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
CZ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DA: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DB: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
DC: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
DD: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DE: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DF: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
DG: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
DH: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DI: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DJ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
DK: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
DL: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DM: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DN: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
DO: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
DP: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DQ: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DR: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
DS: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
DT: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DU: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DV: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
DW: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
DX: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
DY: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
DZ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EA: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
EB: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
EC: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
ED: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EE: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
EF: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
EG: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
EH: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EI: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
EJ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
EK: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
EL: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EM: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
EN: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
EO: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
EP: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EQ: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
ER: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
ES: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
ET: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EU: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
EV: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
EW: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
EX: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
EY: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
EZ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FA: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FB: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
FC: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
FD: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FE: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FF: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
FG: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
FH: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FI: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FJ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
FK: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
FL: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FM: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FN: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
FO: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
FP: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FQ: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FR: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
FS: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
FT: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FU: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FV: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
FW: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
FX: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
FY: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
FZ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GA: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GB: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
GC: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
GD: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GE: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GF: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
GG: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
GH: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GI: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GJ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
GK: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
GL: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GM: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GN: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
GO: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
GP: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GQ: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GR: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
GS: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
GT: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GU: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GV: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
GW: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
GX: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
GY: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
GZ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HA: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HB: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
HC: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
HD: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HE: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HF: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
HG: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
HH: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HI: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HJ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
HK: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
HL: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HM: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HN: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
HO: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
HP: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HQ: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HR: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
HS: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
HT: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HU: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HV: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
HW: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
HX: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
HY: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
HZ: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
IA: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
IB: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
IC: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
ID: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
IE: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
IF: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
IG: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
IH: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
II: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
IJ: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
IK: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
IL: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
IM: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
IN: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
IO: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
IP: FOUND BRASS CAP "1918"
N 435639.5 - E 751482.4
IQ: FOUND BRASS CAP "1918"
N 440898.2 - E 748810.3
IR: FOUND BRASS CAP "1918"
N 440919.2 - E 751453.4
IS: FOUND BRASS CAP "1918"
N 438277.2 - E 751488.7
IT: FOUND BRASS CAP "1918"
N 43

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 34190

ACKNOWLEDGMENTS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 34190
	Action Type: [C-105] Well (Re)Completion (C-105)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 34190

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 34190
	Action Type: [C-105] Well (Re)Completion (C-105)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/29/2021