

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address BTA OIL PRODUCERS, LLC 104 S. PECOS MIDLAND, TX. 79701		² OGRID Number 260297
		³ Reason for Filing Code/ Effective Date 98094 NEW WELL 2/6/2021
⁴ API Number 30 – 025-46094	⁵ Pool Name BOBCAT DRAW/UPPER WOLFCAMP	⁶ Pool Code 98094
⁷ Property Code 322775	⁸ Property Name ROJO 7811 22 FEDERAL COM	⁹ Well Number 32H

II. ¹⁰ Surface Location

UL or lot no. N	Section 22	Township 25S	Range 33E	Lot Idn	Feet from the 380	North/South Line SOUTH	Feet from the 1330	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. C	Section 22	Township 25S	Range 33E	Lot Idn	Feet from the 37.6	North/South line NORTH	Feet from the 1658	East/West line WEST	County LEA
¹² Lse Code F	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date 2/6/2021	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS MARKETING LP P.O. BOX 4648 HOUSTON, TX. 77210-4648	O
371058	ETC FIELD SERVICES LLC 8111 WESTCHESTER DR. STE 600 DALLAS, TX. 75225	G

IV. Well Completion Data

²¹ Spud Date 8/27/2020	²² Ready Date 2/6/2021	²³ TD 18,007'	²⁴ PBTD 17,960'	²⁵ Perforations 13,000' – 17,750'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
14 ¾		10 ¾	1,179'		805
9 7/8		7 5/8	12,246'		1,865
8 ¾		7 5/8	12,246'		1,810
6 ¾		5 ½ X 5	17,988'		1390

V. Well Test Data

³¹ Date New Oil 2/6/2021	³² Gas Delivery Date 2/6/2021	³³ Test Date 3/23/2021	³⁴ Test Length 24	³⁵ Tbg. Pressure 3200	³⁶ Csg. Pressure
³⁷ Choke Size 24/64	³⁸ Oil 749	³⁹ Water 4003	⁴⁰ Gas 1781		⁴¹ Test Method FLOWING
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Katy Reddell Printed name: KATY REDDELL Title: REGULATORY ANALYST E-mail Address: kreddell@btaoil.com Date: 4/14/2021			OIL CONSERVATION DIVISION Approved by: KURT SIMMONS Title: NMOCD, SANTA FE Approval Date: 07/07/2021 Phone: 432-682-3753		

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505


Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46094		Pool Code 98084		Pool Name BOBCAT DRAW/UPPER WOLFCAMP					
Property Code 322775		Property Name ROJO 7811 22 FEDERAL						Well Number 32H	
OGRID No. 260297		Operator Name BTA OIL PRODUCERS, LLC						Elevation 3347'	
Surface Location									
UL or lot No. N	Section 22	Township 25-S	Range 33-E	Lot Idn	Feet from the 380	North/South line SOUTH	Feet from the 1330	East/West line WEST	County LEA
As-Drilled Bottom Hole Location If Different From Surface									
UL or lot No. C	Section 22	Township 25-S	Range 33-E	Lot Idn	Feet from the 37.6	North/South line NORTH	Feet from the 1658.3	East/West line WEST	County LEA
Penetration Point Location									
UL or lot No. N	Section 22	Township 25-S	Range 33-E	Lot Idn	Feet from the 16	North/South line SOUTH	Feet from the 1793.3	East/West line WEST	County LEA
Dedicated Acres 160		Joint or Infill		Consolidation Code		Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Katy Reddell 4/14/2021

Signature

Date

KATY REDDELL

Printed Name

kreddell@btaoil.com

E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.


Date of Survey

Signature & Seal of Professional Surveyor

Gary G. Eidson 03/15/2021

Certificate Number Gary G. Eidson 12641
Ronald J. Eidson 3239

ACK REL. W.O.:21130028 JWSC W.O.: 21.13.0095



BTA Oil Producers, LLC

Lea County, NM (NAD 83)

Sec 22, T25-S, R33-E

Rojo 7811 22 Fed #32H

Wellbore #1

Design: Wellbore #1

QES Survey Report

26 October, 2020





QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Rojo 7811 22 Fed #32H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3372.0usft (Patterson #288)
Site:	Sec 22, T25-S, R33-E	MD Reference:	WELL @ 3372.0usft (Patterson #288)
Well:	Rojo 7811 22 Fed #32H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 22, T25-S, R33-E		
Site Position:		Northing:	409,243.40 usft
From:	Map	Easting:	781,148.30 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 7' 21.790 N
		Longitude:	103° 33' 31.310 W
		Grid Convergence:	0.41 °

Well	Rojo 7811 22 Fed #32H		
Well Position	+N/-S	0.0 usft	Northing: 404,541.39 usft
	+E/-W	0.0 usft	Easting: 779,386.40 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 6' 35.387 N
		Longitude:	103° 33' 52.187 W
		Ground Level:	3,347.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2020	8/17/2020	6.50	59.70	47,648.70000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	3.39	

Survey Program	Date	9/14/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
199.0	10,744.0	QES MWD Surveys (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
First MWD Survey @ 199.0'MD / 199.0' TVD										
199.0	0.30	182.00	199.0	-0.5	0.0	-0.5	0.15	0.15	0.00	
327.0	0.20	266.40	327.0	-0.9	-0.3	-0.9	0.27	-0.08	65.94	
451.0	0.20	305.80	451.0	-0.8	-0.6	-0.8	0.11	0.00	31.77	
567.0	0.70	304.10	567.0	-0.2	-1.4	-0.3	0.43	0.43	-1.47	
717.0	1.30	292.90	717.0	0.9	-3.7	0.7	0.42	0.40	-7.47	
812.0	2.20	281.00	811.9	1.7	-6.5	1.3	1.02	0.95	-12.53	
907.0	3.80	277.20	906.8	2.4	-11.4	1.8	1.70	1.68	-4.00	
1,003.0	5.50	281.80	1,002.5	3.8	-19.1	2.6	1.81	1.77	4.79	
1,098.0	5.90	287.90	1,097.0	6.2	-28.2	4.5	0.76	0.42	6.42	



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Rojo 7811 22 Fed #32H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3372.0usft (Patterson #288)
Site:	Sec 22, T25-S, R33-E	MD Reference:	WELL @ 3372.0usft (Patterson #288)
Well:	Rojo 7811 22 Fed #32H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,148.0	5.80	289.30	1,146.7	7.8	-33.0	5.9	0.35	-0.20	2.80
1,241.0	6.00	289.20	1,239.3	11.0	-42.0	8.5	0.22	0.22	-0.11
1,336.0	4.00	274.00	1,333.9	12.9	-50.0	9.9	2.51	-2.11	-16.00
1,431.0	1.80	234.00	1,428.8	12.2	-54.5	9.0	3.02	-2.32	-42.11
1,526.0	2.60	145.70	1,523.7	9.6	-54.5	6.3	3.28	0.84	-92.95
1,621.0	6.20	121.20	1,618.4	5.1	-48.9	2.2	4.19	3.79	-25.79
1,716.0	7.10	118.90	1,712.8	-0.4	-39.4	-2.7	0.99	0.95	-2.42
1,811.0	7.00	119.80	1,807.1	-6.1	-29.2	-7.8	0.16	-0.11	0.95
1,906.0	6.70	121.80	1,901.4	-11.9	-19.5	-13.0	0.40	-0.32	2.11
2,001.0	6.30	123.20	1,995.8	-17.7	-10.4	-18.3	0.45	-0.42	1.47
2,096.0	6.30	121.10	2,090.2	-23.2	-1.6	-23.3	0.24	0.00	-2.21
2,191.0	6.40	119.40	2,184.6	-28.5	7.5	-28.0	0.22	0.11	-1.79
2,286.0	6.50	118.90	2,279.0	-33.7	16.8	-32.7	0.12	0.11	-0.53
2,381.0	6.60	118.50	2,373.4	-38.9	26.3	-37.3	0.12	0.11	-0.42
2,476.0	6.50	119.40	2,467.8	-44.2	35.8	-42.0	0.15	-0.11	0.95
2,571.0	6.50	118.50	2,562.2	-49.4	45.2	-46.6	0.11	0.00	-0.95
2,666.0	6.90	116.40	2,656.5	-54.5	55.0	-51.1	0.49	0.42	-2.21
2,761.0	7.40	117.50	2,750.8	-59.8	65.6	-55.8	0.55	0.53	1.16
2,856.0	6.80	130.70	2,845.1	-66.3	75.2	-61.7	1.82	-0.63	13.89
2,951.0	6.50	135.50	2,939.4	-73.8	83.3	-68.8	0.66	-0.32	5.05
3,046.0	6.30	130.70	3,033.8	-81.1	91.0	-75.5	0.60	-0.21	-5.05
3,141.0	6.50	123.90	3,128.2	-87.5	99.4	-81.4	0.82	0.21	-7.16
3,236.0	7.60	113.40	3,222.5	-92.9	109.6	-86.3	1.78	1.16	-11.05
3,331.0	6.50	123.30	3,316.8	-98.4	119.9	-91.1	1.72	-1.16	10.42
3,426.0	5.90	130.50	3,411.3	-104.5	128.1	-96.8	1.03	-0.63	7.58
3,521.0	4.30	144.00	3,505.9	-110.6	133.9	-102.5	2.09	-1.68	14.21
3,616.0	3.50	153.40	3,600.7	-116.0	137.3	-107.7	1.08	-0.84	9.89
3,711.0	3.90	154.70	3,695.5	-121.6	140.0	-113.1	0.43	0.42	1.37
3,806.0	3.90	153.70	3,790.2	-127.4	142.8	-118.7	0.07	0.00	-1.05
3,901.0	3.80	148.50	3,885.0	-133.0	145.9	-124.1	0.38	-0.11	-5.47
3,996.0	3.60	123.20	3,979.8	-137.3	150.0	-128.2	1.72	-0.21	-26.63
4,091.0	3.30	121.90	4,074.7	-140.3	154.8	-130.9	0.33	-0.32	-1.37
4,281.0	6.30	121.40	4,264.0	-148.7	168.4	-138.5	1.58	1.58	-0.26
4,376.0	6.30	130.20	4,358.4	-154.8	176.8	-144.0	1.02	0.00	9.26
4,472.0	5.70	130.90	4,453.9	-161.3	184.4	-150.1	0.63	-0.63	0.73
4,567.0	5.10	126.10	4,548.5	-166.9	191.4	-155.2	0.79	-0.63	-5.05
4,662.0	5.50	127.00	4,643.1	-172.1	198.5	-160.0	0.43	0.42	0.95
4,757.0	4.20	128.40	4,737.7	-177.0	204.8	-164.6	1.37	-1.37	1.47
4,852.0	3.20	129.80	4,832.5	-180.8	209.6	-168.1	1.06	-1.05	1.47
4,947.0	4.30	124.80	4,927.3	-184.6	214.6	-171.6	1.21	1.16	-5.26
5,042.0	4.70	123.40	5,022.0	-188.7	220.7	-175.4	0.44	0.42	-1.47
5,136.0	4.80	123.20	5,115.7	-193.0	227.2	-179.2	0.11	0.11	-0.21
5,231.0	4.70	119.60	5,210.4	-197.1	233.9	-182.9	0.33	-0.11	-3.79



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Rojo 7811 22 Fed #32H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3372.0usft (Patterson #288)
Site:	Sec 22, T25-S, R33-E	MD Reference:	WELL @ 3372.0usft (Patterson #288)
Well:	Rojo 7811 22 Fed #32H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5,326.0	4.90	120.20	5,305.0	-201.1	240.8	-186.5	0.22	0.21	0.63	
5,421.0	4.90	120.40	5,399.7	-205.2	247.8	-190.2	0.02	0.00	0.21	
5,516.0	4.60	116.70	5,494.4	-208.9	254.7	-193.5	0.45	-0.32	-3.89	
5,611.0	4.70	116.00	5,589.0	-212.4	261.6	-196.5	0.12	0.11	-0.74	
5,706.0	4.70	116.00	5,683.7	-215.8	268.6	-199.5	0.00	0.00	0.00	
5,801.0	4.50	113.90	5,778.4	-219.0	275.5	-202.3	0.28	-0.21	-2.21	
5,896.0	3.50	116.00	5,873.2	-221.8	281.6	-204.7	1.06	-1.05	2.21	
5,991.0	4.70	120.00	5,967.9	-225.0	287.5	-207.6	1.30	1.26	4.21	
6,087.0	4.50	119.50	6,063.6	-228.8	294.2	-211.0	0.21	-0.21	-0.52	
6,181.0	4.70	132.70	6,157.3	-233.2	300.3	-215.1	1.14	0.21	14.04	
6,276.0	4.70	132.40	6,252.0	-238.5	306.0	-220.0	0.03	0.00	-0.32	
6,371.0	4.60	131.50	6,346.7	-243.6	311.7	-224.8	0.13	-0.11	-0.95	
6,466.0	4.70	130.90	6,441.4	-248.7	317.5	-229.5	0.12	0.11	-0.63	
6,561.0	4.70	129.90	6,536.1	-253.8	323.4	-234.2	0.09	0.00	-1.05	
6,657.0	4.20	129.90	6,631.8	-258.5	329.2	-238.6	0.52	-0.52	0.00	
6,752.0	4.10	129.60	6,726.5	-262.9	334.4	-242.7	0.11	-0.11	-0.32	
6,847.0	4.20	135.10	6,821.3	-267.6	339.5	-247.0	0.43	0.11	5.79	
6,942.0	3.80	141.20	6,916.1	-272.5	343.9	-251.7	0.61	-0.42	6.42	
7,037.0	3.70	141.30	7,010.8	-277.3	347.8	-256.3	0.11	-0.11	0.11	
7,132.0	3.60	141.10	7,105.7	-282.0	351.6	-260.8	0.11	-0.11	-0.21	
7,227.0	3.60	141.60	7,200.5	-286.7	355.3	-265.2	0.03	0.00	0.53	
7,322.0	3.30	143.30	7,295.3	-291.2	358.8	-269.5	0.33	-0.32	1.79	
7,417.0	3.60	142.30	7,390.1	-295.8	362.3	-273.8	0.32	0.32	-1.05	
7,512.0	3.40	145.10	7,484.9	-300.5	365.7	-278.3	0.28	-0.21	2.95	
7,643.0	3.10	141.40	7,615.7	-306.4	370.2	-284.0	0.28	-0.23	-2.82	
7,738.0	3.00	143.00	7,710.6	-310.4	373.3	-287.8	0.14	-0.11	1.68	
7,832.0	2.90	138.50	7,804.5	-314.1	376.3	-291.3	0.27	-0.11	-4.79	
7,928.0	3.10	142.10	7,900.3	-318.0	379.5	-295.0	0.29	0.21	3.75	
8,023.0	2.90	144.90	7,995.2	-322.0	382.5	-298.8	0.26	-0.21	2.95	
8,118.0	2.90	143.40	8,090.1	-325.9	385.3	-302.5	0.08	0.00	-1.58	
8,213.0	2.90	145.40	8,185.0	-329.8	388.1	-306.3	0.11	0.00	2.11	
8,308.0	2.80	149.00	8,279.9	-333.8	390.7	-310.1	0.22	-0.11	3.79	
8,403.0	2.60	155.50	8,374.7	-337.7	392.7	-313.9	0.38	-0.21	6.84	
8,498.0	2.70	158.00	8,469.6	-341.8	394.5	-317.8	0.16	0.11	2.63	
8,593.0	1.90	133.10	8,564.6	-344.9	396.5	-320.9	1.33	-0.84	-26.21	
8,689.0	2.10	120.60	8,660.5	-346.9	399.1	-322.7	0.50	0.21	-13.02	
8,784.0	2.10	121.80	8,755.4	-348.7	402.1	-324.3	0.05	0.00	1.26	
8,879.0	1.80	124.40	8,850.4	-350.5	404.8	-325.9	0.33	-0.32	2.74	
8,974.0	1.90	131.30	8,945.3	-352.3	407.2	-327.6	0.26	0.11	7.26	
9,069.0	1.70	124.70	9,040.3	-354.2	409.6	-329.3	0.30	-0.21	-6.95	
9,165.0	1.80	127.60	9,136.3	-355.9	411.9	-330.9	0.14	0.10	3.02	
9,260.0	1.60	149.50	9,231.2	-358.0	413.8	-332.9	0.71	-0.21	23.05	
9,355.0	1.70	171.40	9,326.2	-360.5	414.7	-335.3	0.67	0.11	23.05	



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Rojo 7811 22 Fed #32H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3372.0usft (Patterson #288)
Site:	Sec 22, T25-S, R33-E	MD Reference:	WELL @ 3372.0usft (Patterson #288)
Well:	Rojo 7811 22 Fed #32H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
9,450.0	0.20	230.70	9,421.2	-362.0	414.8	-336.8	1.69	-1.58	62.42	
9,545.0	0.30	259.70	9,516.2	-362.1	414.4	-337.0	0.17	0.11	30.53	
9,640.0	0.60	274.40	9,611.2	-362.2	413.7	-337.1	0.34	0.32	15.47	
9,735.0	0.80	291.70	9,706.1	-361.9	412.5	-336.8	0.30	0.21	18.21	
9,830.0	1.10	292.10	9,801.1	-361.3	411.1	-336.3	0.32	0.32	0.42	
9,925.0	1.40	306.20	9,896.1	-360.3	409.3	-335.4	0.45	0.32	14.84	
10,020.0	1.20	314.10	9,991.1	-358.9	407.6	-334.1	0.28	-0.21	8.32	
10,115.0	1.60	312.80	10,086.1	-357.3	406.0	-332.7	0.42	0.42	-1.37	
10,210.0	1.80	297.40	10,181.0	-355.7	403.7	-331.2	0.52	0.21	-16.21	
10,306.0	1.90	302.70	10,277.0	-354.1	401.0	-329.8	0.21	0.10	5.52	
10,401.0	0.50	316.60	10,371.9	-353.0	399.4	-328.8	1.49	-1.47	14.63	
10,496.0	0.70	205.70	10,466.9	-353.2	398.8	-329.0	1.05	0.21	-116.74	
10,591.0	1.50	218.00	10,561.9	-354.7	397.8	-330.6	0.87	0.84	12.95	
10,686.0	1.40	161.00	10,656.9	-356.8	397.4	-332.7	1.46	-0.11	-60.00	
OH TD @ 10744.0' MD / 10714.9' TVD										
10,744.0	1.40	161.00	10,714.9	-358.1	397.9	-334.0	0.00	0.00	0.00	

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
199.0	199.0	-0.5	0.0	First MWD Survey @ 199.0'MD / 199.0' TVD	
10,744.0	10,714.9	-358.1	397.9	OH TD @ 10744.0' MD / 10714.9' TVD	

Checked By: _____ Approved By: _____ Date: _____

Well Name: ROJO 7811 22 FEDERAL COM	Well Location: T25S / R33E / SEC 22 / SESW / 32.10994 / -103.564271	County or Parish/State: LEA / NM
Well Number: 32H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15091	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254609400X1	Well Status: Approved Application for Permit to Drill	Operator: BTA OIL PRODUCERS LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 02/24/2021	Time Sundry Submitted: 12:18
Date Operation Actually Began: 01/18/2021	

Actual Procedure: TD @ 18,007' REACHED: 10/27/2020. 01/18/2021 THRU 02/04/2021: PERFORATE AND FRAC UPPER WOLFCAMP 13,000' - 17,750' WITH 268,665' TOTAL FLUID; 11.42MM#S 100 MESH SAND. 02/05/2021: COMPLETE DRILLOUT. 02/06//2021: START FLOWING BACK AND TESTING.

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: REDDELL	Signed on: FEB 24, 2021 12:18 PM
Name: BTA OIL PRODUCERS LLC	
Title: Regulatory Analyst	
Street Address: 104 S. Pecos	
City: Midland	State: TX
Phone: (432) 682-3753	
Email address: NOT ENTERED	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

Received by OCD: 4/14/2021 3:03:05 PM

Page 9 of 11

Well Name: ROJO 7811 22 FEDERAL COM	Well Location: T25S / R33E / SEC 22 / SESW / 32.10994 / -103.564271	County or Parish/State: LEA / NM
Well Number: 32H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15091	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254609400X1	Well Status: Approved Application for Permit to Drill	Operator: BTA OIL PRODUCERS LLC

CONFIDENTIAL

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 24062

ACKNOWLEDGMENTS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 24062
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 24062

CONDITIONS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 24062
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	Submit all drilling and casing sundries and completion report.	7/7/2021