

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address BTA OIL PRODUCERS, LLC 104 S. PECOS MIDLAND, TX. 79701		² OGRID Number 260297
		³ Reason for Filing Code/ Effective Date
⁴ API Number 30 – 025-46148	⁵ Pool Name BELL LAKE/BONE SPRING, NORTH	
		⁶ Pool Code 5150
⁷ Property Code 325759	⁸ Property Name WHITE WING 7909 18-19 FED COM	
		⁹ Well Number 1H

II. ¹⁰ Surface Location

UL or lot no. C	Section 18	Township 23S	Range 34E	Lot Idn	Feet from the 530	North/South Line NORTH	Feet from the 1340	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. 4	Section 19	Township 23S	Range 34E	Lot Idn	Feet from the 6.6	North/South line SOUTH	Feet from the 591.6	East/West line WEST	County LEA
¹² Lse Code F	¹³ Producing Method FLOWING		¹⁴ Gas Connection 4/12/2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS MARKETING LP P.O. BOX 4648 HOUSTON, TX 77210	O
836041	TARGA PL MID-CONTINENT WETSTEX LLC 1000 LOUISIANA ST. STE 4300 HOUSTON, TX. 77002	G

IV. Well Completion Data

²¹ Spud Date 10/13/2020	²² Ready Date 4/12/2021	²³ TD 21,762’	²⁴ PBTD 21,727’	²⁵ Perforations 11,800’ – 21,629’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
14 ¾		10 ¾	1,256’		845
9 7/8		7 5/8	10,718		2.030
6 ¾		5 1/2	21,752		1840
6 ¾		5	21,752		1840

V. Well Test Data

³¹ Date New Oil 4/12/2021	³² Gas Delivery Date 4/12/2021	³³ Test Date 4/19/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 2815 psi	³⁶ Csg. Pressure
³⁷ Choke Size 30/64	³⁸ Oil 1285	³⁹ Water 3743	⁴⁰ Gas 2862		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Katy Reddell			OIL CONSERVATION DIVISION		
Printed name: KATY REDDELL			Approved by: KURT SIMMONS		
Title: REGULATORY ANALYST			Title: NMOCD, SANTA FE		
E-mail Address: kreddell@btaoil.com			Approval Date: 07/07/2021		
Date: 4/22/2021		Phone: 432-682-3753			

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Revised August 1, 2011
Submit one copy to appropriate
District Office

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46148	Pool Code 5150	Pool Name BELL LAKE/BONE SPRING, NORTH
Property Code 325759	Property Name WHITE WING 7909 18-19 FED COM	Well Number 1H
OGRID No. 260297	Operator Name BTA OIL PRODUCERS, LLC	Elevation 3507'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	23-S	34-E		530	NORTH	1340	WEST	LEA

As-Drilled Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	19	23-S	34-E		6.6	SOUTH	591.6	WEST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
320			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SCALE: 1"=2000'	
GEODETIC COORDINATES NAD 83 NME	GEODETIC COORDINATES NAD 27 NME
SURFACE LOCATION Y= 477633.9 N X= 794719.7 E LAT.=32.310424° N LONG.=103.513177° W	SURFACE LOCATION Y= 477574.3 N X= 753536.4 E LAT.=32.310300° N LONG.=103.512696° W
FIRST TAKE POINT NAD 83 NME Y= 478058.8 N X= 794063.9 E LAT.=32.311605° N LONG.=103.515289° W	FIRST TAKE POINT NAD 27 NME Y= 477999.1 N X= 752880.5 E LAT.=32.311482° N LONG.=103.514808° W

CORNER COORDINATES TABLE

NAD 27 NME

A - Y= 478093.8 N, X= 752192.8 E
B - Y= 478103.4 N, X= 753429.0 E
C - Y= 472816.8 N, X= 752232.4 E
D - Y= 472825.5 N, X= 753482.7 E
E - Y= 467536.7 N, X= 752271.5 E
F - Y= 467546.1 N, X= 753562.2 E

CORNER COORDINATES TABLE

NAD 83 NME

A - Y= 478153.5 N, X= 793376.1 E
B - Y= 478163.0 N, X= 794612.3 E
C - Y= 472876.4 N, X= 793415.9 E
D - Y= 472885.0 N, X= 794666.1 E
E - Y= 467596.1 N, X= 793455.1 E
F - Y= 467605.5 N, X= 794745.7 E

LAST TAKE POINT

NAD 83 NME

Y= 467700.4 N
X= 794046.8 E
LAT.= 32.283135° N
LONG.=103.515600° W

LAST TAKE POINT

NAD 27 NME

Y= 467641.0 N
X= 752863.2 E
LAT.=32.283011° N
LONG.=103.515120° W

BOTTOM HOLE LOCATION

NAD 83 NME

Y= 467606.9 N
X= 794046.5 E
LAT.=32.282878° N
LONG.=103.515603° W

BOTTOM HOLE LOCATION

NAD 27 NME

Y= 467547.6 N
X= 752862.9 E
LAT.=32.282754° N
LONG.=103.515124° W

NOTE: AS-DRILLED BOTTOM HOLE, LAST TAKE POINT AND FIRST TAKE POINT PLOTTED FROM DATA FURNISHED BY QES SURVEY REPORT ON NOVEMBER 11, 2020.

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Katy Reddell 4/21/2021

Signature

Date

KATY REDDELL

Printed Name

kreddell@btaoil.com


E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey

Signature & Seal of Professional Surveyor



Certificate Number

Gary G. Eidson 12641

Ronald J. Eidson 3239

ACK Rel. W.O.: 20.11.0266 JWSC W.O.: 21.13.0093



BTA Oil Producers, LLC

Lea County, NM (NAD 83)

Sec 18, T23-S, R34-E

White Wing 7909 18-19 Fed Com #1H

Wellbore #1

Design: Wellbore #1

QES Survey Report

11 November, 2020





QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 18, T23-S, R34-E		
Site Position:		Northing:	477,633.90 usft
From:	Map	Easting:	794,719.70 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 18' 37.525 N
		Longitude:	103° 30' 47.436 W
		Grid Convergence:	0.44 °

Well	White Wing 7909 18-19 Fed Com #1H		
Well Position	+N/-S	0.0 usft	Northing: 477,633.90 usft
	+E/-W	0.0 usft	Easting: 794,719.70 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 18' 37.525 N
		Longitude:	103° 30' 47.436 W
		Ground Level:	3,507.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2020	10/7/2020	6.50	60.00	47,843.00000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	183.81	

Survey Program	Date	11/11/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
167.0	21,762.0	QES MWD Surveys (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
First MWD Survey @ 167.0' MD / 167.0' TVD									
167.0	1.00	86.90	167.0	0.1	1.5	-0.2	0.60	0.60	0.00
320.0	0.60	79.90	320.0	0.3	3.6	-0.5	0.27	-0.26	-4.58
441.0	0.80	78.10	441.0	0.6	5.0	-0.9	0.17	0.17	-1.49
561.0	0.60	70.10	561.0	1.0	6.4	-1.4	0.19	-0.17	-6.67
717.0	0.60	80.90	716.9	1.4	8.0	-1.9	0.07	0.00	6.92
903.0	0.70	97.70	902.9	1.4	10.1	-2.0	0.12	0.05	9.03
1,089.0	0.40	68.20	1,088.9	1.5	11.8	-2.2	0.22	-0.16	-15.86
1,232.0	0.80	66.40	1,231.9	2.0	13.2	-2.9	0.28	0.28	-1.26
1,337.0	1.00	52.20	1,336.9	2.9	14.6	-3.9	0.28	0.19	-13.52



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,430.0	4.50	344.40	1,429.8	6.9	14.3	-7.8	4.54	3.76	-72.90
1,523.0	6.50	324.90	1,522.4	14.7	10.3	-15.4	2.91	2.15	-20.97
1,617.0	8.10	302.30	1,615.6	22.6	1.6	-22.7	3.46	1.70	-24.04
1,710.0	8.50	295.00	1,707.7	29.0	-10.2	-28.3	1.21	0.43	-7.85
1,803.0	8.70	297.30	1,799.6	35.2	-22.7	-33.6	0.43	0.22	2.47
1,896.0	8.90	299.10	1,891.5	41.9	-35.2	-39.5	0.37	0.22	1.94
1,989.0	8.00	290.40	1,983.5	47.6	-47.5	-44.4	1.68	-0.97	-9.35
2,082.0	7.70	287.70	2,075.6	51.8	-59.5	-47.7	0.51	-0.32	-2.90
2,176.0	7.70	289.10	2,168.8	55.8	-71.5	-50.9	0.20	0.00	1.49
2,269.0	7.80	289.70	2,260.9	59.9	-83.3	-54.3	0.14	0.11	0.65
2,362.0	8.00	291.80	2,353.1	64.5	-95.3	-58.0	0.38	0.22	2.26
2,455.0	7.50	294.90	2,445.2	69.4	-106.8	-62.2	0.70	-0.54	3.33
2,548.0	7.60	300.50	2,537.4	75.1	-117.6	-67.1	0.80	0.11	6.02
2,641.0	7.50	300.80	2,629.6	81.3	-128.1	-72.6	0.12	-0.11	0.32
2,735.0	7.60	303.90	2,722.8	87.9	-138.5	-78.5	0.45	0.11	3.30
2,828.0	7.60	306.00	2,815.0	95.0	-148.6	-84.9	0.30	0.00	2.26
2,921.0	7.60	308.00	2,907.2	102.4	-158.4	-91.6	0.28	0.00	2.15
3,014.0	7.20	303.30	2,999.4	109.4	-168.1	-98.0	0.78	-0.43	-5.05
3,107.0	6.60	302.30	3,091.7	115.4	-177.5	-103.4	0.66	-0.65	-1.08
3,200.0	6.30	309.60	3,184.1	121.5	-186.0	-108.9	0.94	-0.32	7.85
3,293.0	6.40	316.50	3,276.5	128.6	-193.5	-115.4	0.83	0.11	7.42
3,386.0	6.60	310.90	3,369.0	135.8	-201.1	-122.1	0.71	0.22	-6.02
3,479.0	7.20	293.60	3,461.3	141.6	-210.5	-127.3	2.32	0.65	-18.60
3,573.0	6.80	291.80	3,554.6	146.1	-221.0	-131.1	0.49	-0.43	-1.91
3,666.0	6.90	293.60	3,646.9	150.3	-231.3	-134.6	0.25	0.11	1.94
3,760.0	6.80	290.10	3,740.3	154.5	-241.7	-138.1	0.46	-0.11	-3.72
3,853.0	5.80	288.50	3,832.7	157.9	-251.3	-140.9	1.09	-1.08	-1.72
3,946.0	6.20	305.10	3,925.2	162.3	-259.9	-144.7	1.91	0.43	17.85
4,040.0	5.70	311.00	4,018.7	168.3	-267.5	-150.1	0.84	-0.53	6.28
4,133.0	5.60	315.20	4,111.2	174.5	-274.2	-155.9	0.46	-0.11	4.52
4,226.0	7.20	319.60	4,203.6	182.2	-281.2	-163.1	1.80	1.72	4.73
4,319.0	8.00	315.90	4,295.8	191.3	-289.5	-171.6	1.01	0.86	-3.98
4,413.0	7.60	306.90	4,389.0	199.7	-299.0	-179.4	1.37	-0.43	-9.57
4,506.0	6.90	311.20	4,481.2	207.1	-308.1	-186.1	0.95	-0.75	4.62
4,599.0	6.20	298.80	4,573.6	213.2	-316.7	-191.6	1.69	-0.75	-13.33
4,692.0	5.60	297.70	4,666.1	217.7	-325.1	-195.6	0.66	-0.65	-1.18
4,785.0	5.00	297.90	4,758.7	221.7	-332.7	-199.1	0.65	-0.65	0.22
4,878.0	4.50	299.20	4,851.4	225.4	-339.5	-202.3	0.55	-0.54	1.40
4,972.0	4.00	296.50	4,945.1	228.6	-345.7	-205.2	0.57	-0.53	-2.87
5,065.0	4.60	299.80	5,037.9	231.9	-351.8	-208.0	0.70	0.65	3.55
5,158.0	6.90	301.20	5,130.4	236.7	-359.8	-212.3	2.48	2.47	1.51
5,251.0	7.00	300.20	5,222.7	242.4	-369.5	-217.3	0.17	0.11	-1.08
5,344.0	7.00	302.70	5,315.0	248.3	-379.2	-222.6	0.33	0.00	2.69



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
Cross 280' HL@ 5396.3' MD / 5366.9' TVD									
5,396.3	7.11	301.62	5,366.9	251.8	-384.6	-225.6	0.33	0.21	-2.07
5,437.0	7.20	300.80	5,407.3	254.4	-388.9	-228.0	0.33	0.22	-2.01
5,530.0	7.10	299.40	5,499.6	260.2	-399.0	-233.1	0.22	-0.11	-1.51
5,624.0	6.70	297.90	5,592.9	265.6	-408.9	-237.9	0.47	-0.43	-1.60
5,717.0	6.50	297.10	5,685.3	270.5	-418.3	-242.1	0.24	-0.22	-0.86
5,810.0	6.20	296.40	5,777.7	275.2	-427.5	-246.2	0.33	-0.32	-0.75
5,903.0	5.90	293.50	5,870.2	279.3	-436.4	-249.7	0.46	-0.32	-3.12
5,996.0	5.40	302.40	5,962.8	283.6	-444.5	-253.4	1.08	-0.54	9.57
6,090.0	5.20	304.70	6,056.4	288.4	-451.7	-257.7	0.31	-0.21	2.45
6,183.0	5.20	302.30	6,149.0	293.0	-458.7	-261.9	0.23	0.00	-2.58
6,276.0	5.20	301.30	6,241.6	297.5	-465.9	-265.8	0.10	0.00	-1.08
6,369.0	5.20	301.40	6,334.2	301.8	-473.1	-269.7	0.01	0.00	0.11
6,462.0	5.30	301.60	6,426.8	306.3	-480.4	-273.7	0.11	0.11	0.22
6,555.0	5.30	302.10	6,519.4	310.8	-487.7	-277.7	0.05	0.00	0.54
6,648.0	5.00	301.70	6,612.0	315.2	-494.8	-281.7	0.32	-0.32	-0.43
6,742.0	5.20	303.20	6,705.7	319.7	-501.8	-285.7	0.26	0.21	1.60
6,835.0	5.10	303.00	6,798.3	324.3	-508.8	-289.7	0.11	-0.11	-0.22
6,928.0	5.00	303.00	6,890.9	328.7	-515.7	-293.7	0.11	-0.11	0.00
7,021.0	5.10	300.10	6,983.6	333.0	-522.6	-297.5	0.29	0.11	-3.12
7,114.0	5.20	300.90	7,076.2	337.3	-529.8	-301.3	0.13	0.11	0.86
7,208.0	5.10	296.60	7,169.8	341.3	-537.2	-304.9	0.42	-0.11	-4.57
7,301.0	4.70	294.80	7,262.5	344.8	-544.4	-307.8	0.46	-0.43	-1.94
7,394.0	4.20	296.10	7,355.2	347.9	-550.9	-310.5	0.55	-0.54	1.40
7,487.0	3.90	292.30	7,448.0	350.6	-556.9	-312.8	0.43	-0.32	-4.09
7,580.0	4.60	304.70	7,540.7	353.9	-562.9	-315.7	1.24	0.75	13.33
7,674.0	4.70	310.40	7,634.4	358.5	-568.9	-319.9	0.50	0.11	6.06
7,767.0	4.20	308.10	7,727.1	363.1	-574.5	-324.1	0.57	-0.54	-2.47
7,860.0	3.80	309.50	7,819.9	367.1	-579.5	-327.8	0.44	-0.43	1.51
7,954.0	4.10	307.40	7,913.7	371.2	-584.6	-331.5	0.35	0.32	-2.23
8,047.0	4.30	306.90	8,006.4	375.3	-590.0	-335.2	0.22	0.22	-0.54
8,140.0	3.80	310.10	8,099.2	379.4	-595.2	-339.0	0.59	-0.54	3.44
8,233.0	5.70	304.00	8,191.9	383.9	-601.4	-343.1	2.11	2.04	-6.56
8,327.0	5.80	305.90	8,285.4	389.3	-609.1	-348.0	0.23	0.11	2.02
8,420.0	5.50	302.70	8,377.9	394.5	-616.6	-352.6	0.47	-0.32	-3.44
8,513.0	4.70	302.90	8,470.6	399.0	-623.6	-356.6	0.86	-0.86	0.22
8,606.0	3.70	300.80	8,563.3	402.6	-629.4	-359.9	1.09	-1.08	-2.26
8,699.0	3.20	304.00	8,656.2	405.6	-634.1	-362.5	0.58	-0.54	3.44
8,793.0	2.90	301.50	8,750.0	408.3	-638.3	-365.0	0.35	-0.32	-2.66
8,886.0	2.10	300.20	8,842.9	410.4	-641.8	-366.8	0.86	-0.86	-1.40
8,979.0	1.40	287.80	8,935.9	411.6	-644.3	-367.8	0.85	-0.75	-13.33
9,072.0	1.60	281.90	9,028.9	412.2	-646.7	-368.3	0.27	0.22	-6.34
9,165.0	2.90	306.40	9,121.8	413.8	-649.9	-369.7	1.71	1.40	26.34



QES Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
9,258.0	3.00	310.20	9,214.7	416.8	-653.6	-372.5	0.24	0.11	4.09	
9,351.0	2.80	319.10	9,307.5	420.1	-657.0	-375.5	0.53	-0.22	9.57	
9,444.0	2.70	309.90	9,400.4	423.2	-660.1	-378.4	0.49	-0.11	-9.89	
Cross 100' HL@ 9498.3' MD / 9454.7' TVD										
9,498.3	2.23	310.94	9,454.7	424.7	-661.9	-379.8	0.86	-0.86	1.92	
9,537.0	1.90	312.00	9,493.4	425.7	-662.9	-380.7	0.86	-0.86	2.73	
9,631.0	2.10	307.30	9,587.3	427.7	-665.5	-382.6	0.28	0.21	-5.00	
9,724.0	1.60	300.20	9,680.3	429.4	-668.0	-384.1	0.59	-0.54	-7.63	
9,817.0	2.10	303.60	9,773.2	431.0	-670.5	-385.5	0.55	0.54	3.66	
9,910.0	1.60	313.20	9,866.2	432.9	-672.9	-387.2	0.63	-0.54	10.32	
10,003.0	2.10	310.30	9,959.1	434.8	-675.1	-389.0	0.55	0.54	-3.12	
10,097.0	1.70	314.60	10,053.1	436.9	-677.4	-391.0	0.45	-0.43	4.57	
10,190.0	1.10	313.10	10,146.0	438.5	-679.0	-392.4	0.65	-0.65	-1.61	
10,283.0	0.70	329.80	10,239.0	439.6	-680.0	-393.5	0.51	-0.43	17.96	
10,377.0	0.70	352.40	10,333.0	440.7	-680.3	-394.5	0.29	0.00	24.04	
10,470.0	0.70	23.20	10,426.0	441.8	-680.2	-395.6	0.40	0.00	33.12	
10,563.0	1.10	72.20	10,519.0	442.6	-679.1	-396.5	0.89	0.43	52.69	
10,656.0	1.40	87.70	10,612.0	442.9	-677.1	-396.9	0.48	0.32	16.67	
10,665.0	1.50	85.50	10,621.0	442.9	-676.9	-396.9	1.27	1.11	-24.44	
10,757.0	2.30	95.10	10,712.9	442.8	-673.9	-397.1	0.93	0.87	10.43	
10,852.0	3.10	105.40	10,807.8	442.0	-669.5	-396.5	0.98	0.84	10.84	
10,947.0	3.50	114.50	10,902.7	440.1	-664.4	-395.0	0.69	0.42	9.58	
11,042.0	8.00	152.30	10,997.2	433.0	-658.7	-388.3	5.95	4.74	39.79	
Cross 100' HL@ 11090.4' MD / 11044.8' TVD										
11,090.4	12.82	167.08	11,044.8	424.8	-655.9	-380.3	11.30	9.95	30.54	
11,136.0	17.70	173.40	11,088.8	413.0	-654.0	-368.6	11.30	10.71	13.86	
11,234.0	24.80	181.40	11,180.1	377.6	-652.8	-333.4	7.81	7.24	8.16	
11,329.0	40.40	184.00	11,259.9	326.6	-655.4	-282.4	16.48	16.42	2.74	
11,423.0	55.70	188.70	11,322.5	257.4	-663.5	-212.8	16.69	16.28	5.00	
11,519.0	57.30	188.90	11,375.5	178.3	-675.7	-133.0	1.68	1.67	0.21	
11,613.0	62.80	188.40	11,422.4	97.8	-687.9	-51.9	5.87	5.85	-0.53	
11,708.0	70.20	188.50	11,460.3	11.7	-700.7	34.9	7.79	7.79	0.11	
11,803.0	77.40	185.20	11,486.8	-78.8	-711.6	125.9	8.28	7.58	-3.47	
11,897.0	84.50	180.60	11,501.6	-171.4	-716.2	218.6	8.97	7.55	-4.89	
11,927.0	85.10	179.80	11,504.3	-201.3	-716.3	248.4	3.32	2.00	-2.67	
12,022.0	86.50	179.60	11,511.2	-296.0	-715.8	342.9	1.49	1.47	-0.21	
12,116.0	87.40	178.50	11,516.2	-389.9	-714.3	436.5	1.51	0.96	-1.17	
12,210.0	88.80	181.10	11,519.3	-483.8	-713.9	530.2	3.14	1.49	2.77	
12,305.0	90.10	180.10	11,520.3	-578.8	-714.9	625.0	1.73	1.37	-1.05	
12,399.0	91.20	178.80	11,519.2	-672.8	-714.0	718.7	1.81	1.17	-1.38	
12,495.0	91.00	181.80	11,517.3	-768.8	-714.5	814.5	3.13	-0.21	3.13	
12,590.0	92.10	181.10	11,514.8	-863.7	-716.9	909.4	1.37	1.16	-0.74	
12,685.0	93.20	179.40	11,510.4	-958.6	-717.4	1,004.1	2.13	1.16	-1.79	
12,780.0	91.70	181.50	11,506.3	-1,053.5	-718.1	1,098.9	2.71	-1.58	2.21	



QES Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
12,876.0	91.90	180.60	11,503.3	-1,149.4	-719.9	1,194.7	0.96	0.21	-0.94	
12,971.0	90.20	183.10	11,501.6	-1,244.3	-722.9	1,289.6	3.18	-1.79	2.63	
13,065.0	91.70	181.40	11,500.0	-1,338.3	-726.6	1,383.6	2.41	1.60	-1.81	
13,160.0	88.70	181.00	11,499.7	-1,433.2	-728.6	1,478.5	3.19	-3.16	-0.42	
13,255.0	88.00	181.20	11,502.4	-1,528.2	-730.4	1,573.3	0.77	-0.74	0.21	
13,350.0	87.50	180.10	11,506.1	-1,623.1	-731.5	1,668.1	1.27	-0.53	-1.16	
13,446.0	87.80	178.90	11,510.1	-1,719.0	-730.7	1,763.7	1.29	0.31	-1.25	
13,541.0	88.40	177.60	11,513.2	-1,813.9	-727.8	1,858.2	1.51	0.63	-1.37	
13,636.0	89.50	181.30	11,515.0	-1,908.9	-726.9	1,952.9	4.06	1.16	3.89	
13,731.0	90.90	182.00	11,514.6	-2,003.8	-729.6	2,047.9	1.65	1.47	0.74	
13,825.0	88.10	182.40	11,515.5	-2,097.7	-733.2	2,141.8	3.01	-2.98	0.43	
13,921.0	88.50	182.10	11,518.3	-2,193.6	-737.0	2,237.7	0.52	0.42	-0.31	
14,015.0	89.20	181.50	11,520.2	-2,287.6	-739.9	2,331.7	0.98	0.74	-0.64	
14,110.0	87.10	180.60	11,523.3	-2,382.5	-741.7	2,426.5	2.40	-2.21	-0.95	
14,205.0	87.80	180.10	11,527.5	-2,477.4	-742.2	2,521.2	0.91	0.74	-0.53	
14,300.0	89.20	179.50	11,530.0	-2,572.3	-741.9	2,616.0	1.60	1.47	-0.63	
14,395.0	90.30	178.60	11,530.4	-2,667.3	-740.3	2,710.6	1.50	1.16	-0.95	
14,489.0	91.90	178.00	11,528.6	-2,761.3	-737.5	2,804.2	1.82	1.70	-0.64	
14,585.0	88.90	178.80	11,527.9	-2,857.2	-734.9	2,899.7	3.23	-3.13	0.83	
14,680.0	89.90	178.20	11,528.9	-2,952.2	-732.4	2,994.3	1.23	1.05	-0.63	
14,776.0	91.30	176.90	11,527.9	-3,048.1	-728.3	3,089.7	1.99	1.46	-1.35	
14,871.0	88.20	178.40	11,528.3	-3,143.0	-724.4	3,184.2	3.62	-3.26	1.58	
14,966.0	88.50	178.80	11,531.1	-3,237.9	-722.1	3,278.7	0.53	0.32	0.42	
15,061.0	89.60	178.10	11,532.6	-3,332.9	-719.5	3,373.3	1.37	1.16	-0.74	
15,157.0	90.80	177.20	11,532.3	-3,428.8	-715.6	3,468.8	1.56	1.25	-0.94	
15,252.0	87.20	177.70	11,534.0	-3,523.7	-711.3	3,563.1	3.83	-3.79	0.53	
15,347.0	87.70	178.00	11,538.2	-3,618.5	-707.8	3,657.5	0.61	0.53	0.32	
15,442.0	88.10	179.90	11,541.7	-3,713.4	-706.0	3,752.1	2.04	0.42	2.00	
15,538.0	88.70	180.10	11,544.3	-3,809.4	-706.0	3,847.9	0.66	0.63	0.21	
15,633.0	85.40	180.10	11,549.2	-3,904.2	-706.2	3,942.5	3.47	-3.47	0.00	
15,728.0	86.10	179.50	11,556.3	-3,999.0	-705.9	4,037.0	0.97	0.74	-0.63	
15,823.0	87.40	179.50	11,561.7	-4,093.8	-705.0	4,131.6	1.37	1.37	0.00	
15,918.0	88.70	179.50	11,564.9	-4,188.8	-704.2	4,226.3	1.37	1.37	0.00	
16,013.0	89.50	179.70	11,566.4	-4,283.7	-703.5	4,321.0	0.87	0.84	0.21	
16,108.0	91.00	177.00	11,566.0	-4,378.7	-700.8	4,415.6	3.25	1.58	-2.84	
16,202.0	88.00	176.60	11,566.8	-4,472.5	-695.6	4,508.9	3.22	-3.19	-0.43	
16,296.0	86.90	182.50	11,571.0	-4,566.4	-694.8	4,602.5	6.38	-1.17	6.28	
16,391.0	86.60	183.20	11,576.4	-4,661.1	-699.5	4,697.3	0.80	-0.32	0.74	
16,486.0	87.30	183.20	11,581.4	-4,755.8	-704.8	4,792.2	0.74	0.74	0.00	
16,578.0	90.40	180.60	11,583.3	-4,847.7	-707.9	4,884.1	4.40	3.37	-2.83	
16,673.0	91.40	181.10	11,581.8	-4,942.7	-709.3	4,978.9	1.18	1.05	0.53	
16,768.0	91.90	181.10	11,579.0	-5,037.7	-711.1	5,073.8	0.53	0.53	0.00	
16,863.0	91.60	180.70	11,576.1	-5,132.6	-712.6	5,168.6	0.53	-0.32	-0.42	



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
16,958.0	91.00	180.50	11,574.0	-5,227.6	-713.6	5,263.4	0.67	-0.63	-0.21
17,053.0	89.30	179.40	11,573.7	-5,322.6	-713.5	5,358.2	2.13	-1.79	-1.16
17,148.0	88.70	179.10	11,575.4	-5,417.5	-712.3	5,452.9	0.71	-0.63	-0.32
17,242.0	89.00	179.20	11,577.3	-5,511.5	-710.9	5,546.6	0.34	0.32	0.11
17,337.0	88.10	179.60	11,579.7	-5,606.5	-709.9	5,641.3	1.04	-0.95	0.42
17,432.0	90.50	178.90	11,580.8	-5,701.5	-708.6	5,735.9	2.63	2.53	-0.74
17,526.0	91.30	178.70	11,579.4	-5,795.4	-706.7	5,829.6	0.88	0.85	-0.21
17,620.0	91.20	178.50	11,577.3	-5,889.4	-704.4	5,923.2	0.24	-0.11	-0.21
17,715.0	92.10	179.60	11,574.6	-5,984.3	-702.8	6,017.8	1.50	0.95	1.16
17,810.0	93.50	179.60	11,569.9	-6,079.2	-702.1	6,112.4	1.47	1.47	0.00
17,904.0	90.50	178.80	11,566.7	-6,173.1	-700.8	6,206.1	3.30	-3.19	-0.85
17,999.0	89.80	178.10	11,566.4	-6,268.1	-698.3	6,300.6	1.04	-0.74	-0.74
18,093.0	90.60	178.80	11,566.1	-6,362.1	-695.7	6,394.2	1.13	0.85	0.74
18,187.0	89.40	180.20	11,566.1	-6,456.0	-694.9	6,488.0	1.96	-1.28	1.49
18,282.0	90.20	180.30	11,566.4	-6,551.0	-695.3	6,582.8	0.85	0.84	0.11
18,377.0	92.00	181.20	11,564.6	-6,646.0	-696.6	6,677.6	2.12	1.89	0.95
18,473.0	88.70	180.00	11,564.0	-6,742.0	-697.6	6,773.4	3.66	-3.44	-1.25
18,567.0	88.80	179.40	11,566.0	-6,836.0	-697.1	6,867.2	0.65	0.11	-0.64
18,662.0	90.40	179.80	11,566.7	-6,931.0	-696.4	6,961.9	1.74	1.68	0.42
18,757.0	89.60	178.90	11,566.7	-7,026.0	-695.3	7,056.6	1.27	-0.84	-0.95
18,853.0	90.20	177.30	11,566.9	-7,121.9	-692.1	7,152.1	1.78	0.63	-1.67
18,948.0	85.60	176.70	11,570.4	-7,216.7	-687.2	7,246.4	4.88	-4.84	-0.63
19,043.0	86.50	177.70	11,576.9	-7,311.3	-682.5	7,340.5	1.41	0.95	1.05
19,138.0	86.40	177.50	11,582.8	-7,406.1	-678.6	7,434.8	0.24	-0.11	-0.21
19,233.0	88.50	178.90	11,587.0	-7,500.9	-675.6	7,529.2	2.66	2.21	1.47
19,329.0	89.20	179.60	11,588.9	-7,596.9	-674.3	7,624.9	1.03	0.73	0.73
19,423.0	89.70	179.70	11,589.8	-7,690.9	-673.8	7,718.7	0.54	0.53	0.11
19,517.0	90.80	180.40	11,589.4	-7,784.9	-673.8	7,812.5	1.39	1.17	0.74
19,611.0	90.80	180.20	11,588.1	-7,878.9	-674.3	7,906.3	0.21	0.00	-0.21
19,706.0	91.20	179.80	11,586.5	-7,973.9	-674.3	8,001.0	0.60	0.42	-0.42
19,801.0	93.00	179.90	11,583.0	-8,068.8	-674.1	8,095.7	1.90	1.89	0.11
19,895.0	90.50	178.60	11,580.1	-8,162.7	-672.9	8,189.4	3.00	-2.66	-1.38
19,989.0	90.20	178.40	11,579.5	-8,256.7	-670.4	8,283.0	0.38	-0.32	-0.21
20,085.0	91.10	178.30	11,578.4	-8,352.6	-667.6	8,378.5	0.94	0.94	-0.10
20,179.0	92.40	178.50	11,575.6	-8,446.6	-665.0	8,472.1	1.40	1.38	0.21
20,274.0	89.60	179.10	11,573.9	-8,541.5	-663.0	8,566.7	3.01	-2.95	0.63
20,368.0	89.50	178.10	11,574.7	-8,635.5	-660.7	8,660.3	1.07	-0.11	-1.06
20,463.0	89.80	179.00	11,575.2	-8,730.5	-658.3	8,754.9	1.00	0.32	0.95
20,559.0	91.00	180.50	11,574.6	-8,826.4	-657.9	8,850.7	2.00	1.25	1.56
20,653.0	92.80	183.70	11,571.4	-8,920.3	-661.3	8,944.5	3.90	1.91	3.40
20,749.0	93.00	179.30	11,566.6	-9,016.1	-663.9	9,040.3	4.58	0.21	-4.58
20,844.0	91.60	180.30	11,562.8	-9,111.1	-663.5	9,135.0	1.81	-1.47	1.05
20,938.0	90.30	180.80	11,561.2	-9,205.0	-664.4	9,228.8	1.48	-1.38	0.53
21,031.0	91.20	181.20	11,560.0	-9,298.0	-666.0	9,321.7	1.06	0.97	0.43



QES
Survey Report



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well White Wing 7909 18-19 Fed Com #1H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3532.0usft (Patterson #566)
Site:	Sec 18, T23-S, R34-E	MD Reference:	WELL @ 3532.0usft (Patterson #566)
Well:	White Wing 7909 18-19 Fed Com #1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
21,125.0	89.80	181.00	11,559.2	-9,392.0	-667.9	9,415.6	1.50	-1.49	-0.21	
21,219.0	90.90	181.20	11,558.6	-9,486.0	-669.7	9,509.5	1.19	1.17	0.21	
21,314.0	91.70	181.40	11,556.4	-9,580.9	-671.8	9,604.4	0.87	0.84	0.21	
21,409.0	91.90	180.30	11,553.5	-9,675.9	-673.2	9,699.2	1.18	0.21	-1.16	
21,504.0	90.00	179.90	11,551.9	-9,770.8	-673.4	9,794.0	2.04	-2.00	-0.42	
21,598.0	90.10	179.80	11,551.8	-9,864.8	-673.1	9,887.8	0.15	0.11	-0.11	
Cross 100' HL@ 21666.7' MD / 11551.9' TVD										
21,666.7	89.78	180.06	11,551.9	-9,933.5	-673.1	9,956.3	0.60	-0.47	0.37	
21,705.0	89.60	180.20	11,552.1	-9,971.8	-673.1	9,994.5	0.60	-0.47	0.37	
TD @ 21762.0' MD / 11552.5' TVD										
21,762.0	89.60	180.20	11,552.5	-10,028.8	-673.3	10,051.4	0.00	0.00	0.00	

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
167.0	167.0	0.1	1.5	First MWD Survey @ 167.0' MD / 167.0' TVD	
5,396.3	5,366.9	251.8	-384.6	Cross 280' HL@ 5396.3' MD / 5366.9' TVD	
9,498.3	9,454.7	424.7	-661.9	Cross 100' HL@ 9498.3' MD / 9454.7' TVD	
11,090.4	11,044.8	424.8	-655.9	Cross 100' HL@ 11090.4' MD / 11044.8' TVD	
21,666.7	11,551.9	-9,933.5	-673.1	Cross 100' HL@ 21666.7' MD / 11551.9' TVD	
21,762.0	11,552.5	-10,028.8	-673.3	TD @ 21762.0' MD / 11552.5' TVD	

Well Name: STARCASTER 7909 FEDERAL COM	Well Location: T23S / R34E / SEC 18 / NENW / 32.310424 / -103.513177	County or Parish/State: LEA / NM
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC0068387, NMLC068387	Unit or CA Name:	Unit or CA Number: NMNM137206
US Well Number: 3002546148	Well Status: Approved Application for Permit to Drill	Operator: BTA OIL PRODUCERS LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 04/21/2021	Time Sundry Submitted: 02:10
Date Operation Actually Began: 03/17/2021	

Actual Procedure: BTA RESPECTFULLY REQUESTS TO CORRECT THE COMPLETION INTERVAL. INCORRECT SUBMITTED REPORT: TD @ 21,762' REACHED: 11/12/2020 3/17/2021 THROUGH 4/1/2021 PERFORATE AND FRAC BONESPRING SAND @ 11,003' - 21,762' WITH 540,115 Bbls TOTAL FLUID; 24.56 MM#S OF 100 MESH SAND. 4/7/2021: COMPLETE DRILL OUT. 4/12/2021: FLOWBACK. START FLOWING BACK AND TESTING. CORRECTED PROCEDURE: TD @ 21,762' REACHED: 11/12/2020. 3/17/2021 THROUGH 4/1/2021 PERFORATE AND FRAC BONESPRING SAND @ 11,800' - 21,629' WITH 540,115 Bbls TOTAL FLUID; 24.56 MM#S OF 100 MESH SAND. 4/7/2021: COMPLETE DRILL OUT. 4/12/2021: FLOWBACK. START FLOWING BACK AND TESTING.

Well Name: STARCASTER 7909 FEDERAL COM	Well Location: T23S / R34E / SEC 18 / NENW / 32.310424 / -103.513177	County or Parish/State: LEA / NM
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC0068387, NMLC068387	Unit or CA Name:	Unit or CA Number: NMNM137206
US Well Number: 3002546148	Well Status: Approved Application for Permit to Drill	Operator: BTA OIL PRODUCERS LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: KATY REDDELL	Signed on: APR 21, 2021 02:10 PM
Name: BTA OIL PRODUCERS LLC	
Title: Regulatory Analyst	
Street Address: 104 S Pecos	
City: Midland	State: TX
Phone: (432) 682-3753	
Email address: Kreddell@btaoil.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 25023

ACKNOWLEDGMENTS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 25023
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 25023

CONDITIONS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 25023
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	Submit Completion Report	7/7/2021