

| | | |
|---------------------------------|--|--------------------------------------|
| Well Name: BELLAGIO BBY FEDERAL | Well Location: T20S / R25E / SEC 33 / NWNW / | County or Parish/State: EDDY / NM |
| Well Number: 1 | Type of Well: CONVENTIONAL GAS WELL | Allottee or Tribe Name: |
| Lease Number: NMNM108453 | Unit or CA Name: | Unit or CA Number: |
| US Well Number: 300153261100X1 | Well Status: Abandoned | Operator: EOG RESOURCES INCORPORATED |

Accepted for record – NMOCD gc 7/13/2021

Subsequent Report

| | |
|---|--------------------------------------|
| Type of Submission: Subsequent Report | Type of Action: Plug and Abandonment |
| Date Sundry Submitted: 06/29/2021 | Time Sundry Submitted: 04:09 |
| Date Operation Actually Began: 06/07/2021 | |
| Actual Procedure: Please see attached. Thank you. | |

SR Attachments

Actual Procedure

Bellagio_BBY_Federal_1_6_29_21_20210629160913.pdf

| | | |
|--|---|---|
| Well Name: BELLAGIO BBY FEDERAL | Well Location: T20S / R25E / SEC 33 / NWNW / | County or Parish/State: EDDY / NM |
| Well Number: 1 | Type of Well: CONVENTIONAL GAS WELL | Allottee or Tribe Name: |
| Lease Number: NMNM108453 | Unit or CA Name: | Unit or CA Number: |
| US Well Number: 300153261100X1 | Well Status: Abandoned | Operator: EOG RESOURCES INCORPORATED |

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

| | |
|--|---|
| Operator Electronic Signature: TINA HUERTA | Signed on: JUN 29, 2021 04:09 PM |
| Name: EOG RESOURCES INCORPORATED | |
| Title: Regulatory Specialist | |
| Street Address: 104 SOUTH FOURTH STREET | |
| City: Artesia | State: NM |
| Phone: (575) 748-4168 | |
| Email address: tina_huerta@eogresources.com | |

Field Representative

| | | |
|-----------------------------|---------------|-------------|
| Representative Name: | | |
| Street Address: | | |
| City: | State: | Zip: |
| Phone: | | |
| Email address: | | |

BLM Point of Contact

| | |
|-----------------------------------|--|
| BLM POC Name: JAMES A AMOS | BLM POC Title: Acting Assistant Field Manager |
| BLM POC Phone: 5752345927 | BLM POC Email Address: jamos@blm.gov |
| Disposition: Accepted | Disposition Date: 07/02/2021 |
| Signature: James A. Amos | |

Bellagio BBY Federal 1 – Sub P&A

6/7/21 – MIRU and NU BOP. Pressure tested to 9376 ft to 600 psi for 5 min, good. Called Jim Amos with BLM-Carlsbad and he approved CIBP to be set immediately above the packer left in the hole.

6/8/21 – Gauge ring run clear to 9365 ft. Set a CIBP at 9350 ft. Loaded casing with plugging mud. Pressure tested, good. Spotted 60 sx Class H cement on top of CIBP to 8807 ft calc TOC.

6/9/21 – Tagged TOC 9007 ft. John Kish with BLM notified, tag not approved. Spotted an additional 60 sx Class H cement from (low tag) 9007 ft – 8464 ft calc TOC. Spotted a 25 sx Class H cement plug from 8210 ft - 7984 ft calc TOC. Tagged TOC 8074 ft. Plug did not meet 10% excess per 1000 ft of depth requirement. John Kish with BLM advised to add 25 additional sx cement. Spotted an additional 25 sx Class H cement from 8074 ft – 7848 ft calc TOC, no tag. Spotted a 30 sx Class C cement plug from 6722 ft – 6419 ft calc TOC.

6/10/21 – Tagged TOC 6560 ft, required 6437 ft. John Kish with BLM did not approve tag, advised to pump additional 25 sx Class C cement at 6560 ft. Spotted additional 25 sx Class C cement from 6560 ft – 6307 ft calc TOC. Spotted a 25 sx Class C cement plug from 4518 ft – 4265 ft calc TOC. Tagged TOC 4307 ft. John Kish with BLM approved tag. Perforated at 3426 ft. Pressure tested, good. Spotted a 35 sx Class C cement plug from 3476 ft – 3122 ft calc TOC.

6/11/21 – Tagged TOC 3156 ft. John Kish with BLM notified. Spotted a 30 sx Class C cement plug from 2558 ft – 2255 ft calc TOC, no tag. Spotted a 25 sx Class C cement plug from 865 ft – 612 ft calc TOC, no tag. Perforated at 472 ft. Pressure tested, good. Spotted a 55 sx Class C cement plug from 522 ft up to surface in 5-1/2 inch casing.

6/18/21 – Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors.

WELL IS PLUGGED AND ABANDONED.

Bellagio BBY Federal 1

The diagram illustrates the vertical profile of the Bellagio BBY Federal 1 wellbore. It features a central column representing the wellbore, flanked by gray vertical bars indicating the casing or well wall. The wellbore is divided into sections by horizontal plugs, labeled Plug 1 through Plug 8 from bottom to top. Plug 8 is at the top, and Plug 1 is at the bottom. The wellbore is perforated at several points, indicated by red horizontal lines. The top of the wellbore is labeled 'A' and the bottom is labeled 'C'. The existing morrow perforations are located between Plug 1 and Plug 2, with a depth range of 9570' to 9586'. The wellbore is also perforated at the top, between Plug 7 and Plug 8, and at the bottom, between Plug 5 and Plug 6. The wellbore is also perforated at the top, between Plug 7 and Plug 8, and at the bottom, between Plug 5 and Plug 6.

Plug 8

Plug 7

Plug 6

Plug 5

Plug 4

Plug 3

Plug 2

Plug 1

Existing Morrow Perfs: 9570' - 9586'

A

B

C

PBTD: 9,792 MD

TD: 9,850 MD

| | |
|------|--------------|
| API: | 30-025-38593 |
| GL: | 3597 |
| KB: | 3614 |

[illegible]

| | Formation | Top | | Formation | Top | | Formation | Top | |
|--|------------|------|--|-----------|------|--|-----------|------|--|
| | San Andres | 815 | | 3rd BS | 6514 | | Morrow | 9410 | |
| | Glorieta | 2508 | | WC | 6672 | | Chester | 9662 | |
| | BS | 3230 | | Canyon | 8160 | | | | |
| | 1st BS | 3376 | | Strawn | 8683 | | | | |
| | 2nd BS | 4468 | | Atoka | 9010 | | | | |

[illegible]

| # | SX | Class | Top | Bottom | Tag | | |
|---|-----|-------|------|--------|-----|------|--|
| 1 | 120 | H | 8464 | 9350 | N | CIBP | |
| 2 | 50 | H | 7848 | 8210 | N | | |
| 3 | 55 | C | 6307 | 6722 | N | | |
| 4 | 25 | C | 4307 | 4518 | Y | | |
| 5 | 35 | C | 3156 | 3476 | Y | | |
| 6 | 30 | C | 2255 | 2558 | N | | |
| 7 | 25 | C | 612 | 865 | N | | |
| 8 | 55 | C | 0 | 522 | N | | |
| | | | | | | | |
| | | | | | | | |

[illegible]

7/7/21

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 35405

CONDITIONS

| | |
|--|--|
| Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702 | OGRID: 7377 |
| | Action Number: 35405 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| | | |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| gcordero | None | 7/13/2021 |