

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: WHIRLING WIND 11 FED Well Location: T26S / R33E / SEC 11 /

COM SWSE / 32.0539654 / -103.5390652

County or Parish/State: LEA /

NM

Well Number: 741H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM122621 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300254451300X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

**INCORPORATED** 

### **Notification**

Type of Submission: Notification Type of Action: Well Spud

**Date Sundry Submitted:** 03/09/2021 **Time Sundry Submitted:** 9:15:33 AM

Date Operation Will Begin: 02/18/2021 Time Operation Will Begin: 11:00:00 AM

APD Approved Date: 01/31/2018

**US Well Number** 3002544513

Field Contact Name: C CASKEY Field Contact Number: (432) 636-3600

Rig Name: Rig Number: HP245

**Spud Type:** Conductor Hole, Rathole and/or Mousehole

Procedure Description: 2-19-2021 20" CONDUCTOR @ 114'

**Disposition:** Accepted

**Accepted Date:** 06/11/2021



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: WHIRLING WIND 11 FED Well Location: T26S / R33E / SEC 11 / County or Parish/State: LEA /

DM SWSE / 32.0539654 / -103.5390652 NM

Well Number: 741H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM122621 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300254451300X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

**INCORPORATED** 

### **Notification**

Type of Submission: Type of Action: Casing and Cementing

**Date Sundry Submitted:** Mar 9, 2021 **Time Sundry Submitted:** 12:32:10 PM

**Date Operation will begin:** Mar 5, 2021 **Time Operation will begin:** 11:00:00 AM

Field Contact Name: C CASKEY Field Contact Number: 4326363600

Rig Name: Rig Number: HP245

## **Well Casing Table:**

String Type					Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	-9036	1000	1000	-10036

Procedure Description: 3-6-2021 14 3/4" HOLE

3-6-2021 Surface Hole @ 1,095' MD, 1,094' TVD

Casing shoe @ 1,091' MD

Ran 9-5/8" 40# J-55 LTC 0' - 1,003' Ran 9-5/8" 40# J-55 LTC 1,003' - 1,091'

Cement w/ 360 sx Class C (1.79 yld, 13.5 ppg), Trail w/ 105 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min - Good. Circ 147 sx cement to surface. Resume drilling 9

7/8" hole

**Disposition:** Accepted

**Accepted Date:** 06/11/2021



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: WHIRLING WIND 11 FED Well Location: T26S / R33E / SEC 11 / County or Parish/State: LEA /

DM SWSE / 32.0539654 / -103.5390652 NN

Well Number: 741H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM122621 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300254451300X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

**INCORPORATED** 

### **Notification**

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Mar 24, 2021 Time Sundry Submitted: 7:41:28 AM

**Date Operation will begin:** Mar 9, 2021 **Time Operation will begin:** 11:00:00 AM

Field Contact Name: D MOOSE Field Contact Number: 4326363600

Rig Name: Rig Number: HP245

# **Well Casing Table:**

0 71				_		Bottom Setting Depth MSL
INTERMEDIATE	0	0	-9036	1000	1000	-10036
PRODUCTION	0	0	-9036	10900	10900	-19936

Procedure Description: 3-10-2021 9 7/8" HOLE

3-10-2021 Intermediate Hole @ 12,104' MD, 11,909' TVD

Casing shoe @ 12,089' MD

Ran 7-7/8", 29.7#, ICYP-110 MO-FXL

Stage 1: Cement w/ 435 sx Class H (1.20 yld, 15.6 ppg)

Test casing to 2,700 psi for 30 min - OK. Did not circ cement to surface, TOC @ 6,995' by Calc

Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg)

Stage 3: Top out w/ 239 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @

39' by Echometer

3-20-2021 7 7/8" hole

3-20-2021 Production Hole @ 21,220' MD, 13,041' TVD

Casing shoe @ 21,200' MD, 13,041' TVD

Ran 5.5", 20#, ECP-110 DWC 0' - 11,519' (MJ @ 12,707' and 20,731')

Ran 5.5", 20#, ICYP-110 TLW 11,519' - 12,127' Ran 5.5", 20#, ECP-110 DWC 12,127' - 21,200' Cement w/ 820 sx Class H (1.23 yld, 14.5 ppg)

Test casing to 5,000 psi for 5 min - OK. Did not circ cement to surface, TOC @ 9,467' by Calc

RR 3-21-2021

**Disposition:** Accepted

**Accepted Date:** 05/18/2021

eceived by OCD: 7/22/2021 2:48:49 PM Well Name: WHIRLING WIND 11 FED

СОМ

SWSE / 32.0539654 / -103.5390652

County or Parish/State: LEA Well Location: T26S / R33E / SEC 11 /

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMNM122621

Well Number: 741H

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 300254451300X1

Well Status: Drilling Well

Operator: EOG RESOURCES

INCORPORATED

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 37599

#### **CONDITIONS**

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	37599
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	7/23/2021