

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address		² OGRID Number	
		³ Reason for Filing Code/ Effective Date	
⁴ API Number 30 - 0	⁵ Pool Name		⁶ Pool Code
⁷ Property Code	⁸ Property Name		⁹ Well Number

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Printed name: Title: E-mail Address: Date:			OIL CONSERVATION DIVISION		
			Approved by:		
			Title:		
			Approval Date:		
Phone:					

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
511 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 746-1283 Fax: (575) 746-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-48599	Pool Code 19190	Pool Name Drinkard
Property Code 330428	Property Name MNR 20 STATE	Well Number 001H
OGRID No. 370080	Operator Name BREITBURN OPERATING, LP	Elevation 3387.9'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	20	22-S	37-E		828	SOUTH	521	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	22-S	37-E		18	SOUTH	375	WEST	LEA
Dedicated Acres 200	Joint or Infill N	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SEE PAGE 2

Property Code 330428	Property Name MNR 20 STATE	Well Number 001H
OGRID No. 370080	Operator Name BREITBURN OPERATING, LP	Elevation 3387.9'

AS-DRILLED

NAD 27 NME
SURFACE LOCATION
Y=501012.1 N
X=852548.0 E
LAT.=32.372226° N
LONG.=103.191458° W

PENETRATION POINT - 5,993'
847' FSL & 377' FWL

521' S.L.

828'

FIRST TAKE POINT - 6,965'
210' FSL & 382' FWL

SECTION 20

SECTION 29

DRILL PATH

LAST TAKE POINT - 12,315'
137' FSL & 380' FWL

NAD 27 NME
BOTTOM
HOLE LOCATION
Y=494930.8 N
X=852471.5 E
LAT.=32.355514° N
LONG.=103.191915° W

375' B.H. 18'

1200 0 1200
SCALE: 1"=1200'

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

07/28/2021

Signature

Date

Austin Tramell

Printed Name

austin.tramell@mavresources.com

E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAR. 24, 2021/MAY 18, 2021

Date of Survey/Date of Geographic Survey

Signature & Seal of Professional Surveyor



Chad Harcrow

7/28/21

Certificate No. CHAD HARCROW 17777

PAGE 2 OF 2

W.O. #21-630

DRAWN BY: WN



July 1, 2021

Breitburn Operating LP
MNR 20 State 001H
County/Parish: Lea County, NM

LEAM MWD: (OH) from 1,313' MD to 12,380' MD
Projection: 12,434' MD

The Borehole Survey taken between 06/15/21 and 06/26/21 had been conducted and calculated according to the highest professional standards and complies with all known State and Federal requirements.

Reviewed and Approved:

Date: July 1, 2021

Physical & Mailing: 2010 East Davis, Conroe, TX 77301
(936) 756-7577 • www.learn.net • 1 (800) 756-7504



Survey Certification Form

State of New Mexico

Lea County

I, Travis W. Schwope, certify that; I am employed by LEAM Drilling Services, that I did on the day(s) of June 15, 2021 through June 26, 2021, conduct or supervise the taking of MWD Survey from a depth of 1,313' MD to 12,434' MD; that the data is true, correct, complete and within the limitations of the tools as set forth by LEAM Drilling Services, that I am authorized and qualified to make this report; that this survey was conducted at the request of Maverick Natural Resources for the MNR 20 State 001H in Lea County, New Mexico; and that I reviewed this report and find that it conforms to the principals and procedures as set forth by LEAM Drilling Services.

A handwritten signature in blue ink, reading "Travis W. Schwope", is positioned above a solid black horizontal line.

Travis W. Schwope
MWD Operations Coordinator

Survey Report

Company:	Breitbart Operating LP	Local Co-ordinate Reference:	Well 001H
Project:	Lea County, NM	TVD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Site:	MNR 20 State	MD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Well:	001H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Project	Lea County, NM		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	MNR 20 State		
Site Position:		Northing:	501,012.10 usft
From:	Map	Easting:	852,548.00 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 22' 20.014 N
		Longitude:	103° 11' 29.248 W
		Grid Convergence:	0.61 °

Well	001H		
Well Position	+N/-S	0.00 usft	Northing: 501,012.10 usft
	+E/-W	0.00 usft	Easting: 852,548.00 usft
Position Uncertainty	0.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 22' 20.014 N
		Longitude:	103° 11' 29.248 W
		Ground Level:	3,387.90 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination (°)
	HDGM_FILE	5/18/2021	6.47
			Dip Angle (°)
			60.17
			Field Strength (nT)
			47,937.50000000

Design	OH		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.00	0.00	0.00
			Direction (°)
			180.72

Survey Program	Date	6/28/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
25.00	1,248.00	Survey #1 (Adjusted 25' for KB) (OH)	OWSG_Rev2_MWD	OWSG MWD - Standard
1,313.00	12,380.00	Survey #2 (OH)	LEAM_MWD+HDGM	LEAM MWD + HDGM
12,434.00	12,434.00	Survey #3 (OH)	Project	Projection

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1,248.00	0.50	10.79	1,247.90	-11.13	-8.07	11.23	0.59	0.21	89.74	
1,313.00	0.70	348.28	1,312.89	-10.46	-8.10	10.56	0.47	0.31	-34.63	
1,403.00	0.79	339.67	1,402.89	-9.34	-8.43	9.44	0.16	0.10	-9.57	
1,494.00	0.97	321.74	1,493.88	-8.15	-9.12	8.26	0.36	0.20	-19.70	
1,589.00	0.97	321.39	1,588.86	-6.89	-10.12	7.01	0.01	0.00	-0.37	
1,683.00	0.97	307.15	1,682.85	-5.78	-11.25	5.92	0.26	0.00	-15.15	
1,777.00	0.97	323.67	1,776.84	-4.66	-12.36	4.82	0.30	0.00	17.57	
1,871.00	0.97	319.63	1,870.82	-3.41	-13.34	3.58	0.07	0.00	-4.30	

Survey Report

Company:	Breitbart Operating LP	Local Co-ordinate Reference:	Well 001H
Project:	Lea County, NM	TVD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Site:	MNR 20 State	MD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Well:	001H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1,966.00	0.62	306.27	1,965.81	-2.50	-14.28	2.68	0.41	-0.37	-14.06	
2,060.00	1.14	285.70	2,059.80	-1.94	-15.59	2.14	0.64	0.55	-21.88	
2,155.00	2.81	284.12	2,154.74	-1.12	-18.76	1.36	1.76	1.76	-1.66	
2,249.00	3.08	282.36	2,248.62	-0.02	-23.46	0.31	0.30	0.29	-1.87	
2,344.00	4.40	284.47	2,343.41	1.44	-29.48	-1.07	1.40	1.39	2.22	
2,439.00	4.57	282.89	2,438.12	3.19	-36.70	-2.73	0.22	0.18	-1.66	
2,533.00	4.22	285.53	2,531.85	4.96	-43.68	-4.41	0.43	-0.37	2.81	
2,627.00	4.13	274.10	2,625.60	6.12	-50.39	-5.49	0.89	-0.10	-12.16	
2,721.00	4.04	271.82	2,719.36	6.47	-57.08	-5.75	0.20	-0.10	-2.43	
2,816.00	3.96	269.18	2,814.13	6.53	-63.70	-5.73	0.21	-0.08	-2.78	
2,910.00	5.36	273.40	2,907.82	6.74	-71.33	-5.85	1.53	1.49	4.49	
3,002.00	5.98	277.44	2,999.37	7.62	-80.37	-6.61	0.80	0.67	4.39	
3,096.00	5.50	278.50	3,092.89	8.92	-89.68	-7.79	0.52	-0.51	1.13	
3,191.00	5.10	277.40	3,187.49	10.14	-98.37	-8.90	0.43	-0.42	-1.16	
3,285.00	4.40	277.60	3,281.16	11.15	-106.09	-9.82	0.74	-0.74	0.21	
3,380.00	3.70	274.10	3,375.93	11.85	-112.76	-10.43	0.78	-0.74	-3.68	
3,475.00	3.20	276.40	3,470.75	12.37	-118.45	-10.88	0.55	-0.53	2.42	
3,569.00	2.60	277.10	3,564.63	12.92	-123.17	-11.37	0.64	-0.64	0.74	
3,663.00	2.00	272.90	3,658.56	13.27	-126.93	-11.67	0.66	-0.64	-4.47	
3,757.00	1.60	281.30	3,752.51	13.61	-129.85	-11.97	0.51	-0.43	8.94	
3,851.00	1.41	277.62	3,846.48	14.02	-132.29	-12.35	0.23	-0.20	-3.91	
3,946.00	0.97	284.82	3,941.46	14.38	-134.22	-12.69	0.49	-0.46	7.58	
4,040.00	0.79	282.19	4,035.45	14.72	-135.62	-13.01	0.20	-0.19	-2.80	
4,134.00	0.70	285.35	4,129.44	15.01	-136.81	-13.29	0.11	-0.10	3.36	
4,229.00	0.53	290.80	4,224.43	15.32	-137.78	-13.58	0.19	-0.18	5.74	
4,323.00	0.35	296.60	4,318.43	15.60	-138.44	-13.86	0.20	-0.19	6.17	
4,418.00	0.35	283.77	4,413.43	15.80	-138.99	-14.05	0.08	0.00	-13.51	
4,512.00	0.18	258.11	4,507.43	15.84	-139.41	-14.08	0.22	-0.18	-27.30	
4,606.00	0.44	285.35	4,601.43	15.90	-139.90	-14.14	0.31	0.28	28.98	
4,700.00	0.35	248.26	4,695.42	15.89	-140.52	-14.12	0.28	-0.10	-39.46	
4,795.00	0.40	262.50	4,790.42	15.74	-141.11	-13.97	0.11	0.05	14.99	
4,889.00	0.10	197.50	4,884.42	15.62	-141.46	-13.84	0.39	-0.32	-69.15	
4,984.00	0.20	316.10	4,979.42	15.66	-141.60	-13.88	0.28	0.11	124.84	
5,078.00	0.30	282.50	5,073.42	15.83	-141.96	-14.05	0.18	0.11	-35.74	
5,173.00	0.20	330.20	5,168.42	16.03	-142.28	-14.24	0.23	-0.11	50.21	
5,267.00	0.30	291.20	5,262.42	16.26	-142.59	-14.47	0.20	0.11	-41.49	
5,361.00	0.20	312.20	5,356.42	16.46	-142.95	-14.66	0.14	-0.11	22.34	
5,456.00	0.20	288.00	5,451.42	16.62	-143.23	-14.82	0.09	0.00	-25.47	
5,550.00	0.09	24.84	5,545.42	16.74	-143.35	-14.94	0.24	-0.12	103.02	
5,645.00	0.18	214.51	5,640.42	16.69	-143.40	-14.88	0.28	0.09	-179.29	
5,739.00	0.18	228.40	5,734.42	16.47	-143.60	-14.66	0.05	0.00	14.78	
5,834.00	0.18	357.07	5,829.42	16.52	-143.72	-14.71	0.34	0.00	135.44	
5,925.00	0.18	241.23	5,920.42	16.59	-143.85	-14.78	0.34	0.00	-127.30	
5,993.00	0.00	0.00	5,988.42	16.54	-143.94	-14.73	0.26	-0.26	0.00	

Survey Report

Company:	Breitbart Operating LP	Local Co-ordinate Reference:	Well 001H
Project:	Lea County, NM	TVD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Site:	MNR 20 State	MD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Well:	001H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
6,087.00	7.03	175.84	6,082.18	10.80	-143.53	-8.99	7.48	7.48	0.00
6,181.00	18.55	178.65	6,173.69	-9.96	-142.75	11.76	12.27	12.26	2.99
6,272.00	33.41	176.90	6,255.27	-49.67	-141.05	51.44	16.35	16.33	-1.92
6,362.00	43.20	176.40	6,325.81	-105.29	-137.77	107.02	10.88	10.88	-0.56
6,453.00	48.20	178.50	6,389.35	-170.33	-134.92	172.01	5.74	5.49	2.31
6,543.00	50.50	178.70	6,447.97	-238.59	-133.25	240.25	2.56	2.56	0.22
6,632.00	58.30	179.90	6,499.74	-310.89	-132.41	312.53	8.83	8.76	1.35
6,723.00	66.80	180.20	6,541.66	-391.57	-132.49	393.21	9.35	9.34	0.33
6,813.00	71.00	179.70	6,574.05	-475.52	-132.41	477.15	4.70	4.67	-0.56
6,903.00	74.10	180.20	6,601.03	-561.37	-132.34	562.99	3.48	3.44	0.56
6,994.00	77.60	179.20	6,623.28	-649.59	-131.87	651.20	3.99	3.85	-1.10
7,085.00	82.40	179.50	6,639.07	-739.17	-130.85	740.76	5.28	5.27	0.33
7,176.00	84.70	180.60	6,649.30	-829.59	-130.94	831.17	2.80	2.53	1.21
7,267.00	85.12	180.59	6,657.37	-920.23	-131.88	921.81	0.46	0.46	-0.01
7,357.00	86.00	180.76	6,664.34	-1,009.95	-132.93	1,011.54	1.00	0.98	0.19
7,448.00	87.23	180.94	6,669.71	-1,100.78	-134.28	1,102.38	1.37	1.35	0.20
7,539.00	88.55	181.11	6,673.06	-1,191.70	-135.91	1,193.32	1.46	1.45	0.19
7,633.00	87.58	179.36	6,676.23	-1,285.64	-136.29	1,287.25	2.13	-1.03	-1.86
7,727.00	86.00	177.60	6,681.50	-1,379.45	-133.81	1,381.03	2.51	-1.68	-1.87
7,822.00	84.50	177.42	6,689.36	-1,474.04	-129.69	1,475.55	1.59	-1.58	-0.19
7,917.00	85.30	177.42	6,697.81	-1,568.56	-125.43	1,570.02	0.84	0.84	0.00
8,011.00	86.61	177.60	6,704.44	-1,662.24	-121.36	1,663.63	1.41	1.39	0.19
8,105.00	85.38	178.13	6,711.01	-1,755.94	-117.87	1,757.29	1.42	-1.31	0.56
8,200.00	86.17	178.13	6,718.00	-1,850.63	-114.77	1,851.93	0.83	0.83	0.00
8,294.00	86.88	177.95	6,723.70	-1,944.40	-111.57	1,945.65	0.78	0.76	-0.19
8,388.00	87.93	177.95	6,727.96	-2,038.25	-108.21	2,039.45	1.12	1.12	0.00
8,482.00	89.25	178.48	6,730.27	-2,132.17	-105.28	2,133.33	1.51	1.40	0.56
8,576.00	87.32	179.88	6,733.08	-2,226.11	-103.93	2,227.24	2.54	-2.05	1.49
8,670.00	85.74	179.90	6,738.77	-2,319.94	-103.75	2,321.06	1.68	-1.68	0.02
8,765.00	86.44	179.71	6,745.25	-2,414.71	-103.43	2,415.82	0.76	0.74	-0.20
8,858.00	86.97	179.70	6,750.60	-2,507.56	-102.95	2,508.65	0.57	0.57	-0.01
8,953.00	87.67	180.06	6,755.04	-2,602.45	-102.76	2,603.54	0.83	0.74	0.38
9,047.00	88.29	179.88	6,758.35	-2,696.39	-102.71	2,697.47	0.69	0.66	-0.19
9,141.00	88.99	179.90	6,760.58	-2,790.37	-102.53	2,791.44	0.74	0.74	0.02
9,235.00	89.52	179.88	6,761.80	-2,884.36	-102.34	2,885.42	0.56	0.56	-0.02
9,330.00	89.78	179.53	6,762.39	-2,979.35	-101.86	2,980.40	0.46	0.27	-0.37
9,424.00	90.31	179.36	6,762.31	-3,073.35	-100.95	3,074.38	0.59	0.56	-0.18
9,518.00	90.84	179.18	6,761.37	-3,167.34	-99.75	3,168.34	0.60	0.56	-0.19
9,613.00	91.45	178.83	6,759.47	-3,262.30	-98.10	3,263.28	0.74	0.64	-0.37
9,707.00	91.71	178.30	6,756.88	-3,356.24	-95.75	3,357.18	0.63	0.28	-0.56
9,802.00	90.31	178.13	6,755.20	-3,451.17	-92.79	3,452.07	1.48	-1.47	-0.18
9,896.00	90.66	177.95	6,754.41	-3,545.12	-89.57	3,545.96	0.42	0.37	-0.19
9,990.00	87.58	177.95	6,755.85	-3,639.03	-86.21	3,639.83	3.28	-3.28	0.00

Survey Report

Company:	Breitbart Operating LP	Local Co-ordinate Reference:	Well 001H
Project:	Lea County, NM	TVD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Site:	MNR 20 State	MD Reference:	GE 3387.9' + KB 25' @ 3412.90usft (H&P 657)
Well:	001H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
10,085.00	88.02	178.00	6,759.50	-3,733.90	-82.86	3,734.65	0.47	0.46	0.05	
10,179.00	88.55	177.25	6,762.31	-3,827.78	-78.96	3,828.47	0.98	0.56	-0.80	
10,273.00	89.08	177.25	6,764.26	-3,921.65	-74.45	3,922.28	0.56	0.56	0.00	
10,367.00	88.99	179.18	6,765.84	-4,015.59	-71.53	4,016.17	2.06	-0.10	2.05	
10,461.00	89.60	178.83	6,767.00	-4,109.57	-69.89	4,110.12	0.75	0.65	-0.37	
10,556.00	90.22	180.06	6,767.14	-4,204.56	-68.97	4,205.09	1.45	0.65	1.29	
10,650.00	89.96	179.36	6,767.00	-4,298.56	-68.50	4,299.08	0.79	-0.28	-0.74	
10,744.00	92.07	180.06	6,765.33	-4,392.54	-68.02	4,393.04	2.36	2.24	0.74	
10,838.00	92.77	179.88	6,761.36	-4,486.45	-67.97	4,486.95	0.77	0.74	-0.19	
10,933.00	90.57	180.94	6,758.59	-4,581.40	-68.65	4,581.90	2.57	-2.32	1.12	
11,027.00	91.10	181.29	6,757.22	-4,675.37	-70.48	4,675.89	0.68	0.56	0.37	
11,121.00	92.33	182.52	6,754.41	-4,769.28	-73.60	4,769.82	1.85	1.31	1.31	
11,215.00	91.28	180.59	6,751.45	-4,863.19	-76.15	4,863.76	2.34	-1.12	-2.05	
11,309.00	92.15	180.60	6,748.64	-4,957.14	-77.13	4,957.72	0.93	0.93	0.01	
11,404.00	92.77	180.59	6,744.56	-5,052.05	-78.11	5,052.63	0.65	0.65	-0.01	
11,498.00	90.22	179.36	6,742.11	-5,146.01	-78.07	5,146.58	3.01	-2.71	-1.31	
11,592.00	90.48	179.00	6,741.53	-5,239.99	-76.73	5,240.54	0.47	0.28	-0.38	
11,687.00	88.64	178.48	6,742.26	-5,334.96	-74.64	5,335.48	2.01	-1.94	-0.55	
11,781.00	86.97	179.00	6,745.86	-5,428.87	-72.57	5,429.35	1.86	-1.78	0.55	
11,875.00	87.14	179.00	6,750.69	-5,522.73	-70.93	5,523.19	0.18	0.18	0.00	
11,969.00	87.67	179.36	6,754.95	-5,616.62	-69.59	5,617.05	0.68	0.56	0.38	
12,063.00	88.64	180.24	6,757.97	-5,710.57	-69.26	5,710.99	1.39	1.03	0.94	
12,157.00	89.60	180.59	6,759.42	-5,804.56	-69.94	5,804.98	1.09	1.02	0.37	
12,252.00	87.23	181.11	6,762.05	-5,899.50	-71.35	5,899.93	2.55	-2.49	0.55	
12,346.00	87.93	181.82	6,766.01	-5,993.39	-73.75	5,993.84	1.06	0.74	0.76	
12,380.00	88.20	181.82	6,767.16	-6,027.35	-74.83	6,027.82	0.79	0.79	0.00	
12,434.00	88.20	181.82	6,768.86	-6,081.30	-76.55	6,081.78	0.00	0.00	0.00	

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 34511

ACKNOWLEDGMENTS

Operator: BREITBURN OPERATING LP 1111 Bagby St. Suite 1600 Houston, TX 77002	OGRID: 370080
	Action Number: 34511
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 34511

CONDITIONS

Operator: BREITBURN OPERATING LP 1111 Bagby St. Suite 1600 Houston, TX 77002	OGRID: 370080
	Action Number: 34511
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 expires 11/02/2021; submit all drilling, casing, completion sundries/reports.	8/2/2021