Form C-101

August 1, 2011 Permit 299059

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Phone:(505) 47	6-3470 Fax:(505) 476	-3462										
		APPLICATION	ON FOR PERMI	T TO DRILL, RE-	ENTER, DE	EPEN	I, PLUGBAC	CK, OR A	DD A Z	ONE		
	me and Address Iwood Operating LI	_C							2. 0	GRID Number 330211		
	Box 1370								3. A	Pl Number		
	esia, NM 882111370)								30-015-48	798	
4. Property Cod		5. F	Property Name						6. W	Vell No.		
329	363		BRAINARD 1	2						004H		
				7. Surf	ace Location	1						
UL - Lot	Section	Township	Range	Lot Idn	Feet From	_	N/S Line	Feet From		E/W Line	County	
N	12	18S	26E	N	14	0	S		1665	W	Eddy	
				8. Proposed B	ottom Hole L	ocation	1					
UL - Lot	Section	Township	Range	Lot Idn	Feet From		N/S Line		From	E/W Line	County	
M	11	18S	26E	M		330	5	3	1	W	Eddy	
				9. Poo	I Information							
RED LAKE;G	LORIETA-YESO									51120		
				Additional	Well Informa	tion						
11. Work Type		12. Well Type		13. Cable/Rotary		. Lease 1	Гуре	15	. Ground L	evel Elevation		
	v Well	ÖIL		,			Private			294		
16. Multiple		17. Proposed [•	18. Formation	19.	. Contrac	ctor	20	. Spud Dat			
N		990)2	Yeso						1/1/2021		
Depth to Groun	id water			Distance from neares	t fresh water we	ell		Dis	stance to ne	earest surface wate	r	
X We will be u	using a closed-loo	system in lieu c	f lined pits									
	g u 0.000u 100		ou pilo									
Type	Hole Size	Casing Siz	2 0	21. Proposed Casi asing Weight/ft		ent Prog tting Der		Sock	s of Cemen	ht	Estimated TOC	
Surf	12.25	9.625		36	06	1230	pui	200			0	
Prod	8.75	7		26		3450			1490		0	
Prod	8.75	5.5		17		9902			200		0	
			_	asing/Cement Prog	ram: Addition	nal Con	nmonte					
Redwood On	erating proposed to	o drill a 12 1/4" ho		/8" csg/cmt. Drill 8 3				a/cmt_nut	well on nr	roduction		
· touriou op	oraning proposed to	, a a 12 1, 1 110						9,0, par	о р.			
				22. Proposed Blov	vout Preventi	ion Pro	<u> </u>					
	Туре		Wo	orking Pressure			Test Pres			M	anufacturer	
	Double Ram			3000			3000)				
22 I hereby o	ertify that the inform	nation given abov	e is true and comple	ete to the best of my				OII CONS	EDVATIO	N DIVISION		
knowledge a		nation given abov	e is true and comple	ete to the best of my				OIL CONS	LINVALIO	N DIVISION		
I further cert	ify I have complied	with 19.15.14.9 (A) NMAC ⊠ and/o	r 19.15.14.9 (B) NMA	AC							
⊠, if applicat	ole.											
Cimmotomo.												
Signature: Printed Name:	Electronical	y filed by Jerry Sh	perrell		Approved	Dv:	Kurt Simn	none				
Title:	Regulatory	<u> </u>	ieneil		Approved Title:	Dy:		Specialist	- A			
Email Address:	jerrys@med	•				Datas	8/5/2021	opecialist	- ^	Evaluation Detro	2/5/2022	
Email Address:	jen ys@med				Approved Date: 8/5/2021 Expiration Date: 8/5/2023 Conditions of Approval Attached							
Date:	8/4/2021		Phone: 575-748	-1288	Condition		proval Attach	ad				

District I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102
Revised August 1,
2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

ſ	¹ API Number		² Pool Code	³ Pool Name	
			51120	Red Lake; Glorieta-Yeso	
	⁴ Property Code		⁵ Pr	⁶ Well Number	
	329363		BRA	AINARD 12	4H
	⁷ OGRID No.		8 O]	perator Name	⁹ Elevation
	330211		REDWOOD	OPERATING LLC	3294.5

■ Surface Location


	" Surface Location												
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County				
N	12	18 S	26 E		140	SOUTH	1665	WEST	EDDY				
	¹¹ Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line Feet from the		East/West line	County				
M	11	18 S	26 E		330	SOUTH	1	WEST	EDDY				
12 Dedicated Acre	s 13 Joint	or Infill 14	Consolidation	1 Code	¹⁵ Order No.								
200													

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.




_													
Ope	rator Nan	ne:				Property N		Well Number					
RED	OWOOD	OPERATI	NG LLC			BRA	AINA	RD 12				4H	
ick (Off Point (KOP)											
UL N	Section 12	Township 18S	Range 26E	Lot	Feet 140	From N SOUT	N/S Feet 1665		From WE	n E/W ST	County EDDY		
Latitı		55836		ı	Longitu	104.338	3559	0	1		NAD 83		
irst ⁻	Гake Poin	t (FTP)											
UL M	Section 12	Township 18S	Range 26E	Lot	Feet 330	From N SOUT	I/S Γ H	Feet 1220	From WE	n E/W ST	County EDDY		
Latitı	ude 32.75 6	0938		1	Longitu	ude 104.3400	0012	<u> </u>	1		NAD 83		
UL	Section	Township	Range 26 F	Lot	Feet	From N/S SOUTH	Feet 100	From WE	ı E/W ST	Count EDD	· v		
M 11 18S 26E 330						104.360			31	NAD 83			
Latitı	32.7	JU1420						_					
	32.7 !		ell for the	e Horiz	ontal Spa		Γ						
s this		defining w	ell for the	e Horiz	ontal Spa	acing Unit?							
this this infi	s well the s well an i Il is yes p ng Unit.	defining w nfill well?				acing Unit?		well num	ber fo	r Defi	ning well	for Horizonta	
this this	s well the s well an i Il is yes p ng Unit.	defining w nfill well?				acing Unit?		well num	ber fo	r Defi	ning well	for Horizonta	

KZ 06/29/2018



SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP




REDWOOD OPERATING LLC BRAINARD 12 4H

LOCATED 140 FT. FROM THE SOUTH LINE AND 1665 FT. FROM THE WEST LINE OF SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO

JULY 29, 2021

SURVEY NO. 8957

SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

DIRECTIONS TO LOCATION

FROM CR. 39 (FOUR DINKUS) AND CR. 44 (FANNING) GO EAST ON 20' CALICHE LEASE ROAD FOR APPROX. 0.5 OF A MILE TO SOUTH FACE OF PAD FOR THIS LOCATION.

REDWOOD OPERATING LLC BRAINARD 12 4H

LOCATED 140 FT. FROM THE SOUTH LINE AND 1665 FT. FROM THE WEST LINE OF SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO

JULY 29, 2021

SURVEY NO. 8957

SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO AERIAL PHOTO



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DECEMBER 2019


REDWOOD OPERATING LLC BRAINARD 12 4H

LOCATED 140 FT. FROM THE SOUTH LINE AND 1665 FT. FROM THE WEST LINE OF SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO

JULY 29, 2021

SURVEY NO. 8957

SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO
ACCESS AERIAL ROUTE MAP



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DECEMBER 2019

REDWOOD OPERATING LLC BRAINARD 12 4H

LOCATED 140 FT. FROM THE SOUTH LINE AND 1665 FT. FROM THE WEST LINE OF SECTION 12, TOWNSHIP 18 SOUTH, RANGE 26 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO

JULY 29, 2021

SURVEY NO. 8957

Permit 299059

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
Redwood Operating LLC [330211]	30-015-48798
PO Box 1370	Well:
Artesia, NM 882111370	BRAINARD 12 #004H

OCD Reviewer	Condition
ksimmons	Notify OCD 24 hours prior to casing & cement
ksimmons	Will require a File As Drilled C-102 and a Directional Survey with the C-104
ksimmons	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud
	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
kpickford	Cement is required to circulate on both surface and intermediate1 strings of casing
kpickford	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system

I. Operator: Redwood Operating LLC

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Date: ___/___/__

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

OGRID: 330211

II. Type: ▼ Original □	Amendment	due to 🗆 19.15.27.9.I	O(6)(a) NMA	C □ 19.15.27.9.D((6)(b) NI	MAC 🗆 C	ther.				
If Other, please describe:											
III. Well(s): Provide the be recompleted from a sin					wells pro	oposed to	be dri	lled or proposed to			
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		Anticipated Gas MCF/D		Anticipated roduced Water BBL/D			
Brainard 12 #4H		N, Sec. 12 T18S R26E	140 FSL 1665 FWL	100	100		1,00	00			
V. Anticipated Schedule proposed to be recomplet	IV. Central Delivery Point Name: DCP Midstream Linam Ranch Processing Plant/ Durango Midstream [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.										
Well Name	API	Spud Date T	D Reached Date	Completion Commencement		Initial Fl Back Da		First Production Date			
Brainard 12 #4		11/1/2021	11/20/2021	1/1/2022		1/1/2022	2	1/10/2022			
VII. Operational Practice Subsection A through F of VIII. Best Management during active and planned	ices: 🛛 Attac of 19.15.27.8	ch a complete descript NMAC. XAttach a complete of	ion of the ac	tions Operator will	l take to	comply v	with tl	he requirements of			

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

		EFFECTIV	E APRIL 1, 2022	
Beginning April 1, 2 reporting area must co			with its statewide natural ga	as capture requirement for the applicable
☐ Operator certifies capture requirement f			tion because Operator is in o	compliance with its statewide natural gas
IX. Anticipated Nat	ural Gas Production	on:		
We	11	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF
X. Natural Gas Gatl	hering System (NC	GGS):		
Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
production operations the segment or portion XII. Line Capacity. production volume from XIII. Line Pressure. natural gas gathering Attach Operator's XIV. Confidentiality Section 2 as provided	s to the existing or p n of the natural gas The natural gas ga om the well prior to Operator Operator does system(s) described plan to manage pro y: Operator asso in Paragraph (2) of	blanned interconnect of the gathering system(s) to we thering system will the blanch date of first product does not anticipate the datove will continue to be duction in response to the confidentiality pursue.	the natural gas gathering system which the well(s) will be considered will not have capacity to go tion. It its existing well(s) connect meet anticipated increases in the increased line pressure. The increased line pressure want to Section 71-2-8 NMS 27.9 NMAC, and attaches a first series of the context	ticipated pipeline route(s) connecting the em(s), and the maximum daily capacity of nected. ather 100% of the anticipated natural gas ed to the same segment, or portion, of the line pressure caused by the new well(s). SA 1978 for the information provided in full description of the specific information

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🛛 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Deana Weaver
Printed Name: Deana Weaver
Title: Regulatory Technician II
E-mail Address: regulatory@redwoodoperating.com
Date: 8/3/2021
Phone:
575-748-1288
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Redwood Operating LLC production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our completion project. Redwood Operating LLC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the completion to optimize gas capture and send gas to sales or flare based on analytical composition. Redwood Operating LLC operates facilities that are typically multi-well facilities. Redwood Operating LLC will upgrade production separation equipment, if necessary prior to new wells being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the new drill operations.

VII. Operational Practices:

- Subsection (A) Venting and Flaring of Natural Gas. Redwood Operating LLC understands the
 requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during
 drilling, completion or production operations that constitutes waste as defined in 19.15.2 are
 prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations. This gas capture plan is for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion. Flow lines will be routed for flow back fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations o At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - Redwood Operating LLC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 14.
- 5. Subsection (E) Performance standards. All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D

of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - O Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement is not practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Redwood Operating LLC has adequate storage and takeaway capacity for wells it chooses to complete as the flow lines at the sites are already in place and tied into a gathering system.
- 2. Redwood Operating LLC will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Redwood Operating LLC combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Redwood Operating LLC will shut in wells in the event of a takeaway disruption, emergency situations, or other operations where venting or flaring may occur due to equipment failures.

Lat Long Ref

Surface Long

Surface Lat

Brainard 12 #4H, Plan 1

OperatorRedwood Operating LLCUnitsfeet, °/100ft11:18 Tuesday, August 03, 2021 Page 1 of 5FieldRed LakeCountyEddyVertical Section Azimuth270.17Well NameBrainard 12 #4HStateNew MexicoSurvey Calculation MethodMinimum Curvature

Map Zone UTM

Surface X 1843849

Surface Y 11890265.4

Plan 1 Country USA Database Access

Location SL: 140 FSL & 1665 FWL Sec 12-T18S-R26E BHL:

330 FSL & 1 FWL Sec 11-T18S-R26E

Site
Slot Name UWI
Well Number API

NumberAPISurface Z3312.4Global Z RefKBProjectMD/TVD RefKBGround Level3294.5Local North RefGrid

DIRECTIONAL WELL PLAN

MD*	INC*	AZI*	TVD*	N*	E*		V. S.*	MapE*	MapN* S	SysTVD*
*** TIE (at MD	= 2351.00)	404	ft	ft	ft	°/1∩∩fi	f1	ft.	ft.	ft
2351.00	0.00	0.0	2351.00	0.00	0.00		0.00	1843849.00	11890265.40	961.40
2400.00	0.00	0.0	2400.00	0.00	0.00	0.00	0.00	1843849.00	11890265.40	912.40
2450.00	0.00	0.0	2450.00	0.00	0.00	0.00	0.00	1843849.00	11890265.40	862.40
*** KOP 8 DEG	REES (at		1.00)							
2451.00	0.00	0.0	2451.00	0.00	0.00	0.00	0.00	1843849.00	11890265.40	861.40
2500.00	3.92	286.3	2499.96	0.47	-1.61	8.00	1.61	1843847.39	11890265.87	812.44
2550.00	7.92	286.3	2549.69	1.92	-6.56	8.00	6.56	1843842.44	11890267.32	762.72
2600.00	11.92	286.3	2598.93	4.33	-14.82	8.00	14.84	1843834.18	11890269.73	713.47
2650.00	15.92	286.3	2647.45	7.71	-26.37	8.00	26.39	1843822.63	11890273.11	664.95
2700.00	19.92	286.3	2695.01	12.03	-41.13	8.00	41.16	1843807.87	11890277.43	617.39
2750.00	23.92	286.3	2741.39	17.26	-59.04	8.00	59.09	1843789.96	11890282.66	571.01
2800.00	27.92	286.3	2786.35	23.40	-80.01	8.00	80.08	1843768.99	11890288.80	526.05
2850.00	31.92	286.3	2829.68	30.40	-103.95	8.00	104.03	1843745.05	11890295.80	482.72
2900.00	35.92	286.3	2871.16	38.23	-130.72	8.00	130.83	1843718.28	11890303.63	441.24
2950.00	39.92	286.3	2910.60	46.85	-160.72	8.00	160.35	1843688.79	11890312.25	401.80
3000.00	43.92	286.3	2947.79	56.22	-192.26	8.00	192.43	1843656.74	11890321.62	364.61
3000.00	70.02	200.5	2547.75	30.22	-132.20	0.00	132.43	1043030.74	11030321.02	304.01
3050.00	47.92	286.3	2982.57	66.30	-226.73	8.00	226.93	1843622.27	11890331.70	329.83
3100.00	51.92	286.3	3014.75	77.04	-263.44	8.00	263.67	1843585.56	11890342.44	297.65
*** 55 DEGREI	E TANGEN	T (at MD =	= 3138.50)							
3138.50	55.00	286.3	3037.67	85.72	-293.13	8.00	293.38	1843555.87	11890351.12	274.73
3150.00	55.00	286.3	3044.27	88.36	-302.17	0.00	302.43	1843546.83	11890353.76	268.13
3200.00	55.00	286.3	3072.95	99.86	-341.48	0.00	341.78	1843507.52	11890365.26	239.45
3250.00	55.00	286.3	3101.63	111.35	-380.79	0.00	381.12	1843468.21	11890376.75	210.77
3300.00	55.00	286.3	3130.31	122.85	-420.10	0.00	420.47	1843428.90	11890388.25	182.09
3350.00	55.00	286.3	3158.99	134.34	-459.41	0.00	459.81	1843389.59	11890399.74	153.41
*** 10 DEGREI	-			440.40	400.00	0.00	100 11	4040050 00	44000400 50	404.00
3388.50	55.00	286.3	3181.07	143.19	-489.68	0.00	490.11	1843359.32	11890408.59	131.33
3400.00	56.03	285.7	3187.58	145.81	-498.80	10.00	499.23	1843350.20	11890411.21	124.82
3450.00	60.55	283.2	3213.85	156.38	-539.98	10.00	540.44	1843309.02	11890421.78	98.55
3500.00	65.12	280.9	3236.68	165.63	-583.48	10.00	583.97	1843265.52	11890431.03	75.72
3550.00	69.71	278.7	3255.88	173.48	-628.96	10.00	629.47	1843220.04	11890438.88	56.52
3600.00	74.34	276.7	3271.31	179.87	-676.07	10.00	676.60	1843172.93	11890445.27	41.10
3650.00	78.97	274.8	3282.84	184.76	-724.46	10.00	725.00	1843124.54	11890450.16	29.56
	. =.•.	•		. = •			5.00			_5.55
3700.00	83.62	273.0	3290.41	188.10	-773.75	10.00	774.31	1843075.25	11890453.50	21.99
3750.00	88.28	271.1	3293.94	189.88	-823.58	10.00	824.14	1843025.42	11890455.28	18.46
*** LANDING F	POINT (at N	/ID = 3776.	.51)							
3776.51	90.75	270.2	3294.16	190.18	-850.08	10.00	850.64	1842998.92	11890455.58	18.24
3800.00	90.75	270.2	3293.85	190.25	-873.57	0.00	874.13	1842975.43	11890455.65	18.55

Lat Long Ref

Surface Long

Surface Lat

Brainard 12 #4H, Plan 1

OperatorRedwood Operating LLCUnitsfeet, °/100ft11:18 Tuesday, August 03, 2021 Page 2 of 5FieldRed LakeCountyEddyVertical Section Azimuth270.17Well NameBrainard 12 #4HStateNew MexicoSurvey Calculation MethodMinimum Curvature

Map Zone UTM

Plan 1 Country USA Database Access

Location SL: 140 FSL & 1665 FWL Sec 12-T18S-R26E BHL: 330 FSL & 1 FWL Sec 11-T18S-R26E

330 FSL & 1 FWL Sec 11-1185-R20E

 Site
 Surface X
 1843849

 Slot Name
 UWI
 Surface Y
 11890265.4

 Well Number
 API
 Surface Z
 3312.4

NumberAPISurface Z3312.4Global Z RefKBProjectMD/TVD RefKBGround Level3294.5Local North RefGrid

DIRECTIONAL WELL PLAN

MD*	INC*	AZI*	TVD*	N*	E*	DLS*	V. S.*	MapE*	MapN*	SysTVD*
3850.00	90.75	270.2	3293.20	190.40	-923.57	0.00	924.13	1842925.43	11890455.80	19.20
3900.00	90.75	270.2	3292.54	190.55	-973.56	0.00	974.12	1842875.44	11890455.95	19.86
3950.00	90.75	270.2	3291.89	190.70	-1023.56	0.00	1024.12	1842825.44	11890456.10	20.51
4000.00	90.75	270.2	3291.24	190.85	-1073.55	0.00	1074.12	1842775.45	11890456.25	21.17
4050.00	90.75	270.2	3290.58	190.99	-1123.55	0.00	1124.11	1842725.45	11890456.39	21.82
4100.00	90.75	270.2	3289.93	191.14	-1173.54	0.00	1174.11	1842675.46	11890456.54	22.47
4150.00	90.75	270.2	3289.27	191.29	-1223.54	0.00	1224.10	1842625.46	11890456.69	23.13
4200.00	90.75	270.2	3288.62	191.44	-1273.54	0.00	1274.10	1842575.46	11890456.84	23.78
4250.00	90.75	270.2	3287.96	191.59	-1323.53	0.00	1324.09	1842525.47	11890456.99	24.44
4300.00	90.75	270.2	3287.31	191.74	-1373.53	0.00	1374.09	1842475.47	11890457.14	25.09
4350.00	90.75	270.2	3286.65	191.88	-1423.52	0.00	1424.09	1842425.48	11890457.28	25.75
4400.00	90.75	270.2	3286.00	192.03	-1473.52	0.00	1474.08	1842375.48	11890457.43	26.40
4450.00	90.75	270.2	3285.34	192.18	-1523.51	0.00	1524.08	1842325.49	11890457.58	27.06
4500.00	90.75	270.2	3284.69	192.33	-1573.51	0.00	1574.07	1842275.49	11890457.73	27.71
4550.00	90.75	270.2	3284.04	192.48	-1623.50	0.00	1624.07	1842225.50	11890457.88	28.36
4600.00	90.75	270.2	3283.38	192.63	-1673.50	0.00	1674.06	1842175.50	11890458.03	29.02
4650.00	90.75	270.2	3282.73	192.77	-1723.50	0.00	1724.06	1842125.51	11890458.17	29.67
4700.00	90.75	270.2	3282.07	192.92	-1773.49	0.00	1774.06	1842075.51	11890458.32	30.33
4750.00	90.75	270.2	3281.42	193.07	-1823.49	0.00	1824.05	1842025.51	11890458.47	30.98
4800.00	90.75	270.2	3280.76	193.22	-1873.48	0.00	1874.05	1841975.52	11890458.62	31.64
4850.00	90.75	270.2	3280.11	193.37	-1923.48	0.00	1924.04	1841925.52	11890458.77	32.29
4900.00	90.75	270.2	3279.45	193.52	-1973.47	0.00	1974.04	1841875.53	11890458.92	32.95
4950.00	90.75	270.2	3278.80	193.66	-2023.47	0.00	2024.03	1841825.53	11890459.06	33.60
5000.00	90.75	270.2	3278.15	193.81	-2073.46	0.00	2074.03	1841775.54	11890459.21	34.25
5050.00	90.75	270.2	3277.49	193.96	-2123.46	0.00	2124.03	1841725.54	11890459.36	34.91
5100.00	90.75	270.2	3276.84	194.11	-2173.45	0.00	2174.02	1841675.55	11890459.51	35.56
5150.00	90.75	270.2	3276.18	194.26	-2223.45	0.00	2224.02	1841625.55	11890459.66	36.22
5200.00	90.75	270.2	3275.53	194.41	-2273.45	0.00	2274.01	1841575.55	11890459.81	36.87
5250.00	90.75	270.2	3274.87	194.55	-2323.44	0.00	2324.01	1841525.56	11890459.95	37.53
5300.00	90.75	270.2	3274.22	194.70	-2373.44	0.00	2374.00	1841475.56	11890460.10	38.18
5350.00	90.75	270.2	3273.56	194.85	-2423.43	0.00	2424.00	1841425.57	11890460.25	38.84
5400.00	90.75	270.2	3272.91	195.00	-2473.43	0.00	2474.00	1841375.57	11890460.40	39.49
5450.00	90.75	270.2	3272.26	195.15	-2523.42	0.00	2523.99	1841325.58	11890460.55	40.14
5500.00	90.75	270.2	3271.60	195.30	-2573.42	0.00	2573.99	1841275.58	11890460.70	40.80
5550.00	90.75	270.2	3270.95	195.44	-2623.41	0.00	2623.98	1841225.59	11890460.84	41.45
5600.00	90.75	270.2	3270.29	195.59	-2673.41	0.00	2673.98	1841175.59	11890460.99	42.11
5650.00 Page 2 of 5	90.75	270.2	3269.64	195.74	-2723.40	0.00	2723.97	1841125.60	11890461.14	42.76

Page 2 of 5 SES v5.78 www.makinhole.co

Brainard 12 #4H, Plan 1

OperatorRedwood Operating LLCUnitsfeet, °/100ft11:18 Tuesday, August 03, 2021 Page 3 of 5FieldRed LakeCountyEddyVertical Section Azimuth270.17Well NameBrainard 12 #4HStateNew MexicoSurvey Calculation MethodMinimum CurvaturePlan1CountryUSADatabaseAccess

Location SL: 140 FSL & 1665 FWL Sec 12-T18S-R26E BHL:

330 FSL & 1 FWL Sec 11-T18S-R26E

Site
Slot Name UWI
Well Number API

Project MD/TVD Ref KB

Map Zone UTM

Surface X 1843849 Surface Y 11890265.4 Surface Z 3312.4

Ground Level 3294.5

Lat Long Ref

Surface Long
Surface Lat
Global Z Ref KB
Local North Ref Grid

DIRECTIONAL WELL PLAN

MD*	INC*	AZI*	TVD*	N*	E*	DLS*	V. S.*	MapE*	MapN*	SysTVD*
5700.00	90.75	270.2	3268.98	195.89	-2773.40	0.00	2773.97	1841075.60	11890461.29	43.42
5750.00	90.75	270.2	3268.33	196.04	-2823.40	0.00	2823.97	1841025.60	11890461.44	44.07
5800.00	90.75	270.2	3267.67	196.19	-2873.39	0.00	2873.96	1840975.61	11890461.59	44.73
5850.00	90.75	270.2	3267.02	196.33	-2923.39	0.00	2923.96	1840925.61	11890461.73	45.38
5900.00	90.75	270.2	3266.36	196.48	-2973.38	0.00	2973.95	1840875.62	11890461.88	46.04
5950.00	90.75	270.2	3265.71	196.63	-3023.38	0.00	3023.95	1840825.62	11890462.03	46.69
6000.00	90.75	270.2	3265.06	196.78	-3073.37	0.00	3073.94	1840775.63	11890462.18	47.34
6050.00	90.75	270.2	3264.40	196.93	-3123.37	0.00	3123.94	1840725.63	11890462.33	48.00
6100.00	90.75	270.2	3263.75	197.08	-3173.36	0.00	3173.94	1840675.64	11890462.48	48.65
6150.00	90.75	270.2	3263.09	197.22	-3223.36	0.00	3223.93	1840625.64	11890462.62	49.31
6200.00	90.75	270.2	3262.44	197.37	-3273.36	0.00	3273.93	1840575.64	11890462.77	
6250.00	90.75	270.2	3261.78	197.52	-3323.35	0.00	3323.92	1840525.65	11890462.92	
6300.00	90.75	270.2	3261.13	197.67	-3373.35	0.00	3373.92	1840475.65	11890463.07	
6350.00	90.75	270.2	3260.47	197.82	-3423.34	0.00	3423.91	1840425.66	11890463.22	51.93
6400.00	90.75	270.2	3259.82	197.97	-3473.34	0.00	3473.91	1840375.66	11890463.37	52.58
6450.00	90.75	270.2	3259.17	198.11	-3523.33	0.00	3523.91	1840325.67	11890463.51	53.23
6500.00	90.75	270.2	3258.51	198.26	-3573.33	0.00	3573.90	1840275.67	11890463.66	53.89
6550.00	90.75	270.2	3257.86	198.41	-3623.32	0.00	3623.90	1840225.68	11890463.81	54.54
6600.00	90.75	270.2	3257.20	198.56	-3673.32	0.00	3673.89	1840175.68	11890463.96	55.20
6650.00	90.75	270.2	3256.55	198.71	-3723.31	0.00	3723.89	1840125.69	11890464.11	55.85
6700.00	90.75	270.2	3255.89	198.86	-3773.31	0.00	3773.88	1840075.69	11890464.26	56.51
6750.00	90.75	270.2	3255.24	199.00	-3823.31	0.00	3823.88	1840025.69	11890464.40	57.16
6800.00	90.75	270.2	3254.58	199.15	-3873.30	0.00	3873.88	1839975.70	11890464.55	
6850.00	90.75	270.2	3253.93	199.30	-3923.30	0.00	3923.87	1839925.70	11890464.70	58.47
6900.00	90.75	270.2	3253.28	199.45	-3973.29	0.00	3973.87	1839875.71	11890464.85	59.12
6950.00	90.75	270.2	3252.62	199.60	-4023.29	0.00	4023.86	1839825.71	11890465.00	59.78
7000.00	90.75	270.2	3251.97	199.75	-4073.28	0.00	4073.86	1839775.72	11890465.15	60.43
7050.00	90.75	270.2	3251.31	199.89	-4123.28	0.00	4123.85	1839725.72	11890465.29	61.09
7100.00	90.75	270.2	3250.66	200.04	-4173.27	0.00	4173.85	1839675.73	11890465.44	61.74
7150.00	90.75	270.2	3250.00	200.19	-4223.27	0.00	4223.85	1839625.73	11890465.59	62.40
7200.00	90.75	270.2	3249.35	200.34	-4273.27	0.00	4273.84	1839575.73	11890465.74	63.05
7250.00	90.75	270.2	3248.69	200.49	-4323.26	0.00	4323.84	1839525.74	11890465.89	63.71
7300.00	90.75	270.2	3248.04	200.64	-4373.26	0.00	4373.83	1839475.74	11890466.04	64.36
7350.00	90.75	270.2	3247.38	200.78	-4423.25	0.00	4423.83	1839425.75	11890466.18	65.02
7400.00	90.75	270.2	3246.73	200.93	-4473.25	0.00	4473.82	1839375.75	11890466.33	65.67
7450.00	90.75	270.2	3246.08	201.08	-4523.24	0.00	4523.82	1839325.76	11890466.48	66.32
7500.00	90.75	270.2	3245.42	201.23	-4573.24	0.00	4573.82	1839275.76	11890466.63	66.98
			: - : -	9						33.33

Page 3 of 5 SES v5.78 www.makinhole.c

Brainard 12 #4H, Plan 1

OperatorRedwood Operating LLCUnitsfeet, °/100ft11:18 Tuesday, August 03, 2021 Page 4 of 5FieldRed LakeCountyEddyVertical Section Azimuth270.17Well NameBrainard 12 #4HStateNew MexicoSurvey Calculation MethodMinimum CurvaturePlan1CountryUSADatabaseAccess

Location SL: 140 FSL & 1665 FWL Sec 12-T18S-R26E BHL:

330 FSL & 1 FWL Sec 11-T18S-R26E

Site

 Slot Name
 UWI

 Well Number
 API

 Project
 MD/TVD Ref KB

Map Zone UTM

Surface X 1843849
Surface Y 11890265.4
Surface Z 3312.4
Ground Level 3294.5

Surface Long
Surface Lat
Global Z Ref KB
Local North Ref Grid

Lat Long Ref

DIRECTIONAL WELL PLAN

2.10												
	MD*	INC*	AZI*	TVD*	N*	E*	DLS*	V. S.*	MapE*	MapN*	SysTVD*	
75	550.00	90.75	270.2	3244.77	201.38	-4623.23	0.00	4623.81	1839225.77	11890466.78	67.63	
76	00.00	90.75	270.2	3244.11	201.53	-4673.23	0.00	4673.81	1839175.77	11890466.93	68.29	
76	650.00	90.75	270.2	3243.46	201.67	-4723.22	0.00	4723.80	1839125.78	11890467.07	68.94	
77	700.00	90.75	270.2	3242.80	201.82	-4773.22	0.00	4773.80	1839075.78	11890467.22	69.60	
	750.00	90.75	270.2	3242.15	201.97	-4823.22	0.00	4823.79	1839025.78	11890467.37	70.25	
	300.00	90.75	270.2	3241.49	202.12	-4873.21	0.00	4873.79	1838975.79	11890467.52	70.91	
	350.00	90.75	270.2	3240.84	202.27	-4923.21	0.00	4923.79	1838925.79	11890467.67	71.56	
79	00.00	90.75	270.2	3240.19	202.42	-4973.20	0.00	4973.78	1838875.80	11890467.82	72.21	
79	950.00	90.75	270.2	3239.53	202.56	-5023.20	0.00	5023.78	1838825.80	11890467.96	72.87	
80	00.00	90.75	270.2	3238.88	202.71	-5073.19	0.00	5073.77	1838775.81	11890468.11	73.52	
80	050.00	90.75	270.2	3238.22	202.86	-5123.19	0.00	5123.77	1838725.81	11890468.26	74.18	
81	100.00	90.75	270.2	3237.57	203.01	-5173.18	0.00	5173.76	1838675.82	11890468.41	74.83	
81	150.00	90.75	270.2	3236.91	203.16	-5223.18	0.00	5223.76	1838625.82	11890468.56	75.49	
	200.00	90.75	270.2	3236.26	203.31	-5273.18	0.00	5273.76	1838575.82	11890468.71	76.14	
	250.00	90.75	270.2	3235.60	203.45	-5323.17	0.00	5323.75	1838525.83	11890468.85	76.80	
	300.00	90.75	270.2	3234.95	203.60	-5373.17	0.00	5373.75	1838475.83	11890469.00	77.45	
	350.00	90.75	270.2	3234.30	203.75	-5423.16	0.00	5423.74	1838425.84	11890469.15	78.10	
	00.00	90.75	270.2	3233.64	203.90	-5473.16	0.00	5473.74	1838375.84	11890469.30	78.76	
	150.00	90.75	270.2	3232.99	204.05	-5523.15	0.00	5523.73	1838325.85	11890469.45	79.41	
85	500.00	90.75	270.2	3232.33	204.20	-5573.15	0.00	5573.73	1838275.85	11890469.60	80.07	
85	550.00	90.75	270.2	3231.68	204.34	-5623.14	0.00	5623.73	1838225.86	11890469.74	80.72	
86	00.00	90.75	270.2	3231.02	204.49	-5673.14	0.00	5673.72	1838175.86	11890469.89	81.38	
86	650.00	90.75	270.2	3230.37	204.64	-5723.13	0.00	5723.72	1838125.87	11890470.04	82.03	
87	700.00	90.75	270.2	3229.71	204.79	-5773.13	0.00	5773.71	1838075.87	11890470.19	82.69	
87	750.00	90.75	270.2	3229.06	204.94	-5823.13	0.00	5823.71	1838025.87	11890470.34	83.34	
88	300.00	90.75	270.2	3228.41	205.09	-5873.12	0.00	5873.70	1837975.88	11890470.49	83.99	
88	350.00	90.75	270.2	3227.75	205.23	-5923.12	0.00	5923.70	1837925.88	11890470.63	84.65	
89	00.00	90.75	270.2	3227.10	205.38	-5973.11	0.00	5973.70	1837875.89	11890470.78	85.30	
	950.00	90.75	270.2	3226.44	205.53	-6023.11	0.00	6023.69	1837825.89	11890470.93	85.96	
	00.00	90.75	270.2	3225.79	205.68	-6073.10	0.00	6073.69	1837775.90	11890471.08	86.61	
	050.00	90.75	270.2	3225.13	205.83	-6123.10	0.00	6123.68	1837725.90	11890471.23	87.27	
	100.00	90.75	270.2	3224.48	205.98	-6173.09	0.00	6173.68	1837675.91	11890471.38	87.92	
	150.00	90.75	270.2	3223.82	206.12	-6223.09	0.00	6223.67	1837625.91	11890471.52	88.58	
92	200.00	90.75	270.2	3223.17	206.27	-6273.09	0.00	6273.67	1837575.91	11890471.67	89.23	
92	250.00	90.75	270.2	3222.51	206.42	-6323.08	0.00	6323.67	1837525.92	11890471.82	89.89	
93	300.00	90.75	270.2	3221.86	206.57	-6373.08	0.00	6373.66	1837475.92	11890471.97	90.54	
	350.00	90.75	270.2	3221.21	206.72	-6423.07	0.00	6423.66	1837425.93	11890472.12	91.19	
1												

Page 4 of 5 SES v5.78 www.makinhole.c

Lat Long Ref

Brainard 12 #4H, Plan 1

OperatorRedwood Operating LLCUnitsfeet, °/100ft11:18 Tuesday, August 03, 2021 Page 5 of 5FieldRed LakeCountyEddyVertical Section Azimuth270.17Well NameBrainard 12 #4HStateNew MexicoSurvey Calculation MethodMinimum Curvature

Map Zone UTM

Plan 1 Country USA Database Access

Location SL: 140 FSL & 1665 FWL Sec 12-T18S-R26E BHL:

330 FSL & 1 FWL Sec 11-T18S-R26E

Site

Surface X 1843849

Surface Long

Slot Name UWI Surface Y 11890265.4 Surface Lat
Well Number API Surface Z 3312.4 Global Z Ref KB
Project MD/TVD Ref KB Ground Level 3294.5 Local North Ref Grid

DIRECTIONAL WELL PLAN

MD*	INC*	AZI*	TVD*	N*	E*	DLS*	V. S.*	MapE*	MapN* S	
9400.00	90.75	270.2	3220.55	206.87	-6473.07	0.00	6473.65	1837375.93	11890472.27	91.85
9450.00	90.75	270.2	3219.90	207.01	-6523.06	0.00	6523.65	1837325.94	11890472.41	92.50
9500.00	90.75	270.2	3219.24	207.16	-6573.06	0.00	6573.64	1837275.94	11890472.56	93.16
9550.00	90.75	270.2	3218.59	207.31	-6623.05	0.00	6623.64	1837225.95	11890472.71	93.81
9600.00	90.75	270.2	3217.93	207.46	-6673.05	0.00	6673.64	1837175.95	11890472.86	94.47
9650.00	90.75	270.2	3217.28	207.61	-6723.04	0.00	6723.63	1837125.96	11890473.01	95.12
9700.00	90.75	270.2	3216.62	207.76	-6773.04	0.00	6773.63	1837075.96	11890473.16	95.78
9750.00	90.75	270.2	3215.97	207.90	-6823.04	0.00	6823.62	1837025.96	11890473.30	96.43
9800.00	90.75	270.2	3215.32	208.05	-6873.03	0.00	6873.62	1836975.97	11890473.45	97.08
9850.00	90.75	270.2	3214.66	208.20	-6923.03	0.00	6923.61	1836925.97	11890473.60	97.74
9900.00 *** TD (at MD	90.75 = 9901.51)	270.2	3214.01	208.35	-6973.02	0.00	6973.61	1836875.98	11890473.75	98.39
9901.51	90.75	270.2	3213.99	208.35	-6974.53	0.00	6975.12	1836874.47	11890473.75	98.41

age 5 of 5 SES v5.78 www.makinhole.co