

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	7. Lease Name or Unit Agreement Name Mc Donald State A/C 1A (306614)
2. Name of Operator Apache Corporation	8. Well Number 4
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705	9. OGRID Number 873
4. Well Location Unit Letter <u>D</u> : <u>660</u> feet from the <u>N</u> line and <u>660</u> feet from the <u>W</u> line Section <u>15</u> Township <u>22S</u> Range <u>36E</u> NMPM County <u>Lea</u>	10. Pool name or Wildcat Eunice; 7Rvrs-Queen, S (24130)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3545' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	PNR <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU, Tag CIBP w/ cmt @ 3553'*
- 7/6/21 Spot 80sx class c cmt on top of cibp w/ cmt @ 3553 tag toc @ 3086 inside 7" csg
 - 7/7/21 Perf @ 3080 tried to ge injection rate perf up drop down to 3086' spot 45sx class C cmt tag toc @ 2770 inside 7" csg
 - 7/8/21 Perf @ 472' broke circ, circ 170sx class c cmt to surf inside and behind 7" csg
Cut off wellhead and remove. Install dry hole marker. P&A complete.
- perf @ 1599
sqz 85sx displace
to 1399*

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

[Signature]

TITLE

Agent

DATE

07/08/21

Type or print name

Jimmy Bagley

E-mail address:

sunsetwellservice@yahoo.com

PHONE:

432-561-8600

For State Use Only

APPROVED BY:

Kerry Fortner

TITLE

Compliance Officer A

DATE

8/5/21

Conditions of Approval (if any):

Authorized by McDermida Regulatory Tech for Gunn-Burks Sealed Action Foreman Apache Corp



WELL BORE INFO.

LEASE NAME

McDonald State AC 1A

WELL #

#4

API #

30.025.08918

COUNTY

LEA, NM

FINAL P&A WB DIAGRAM

0

391

13 3/4" Hole
9 5/8" 32# @ 422'
w/ 300 CIRC to surf

781

1172

1562

1953

2344

2734

3125


TOC @ 3205'

3515

CIBP @ 3615' w/ 35' cmt

3906

8 3/4" Hole
7" 23# @ 3906'
w/ 200 sx, TOC @ 3205'



4. PUH & perf'd @ 472', broke CIRC & CIRC'd 170 sx Class "C" cmt inside and outside 7" casing, cmt to surface. RDMO, cut off WH, install dry hole marker, clean location, P&A completed 07-08-21. (Surf Shoe, Water Board, & Surf Plug)

3. PUH & perf'd @ 1599' & sqzd 85 sx Class "C" cmt & displaced to 1399'. (Top of Salt)

2. PUH & perf'd @ 3080', tried to get a PIR, Kerry Fortner ok'd to drop down to 3086' & spotted 45 sx Class "C" cmt, tagged TOC @ 2770' inside 7" casing. (Base of Salt)

1. MIRU P&A rig. RIH & tagged CIBP @ 3553', spotted 80 sx Class "C" cmt @ 3553', tagged TOC @ 3086' inside 7" casing. (Yates, 7 Rvrs, & Queen)

Perfs @ 3674'-3861'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 36640

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 36640
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	8/5/2021