<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

DHC prior to commingling

APPLIC	CATIO	N FOR	PERMIT T		RE-ENTE	E R, DE I	EPEN, P	LUGBACI			
			1. Operator Name						^{2.} OGRID Nu		
FAE II Operating LLC 11757 Katy Freeway, Suite 1000							329326 3. API Number				
		1	Houston, T	X 77079			30-025-32030			2030	
•	erty Code 6406				^{5.} Property Nam LL A STATE						
				7. Sui	rface Locati	ion					
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N	/S Line	Feet From	E/W Line	County	
D	02	21S	36E	4	990		N	910	W	LEA	
			T	1 *	d Bottom H				T		
UL - Lot	Section	Township		Lot Idn	Feet from	N	/S Line	Feet From	E/W Line	County	
D	02	21S	36E	4	990		N	910	W	LEA	
					ol Informati	ion				T	
			EUNICE M	ONUMENT; G	Name RAYBURG-	SAN AND	RES			Pool Code 23000	
				Additiona	ıl Well Infor	rmation					
	к Туре		12. Well		13. Cable/Rotar	ry	14	Lease Type	15.	15. Ground Level Elevation	
16. M	altiple		Type Type 17. Proposed Depth	1	R 18. Formation	1	1	S 19. Contractor		3530' 20. Spud Date	
	E S		3950°		GRAYBU				7/15/2021		
Depth to Grou	nd water	'	Dista	ance from nearest	fresh water well	1	Distance to nearest surface water		ace water		
Туре	Hol	e Size	Casing Size	Proposed Casing We			gram g Depth	Sacks of	Cement	Estimated TOC	
Surface		2.25"	8.625"	28#				300		Surface	
Production		875"	4.5"	11.6	i#	37	3730' 105		50 sxs Surfac		
Open Hole	3.	.75"	n/a	n/a	ı	3950' r		ı/a n/a			
			Casin	g/Cement Pro	gram: Addi	itional Co	omments		I		
			22.]	Proposed Bloy	wout Preven	ntion Pro	gram		1		
	Type			Working Pressure	e	Test Pressure		Manufacturer			
D	ouble R	lam		3,000#		3,000#		Unknown			
of my knowle I further cert 19.15.14.9 (B Signature:	dge and bel tify that I I) NMAC [lief. have comp □, if appli	on given above is to	-	and/or A	Approved B	y:	CONSERVA	TION DIV	ISION	
Printed name: VANESSA NEAL Title: RESERVOIR ENGINEER						Fitle: Approved D				. 08/09/2023	
E-mail Addre			ıs.com		A	лррголец Д	aic. UO/U	7/4U41 1	зарнацон Date	. 00/0//2023	
Date: 10 June			Phone: 832-2	19-0990	C	Conditions o	f Approval A	ttached Must	receive a	pproval for	
	10 Julie 2021 1 Holle. 632-219-0990										

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 476-3460 Fax: (505) 476-3462

Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		² Pool Code ³ Pool Name		
30-025-32030		23000	EUNICE MONUMENT; GRAYBURG-	SAN ANDRES
⁴ Property Code		⁵ Property Name		⁶ Well Number
326406		SHELL	#006	
⁷ OGRID No.	⁸ Op		perator Name	⁹ Elevation
329326		FAE II OF	PERATING, LLC	3530'

■ Surface Location

Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
D	02	21S	36E	4	990	N	910	W	LEA
	¹¹ Bottom Hole Location If Different From Surface								
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
D	02	21S	36E	4	990	N	910	W	LEA
12 Dedicated Acres	12 Dedicated Acres 13 Joint or Infill 14 Consolidation Code 15 Order No.								
37.32	1	Y							

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically
Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator:	FAE II Operat	ting, LLC	OGRID:	329326	Date	e:08/0	6/2021			
II. Type: □ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC ☒ Other. If Other, please describe: □ Deepen Shell A State COM #006 to Grayburg □										
III. Well(s): Provide the be recompleted from a s					ells proposed	d to be dril	led or proposed to			
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipate Gas MCF/	I	Anticipated roduced Water BBL/D			
SHELL A STATE COM #006	30-025-32030	D-02-21S-36E	990' FNL & 910' FWL	6	30		5			
IV. Central Delivery Point Name: SHELL A STATE COM BATTERY [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Initial Flow First Production										
SHELL A STATE COM #006	30-025-32030	9/15/2021	Date 9/18/2021	9/20/2021		23/2021	9/24/2021			
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
VI. Separation Equipment: ⊠ Attach a complete description of how Operator will size separation equipment to optimize gas capture.										
VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.										
VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance										

Section 2 – Enhanced Plan

EFFECTIVE APRIL 1, 2022								
Beginning April 1, 2 reporting area must c			with its statewide natural ga	as capture requirement for the applicable				
☐ Operator certifies capture requirement f			ion because Operator is in c	compliance with its statewide natural gas				
IX. Anticipated Nat	ural Gas Productio	on:						
Well		API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF				
X. Natural Gas Gat	hering System (NC	GGS):						
Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in				
production operations the segment or portion XII. Line Capacity. production volume from XIII. Line Pressure. natural gas gathering Attach Operator's XIV. Confidentiality Section 2 as provided	s to the existing or point of the natural gas gat rom the well prior to operator \(\subseteq \text{does for the manage property: } \(\subseteq Operator asset in Paragraph (2) or opera	planned interconnect of the gathering system(s) to we have a system will be the date of first product a does not anticipate that above will continue to be duction in response to the serts confidentiality purs	he natural gas gathering syste which the well(s) will be comed will not have capacity to go tion. It its existing well(s) connect meet anticipated increases in the increased line pressure. Usuant to Section 71-2-8 NMS 27.9 NMAC, and attaches a few which the well (s) connect meet anticipated increases in the increased line pressure.	atticipated pipeline route(s) connecting the em(s), and the maximum daily capacity of nected. Eather 100% of the anticipated natural gas seed to the same segment, or portion, of the line pressure caused by the new well(s). EA 1978 for the information provided in full description of the specific information				

Section 3 - Certifications Effective May 25, 2021

Effective May 23, 2021							
Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:							
☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or							
□ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:							
Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or							
Venting and Flaring Plan. ☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; (b) power generation for grid; (c) compression on lease; (d) liquids removal on lease; (e) reinjection for underground storage; (f) reinjection for temporary storage; (g) reinjection for enhanced oil recovery; (h) fuel cell production; and (i) other alternative beneficial uses approved by the division.							

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct

FAE II Operating, LLC ("FAE") Natural Gas Management Plan

VI. Separation Equipment

- Separation equipment is sized to allow for retention time and velocity to adequately separate oil, gas, and water at anticipated peak rates.
- Valves and meters are designed to service without flow interruption or venting of gas.
- Gas from treater and wellhead will be tied into the sales line.

VII. Operational Practices

19.15.27.8 (A)

FAE's field operations are designed with the goal of minimizing venting of natural gas. Wellhead and existing production equipment are tied into the gas sales line.

19.15.27.8 (B) Venting and Flaring during drilling operations

- Venting will only occur if there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment.
- Daily vented volumes during drilling operations will be estimated on the daily report.
- All equipment will be available to process wellhead production upon completion of the well.

19.15.27.8 (C) Venting and Flaring during completions or recompletions operations.

- During all phases of flowback, wells will flow through a sand separator, or other appropriate
 flowback separation equipment, and the well stream will be directed to a central tank battery (CTB)
 through properly sized flowlines.
- The CTB will have properly sized separation equipment for maximum anticipated flowrates.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks;
 vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD.

19.15.27.8 (D) Venting and Flaring during production operations.

- During production, the well stream will be routed to the CTB where multiple stages of separation will separate gas from liquids. All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.

19.15.27.8 (E) Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas/H2S detectors will be installed throughout the facilities and wellheads to detect leaks and enable timely repairs.

19.15.27.8 (F) Measurement or estimation of vented and flared natural gas

- All gas from wellhead and treater will be routed to a sales outlet.
- When metering is not practical due to low pressure/low rate (<60 MCFPD), the vented volume will be estimated based on annual GOR.

VIII. Best Management Practices

- FAE will use best management practices to vent as minimally as possible during well intervention operations and downhole well maintenance.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD. All venting events will be recorded and all start-up, shutdown, maintenance logs will be kept for control equipment
- All equipment will be maintained to provide highest run-time possible.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.
- All procedures are drafted to keep venting to the absolute minimum.

FAE II Operating, LLC

Shell A State COM #006

Lot 4 - Unit D, Sec 02, T21S, R36E Lea County, New Mexico

API#: 30-025-32030

Equipment and Design:

FAE II Operating, LLC will use a closed loop system in this operation. The following equipment will be on location:

1) 2- 500 bbl steel tanks


Operation and Maintenance:

During each day of operation, the rig's crew will inspect and closely monitor the fluids contained within the steel tanks and visually monitor any release that may occur. Should a release or spill occur, the NMOCD District 1 office Hobbs (575-393-6161) will be notified, as required in NMOCD's rule 19.15.29.8.

Top Perf Btm Perf

3730

3950



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 31245

CONDITIONS

Operator:	OGRID:
FAE II Operating LLC	329326
11757 Katy Freeway, Suite 1000	Action Number:
Houston, TX 77079	31245
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	ondition C			
pkautz	Must submit deviation survey with C-105	8/9/2021		
pkautz	Will require a administrative order for downhole comingling prior to placing the well on production	8/9/2021		