ceived by ICD: 3/4/2021 1:55:16 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repoi
Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA / NM
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
<b>Lease Number:</b> NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/22/2021

Date Operation Actually Began: 06/04/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 08:00

Actual Procedure: 6-4-2021 16" hole 6-4-2021 Surface Hole @ 1,065' MD, 1,065' TVD Casing shoe @ 1,055' MD Ran 13-3/8" 54.5# J-55 STC Cement w/ 435 sx Class C (1.79 yld, 13.5 ppg), followed by 110 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min -OK. Circ 316 sx cement to surface BOP/DIVERTERS/ROTATING HEAD-TEST BOPE W/ LONESTAR AS PER FED GUIDELINES: HYDROSTATIC AS PER BLM, TEST ALL RAMS, HCR, CHOKE MANIFOLD, TOP DRIVE VALVES, TIW, & INSIDE GREY TO 250 PSI LOW/10,000 PSI HIGH FOR 10 MINUTES EACH, TEST ANNULAR TO 250 PSI LOW/5,000 PSI HIGH FOR 10 MINUTES EACH, STANDPIPE BACK TO PUMPS TO 250 PSI LOW/6,500 PSI HIGH FOR 10 MINUTES EACH, TEST ROTATING HEAD/ORBIT VALVE TO 250 PSI LOW/500 PSI HIGH FOR 10 MINUTES EACH, TEST ROTATING HEAD/ORBIT VALVE TO 250 PSI LOW/500 PSI HIGH

Received by OCD: 8/4/2021 1:55:16 PM Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA7
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
<b>Lease Number:</b> NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily\_follis@eogresources.com

## Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

### **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Zip:

Signed on: JUN 22, 2021 08:00 AM

Disposition Date: 06/25/2021

cerved by OCD 3/4/2021 1:55:16 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 07/13/2021
Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA / NM
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
<b>Lease Number:</b> NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/23/2021

Date Operation Actually Began: 06/20/2021

Type of Action: Drilling Operations Time Sundry Submitted: 01:03

Actual Procedure: 6-20-2021 8 3/4" hole 6-20-2021 1st Intermediate Hole @ 5,289' MD, 5,248' TVD Casing shoe @ 5,274' MD, 5,248' TVD Ran 9-5/8", 40#, J55 LTC (0' - 3,139') Ran 9-5/8", 40#, HCL-80 LTC (3,139' - 5,274') Cement w/ 1,195 sx Class C (2.18 yld, 12.7 ppg), followed by 310 sx Class C (1.39 yld, 14.8 ppg) Test casing to 2,000 psi for 30 min - OK. Circ 792 sx cement to surface

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLIS
Name: EOG RESOURCES INCORPORATED
Title: Sr. Regulatory Administrator
Street Address: 5509 Champions Drive
City: Midland State: TX
Phone: (432) 848-9163
Email address: emily\_follis@eogresources.com

State:

## **Field Representative**

Representative Name: Street Address:

City:

Phone:

Email address:

Signed on: JUN 23, 2021 01:03 PM

Zip:

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repo
Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA / NM
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/01/2021

Date Operation Actually Began: 06/30/2021

Type of Action: Drilling Operations Time Sundry Submitted: 12:18

Actual Procedure: 6-29-2021 8-1/2" hole 6-29-2021 Production Hole @ 20,543' MD, 10,191' TVD Casing Shoe @ 15,930' MD, 10,847' TVD 5-1/2", 20#, ECP-110, VAM Sprint SF (MJ @ 9,704' and 20,056') Stage 1: Cemented w/ 310 sx Class C(4.57 yld, 10.5 ppg), TOC @ 2,100' by Calc Stage 2: Cemented w/ 2550 sx Class H (1.23 yld, 14.5 ppg). No casing test . Flushed valves w/ 5 bbl FW, TOC @ 7,813' by Calc. RR 6-30-2021

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLIS Name: EOG RESOURCES INCORPORATED Title: Sr. Regulatory Administrator Street Address: 5509 Champions Drive City: Midland State: TX Phone: (432) 848-9163 Email address: emily\_follis@eogresources.com

State:

### **Field Representative**

Representative Name: Street Address:

City:

Phone:

Email address:

Signed on: JUL 01, 2021 12:17 PM

Zip:

R	eceived by OCD: 8/4/2021 1:55:16 PM Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA7	8
	Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:	
	<b>Lease Number:</b> NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:	
	US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED	

# **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 07/09/2021

R	eceived by OCD: 8/4/2021 1:55:16 PM Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA7	8
	Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:	
	<b>Lease Number:</b> NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:	
	US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED	

# **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 07/08/2021

Cerver by UCD: S/4/2021 1:55:16 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 07/13/2021
Well Name: HOLYFIELD 9 FED COM	Well Location: T25S / R34E / SEC 9 / SWSE / 32.1383212 / -103.4716586	County or Parish/State: LEA / NM
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
<b>Lease Number:</b> NMNM016139, NMNM16139	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547698	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

# Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	06/07/2021	Time Sundry Submitted:	9:48:01 AM
Date Operation Will Beg	in: 06/02/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	08/14/2020		
US Well Number	3002547698		
Field Contact Name:	D Moose	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP245
Spud Type:	Conductor Hole, Rathole and	d/or Mousehole	
Procedure Description:	6-3-2021 20" Conductor @	115'	
Disposition:	Accepted		
Accepted Date:	06/07/2021		

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS
------------

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	39957
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	8/12/2021

Page 8 of 8

Action 39957