

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P. O. Box 21468 Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30-015-47431	⁵ Pool Name Purple Sage; Wolfcamp, Gas	⁶ Pool Code 98220
⁷ Property Code 321476 321475	⁸ Property Name Loving Townsite 2021WA	⁹ Well Number 2H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
0	20	23S	28E	-	948	South	2499	East	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	21	23S	28E	-	782	South	2439	West	Eddy

¹² Lse Code P	¹³ Producing Method Code F	¹⁴ Gas Connection Date 2/16/2021	¹⁵ C-129 Permit Number -	¹⁶ C-129 Effective Date -	¹⁷ C-129 Expiration Date -
-----------------------------	--	--	--	---	--

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Co., LP, 19100 Ridgewood Parkway San Antonio, TX 78259	0
327139	Sendero Carlsbad Mistream LLC, 1000 Louisiana Ave., Ste. 6900, Houston, TX 77002	G


IV. Well Completion Data

9570 (TVD)

9570 (TVD)

²¹ Spud Date 11/30/2020	²² Ready Date 2/15/2021	²³ TD 14269 (MD)	²⁴ PBTD 14099 (MD)	²⁵ Perforations 9558 - 14067	²⁶ DHC, MC -
²⁷ Hole Size 17 1/2	²⁸ Casing & Tubing Size 13 3/8	²⁹ Depth Set 456	³⁰ Sacks Cement 550		
12 1/4	10 3/4	2442	380		
9 7/8	7 5/8	8792	890		
6 3/4	5 1/2	14239	1245		

V. Well Test Data

³¹ Date New Oil 2/16/2021	³² Gas Delivery Date 2/16/2021	³³ Test Date 3/19/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure -	³⁶ Csg. Pressure 1520
³⁷ Choke Size 28	³⁸ Oil 672	³⁹ Water 2670	⁴⁰ Gas 1621		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Charlotte Van Valkenburg			Approved by: KURT SIMMONS		
Title: Mgr., Regulatory Compliance			Title: NMOCD, SANTA FE		
E-mail Address: Charlotv@kfoc.net			Approval Date: 08/17/2021		
Date: 3/25/2021		Phone: 918-491-4314			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1,
2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47431	² Pool Code 98220	³ Pool Name Purple Sage; Wolfcamp, Gas
⁴ Property Code 321476 321475	⁵ Property Name LOVING TOWNSITE 2021 WA	⁶ Well Number 2H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3069.8

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	20	23 S	28 E		1179	SOUTH	2455 2499	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	21	23 S	28 E		782	SOUTH	2439	WEST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill I	¹⁴ Consolidation Code -	¹⁵ Order No. -
--------------------------------------	------------------------------------	---------------------------------------	------------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

AS-DRILLED KOP 787' FSL, 2636' FWL LAT. = 32.2854776°N LONG. = 104.1095968°W NMSP EAST (FT) N = 467661.60 E = 610477.49 NW CORNER SEC. 20 LAT. = 32.2980196°N LONG. = 104.1181254°W NMSP EAST (FT) N = 472218.82 E = 607832.76 NE CORNER SEC. 20 LAT. = 32.2979381°N LONG. = 104.1010377°W NMSP EAST (FT) N = 472200.20 E = 613112.84 N/4 CORNER SEC. 20 LAT. = 32.2979830°N LONG. = 104.1095784°W NMSP EAST (FT) N = 472210.90 E = 610473.38 LOVING TOWNSITE 2021 WA 2H DNF ELEV. = 3069.8 LAT. = 32.2865545°N (NAD83) LONG. = 104.1089332°W NMSP EAST (FT) N = 468053.81 E = 610681.73 S/4 CORNER SEC. 20 LAT. = 32.2833140°N LONG. = 104.1095960°W NMSP EAST (FT) N = 466874.52 E = 610479.36 SW CORNER SEC. 20 LAT. = 32.2833097°N LONG. = 104.1181240°W NMSP EAST (FT) N = 466867.58 E = 607843.96 AS-DRILLED FIRST TAKE POINT 821' FSL, 2250' FWL LAT. = 32.2855706°N LONG. = 104.1082673°W NMSP EAST (FT) N = 467696.32 E = 610888.24 SE CORNER SEC. 20 LAT. = 32.2833180°N LONG. = 104.1009771°W NMSP EAST (FT) N = 466851.64 E = 613142.88 AS-DRILLED LAST TAKE POINT 775' FSL, 2123' FWL LAT. = 32.2854754°N LONG. = 104.0941164°W NMSP EAST (FT) N = 467671.14 E = 615261.30 NE CORNER SEC. 21 LAT. = 32.2980178°N LONG. = 104.0838774°W NMSP EAST (FT) N = 472241.10 E = 618414.82 NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NAD83) LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE. VERTICAL DATUM NAVD83. AS-DRILLED BOTTOM OF HOLE LAT. = 32.2854981°N LONG. = 104.0930951°W NMSP EAST (FT) N = 467680.11 E = 615576.89	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or by a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Charlotte Van Valkenburg</i> Date: 3/25/2021 Printed Name: Charlotte Van Valkenburg E-mail Address: Charlottv@kfoc.net 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. OCTOBER 15, 2020 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number: 12797 Survey No. 6255B
---	--

Intent ☐ As Drilled ☒

API # 30-015-47431		
Operator Name: KAISER-FRANCIS OIL CO.	Property Name: LOVING TOWNSITE 2021 WA	Well Number 2H

Kick Off Point (KOP)

UL N	Section 20	Township 23S	Range 28E	Lot	Feet 787	From N/S SOUTH	Feet 2636	From E/W WEST	County EDDY
Latitude 32.2854776					Longitude 104.1095968			NAD 83	

First Take Point (FTP)

UL O	Section 20	Township 23S	Range 28E	Lot	Feet 821	From N/S SOUTH	Feet 2250	From E/W EAST	County EDDY
Latitude 32.2855706					Longitude 104.1082673			NAD 83	

Last Take Point (LTP)

UL N	Section 21	Township 23S	Range 28E	Lot	Feet 775	From N/S SOUTH	Feet 2123	From E/W WEST	County EDDY
Latitude 32.2854754					Longitude 104.0941164			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-45006		
Operator Name: Kaiser-Francis Oil Company	Property Name: Loving Townsite 2021 WC	Well Number 2H

KZ 06/29/2018

SB Directional Services

KAISER FRANCIS OIL CO.
LOVING TOWNSITE 2021 WA 2H- Survey #1

EDDY COUNTY, N.M. 27
SEC 20-T23S-28E
Your Ref:

Measured Depth (ft)	Incl.	Azim.	Vertical		Vertical Section (dega/100ft)	Dogleg Rate	NAD 27		NAD 83	
			Depth (ft)	Northings (ft)	Eastings (ft)		Northings (usft)	Eastings (usft)	Northings (usft)	Eastings (usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	467994.80	569499.02	468053.81	610681.73
140.00	0.48	213.56	140.00	-0.49	-0.32	0.34	467994.31	569498.70	468053.32	610681.41
238.00	0.92	238.17	237.99	-1.25	-1.22	0.53	467993.55	569497.80	468052.56	610680.51
331.00	1.54	207.67	330.97	-2.75	-2.43	0.95	467992.05	569496.59	468051.06	610679.30
413.00	1.71	203.89	412.94	-4.84	-3.44	0.24	467989.96	569495.58	468048.97	610678.29
526.00	1.54	201.52	525.89	-7.79	-4.68	0.16	467987.01	569494.34	468046.02	610677.05
621.00	1.14	195.45	620.87	-9.89	-5.40	0.45	467984.91	569493.62	468043.92	610676.33
716.00	0.35	213.38	715.86	-11.05	-5.81	0.86	467983.75	569493.21	468042.76	610675.92
811.00	0.13	183.94	810.86	-11.40	-5.98	0.26	467983.40	569493.04	468042.41	610675.75
906.00	0.13	70.56	905.86	-11.47	-5.89	0.23	467983.33	569493.13	468042.34	610675.84
1001.00	0.26	354.01	1000.86	-11.22	-5.81	0.28	467983.58	569493.21	468042.59	610675.92
1096.00	0.35	17.38	1095.85	-10.73	-5.74	0.16	467984.07	569493.28	468043.08	610675.99
1191.00	0.09	93.15	1190.85	-10.45	-5.58	0.36	467984.35	569493.44	468043.36	610676.15
1286.00	0.35	305.75	1285.85	-10.29	-5.74	0.45	467984.51	569493.28	468043.52	610675.99
1381.00	0.40	352.86	1380.85	-9.79	-6.02	0.32	467985.01	569493.00	468044.02	610675.71
1476.00	0.40	330.36	1475.85	-9.17	-6.22	0.16	467985.63	569492.80	468044.64	610675.51
1570.00	0.62	265.76	1569.85	-8.92	-6.89	0.61	467985.88	569492.13	468044.89	610674.84
1665.00	2.11	241.07	1664.82	-9.81	-8.94	1.65	467984.99	569490.08	468044.00	610672.79
1760.00	2.59	228.06	1759.74	-12.09	-12.06	0.75	467982.71	569486.96	468041.72	610669.67

1855.00	2.33	196.33	1854.65	-15.38	-14.20	32.29	-104.11	-14.20	1.44	467979.42	569484.82	468038.43	610667.53
1950.00	3.16	181.83	1949.55	-19.85	-14.83	32.29	-104.11	-14.83	1.13	467974.95	569484.19	468033.96	610666.90
2045.00	4.26	193.61	2044.35	-25.89	-15.74	32.29	-104.11	-15.74	1.40	467968.91	569483.28	468027.92	610665.99
2140.00	5.71	194.22	2138.98	-33.91	-17.74	32.29	-104.11	-17.74	1.53	467960.89	569481.28	468019.90	610663.99
2235.00	6.64	198.70	2233.43	-43.69	-20.66	32.29	-104.11	-20.66	1.10	467951.11	569478.36	468010.12	610661.07
2330.00	6.81	208.90	2327.78	-53.82	-25.14	32.29	-104.11	-25.14	1.27	467940.98	569473.88	467999.99	610656.59
2400.00	6.68	214.61	2397.30	-60.81	-29.46	32.29	-104.11	-29.46	0.98	467933.99	569469.56	467993.00	610652.27
2475.00	6.37	214.17	2471.81	-67.84	-34.27	32.29	-104.11	-34.27	0.42	467926.96	569464.75	467985.97	610647.46
2570.00	4.31	233.42	2566.40	-74.33	-40.10	32.29	-104.11	-40.10	2.85	467920.47	569458.92	467979.48	610641.63
2665.00	4.53	233.59	2661.12	-78.68	-45.99	32.29	-104.11	-45.99	0.23	467916.12	569453.03	467975.13	610635.74
2759.00	4.53	239.30	2754.83	-82.78	-52.17	32.29	-104.11	-52.17	0.48	467912.02	569446.85	467971.03	610629.56
2854.00	4.53	234.73	2849.53	-86.86	-58.45	32.29	-104.11	-58.45	0.38	467907.94	569440.57	467966.95	610623.28
2949.00	4.70	239.21	2944.22	-91.02	-64.86	32.29	-104.11	-64.86	0.42	467903.78	569434.16	467962.79	610616.87
3044.00	4.75	235.26	3038.90	-95.26	-71.44	32.29	-104.11	-71.44	0.35	467899.54	569427.58	467958.55	610610.29
3139.00	4.31	232.36	3133.60	-99.68	-77.50	32.29	-104.11	-77.50	0.52	467895.12	569415.85	467950.05	610598.56
3234.00	4.13	236.22	3228.35	-103.76	-83.17	32.29	-104.11	-83.17	0.35	467891.04	569410.34	467946.37	610593.05
3329.00	3.87	236.40	3323.11	-107.44	-88.68	32.29	-104.11	-88.68	0.27	467887.36	569404.87	467942.82	610587.58
3424.00	4.00	237.54	3417.89	-110.99	-94.15	32.29	-104.11	-94.15	0.16	467883.81	569399.47	467939.06	610582.18
3519.00	3.96	232.79	3512.66	-114.75	-99.55	32.29	-104.11	-99.55	0.35	467880.05	569394.31	467935.13	610577.02
3614.00	3.87	232.62	3607.44	-118.68	-104.71	32.29	-104.11	-104.71	0.10	467876.12	569388.71	467931.13	610571.42
3709.00	4.44	236.05	3702.19	-122.68	-110.31	32.29	-104.11	-110.31	0.65	467872.12	569382.54	467927.06	610565.25
3804.00	4.48	237.10	3796.90	-126.75	-116.48	32.29	-104.11	-116.48	0.10	467868.05	569376.51	467923.32	610559.22
3898.00	4.18	239.39	3890.63	-130.49	-122.51	32.29	-104.11	-122.51	0.37	467864.31	569370.64	467919.54	610553.35
3993.00	4.26	235.08	3985.38	-134.27	-128.38	32.29	-104.11	-128.38	0.34	467860.53	569364.81	467915.82	610547.52
4088.00	4.09	239.91	4080.12	-137.99	-134.21	32.29	-104.11	-134.21	0.41	467856.81	569359.11	467912.31	610541.82
4183.00	4.00	236.84	4174.89	-141.50	-139.91	32.29	-104.11	-139.91	0.25	467853.30	569353.32	467908.74	610536.03
4278.00	4.22	239.74	4269.64	-145.07	-145.70	32.29	-104.11	-145.70	0.32	467849.73	569347.28	467904.70	610529.99
4373.00	4.57	232.97	4364.36	-149.11	-151.74	32.29	-104.11	-151.74	0.66	467845.69	569341.52	467900.24	610524.23
4468.00	4.22	231.48	4459.09	-153.57	-157.50	32.29	-104.11	-157.50	0.39	467841.23	569336.57	467896.51	610519.28
4562.00	3.34	234.99	4552.88	-157.30	-162.45	32.29	-104.11	-162.45	0.97	467837.50	569332.15	467892.27	610514.86
4657.00	4.13	219.00	4647.68	-161.54	-166.87	32.29	-104.11	-166.87	1.37	467833.26	569328.12	467885.71	610510.83
4752.00	5.23	205.72	4742.36	-168.10	-170.90	32.29	-104.11	-170.90	1.62	467826.70	569324.98	467876.94	610507.69
4847.00	6.07	194.47	4836.91	-176.87	-174.04	32.29	-104.11	-174.04	1.46	467817.93	569322.72	467867.57	610505.43
4942.00	5.58	192.63	4931.41	-186.24	-176.30	32.29	-104.11	-176.30	0.55	467808.56			

5037.00	5.63	193.86	5025.96	-195.27	-178.43	32.29	-104.11	-178.43	0.14	467799.53	569320.59	467858.54	610503.30
5132.00	5.36	193.77	5120.52	-204.10	-180.60	32.29	-104.11	-180.60	0.28	467790.70	569318.42	467849.71	610501.13
5227.00	5.27	194.65	5215.12	-212.63	-182.76	32.29	-104.11	-182.76	0.13	467782.17	569316.26	467841.18	610498.97
5322.00	4.84	196.94	5309.75	-220.69	-185.03	32.29	-104.11	-185.03	0.50	467774.11	569313.99	467833.12	610496.70
5417.00	4.79	192.54	5404.41	-228.39	-187.06	32.29	-104.11	-187.06	0.39	467766.41	569311.96	467825.42	610494.67
5512.00	4.44	196.14	5499.10	-235.80	-188.94	32.29	-104.11	-188.94	0.48	467759.00	569310.08	467818.01	610492.79
5607.00	4.00	193.24	5593.85	-242.55	-190.72	32.29	-104.11	-190.72	0.51	467752.25	569308.30	467811.26	610491.01
5702.00	3.91	195.79	5688.62	-248.90	-192.36	32.29	-104.11	-192.36	0.21	467745.90	569306.66	467804.91	610489.37
5797.00	3.69	191.66	5783.41	-255.01	-193.86	32.29	-104.11	-193.86	0.37	467739.79	569305.16	467798.80	610487.87
5892.00	3.56	188.94	5878.22	-260.92	-194.94	32.29	-104.11	-194.94	0.23	467733.88	569304.08	467792.89	610486.79
5987.00	4.62	207.22	5972.98	-267.23	-197.15	32.29	-104.11	-197.15	1.76	467727.57	569301.87	467786.58	610484.58
6082.00	4.35	207.92	6067.69	-273.82	-200.58	32.29	-104.11	-200.58	0.29	467720.98	569298.44	467779.99	610481.15
6177.00	4.62	207.31	6162.40	-280.40	-204.03	32.29	-104.11	-204.03	0.29	467714.40	569294.99	467773.41	610477.70
6272.00	4.48	204.23	6257.10	-287.18	-207.31	32.29	-104.11	-207.31	0.30	467707.62	569291.71	467766.63	610474.42
6367.00	4.22	190.43	6351.83	-294.00	-209.46	32.29	-104.11	-209.46	1.13	467700.80	569289.56	467759.81	610472.27
6462.00	3.34	183.93	6446.62	-300.20	-210.28	32.29	-104.11	-210.28	1.03	467694.60	569288.74	467753.61	610471.45
6557.00	3.52	188.76	6541.45	-305.85	-210.92	32.29	-104.11	-210.92	0.36	467688.95	569288.10	467747.96	610470.81
6652.00	3.52	180.24	6636.27	-311.65	-211.37	32.29	-104.11	-211.37	0.55	467683.15	569287.65	467742.16	610470.36
6747.00	3.08	179.01	6731.11	-317.11	-211.34	32.29	-104.11	-211.34	0.47	467677.69	569287.68	467736.70	610470.39
6841.00	3.30	174.96	6824.97	-322.33	-211.06	32.29	-104.11	-211.06	0.33	467672.47	569287.96	467731.48	610470.67
6936.00	3.00	176.90	6919.83	-327.54	-210.69	32.29	-104.11	-210.69	0.34	467667.26	569288.33	467726.27	610471.04
7031.00	3.03	179.09	7014.69	-332.53	-210.51	32.29	-104.11	-210.51	0.13	467662.27	569288.51	467721.28	610471.22
7126.00	3.03	180.76	7109.56	-337.55	-210.50	32.29	-104.11	-210.50	0.09	467657.25	569288.52	467716.26	610471.23
7221.00	2.95	182.76	7204.43	-342.51	-210.66	32.29	-104.11	-210.66	0.14	467652.29	569288.36	467711.30	610471.07
7316.00	3.21	180.59	7299.29	-347.61	-210.80	32.29	-104.11	-210.80	0.30	467647.19	569288.22	467706.20	610470.93
7411.00	1.89	177.95	7394.20	-351.83	-210.77	32.29	-104.11	-210.77	1.39	467642.97	569288.25	467701.98	610470.96
7506.00	1.71	156.24	7489.15	-354.70	-210.15	32.29	-104.11	-210.15	0.74	467640.10	569288.87	467699.11	610471.58
7601.00	2.59	160.55	7584.09	-358.02	-208.86	32.29	-104.11	-208.86	0.94	467636.78	569290.16	467695.79	610472.87
7696.00	2.81	164.68	7678.98	-362.29	-207.53	32.29	-104.11	-207.53	0.31	467632.51	569291.49	467691.52	610474.20
7791.00	1.80	200.10	7773.91	-365.93	-207.43	32.29	-104.11	-207.43	1.79	467628.87	569291.59	467687.88	610474.30
7886.00	1.49	242.02	7868.87	-367.91	-209.03	32.29	-104.11	-209.03	1.28	467626.89	569289.99	467685.90	610472.70
7981.00	1.49	237.45	7963.84	-369.16	-211.16	32.29	-104.11	-211.16	0.13	467625.64	569287.86	467684.65	610470.57
8076.00	1.19	250.46	8058.81	-370.15	-213.13	32.29	-104.11	-213.13	0.45	467624.65	569285.89	467683.66	610468.60
8171.00	1.45	252.48	8153.79	-370.84	-215.21	32.29	-104.11	-215.21	0.28	467623.96	569283.81	467682.97	610466.52

8265.00	1.32	255.91	8247.76	-371.47	-217.39	32.29	-104.11	-217.39	0.16	467623.33	569281.63	467682.34	610464.34
8361.00	1.36	235.17	8343.73	-372.39	-219.40	32.29	-104.11	-219.40	0.50	467622.41	569279.62	467681.42	610462.33
8455.00	1.63	206.43	8437.70	-374.22	-220.91	32.29	-104.11	-220.91	0.84	467620.58	569278.11	467679.59	610460.82
8550.00	2.59	205.28	8532.64	-377.37	-222.43	32.29	-104.11	-222.43	1.01	467617.43	569276.59	467676.44	610459.30
8645.00	2.73	194.47	8627.54	-381.50	-223.91	32.29	-104.11	-223.91	0.55	467613.30	569275.11	467672.31	610457.82
8740.00	2.07	190.26	8722.45	-385.38	-224.78	32.29	-104.11	-224.78	0.72	467609.42	569274.24	467668.43	610456.95
8798.00	1.93	192.80	8780.42	-387.37	-225.19	32.29	-104.11	-225.19	0.29	467607.43	569273.83	467666.44	610456.54
8893.00	2.77	122.32	8875.35	-390.15	-223.60	32.29	-104.11	-223.60	2.94	467604.65	569275.42	467663.66	610458.13
8988.00	21.27	92.96	8967.90	-392.29	-204.28	32.29	-104.11	-204.28	19.90	467602.51	569294.74	467661.52	610477.45
9083.00	34.37	82.41	9051.79	-389.62	-160.27	32.29	-104.11	-160.27	14.68	467605.18	569338.75	467664.19	610521.46
9178.00	36.92	82.94	9128.98	-382.57	-105.36	32.29	-104.11	-105.36	2.70	467612.23	569393.66	467671.24	610576.37
9273.00	55.30	84.44	9194.56	-375.22	-37.59	32.29	-104.11	-37.59	19.38	467619.58	569461.43	467678.59	610644.14
9368.00	59.87	86.37	9245.48	-368.83	42.32	32.29	-104.11	42.32	5.11	467625.97	569541.34	467684.98	610724.05
9463.00	58.15	85.58	9294.39	-363.12	123.56	32.29	-104.11	123.56	1.95	467631.68	569622.58	467690.69	610805.29
9558.00	64.22	86.72	9340.16	-357.56	206.57	32.29	-104.11	206.57	6.48	467637.24	569705.59	467696.25	610888.30
9653.00	72.00	89.27	9375.56	-354.53	294.59	32.29	-104.11	294.59	8.56	467640.27	569793.61	467699.28	610976.32
9747.00	74.73	90.06	9402.46	-354.01	384.64	32.29	-104.11	384.64	3.01	467640.79	569883.66	467699.80	611066.37
9842.00	80.53	89.18	9422.81	-353.39	477.40	32.29	-104.11	477.40	6.17	467641.41	569976.42	467700.42	611159.13
9937.00	83.60	88.57	9435.92	-351.54	571.46	32.29	-104.11	571.46	3.29	467643.26	570070.48	467702.27	611253.19
10032.00	82.64	90.94	9447.30	-351.13	665.76	32.29	-104.11	665.76	2.67	467643.67	570164.78	467702.68	611347.49
10127.00	87.69	91.47	9455.31	-353.12	760.37	32.29	-104.11	760.37	5.34	467641.68	570259.39	467700.69	611442.10
10222.00	90.55	90.06	9456.77	-354.39	855.34	32.29	-104.11	855.34	3.36	467640.41	570354.36	467699.42	611537.07
10317.00	84.66	90.85	9460.73	-355.14	950.21	32.29	-104.11	950.21	6.26	467639.66	570449.23	467698.67	611631.94
10412.00	86.07	89.97	9468.41	-355.82	1044.90	32.29	-104.11	1044.90	1.75	467638.98	570543.92	467697.99	611726.63
10507.00	84.92	87.95	9475.87	-354.10	1139.58	32.29	-104.10	1139.58	2.44	467640.70	570638.60	467699.71	611821.31
10602.00	90.59	87.42	9479.59	-350.27	1234.39	32.29	-104.10	1234.39	5.99	467644.53	570733.41	467703.54	611916.12
10697.00	90.33	88.39	9478.83	-346.80	1329.32	32.29	-104.10	1329.32	1.06	467648.00	570828.34	467707.01	612011.05
10792.00	88.40	89.27	9479.88	-344.86	1424.29	32.29	-104.10	1424.29	2.23	467649.94	570923.31	467708.95	612106.02
10887.00	91.65	91.99	9479.84	-345.90	1519.26	32.29	-104.10	1519.26	4.46	467648.90	571018.28	467707.91	612200.99
10982.00	86.99	95.69	9480.97	-352.26	1614.00	32.29	-104.10	1614.00	6.26	467642.54	571113.02	467701.55	612295.73
11077.00	89.14	94.02	9484.18	-360.29	1708.60	32.29	-104.10	1708.60	2.86	467634.51	571207.62	467693.52	612390.33
11172.00	89.85	92.08	9485.01	-365.35	1803.45	32.29	-104.10	1803.45	2.17	467629.45	571302.47	467688.46	612485.18
11266.00	87.96	91.38	9486.81	-368.18	1897.39	32.29	-104.10	1897.39	2.14	467626.62	571396.41	467685.63	612579.12
11361.00	87.47	91.91	9490.60	-370.91	1992.27	32.29	-104.10	1992.27	0.76	467623.89	571491.29	467682.90	612674.00

11456.00	87.56	91.20	9494.72	-373.48	2087.15	32.29	-104.10	2087.15	0.75	467621.32	571586.17	467680.33	612768.88
11551.00	86.81	91.12	9499.38	-375.40	2182.02	32.29	-104.10	2182.02	0.79	467619.40	571681.04	467678.41	612863.75
11646.00	89.58	91.12	9502.38	-377.26	2276.94	32.29	-104.10	2276.94	2.92	467617.54	571775.96	467676.55	612958.67
11741.00	88.57	91.12	9503.91	-379.12	2371.91	32.29	-104.10	2371.91	1.06	467615.68	571870.93	467674.69	613053.64
11836.00	86.77	91.20	9507.77	-381.04	2466.81	32.29	-104.10	2466.81	1.90	467613.76	571965.83	467672.77	613148.54
11931.00	90.81	92.26	9509.78	-383.91	2561.72	32.29	-104.10	2561.72	4.40	467610.89	572060.74	467669.90	613243.45
12026.00	87.96	90.32	9510.80	-386.04	2656.68	32.29	-104.10	2656.68	3.63	467608.76	572155.70	467667.77	613338.41
12121.00	87.12	89.45	9514.87	-385.85	2751.59	32.29	-104.10	2751.59	1.27	467608.95	572250.61	467667.96	613433.32
12216.00	88.00	87.78	9518.92	-383.56	2846.47	32.29	-104.10	2846.47	1.99	467611.24	572345.49	467670.25	613528.20
12311.00	90.90	88.30	9519.83	-380.31	2941.40	32.29	-104.10	2941.40	3.10	467614.49	572440.42	467673.50	613623.13
12406.00	86.86	90.60	9521.69	-379.40	3036.35	32.29	-104.10	3036.35	4.89	467615.40	572535.37	467674.41	613718.08
12501.00	86.73	89.71	9527.00	-379.65	3131.20	32.29	-104.10	3131.20	0.95	467615.15	572630.22	467674.16	613812.93
12596.00	90.33	89.36	9529.44	-378.88	3226.15	32.29	-104.10	3226.15	3.81	467615.92	572725.17	467674.93	613907.88
12691.00	87.25	89.88	9531.44	-378.25	3321.12	32.29	-104.10	3321.12	3.29	467616.55	572820.14	467675.56	614002.85
12785.00	86.37	90.32	9536.67	-378.42	3414.97	32.29	-104.10	3414.97	1.05	467616.38	572913.99	467675.39	614096.70
12880.00	90.29	92.78	9539.44	-380.99	3509.87	32.29	-104.10	3509.87	4.87	467613.81	573008.89	467672.82	614191.60
12975.00	89.49	93.66	9539.62	-386.32	3604.72	32.29	-104.10	3604.72	1.25	467608.48	573103.74	467667.49	614286.45
13070.00	87.91	93.40	9541.78	-392.17	3699.51	32.29	-104.10	3699.51	1.69	467602.63	573198.53	467661.64	614381.24
13165.00	83.03	91.55	9549.28	-396.26	3794.09	32.29	-104.10	3794.09	5.49	467598.54	573293.11	467657.55	614475.82
13260.00	86.02	90.06	9558.34	-397.59	3888.63	32.29	-104.10	3888.63	3.51	467597.21	573387.65	467656.22	614570.36
13355.00	89.58	89.01	9561.99	-396.82	3983.54	32.29	-104.10	3983.54	3.91	467597.98	573482.56	467656.99	614665.27
13450.00	86.99	88.74	9564.83	-394.95	4078.48	32.29	-104.10	4078.48	2.74	467599.85	573577.50	467658.86	614760.21
13545.00	84.84	87.42	9571.60	-391.78	4173.17	32.29	-104.09	4173.17	2.65	467603.02	573672.19	467662.03	614854.90
13639.00	88.48	87.86	9577.08	-387.92	4266.92	32.29	-104.09	4266.92	3.90	467606.88	573765.94	467665.89	614948.65
13734.00	86.29	87.95	9581.41	-384.45	4361.75	32.29	-104.09	4361.75	2.31	467610.35	573860.77	467669.36	615043.48
13829.00	92.97	90.85	9582.02	-383.46	4456.68	32.29	-104.09	4456.68	7.66	467611.34	573955.70	467670.35	615138.41
13924.00	90.33	89.09	9579.29	-383.41	4551.63	32.29	-104.09	4551.63	3.34	467611.39	574050.65	467670.40	615233.36
14019.00	89.45	88.30	9579.47	-381.24	4646.60	32.29	-104.09	4646.60	1.24	467613.56	574145.62	467672.57	615328.33
14114.00	93.14	88.57	9577.32	-378.65	4741.52	32.29	-104.09	4741.52	3.89	467616.15	574240.54	467675.16	615423.25
14206.00	92.48	88.04	9572.81	-375.93	4833.37	32.29	-104.09	4833.37	0.92	467618.87	574332.39	467677.88	615515.10
14269.00	92.48	88.04	9570.09	-373.78	4896.28	32.29	-104.09	4896.28	0.00	467621.02	574395.30	467680.03	615578.01

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.

Vertical depths are relative to GE+24'. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 90.000° (Grid).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East 3001.
Central meridian is -104.333°.

Grid Convergence at Surface is 0.120°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 14269.00ft.,
the Bottom Hole Displacement is 4910.52ft., in the Direction of 90.000° (Grid).

State of New Mexico
Energy, Minerals and Natural Resources

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-015-47431
5. Indicate Type of Lease STATE ☐ FEE ☒	
6. State Oil & Gas Lease No.	-
7. Lease Name or Unit Agreement Name	Loving Townsite 2021 WA
8. Well Number	2H
9. OGRID Number	12361
10. Pool name or Wildcat	Purple Sage; Wolfcamp, Gas
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	3070 GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Kaiser-Francis Oil Company

3. Address of Operator
P. O. Box 21468, Tulsa, OK 74121-1468

4. Well Location
Unit Letter 0 : 948 feet from the South line and 2499 feet from the East line
Section 20 Township 23S Range 28E NMPM Eddy County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Completion began 12/28/2020 Completion finished 2/15/2021

- MIRU WL.
- TCP'd first stage @ 13945'-14067'. Broke down perms.
- Stage frac'd lateral 9558'-14067' in 27 stages w/274866 bbls fluid + 13439402# sd.
- Drilled out plugs and cleaned out lateral to PBTD w/coiled tbg. Flowed back well.

Spud Date:

11/30/2020

Rig Release Date:

12/11/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charlotte Van Valkenburg TITLE Mgr., Regulatory Compliance DATE 3/25/2021

Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
1. WELL API NO. 30-015-47431																		
2. Type of Lease ☐ STATE ☒ FEE ☐ FED/INDIAN																		
3. State Oil & Gas Lease No. -																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13 K NMAC)						5. Lease Name or Unit Agreement Name Loving Townsite 2021 WA												
						6. Well Number: 2H												
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator Kaiser-Francis Oil Company						9. OGRID 12361												
10. Address of Operator P. O. Box 21468, Tulsa, OK 74121-1468						11. Pool name or Wildcat Purple Sage; Wolfcamp, Gas												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	O	20	23S	28E	-	948	South	2499	East	Eddy								
BH:	N	21	23S	28E	-	782	South	2439	West	Eddy								
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)												
11/30/2020	12/10/2020	12/11/2020		2/15/2021		3070 GR												
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run												
14269 (MD) 9570 (TVD)		14099 (MD) 9570 (TVD)		Yes		None												
22. Producing Interval(s), of this completion - Top, Bottom, Name 9558 - 14067 Wolfcamp																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13 3/8		48		456		17 1/2		550 sxs		-0-								
10 3/4		45.5		2442		12 1/4		380 sxs		-0-								
7 5/8		29.7		8792		9 7/8		890 sxs		-0-								
5 1/2		23		14239		6 3/4		1245 sxs		-0-								
24. LINER RECORD																		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD													
None	-	-	-	-	SIZE	DEPTH SET	PACKER SET											
					None	-	None											
26. Perforation record (interval, size, and number) 9558' - 14067' .42 1464						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>9558 - 14067</td> <td>274866 bbls fluid + 13439402# sd</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	9558 - 14067	274866 bbls fluid + 13439402# sd				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
9558 - 14067	274866 bbls fluid + 13439402# sd																	
28. PRODUCTION																		
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)												
2/16/2021		Flowing				Producing												
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio											
3/19/2021	24	28		672	1621	2670	2412											
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)												
-	1520		672	1621	2670	45.												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By -										
31. List Attachments Final Survey, C-103 completion, C-104 NW, C-103 Csg Detail, C-102As-drilled w/HSU																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude				Longitude				NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature				Printed Name Charlotte Van Valkenburg				Title Mgr., Regulatory Compliance		Date 3/25/2021								
E-mail Address Charlotv@kfoc.net																		

INSTRUCTIONS

Loving Townsite 2021 WA 2H

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2487	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6067	T. Todilto	
T. Abo	T. Cherry Canyon 3232	T. Entrada	
T. Wolfcamp 9544	T. Brushy Canyon 4544	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

**OIL OR GAS
SANDS OR ZONES**

No. 1, from.....9558.....to.....14067.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....Unk.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
3232	2487		Salt				
4544			Cherry Canyon				
6067			Brushy Canyon				
9544			Bone Spring				
			Wolfcamp				

State of New Mexico
Energy, Minerals and Natural Resources

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-47431
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Kaiser-Francis Oil Company		6. State Oil & Gas Lease No. -
3. Address of Operator P. O. Box 21468, Tulsa, OK 74121-1468		7. Lease Name or Unit Agreement Name Loving Townsite 2021 WA
4. Well Location Unit Letter 0 : 948 feet from the South line and 2499 feet from the East line Section 20 Township 23S Range 28E NMPM Eddy County		8. Well Number 2H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3070 GR		9. OGRID Number 12361
10. Pool name or Wildcat Purple Sage; Wolfcamp, Gas		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Casing Detail	☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/01/2020 13 3/8", 48#, J55 set @ 456' & cmt'd w/550 sxs. TOC @ surface. Pressure tested to 1500# for 30 minutes - good.

12/03/2020 10 3/4", 45.5#, L80 set @ 2442' & cmt'd w/380 sxs. TOC @ surface. Pressure tested to 1500# for 30 minutes - good.

12/06/2020 7 5/8", 29.7# P110 set @ 8792' & cmt'd w/890 sxs. TOC @ surface. Pressure tested to 1950# for 30 minutes - good.

12/11/2020 5 1/2", 23#, P110 set @ 14239' & cmt'd w/1245 sxs. TCO @ surface. Pressure tested to 10000# for 30 minutes - good.

Spud Date:

11/30/2020

Rig Release Date:

12/11/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: *Charlotte Van Valkenburg* TITLE Mgr., Regulatory Compliance DATE 3/25/2021

Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 21953

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 21953
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 21953

CONDITIONS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 21953
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/17/2021