

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK, 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code/ Effective Date RT for 2200 BOPD
⁴ API Number 30-025-48023	⁵ Pool Name Ojo Chiso; Wolfcamp, Southwest	⁶ Pool Code 98265
⁷ Property Code 316707	⁸ Property Name Bell Lake Unit North	⁹ Well Number 426H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
5	6	23S	34E		2410	North	610	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	31	22S	34E		103	North	1250	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 6/5/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC 1515 Araphoe St., Suite 1600 Denver, CO 80202	G
	Plains Pipeline LP 333 Clay St., #1600 Houston, TX 77002	O

IV. Well Completion Data

²¹ Spud Date 12/21/20	²² Ready Date 4/9/21	²³ TD 19,533' MD	²⁴ PBDT 19,382' MD	²⁵ Perforations 11,794' - 19,350'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	1,173'	1,030 SX		
12-1/4"	10-3/4"	4,946'	805 SX		
9-7/8"	7-5/8"	10,825'	1,205 SX		
6-3/4"	5-1/2"	19,513'	1,615 SX		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature:			OIL CONSERVATION DIVISION Approved by: Title: Approval Date: 		
Printed name: Erica Miles					
Title: Geosciences Technician					
E-mail Address: EricaM@kfoc.net					
Date: 6/14/21	Phone:918-491-4548				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised August 1,
2011

Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48023	² Pool Code 98265	³ Pool Name Ojo Chiso; Wolfcamp, Southwest
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT NORTH	⁶ Well Number 426H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3486.0

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
5	6	23 S	34 E		2410	NORTH	610	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	31	22 S	34 E		103	NORTH	1250	WEST	LEA

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14602
---	-------------------------------	----------------------------------	---

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

6/14/21

Signature

Date

Erica Miles

Printed Name

EricaM@kfoc.net

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAY 20, 2021

Date of Survey

Signature and Seal of Professional Surveyor:

Certificate Number: **12797**
Professional Surveyor No. 7085C

Intent ☐ As Drilled ☒API #
30-025-48023

Operator Name: KAISER-FRANCIS OIL CO.	Property Name: BELL LAKE UNIT NORTH	Well Number 426H
---	---	----------------------------

Kick Off Point (KOP)

UL	Section 6	Township 23S	Range 34E	Lot 6	Feet 2192	From N/S SOUTH	Feet 1245	From E/W WEST	County LEA
Latitude 32.3324137					Longitude 103.5134745			NAD 83	

First Take Point (FTP)

UL F	Section 6	Township 23S	Range 34E	Lot	Feet 2541	From N/S NORTH	Feet 1280	From E/W WEST	County LEA
Latitude 32.3339191					Longitude 103.5133612			NAD 83	

Last Take Point (LTP)

UL	Section 31	Township 22S	Range 34E	Lot 1	Feet 285	From N/S NORTH	Feet 1254	From E/W WEST	County LEA
Latitude 32.3546320					Longitude 103.5134588			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit?

☒

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #

Operator Name:	Property Name:	Well Number
----------------	----------------	-------------

KZ 06/29/2018

Kaiser-Francis Oil Company

Kaiser-Francis Oil Co.

Lea County, NM (NAD 83)
SEC 6, T23S, R34E
BELL LAKE UNIT NORTH 426H

HORIZONTAL

Design: FINAL

Standard Survey Report

04 January, 2021



Kaiser-Francis Oil Company



CATHEDRAL

Project: Lea County, NM (NAD 83)
 Site: SEC 6, T23S, R34E
 Well: BELL LAKE UNIT NORTH 426H
 Wellbore: HORIZONTAL
 FINAL

WELL DETAILS: BELL LAKE UNIT NORTH 426H

23.9' KB @ 3509.90usft (Cactus 171)
 Ground Level: 3486.00

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
0.00	0.00	486306.45	793926.52	32° 20' 3.399 N	103° 30' 55.907 W

US State Plane 1983
 New Mexico Eastern Zone




Total Azimuth to Grid North
 True North: -0.44°
 Magnetic North: 6.05°

Magnetic Field
 Strength: 47835.4nT
 Dip Angle: 60.03°
 Date: 12/31/2020
 Model: HDGM_FILE

SURVEY DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Vsect	Departure	Annotation
141.00	0.48	325.00	141.00	0.48	-0.34	0.49	0.59	FIRST SURVEY @ 141'
19466.00	92.63	358.44	11531.63	7526.92	579.67	7522.02	9212.60	FINAL SURVEY @ 19466'
19533.00	92.63	358.44	11528.56	7593.82	577.85	7588.94	9279.53	PROJECTION TO TD @ 19533'




Kaiser-Francis Oil Company



Azimuths to Grid North
True North: -0.44°
Magnetic North: 6.05°

Magnetic Field
Strength: 47835.4nT
Dip Angle: 60.03°
Date: 12/31/2020
Model: HDGM_FILE

US State Plane 1983
New Mexico Eastern Zone
Project: Lea County, NM (NAD 83)
Site: SEC 6, T23S, R34E
Well: BELL LAKE UNIT NORTH 426H
Wellbore: HORIZONTAL
23.9' KB @ 3509.90usft (Cactus 171)
Ground Elevation: 3486.00
FINAL



Kaiser-Francis Oil Company

Survey Report



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		SEC 6, T23S, R34E			
Site Position:		Northing:	484,136.67 usft	Latitude:	32° 19' 41.731 N
From:	Lat/Long	Easting:	796,546.17 usft	Longitude:	103° 30' 25.571 W
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16"	Grid Convergence:	0.44 °

Well	BELL LAKE UNIT NORTH 426H					
Well Position	+N/-S	0.00 usft	Northing:	486,306.45 usft	Latitude:	32° 20' 3.399 N
	+E/-W	0.00 usft	Easting:	793,926.52 usft	Longitude:	103° 30' 55.907 W
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,486.00 usft

Wellbore	HORIZONTAL				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM_FILE	12/31/2020	6.48	60.03	47,835.40000000

Design	FINAL				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	359.54	

Survey Program	Date	1/4/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
141.00	19,533.00	GT MWD (HORIZONTAL)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usf)	Build Rate (°/100u)	Formations / Comments	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
141.00	0.48	325.00	141.00	0.48	-0.34	0.49	0.34	0.34	FIRST SURVEY @ 141'	
240.00	0.70	329.64	239.99	1.35	-0.88	1.35	0.23	0.22		
334.00	0.83	327.46	333.98	2.41	-1.54	2.43	0.14	0.14		
427.00	0.58	311.72	426.98	3.30	-2.25	3.31	0.34	-0.27		
521.00	0.75	278.77	520.97	3.71	-3.22	3.73	0.44	0.18		
614.00	1.03	274.52	613.96	3.86	-4.65	3.90	0.31	0.30		
801.00	1.29	191.62	800.93	1.94	-6.75	1.99	0.83	0.14		
894.00	1.79	188.65	893.90	-0.53	-7.18	-0.47	0.54	0.54		
987.00	1.09	199.40	986.87	-2.80	-7.69	-2.73	0.80	-0.75		
1,081.00	1.21	210.00	1,080.85	-4.50	-8.48	-4.43	0.26	0.13		
1,143.00	1.33	225.07	1,142.84	-5.57	-9.32	-5.50	0.57	0.19		
1,277.00	1.22	260.65	1,276.80	-6.90	-11.83	-6.81	0.59	-0.08		

Kaiser-Francis Oil Company

Survey Report



Company: Kaiser-Francis Oil Co.
Project: Lea County, NM (NAD 83)
Site: SEC 6, T23S, R34E
Well: BELL LAKE UNIT NORTH 426H
Wellbore: HORIZONTAL
Design: FINAL

Local Co-ordinate Reference: Well BELL LAKE UNIT NORTH 426H
TVD Reference: 23.9' KB @ 3509.90usft (Cactus 171)
MD Reference: 23.9' KB @ 3509.90usft (Cactus 171)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: USA EDM 5000 Multi Users DB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usf)	Build Rate (°/100u)	Formations / Comments
1,371.00	1.76	114.75	1,370.79	-7.67	-11.51	-7.58	3.04	0.57	
1,466.00	2.98	96.83	1,465.71	-8.58	-7.73	-8.51	1.49	1.28	
1,561.00	1.89	93.67	1,560.62	-8.97	-3.71	-8.94	1.16	-1.15	
1,656.00	1.88	92.36	1,655.57	-9.13	-0.59	-9.13	0.05	-0.01	
1,751.00	1.81	87.88	1,750.52	-9.14	2.46	-9.16	0.17	-0.07	
1,846.00	3.97	120.45	1,845.40	-10.75	6.80	-10.81	2.77	2.27	
1,941.00	5.93	129.88	1,940.04	-15.57	13.40	-15.68	2.23	2.06	
2,035.00	5.60	126.43	2,033.57	-21.41	20.82	-21.57	0.51	-0.35	
2,130.00	5.41	124.44	2,128.13	-26.69	28.24	-26.92	0.28	-0.20	
2,225.00	5.07	121.53	2,222.73	-31.42	35.51	-31.70	0.45	-0.36	
2,320.00	6.18	123.48	2,317.27	-36.43	43.35	-36.78	1.19	1.17	
2,415.00	7.00	125.72	2,411.65	-42.64	52.32	-43.05	0.90	0.86	
2,510.00	7.90	137.86	2,505.85	-50.86	61.40	-51.35	1.90	0.95	
2,605.00	8.52	140.76	2,599.87	-61.15	70.23	-61.71	0.78	0.65	
2,699.00	8.06	139.42	2,692.89	-71.55	78.92	-72.18	0.53	-0.49	
2,795.00	8.17	138.63	2,787.93	-81.78	87.81	-82.48	0.16	0.11	
2,889.00	8.45	133.97	2,880.94	-91.58	97.19	-92.36	0.78	0.30	
2,984.00	8.53	132.36	2,974.90	-101.18	107.42	-102.04	0.26	0.08	
3,079.00	8.08	136.94	3,068.91	-110.80	117.19	-111.74	0.84	-0.47	
3,174.00	7.62	135.32	3,163.02	-120.16	126.18	-121.17	0.54	-0.48	
3,269.00	7.03	134.25	3,257.24	-128.69	134.77	-129.77	0.64	-0.62	
3,364.00	6.40	134.72	3,351.59	-136.48	142.70	-137.62	0.67	-0.66	
3,459.00	6.00	136.45	3,446.03	-143.80	149.88	-145.00	0.46	-0.42	
3,554.00	5.66	135.43	3,540.54	-150.74	156.59	-151.99	0.37	-0.36	
3,648.00	5.19	135.24	3,634.12	-157.06	162.83	-158.36	0.50	-0.50	
3,743.00	4.71	138.24	3,728.77	-163.02	168.46	-164.37	0.57	-0.51	
3,838.00	4.35	140.68	3,823.47	-168.72	173.34	-170.10	0.43	-0.38	
3,933.00	4.33	145.95	3,918.20	-174.47	177.63	-175.89	0.42	-0.02	
4,027.00	4.43	144.83	4,011.92	-180.38	181.71	-181.84	0.14	0.11	
4,122.00	4.56	141.27	4,106.63	-186.33	186.18	-187.82	0.32	0.14	
4,217.00	4.43	132.06	4,201.34	-191.73	191.27	-193.26	0.77	-0.14	
4,312.00	4.39	120.70	4,296.06	-196.05	197.12	-197.62	0.92	-0.04	
4,407.00	4.98	114.16	4,390.74	-199.59	204.01	-201.22	0.84	0.62	
4,502.00	4.73	113.66	4,485.40	-202.85	211.36	-204.54	0.27	-0.26	
4,596.00	4.23	115.97	4,579.12	-205.92	218.02	-207.67	0.57	-0.53	
4,691.00	3.69	117.09	4,673.89	-208.85	223.90	-210.64	0.57	-0.57	
4,786.00	3.25	122.19	4,768.71	-211.68	228.90	-213.51	0.57	-0.46	
4,881.00	3.03	122.90	4,863.57	-214.47	233.28	-216.34	0.24	-0.23	
4,910.00	2.90	125.00	4,892.53	-215.31	234.53	-217.19	0.58	-0.45	
5,060.00	3.25	151.06	5,042.32	-221.21	239.69	-223.13	0.95	0.23	
5,154.00	3.96	158.58	5,136.14	-226.56	242.17	-228.50	0.91	0.76	
5,249.00	4.00	156.55	5,230.91	-232.66	244.69	-234.61	0.15	0.04	
5,344.00	4.05	157.28	5,325.67	-238.79	247.30	-240.77	0.08	0.05	
5,439.00	6.07	148.45	5,420.30	-246.17	251.22	-248.17	2.27	2.13	
5,534.00	6.75	146.76	5,514.71	-255.12	256.91	-257.17	0.74	0.72	
5,629.00	6.70	144.57	5,609.05	-264.30	263.19	-266.41	0.28	-0.05	
5,723.00	6.35	140.91	5,702.44	-272.80	269.64	-274.96	0.58	-0.37	
5,818.00	5.99	138.35	5,796.89	-280.59	276.25	-282.79	0.48	-0.38	
5,913.00	6.03	137.09	5,891.37	-287.94	282.94	-290.21	0.15	0.04	
6,008.00	5.90	135.05	5,985.86	-295.05	289.79	-297.37	0.26	-0.14	
6,103.00	5.95	133.23	6,080.35	-301.88	296.83	-304.26	0.20	0.05	
6,198.00	7.56	128.90	6,174.69	-309.18	305.28	-311.62	1.78	1.69	
6,292.00	8.77	128.52	6,267.73	-317.53	315.70	-320.05	1.29	1.29	

Kaiser-Francis Oil Company

Survey Report



Company: Kaiser-Francis Oil Co.
Project: Lea County, NM (NAD 83)
Site: SEC 6, T23S, R34E
Well: BELL LAKE UNIT NORTH 426H
Wellbore: HORIZONTAL
Design: FINAL

Local Co-ordinate Reference: Well BELL LAKE UNIT NORTH 426H
TVD Reference: 23.9' KB @ 3509.90usft (Cactus 171)
MD Reference: 23.9' KB @ 3509.90usft (Cactus 171)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: USA EDM 5000 Multi Users DB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Formations / Comments
6,387.00	8.67	127.06	6,361.64	-326.35	327.08	-328.97	0.26	-0.11	
6,482.00	8.33	126.86	6,455.59	-334.79	338.30	-337.50	0.36	-0.36	
6,577.00	8.16	126.27	6,549.61	-342.91	349.24	-345.70	0.20	-0.18	
6,671.00	8.19	125.94	6,642.66	-350.79	360.04	-353.67	0.06	0.03	
6,766.00	8.25	125.39	6,736.68	-358.71	371.07	-361.67	0.10	0.06	
6,861.00	8.97	135.90	6,830.61	-367.97	381.78	-371.03	1.82	0.76	
6,956.00	9.44	138.61	6,924.39	-379.14	392.09	-382.27	0.67	0.49	
7,051.00	9.24	138.20	7,018.13	-390.67	402.32	-393.88	0.22	-0.21	
7,145.00	9.06	136.59	7,110.94	-401.67	412.44	-404.97	0.33	-0.19	
7,240.00	8.73	135.79	7,204.79	-412.27	422.61	-415.65	0.37	-0.35	
7,335.00	8.06	132.88	7,298.77	-421.97	432.51	-425.43	0.83	-0.71	
7,430.00	7.74	132.72	7,392.87	-430.84	442.09	-434.38	0.34	-0.34	
7,525.00	7.65	127.34	7,487.02	-439.02	451.82	-442.63	0.76	-0.09	
7,619.00	7.43	125.28	7,580.21	-446.32	461.76	-450.02	0.37	-0.23	
7,714.00	6.95	122.61	7,674.46	-452.97	471.61	-456.74	0.62	-0.51	
7,809.00	6.60	118.06	7,768.80	-458.63	481.27	-462.48	0.67	-0.37	
7,904.00	6.48	117.53	7,863.18	-463.68	490.85	-467.61	0.14	-0.13	
7,999.00	6.62	117.27	7,957.56	-468.67	500.47	-472.67	0.15	0.15	
8,093.00	6.48	118.60	8,050.94	-473.69	509.94	-477.77	0.22	-0.15	
8,188.00	6.27	116.48	8,145.36	-478.57	519.29	-482.72	0.33	-0.22	
8,283.00	6.01	134.35	8,239.82	-484.36	527.49	-488.58	2.02	-0.27	
8,378.00	6.25	135.09	8,334.28	-491.50	534.70	-495.77	0.27	0.25	
8,472.00	6.23	131.47	8,427.72	-498.50	542.13	-502.83	0.42	-0.02	
8,567.00	5.94	126.20	8,522.19	-504.82	549.96	-509.21	0.66	-0.31	
8,662.00	6.44	134.96	8,616.63	-511.48	557.70	-515.94	1.12	0.53	
8,757.00	6.04	131.11	8,711.07	-518.53	565.23	-523.06	0.61	-0.42	
8,852.00	5.59	142.37	8,805.59	-525.48	571.82	-530.06	1.29	-0.47	
8,947.00	5.37	144.09	8,900.15	-532.75	577.26	-537.37	0.29	-0.23	
9,041.00	4.77	136.98	8,993.78	-539.17	582.50	-543.83	0.92	-0.64	
9,136.00	4.80	157.89	9,088.46	-545.74	586.69	-550.43	1.83	0.03	
9,231.00	4.23	152.95	9,183.17	-552.54	589.78	-557.26	0.73	-0.60	
9,326.00	5.54	161.41	9,277.82	-560.01	592.84	-564.75	1.57	1.38	
9,421.00	5.92	161.00	9,372.34	-568.99	595.90	-573.76	0.40	0.40	
9,516.00	5.88	159.78	9,466.84	-578.19	599.17	-582.98	0.14	-0.04	
9,611.00	5.61	160.66	9,561.36	-587.14	602.39	-591.95	0.30	-0.28	
9,706.00	5.47	160.55	9,655.92	-595.79	605.44	-600.63	0.15	-0.15	
9,801.00	5.22	160.11	9,750.51	-604.12	608.42	-608.99	0.27	-0.26	
9,895.00	4.88	159.61	9,844.14	-611.89	611.26	-616.78	0.36	-0.36	
9,990.00	4.47	158.41	9,938.83	-619.12	614.03	-624.03	0.44	-0.43	
10,085.00	6.69	163.70	10,033.37	-627.87	616.95	-632.81	2.40	2.34	
10,180.00	6.72	163.28	10,127.72	-638.51	620.10	-643.47	0.06	0.03	
10,275.00	5.45	158.46	10,222.18	-648.03	623.36	-653.01	1.44	-1.34	
10,370.00	4.97	149.69	10,316.79	-655.78	627.09	-660.79	0.98	-0.51	
10,465.00	3.69	166.34	10,411.52	-662.30	629.89	-667.34	1.88	-1.35	
10,560.00	3.47	165.73	10,506.34	-668.06	631.32	-673.10	0.24	-0.23	
10,654.00	2.36	155.88	10,600.22	-672.58	632.81	-677.64	1.29	-1.18	
10,749.00	2.72	147.85	10,695.12	-676.27	634.81	-681.35	0.53	0.38	
10,858.00	4.17	146.80	10,803.92	-681.78	638.36	-686.88	1.33	1.33	
10,953.00	3.86	353.82	10,898.84	-681.49	639.91	-686.61	8.22	-0.33	
11,000.00	15.95	3.01	10,945.05	-673.44	640.08	-678.56	25.86	25.72	
11,048.00	23.13	0.39	10,990.26	-657.40	640.49	-662.53	15.07	14.96	
11,143.00	27.81	1.70	11,076.00	-616.57	641.27	-621.70	4.96	4.93	
11,238.00	37.83	5.85	11,155.75	-565.30	644.91	-570.46	10.80	10.55	

Kaiser-Francis Oil Company

Survey Report



Company: Kaiser-Francis Oil Co.
Project: Lea County, NM (NAD 83)
Site: SEC 6, T23S, R34E
Well: BELL LAKE UNIT NORTH 426H
Wellbore: HORIZONTAL
Design: FINAL

Local Co-ordinate Reference: Well BELL LAKE UNIT NORTH 426H
TVD Reference: 23.9' KB @ 3509.90usft (Cactus 171)
MD Reference: 23.9' KB @ 3509.90usft (Cactus 171)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: USA EDM 5000 Multi Users DB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usf)	Build Rate (°/100u)	Formations / Comments
11,332.00	51.02	6.83	11,222.73	-500.06	652.22	-505.28	14.05	14.03	
11,427.00	52.19	5.27	11,281.73	-426.02	660.06	-431.31	1.78	1.23	
11,522.00	47.78	3.51	11,342.81	-353.51	665.67	-358.84	4.85	-4.64	
11,617.00	53.03	359.99	11,403.34	-280.38	667.82	-285.73	6.22	5.53	
11,712.00	61.45	359.85	11,454.71	-200.56	667.70	-205.92	8.86	8.86	
11,807.00	72.15	4.79	11,492.09	-113.48	671.38	-118.87	12.23	11.26	
11,902.00	80.90	4.42	11,514.21	-21.49	678.78	-26.94	9.22	9.21	
11,996.00	83.01	1.16	11,527.37	71.46	683.31	65.97	4.10	2.24	
12,091.00	86.38	357.69	11,536.15	166.02	682.35	160.54	5.08	3.55	
12,186.00	91.91	355.99	11,537.57	260.82	677.11	255.38	6.09	5.82	
12,281.00	85.49	355.18	11,539.72	355.47	669.81	350.08	6.81	-6.76	
12,376.00	87.34	355.54	11,545.66	449.97	662.14	444.64	1.98	1.95	
12,507.00	93.17	358.34	11,545.08	580.71	655.15	575.43	4.94	4.45	
12,602.00	89.55	357.90	11,542.83	675.62	652.03	670.36	3.84	-3.81	
12,697.00	90.50	358.04	11,542.79	770.56	648.67	765.32	1.01	1.00	
12,792.00	91.15	359.22	11,541.42	865.52	646.40	860.30	1.42	0.68	
12,886.00	91.29	358.99	11,539.42	959.48	644.93	954.27	0.29	0.15	
12,981.00	91.90	358.70	11,536.77	1,054.43	643.01	1,049.23	0.71	0.64	
13,076.00	92.04	358.44	11,533.51	1,149.34	640.64	1,144.16	0.31	0.15	
13,171.00	91.85	357.82	11,530.28	1,244.23	637.55	1,239.08	0.68	-0.20	
13,266.00	92.30	359.27	11,526.84	1,339.14	635.14	1,334.00	1.60	0.47	
13,361.00	93.14	2.12	11,522.33	1,434.01	636.29	1,428.86	3.12	0.88	
13,455.00	91.15	3.03	11,518.82	1,527.85	640.51	1,522.66	2.33	-2.12	
13,550.00	89.41	3.91	11,518.35	1,622.67	646.26	1,617.43	2.05	-1.83	
13,645.00	86.81	3.61	11,521.48	1,717.40	652.48	1,712.11	2.75	-2.74	
13,740.00	83.78	3.09	11,529.28	1,811.91	658.01	1,806.57	3.24	-3.19	
13,835.00	83.06	2.36	11,540.16	1,906.18	662.50	1,900.80	1.08	-0.76	
13,930.00	84.16	1.49	11,550.73	2,000.53	665.67	1,995.12	1.47	1.16	
14,025.00	85.24	359.35	11,559.51	2,095.12	666.36	2,089.70	2.51	1.14	
14,120.00	88.18	357.40	11,564.96	2,189.91	663.67	2,184.51	3.71	3.09	
14,215.00	89.75	357.11	11,566.68	2,284.78	659.12	2,279.41	1.68	1.65	
14,310.00	89.47	355.76	11,567.33	2,379.59	653.22	2,374.27	1.45	-0.29	
14,404.00	90.08	354.71	11,567.69	2,473.26	645.41	2,468.00	1.29	0.65	
14,499.00	90.28	357.79	11,567.40	2,568.05	639.20	2,562.83	3.25	0.21	
14,594.00	92.97	0.39	11,564.70	2,662.98	637.69	2,657.77	3.94	2.83	
14,689.00	94.07	1.12	11,558.87	2,757.79	638.94	2,752.57	1.39	1.16	
14,784.00	93.92	1.14	11,552.25	2,852.54	640.80	2,847.30	0.16	-0.16	
14,879.00	92.18	1.34	11,547.20	2,947.38	642.86	2,942.12	1.84	-1.83	
14,973.00	92.19	1.02	11,543.61	3,041.29	644.79	3,036.02	0.34	0.01	
15,068.00	92.38	0.51	11,539.82	3,136.21	646.06	3,130.92	0.57	0.20	
15,163.00	94.11	359.57	11,534.45	3,231.05	646.13	3,225.76	2.07	1.82	
15,258.00	93.03	0.57	11,528.53	3,325.86	646.24	3,320.57	1.55	-1.14	
15,353.00	93.08	2.08	11,523.47	3,420.70	648.44	3,415.38	1.59	0.05	
15,447.00	90.20	4.14	11,520.78	3,514.51	653.53	3,509.15	3.77	-3.06	
15,542.00	89.33	4.29	11,521.17	3,609.25	660.52	3,603.83	0.93	-0.92	
15,637.00	90.36	4.84	11,521.42	3,703.95	668.08	3,698.46	1.23	1.08	
15,732.00	89.78	4.02	11,521.31	3,798.66	675.42	3,793.12	1.06	-0.61	
15,827.00	90.31	3.83	11,521.23	3,893.44	681.92	3,887.84	0.59	0.56	
15,922.00	88.21	3.39	11,522.46	3,988.24	687.90	3,982.59	2.26	-2.21	
16,017.00	88.34	2.88	11,525.32	4,083.05	693.09	4,077.35	0.55	0.14	
16,112.00	86.94	2.79	11,529.23	4,177.85	697.79	4,172.11	1.48	-1.47	
16,206.00	87.93	3.16	11,533.44	4,271.63	702.66	4,265.85	1.12	1.05	
16,301.00	91.43	358.68	11,533.97	4,366.58	704.18	4,360.78	5.98	3.68	

Kaiser-Francis Oil Company

Survey Report



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usf)	Build Rate (°/100u)	Formations / Comments
16,395.00	93.42	356.46	11,529.99	4,460.40	700.20	4,454.63	3.17	2.12	
16,490.00	93.81	357.04	11,524.00	4,555.06	694.83	4,549.33	0.73	0.41	
16,585.00	93.92	357.39	11,517.60	4,649.73	690.22	4,644.04	0.39	0.12	
16,680.00	94.01	357.35	11,511.03	4,744.40	685.88	4,738.74	0.10	0.09	
16,775.00	90.78	357.13	11,507.06	4,839.19	681.31	4,833.57	3.41	-3.40	
16,870.00	91.74	357.11	11,504.97	4,934.05	676.53	4,928.46	1.01	1.01	
16,965.00	91.32	356.22	11,502.43	5,028.85	671.01	5,023.31	1.04	-0.44	
17,059.00	91.68	356.28	11,499.97	5,122.62	664.86	5,117.12	0.39	0.38	
17,154.00	90.92	357.48	11,497.82	5,217.45	659.69	5,211.99	1.49	-0.80	
17,249.00	90.53	357.93	11,496.62	5,312.37	655.89	5,306.93	0.63	-0.41	
17,344.00	90.39	357.29	11,495.85	5,407.28	651.93	5,401.87	0.69	-0.15	
17,439.00	90.70	357.04	11,494.95	5,502.16	647.23	5,496.79	0.42	0.33	
17,533.00	88.88	357.60	11,495.29	5,596.05	642.83	5,590.71	2.03	-1.94	
17,628.00	88.71	357.84	11,497.29	5,690.96	639.06	5,685.64	0.31	-0.18	
17,723.00	89.13	358.42	11,499.08	5,785.89	635.96	5,780.60	0.75	0.44	
17,818.00	88.66	358.03	11,500.92	5,880.83	633.02	5,875.55	0.64	-0.49	
17,913.00	88.24	357.93	11,503.49	5,975.73	629.67	5,970.48	0.45	-0.44	
18,008.00	88.29	357.95	11,506.36	6,070.63	626.25	6,065.40	0.06	0.05	
18,102.00	88.01	357.88	11,509.40	6,164.52	622.84	6,159.32	0.31	-0.30	
18,197.00	87.81	357.72	11,512.86	6,259.38	619.19	6,254.21	0.27	-0.21	
18,292.00	88.29	358.27	11,516.09	6,354.27	615.87	6,349.12	0.77	0.51	
18,387.00	87.95	358.42	11,519.21	6,449.18	613.13	6,444.05	0.39	-0.36	
18,481.00	87.22	358.57	11,523.17	6,543.06	610.66	6,537.95	0.79	-0.78	
18,576.00	86.72	358.78	11,528.19	6,637.90	608.47	6,632.80	0.57	-0.53	
18,671.00	88.91	358.09	11,531.81	6,732.79	605.87	6,727.71	2.42	2.31	
18,766.00	87.79	358.56	11,534.55	6,827.71	603.10	6,822.65	1.28	-1.18	
18,861.00	89.52	358.84	11,536.78	6,922.66	600.94	6,917.61	1.84	1.82	
18,956.00	89.47	358.39	11,537.62	7,017.62	598.65	7,012.59	0.48	-0.05	
19,051.00	87.70	357.71	11,539.96	7,112.54	595.42	7,107.53	2.00	-1.86	
19,145.00	88.82	356.82	11,542.82	7,206.38	590.93	7,201.41	1.52	1.19	
19,240.00	92.07	358.07	11,542.08	7,301.27	586.70	7,296.33	3.67	3.42	
19,335.00	92.86	358.05	11,537.99	7,396.13	583.49	7,391.21	0.83	0.83	
19,430.00	92.77	358.50	11,533.33	7,490.97	580.63	7,486.07	0.48	-0.09	
19,466.00	92.63	358.44	11,531.63	7,526.92	579.67	7,522.02	0.42	-0.39	FINAL SURVEY @ 19466'
19,533.00	92.63	358.44	11,528.56	7,593.82	577.85	7,588.94	0.00	0.00	PROJECTION TO TD @ 19533'

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
141.00	141.00	0.48	-0.34	FIRST SURVEY @ 141'
19,466.00	11,531.63	7,526.92	579.67	FINAL SURVEY @ 19466'
19,533.00	11,528.56	7,593.82	577.85	PROJECTION TO TD @ 19533'

Checked By: _____ Approved By: _____ Date: _____

Kaiser-Francis Oil Company

Kaiser-Francis Oil Co.

Lea County, NM (NAD 83)
SEC 6, T23S, R34E
BELL LAKE UNIT NORTH 426H

HORIZONTAL

Design: FINAL

Survey Report - Geographic

04 January, 2021



Kaiser-Francis Oil Company

Survey Report - Geographic



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	SEC 6, T23S, R34E		
Site Position:		Northing:	484,136.67 usft
From:	Lat/Long	Easting:	796,546.16 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 19' 41.731 N
		Longitude:	103° 30' 25.571 W
		Grid Convergence:	0.44 °

Well	BELL LAKE UNIT NORTH 426H		
Well Position	+N/-S	0.00 usft	Northing: 486,306.45 usft
	+E/-W	0.00 usft	Easting: 793,926.52 usft
Position Uncertainty	0.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 20' 3.399 N
		Longitude:	103° 30' 55.907 W
		Ground Level:	3,486.00 usft

Wellbore	HORIZONTAL				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM_FILE	12/31/2020	6.48	60.03	47,835.40000000

Design	FINAL				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	359.54	

Survey Program	Date	1/4/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
141.00	19,533.00	GT MWD (HORIZONTAL)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
0.00	0.00	0.00	0.00	0.00	0.00	486,306.45	793,926.52	32° 20' 3.399 N	103° 30' 55.907 W	
141.00	0.48	325.00	141.00	0.48	-0.34	486,306.93	793,926.18	32° 20' 3.404 N	103° 30' 55.911 W	
FIRST SURVEY @ 141'										
240.00	0.70	329.64	239.99	1.35	-0.88	486,307.80	793,925.64	32° 20' 3.413 N	103° 30' 55.917 W	
334.00	0.83	327.46	333.98	2.41	-1.54	486,308.87	793,924.98	32° 20' 3.423 N	103° 30' 55.924 W	
427.00	0.58	311.72	426.98	3.30	-2.25	486,309.75	793,924.27	32° 20' 3.432 N	103° 30' 55.933 W	
521.00	0.75	278.77	520.97	3.71	-3.22	486,310.16	793,923.30	32° 20' 3.436 N	103° 30' 55.944 W	
614.00	1.03	274.52	613.96	3.86	-4.65	486,310.32	793,921.87	32° 20' 3.438 N	103° 30' 55.961 W	
801.00	1.29	191.62	800.93	1.94	-6.75	486,308.39	793,919.77	32° 20' 3.419 N	103° 30' 55.985 W	
894.00	1.79	188.65	893.90	-0.53	-7.18	486,305.92	793,919.34	32° 20' 3.395 N	103° 30' 55.990 W	
987.00	1.09	199.40	986.87	-2.80	-7.69	486,303.65	793,918.83	32° 20' 3.372 N	103° 30' 55.997 W	
1,081.00	1.21	210.00	1,080.85	-4.50	-8.48	486,301.95	793,918.03	32° 20' 3.355 N	103° 30' 56.006 W	

Kaiser-Francis Oil Company

Survey Report - Geographic



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,143.00	1.33	225.07	1,142.84	-5.57	-9.32	486,300.88	793,917.20	32° 20' 3.345 N	103° 30' 56.016 W
1,277.00	1.22	260.65	1,276.80	-6.90	-11.83	486,299.55	793,914.69	32° 20' 3.332 N	103° 30' 56.045 W
1,371.00	1.76	114.75	1,370.79	-7.67	-11.51	486,298.78	793,915.01	32° 20' 3.324 N	103° 30' 56.042 W
1,466.00	2.98	96.83	1,465.71	-8.58	-7.73	486,297.88	793,918.79	32° 20' 3.315 N	103° 30' 55.998 W
1,561.00	1.89	93.67	1,560.62	-8.97	-3.71	486,297.48	793,922.80	32° 20' 3.311 N	103° 30' 55.951 W
1,656.00	1.88	92.36	1,655.57	-9.13	-0.59	486,297.32	793,925.92	32° 20' 3.309 N	103° 30' 55.914 W
1,751.00	1.81	87.88	1,750.52	-9.14	2.46	486,297.31	793,928.98	32° 20' 3.309 N	103° 30' 55.879 W
1,846.00	3.97	120.45	1,845.40	-10.75	6.80	486,295.70	793,933.32	32° 20' 3.292 N	103° 30' 55.828 W
1,941.00	5.93	129.88	1,940.04	-15.57	13.40	486,290.88	793,939.92	32° 20' 3.244 N	103° 30' 55.752 W
2,035.00	5.60	126.43	2,033.57	-21.41	20.82	486,285.05	793,947.33	32° 20' 3.186 N	103° 30' 55.666 W
2,130.00	5.41	124.44	2,128.13	-26.69	28.24	486,279.76	793,954.76	32° 20' 3.133 N	103° 30' 55.580 W
2,225.00	5.07	121.53	2,222.73	-31.42	35.51	486,275.03	793,962.03	32° 20' 3.086 N	103° 30' 55.496 W
2,320.00	6.18	123.48	2,317.27	-36.43	43.35	486,270.02	793,969.87	32° 20' 3.035 N	103° 30' 55.405 W
2,415.00	7.00	125.72	2,411.65	-42.64	52.32	486,263.82	793,978.84	32° 20' 2.973 N	103° 30' 55.301 W
2,510.00	7.90	137.86	2,505.85	-50.86	61.40	486,255.59	793,987.92	32° 20' 2.891 N	103° 30' 55.196 W
2,605.00	8.52	140.76	2,599.87	-61.15	70.23	486,245.30	793,996.75	32° 20' 2.789 N	103° 30' 55.094 W
2,699.00	8.06	139.42	2,692.89	-71.55	78.92	486,234.90	794,005.44	32° 20' 2.685 N	103° 30' 54.993 W
2,795.00	8.17	138.63	2,787.93	-81.78	87.81	486,224.67	794,014.33	32° 20' 2.583 N	103° 30' 54.891 W
2,889.00	8.45	133.97	2,880.94	-91.58	97.19	486,214.87	794,023.71	32° 20' 2.486 N	103° 30' 54.782 W
2,984.00	8.53	132.36	2,974.90	-101.18	107.42	486,205.27	794,033.94	32° 20' 2.390 N	103° 30' 54.664 W
3,079.00	8.08	136.94	3,068.91	-110.80	117.19	486,195.65	794,043.71	32° 20' 2.294 N	103° 30' 54.551 W
3,174.00	7.62	135.32	3,163.02	-120.16	126.18	486,186.29	794,052.69	32° 20' 2.201 N	103° 30' 54.447 W
3,269.00	7.03	134.25	3,257.24	-128.69	134.77	486,177.76	794,061.29	32° 20' 2.116 N	103° 30' 54.348 W
3,364.00	6.40	134.72	3,351.59	-136.48	142.70	486,169.97	794,069.21	32° 20' 2.038 N	103° 30' 54.256 W
3,459.00	6.00	136.45	3,446.03	-143.80	149.88	486,162.65	794,076.40	32° 20' 1.965 N	103° 30' 54.173 W
3,554.00	5.66	135.43	3,540.54	-150.74	156.59	486,155.71	794,083.10	32° 20' 1.896 N	103° 30' 54.095 W
3,648.00	5.19	135.24	3,634.12	-157.06	162.83	486,149.39	794,089.35	32° 20' 1.833 N	103° 30' 54.023 W
3,743.00	4.71	138.24	3,728.77	-163.02	168.46	486,143.43	794,094.97	32° 20' 1.773 N	103° 30' 53.958 W
3,838.00	4.35	140.68	3,823.47	-168.72	173.34	486,137.74	794,099.86	32° 20' 1.717 N	103° 30' 53.902 W
3,933.00	4.33	145.95	3,918.20	-174.47	177.63	486,131.98	794,104.15	32° 20' 1.659 N	103° 30' 53.852 W
4,027.00	4.43	144.83	4,011.92	-180.38	181.71	486,126.07	794,108.22	32° 20' 1.601 N	103° 30' 53.805 W
4,122.00	4.56	141.27	4,106.63	-186.33	186.18	486,120.12	794,112.70	32° 20' 1.541 N	103° 30' 53.753 W
4,217.00	4.43	132.06	4,201.34	-191.73	191.27	486,114.72	794,117.79	32° 20' 1.488 N	103° 30' 53.695 W
4,312.00	4.39	120.70	4,296.06	-196.05	197.12	486,110.41	794,123.64	32° 20' 1.444 N	103° 30' 53.627 W
4,407.00	4.98	114.16	4,390.74	-199.59	204.01	486,106.86	794,130.53	32° 20' 1.409 N	103° 30' 53.547 W
4,502.00	4.73	113.66	4,485.40	-202.85	211.36	486,103.60	794,137.88	32° 20' 1.376 N	103° 30' 53.462 W
4,596.00	4.23	115.97	4,579.12	-205.92	218.02	486,100.53	794,144.54	32° 20' 1.345 N	103° 30' 53.384 W
4,691.00	3.69	117.09	4,673.89	-208.85	223.90	486,097.60	794,150.41	32° 20' 1.316 N	103° 30' 53.316 W
4,786.00	3.25	122.19	4,768.71	-211.68	228.90	486,094.78	794,155.41	32° 20' 1.287 N	103° 30' 53.258 W
4,881.00	3.03	122.90	4,863.57	-214.47	233.28	486,091.98	794,159.80	32° 20' 1.259 N	103° 30' 53.207 W
4,910.00	2.90	125.00	4,892.53	-215.31	234.53	486,091.14	794,161.05	32° 20' 1.251 N	103° 30' 53.193 W
5,060.00	3.25	151.06	5,042.32	-221.21	239.69	486,085.24	794,166.21	32° 20' 1.192 N	103° 30' 53.133 W
5,154.00	3.96	158.58	5,136.14	-226.56	242.17	486,079.89	794,168.69	32° 20' 1.139 N	103° 30' 53.105 W
5,249.00	4.00	156.55	5,230.91	-232.66	244.69	486,073.80	794,171.20	32° 20' 1.079 N	103° 30' 53.076 W
5,344.00	4.05	157.28	5,325.67	-238.79	247.30	486,067.66	794,173.82	32° 20' 1.018 N	103° 30' 53.046 W
5,439.00	6.07	148.45	5,420.30	-246.17	251.22	486,060.29	794,177.74	32° 20' 0.944 N	103° 30' 53.001 W
5,534.00	6.75	146.76	5,514.71	-255.12	256.91	486,051.34	794,183.43	32° 20' 0.855 N	103° 30' 52.935 W
5,629.00	6.70	144.57	5,609.05	-264.30	263.19	486,042.15	794,189.70	32° 20' 0.764 N	103° 30' 52.863 W
5,723.00	6.35	140.91	5,702.44	-272.80	269.64	486,033.65	794,196.16	32° 20' 0.679 N	103° 30' 52.788 W
5,818.00	5.99	138.35	5,796.89	-280.59	276.25	486,025.87	794,202.77	32° 20' 0.602 N	103° 30' 52.712 W
5,913.00	6.03	137.09	5,891.37	-287.94	282.94	486,018.51	794,209.46	32° 20' 0.529 N	103° 30' 52.635 W
6,008.00	5.90	135.05	5,985.86	-295.05	289.79	486,011.40	794,216.31	32° 20' 0.458 N	103° 30' 52.556 W
6,103.00	5.95	133.23	6,080.35	-301.88	296.83	486,004.57	794,223.34	32° 20' 0.390 N	103° 30' 52.474 W
6,198.00	7.56	128.90	6,174.69	-309.18	305.28	485,997.27	794,231.79	32° 20' 0.317 N	103° 30' 52.376 W
6,292.00	8.77	128.52	6,267.73	-317.53	315.70	485,988.93	794,242.21	32° 20' 0.233 N	103° 30' 52.256 W

Kaiser-Francis Oil Company

Survey Report - Geographic



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,387.00	8.67	127.06	6,361.64	-326.35	327.08	485,980.10	794,253.59	32° 20' 0.145 N	103° 30' 52.124 W
6,482.00	8.33	126.86	6,455.59	-334.79	338.30	485,971.66	794,264.81	32° 20' 0.061 N	103° 30' 51.994 W
6,577.00	8.16	126.27	6,549.61	-342.91	349.24	485,963.54	794,275.76	32° 19' 59.980 N	103° 30' 51.867 W
6,671.00	8.19	125.94	6,642.66	-350.79	360.04	485,955.66	794,286.56	32° 19' 59.901 N	103° 30' 51.742 W
6,766.00	8.25	125.39	6,736.68	-358.71	371.07	485,947.74	794,297.59	32° 19' 59.822 N	103° 30' 51.614 W
6,861.00	8.97	135.90	6,830.61	-367.97	381.78	485,938.48	794,308.30	32° 19' 59.729 N	103° 30' 51.490 W
6,956.00	9.44	138.61	6,924.39	-379.14	392.09	485,927.31	794,318.61	32° 19' 59.618 N	103° 30' 51.371 W
7,051.00	9.24	138.20	7,018.13	-390.67	402.32	485,915.78	794,328.84	32° 19' 59.503 N	103° 30' 51.253 W
7,145.00	9.06	136.59	7,110.94	-401.67	412.44	485,904.78	794,338.96	32° 19' 59.394 N	103° 30' 51.136 W
7,240.00	8.73	135.79	7,204.79	-412.27	422.61	485,894.18	794,349.12	32° 19' 59.288 N	103° 30' 51.018 W
7,335.00	8.06	132.88	7,298.77	-421.97	432.51	485,884.48	794,359.03	32° 19' 59.191 N	103° 30' 50.904 W
7,430.00	7.74	132.72	7,392.87	-430.84	442.09	485,875.61	794,368.61	32° 19' 59.103 N	103° 30' 50.793 W
7,525.00	7.65	127.34	7,487.02	-439.02	451.82	485,867.43	794,378.34	32° 19' 59.021 N	103° 30' 50.680 W
7,619.00	7.43	125.28	7,580.21	-446.32	461.76	485,860.13	794,388.28	32° 19' 58.948 N	103° 30' 50.565 W
7,714.00	6.95	122.61	7,674.46	-452.97	471.61	485,853.48	794,398.13	32° 19' 58.882 N	103° 30' 50.451 W
7,809.00	6.60	118.06	7,768.80	-458.63	481.27	485,847.82	794,407.79	32° 19' 58.825 N	103° 30' 50.339 W
7,904.00	6.48	117.53	7,863.18	-463.68	490.85	485,842.77	794,417.36	32° 19' 58.774 N	103° 30' 50.227 W
7,999.00	6.62	117.27	7,957.56	-468.67	500.47	485,837.78	794,426.98	32° 19' 58.724 N	103° 30' 50.116 W
8,093.00	6.48	118.60	8,050.94	-473.69	509.94	485,832.76	794,436.46	32° 19' 58.674 N	103° 30' 50.006 W
8,188.00	6.27	116.48	8,145.36	-478.57	519.29	485,827.88	794,445.81	32° 19' 58.625 N	103° 30' 49.897 W
8,283.00	6.01	134.35	8,239.82	-484.36	527.49	485,822.09	794,454.01	32° 19' 58.567 N	103° 30' 49.802 W
8,378.00	6.25	135.09	8,334.28	-491.50	534.70	485,814.95	794,461.21	32° 19' 58.495 N	103° 30' 49.719 W
8,472.00	6.23	131.47	8,427.72	-498.50	542.13	485,807.95	794,468.65	32° 19' 58.426 N	103° 30' 49.633 W
8,567.00	5.94	126.20	8,522.19	-504.82	549.96	485,801.64	794,476.48	32° 19' 58.363 N	103° 30' 49.542 W
8,662.00	6.44	134.96	8,616.63	-511.48	557.70	485,794.97	794,484.22	32° 19' 58.296 N	103° 30' 49.453 W
8,757.00	6.04	131.11	8,711.07	-518.53	565.23	485,787.92	794,491.75	32° 19' 58.226 N	103° 30' 49.365 W
8,852.00	5.59	142.37	8,805.59	-525.48	571.82	485,780.97	794,498.34	32° 19' 58.156 N	103° 30' 49.289 W
8,947.00	5.37	144.09	8,900.15	-532.75	577.26	485,773.70	794,503.77	32° 19' 58.084 N	103° 30' 49.227 W
9,041.00	4.77	136.98	8,993.78	-539.17	582.50	485,767.28	794,509.02	32° 19' 58.020 N	103° 30' 49.166 W
9,136.00	4.80	157.89	9,088.46	-545.74	586.69	485,760.71	794,513.21	32° 19' 57.955 N	103° 30' 49.118 W
9,231.00	4.23	152.95	9,183.17	-552.54	589.78	485,753.91	794,516.30	32° 19' 57.887 N	103° 30' 49.082 W
9,326.00	5.54	161.41	9,277.82	-560.01	592.84	485,746.44	794,519.36	32° 19' 57.813 N	103° 30' 49.047 W
9,421.00	5.92	161.00	9,372.34	-568.99	595.90	485,737.46	794,522.41	32° 19' 57.724 N	103° 30' 49.013 W
9,516.00	5.88	159.78	9,466.84	-578.19	599.17	485,728.26	794,525.69	32° 19' 57.633 N	103° 30' 48.975 W
9,611.00	5.61	160.66	9,561.36	-587.14	602.39	485,719.32	794,528.91	32° 19' 57.544 N	103° 30' 48.938 W
9,706.00	5.47	160.55	9,655.92	-595.79	605.44	485,710.66	794,531.96	32° 19' 57.458 N	103° 30' 48.904 W
9,801.00	5.22	160.11	9,750.51	-604.12	608.42	485,702.33	794,534.93	32° 19' 57.376 N	103° 30' 48.870 W
9,895.00	4.88	159.61	9,844.14	-611.89	611.26	485,694.56	794,537.78	32° 19' 57.298 N	103° 30' 48.837 W
9,990.00	4.47	158.41	9,938.83	-619.12	614.03	485,687.33	794,540.55	32° 19' 57.227 N	103° 30' 48.806 W
10,085.00	6.69	163.70	10,033.37	-627.87	616.95	485,678.58	794,543.47	32° 19' 57.140 N	103° 30' 48.772 W
10,180.00	6.72	163.28	10,127.72	-638.51	620.10	485,667.94	794,546.62	32° 19' 57.034 N	103° 30' 48.737 W
10,275.00	5.45	158.46	10,222.18	-648.03	623.36	485,658.42	794,549.88	32° 19' 56.940 N	103° 30' 48.700 W
10,370.00	4.97	149.69	10,316.79	-655.78	627.09	485,650.67	794,553.61	32° 19' 56.863 N	103° 30' 48.657 W
10,465.00	3.69	166.34	10,411.52	-662.30	629.89	485,644.15	794,556.41	32° 19' 56.798 N	103° 30' 48.625 W
10,560.00	3.47	165.73	10,506.34	-668.06	631.32	485,638.39	794,557.84	32° 19' 56.741 N	103° 30' 48.609 W
10,654.00	2.36	155.88	10,600.22	-672.58	632.81	485,633.87	794,559.33	32° 19' 56.696 N	103° 30' 48.592 W
10,749.00	2.72	147.85	10,695.12	-676.27	634.81	485,630.18	794,561.33	32° 19' 56.660 N	103° 30' 48.569 W
10,858.00	4.17	146.80	10,803.92	-681.78	638.36	485,624.67	794,564.88	32° 19' 56.605 N	103° 30' 48.528 W
10,953.00	3.86	353.82	10,898.84	-681.49	639.91	485,624.96	794,566.42	32° 19' 56.608 N	103° 30' 48.510 W
11,000.00	15.95	3.01	10,945.05	-673.44	640.08	485,633.01	794,566.59	32° 19' 56.687 N	103° 30' 48.507 W
11,048.00	23.13	0.39	10,990.26	-657.40	640.49	485,649.05	794,567.01	32° 19' 56.846 N	103° 30' 48.501 W
11,143.00	27.81	1.70	11,076.00	-616.57	641.27	485,689.88	794,567.79	32° 19' 57.250 N	103° 30' 48.488 W
11,238.00	37.83	5.85	11,155.75	-565.30	644.91	485,741.15	794,571.43	32° 19' 57.757 N	103° 30' 48.441 W
11,332.00	51.02	6.83	11,222.73	-500.06	652.22	485,806.39	794,578.74	32° 19' 58.402 N	103° 30' 48.350 W
11,427.00	52.19	5.27	11,281.73	-426.02	660.06	485,880.43	794,586.58	32° 19' 59.134 N	103° 30' 48.252 W

Kaiser-Francis Oil Company

Survey Report - Geographic



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,522.00	47.78	3.51	11,342.81	-353.51	665.67	485,952.95	794,592.18	32° 19' 59.851 N	103° 30' 48.180 W
11,617.00	53.03	359.99	11,403.35	-280.38	667.82	486,026.07	794,594.33	32° 20' 0.574 N	103° 30' 48.149 W
11,712.00	61.45	359.85	11,454.71	-200.56	667.70	486,105.89	794,594.22	32° 20' 1.364 N	103° 30' 48.143 W
11,807.00	72.15	4.79	11,492.10	-113.48	671.38	486,192.97	794,597.90	32° 20' 2.226 N	103° 30' 48.092 W
11,902.00	80.90	4.42	11,514.21	-21.49	678.78	486,284.96	794,605.30	32° 20' 3.135 N	103° 30' 47.998 W
11,996.00	83.01	1.16	11,527.37	71.46	683.31	486,377.91	794,609.82	32° 20' 4.055 N	103° 30' 47.937 W
12,091.00	86.38	357.69	11,536.15	166.02	682.35	486,472.47	794,608.87	32° 20' 4.990 N	103° 30' 47.939 W
12,186.00	91.91	355.99	11,537.57	260.82	677.11	486,567.28	794,603.63	32° 20' 5.929 N	103° 30' 47.992 W
12,281.00	85.49	355.18	11,539.73	355.47	669.81	486,661.92	794,596.32	32° 20' 6.866 N	103° 30' 48.069 W
12,376.00	87.34	355.54	11,545.67	449.97	662.14	486,756.42	794,588.66	32° 20' 7.802 N	103° 30' 48.150 W
12,507.00	93.17	358.34	11,545.08	580.71	655.15	486,887.16	794,581.67	32° 20' 9.096 N	103° 30' 48.219 W
12,602.00	89.55	357.90	11,542.83	675.62	652.03	486,982.07	794,578.55	32° 20' 10.035 N	103° 30' 48.247 W
12,697.00	90.50	358.04	11,542.79	770.56	648.67	487,077.01	794,575.19	32° 20' 10.975 N	103° 30' 48.278 W
12,792.00	91.15	359.22	11,541.42	865.52	646.40	487,171.97	794,572.91	32° 20' 11.915 N	103° 30' 48.296 W
12,886.00	91.29	358.99	11,539.42	959.48	644.93	487,265.93	794,571.45	32° 20' 12.844 N	103° 30' 48.305 W
12,981.00	91.90	358.70	11,536.77	1,054.43	643.01	487,360.88	794,569.53	32° 20' 13.784 N	103° 30' 48.319 W
13,076.00	92.04	358.44	11,533.51	1,149.34	640.64	487,455.79	794,567.16	32° 20' 14.723 N	103° 30' 48.338 W
13,171.00	91.85	357.82	11,530.28	1,244.23	637.55	487,550.69	794,564.06	32° 20' 15.663 N	103° 30' 48.365 W
13,266.00	92.30	359.27	11,526.84	1,339.14	635.14	487,645.59	794,561.65	32° 20' 16.602 N	103° 30' 48.385 W
13,361.00	93.14	2.12	11,522.33	1,434.01	636.29	487,740.47	794,562.80	32° 20' 17.540 N	103° 30' 48.363 W
13,455.00	91.15	3.03	11,518.82	1,527.85	640.51	487,834.30	794,567.02	32° 20' 18.469 N	103° 30' 48.306 W
13,550.00	89.41	3.91	11,518.35	1,622.67	646.26	487,929.12	794,572.77	32° 20' 19.406 N	103° 30' 48.230 W
13,645.00	86.81	3.61	11,521.48	1,717.40	652.48	488,023.85	794,579.00	32° 20' 20.343 N	103° 30' 48.149 W
13,740.00	83.78	3.09	11,529.28	1,811.91	658.01	488,118.36	794,584.53	32° 20' 21.278 N	103° 30' 48.076 W
13,835.00	83.06	2.36	11,540.16	1,906.18	662.50	488,212.63	794,589.02	32° 20' 22.210 N	103° 30' 48.015 W
13,930.00	84.16	1.49	11,550.73	2,000.53	665.67	488,306.98	794,592.19	32° 20' 23.144 N	103° 30' 47.970 W
14,025.00	85.24	359.35	11,559.51	2,095.12	666.36	488,401.57	794,592.88	32° 20' 24.080 N	103° 30' 47.954 W
14,120.00	88.18	357.40	11,564.96	2,189.91	663.67	488,496.36	794,590.19	32° 20' 25.018 N	103° 30' 47.976 W
14,215.00	89.75	357.11	11,566.68	2,284.78	659.12	488,591.23	794,585.64	32° 20' 25.957 N	103° 30' 48.021 W
14,310.00	89.47	355.76	11,567.33	2,379.59	653.22	488,686.04	794,579.73	32° 20' 26.896 N	103° 30' 48.081 W
14,404.00	90.08	354.71	11,567.69	2,473.26	645.41	488,779.71	794,571.93	32° 20' 27.823 N	103° 30' 48.164 W
14,499.00	90.28	357.79	11,567.40	2,568.05	639.20	488,874.50	794,565.71	32° 20' 28.761 N	103° 30' 48.228 W
14,594.00	92.97	0.39	11,564.70	2,662.98	637.69	488,969.43	794,564.20	32° 20' 29.701 N	103° 30' 48.237 W
14,689.00	94.07	1.12	11,558.87	2,757.79	638.94	489,064.24	794,565.45	32° 20' 30.639 N	103° 30' 48.214 W
14,784.00	93.92	1.14	11,552.25	2,852.54	640.80	489,158.99	794,567.32	32° 20' 31.576 N	103° 30' 48.184 W
14,879.00	92.18	1.34	11,547.20	2,947.38	642.86	489,253.83	794,569.38	32° 20' 32.515 N	103° 30' 48.152 W
14,973.00	92.19	1.02	11,543.61	3,041.29	644.79	489,347.74	794,571.31	32° 20' 33.444 N	103° 30' 48.121 W
15,068.00	92.38	0.51	11,539.82	3,136.21	646.06	489,442.66	794,572.58	32° 20' 34.383 N	103° 30' 48.097 W
15,163.00	94.11	359.57	11,534.45	3,231.05	646.13	489,537.50	794,572.64	32° 20' 35.321 N	103° 30' 48.088 W
15,258.00	93.03	0.57	11,528.53	3,325.86	646.24	489,632.31	794,572.76	32° 20' 36.259 N	103° 30' 48.078 W
15,353.00	93.08	2.08	11,523.47	3,420.70	648.44	489,727.15	794,574.95	32° 20' 37.198 N	103° 30' 48.044 W
15,447.00	90.20	4.14	11,520.78	3,514.51	653.53	489,820.96	794,580.05	32° 20' 38.125 N	103° 30' 47.976 W
15,542.00	89.33	4.29	11,521.17	3,609.25	660.52	489,915.70	794,587.03	32° 20' 39.062 N	103° 30' 47.887 W
15,637.00	90.36	4.84	11,521.42	3,703.95	668.08	490,010.40	794,594.60	32° 20' 39.999 N	103° 30' 47.790 W
15,732.00	89.78	4.02	11,521.31	3,798.66	675.42	490,105.11	794,601.93	32° 20' 40.935 N	103° 30' 47.696 W
15,827.00	90.31	3.83	11,521.23	3,893.44	681.92	490,199.89	794,608.44	32° 20' 41.873 N	103° 30' 47.612 W
15,922.00	88.21	3.39	11,522.46	3,988.24	687.90	490,294.69	794,614.42	32° 20' 42.810 N	103° 30' 47.534 W
16,017.00	88.34	2.88	11,525.32	4,083.05	693.09	490,389.50	794,619.61	32° 20' 43.748 N	103° 30' 47.465 W
16,112.00	86.94	2.79	11,529.23	4,177.85	697.79	490,484.30	794,624.30	32° 20' 44.686 N	103° 30' 47.401 W
16,206.00	87.93	3.16	11,533.44	4,271.63	702.66	490,578.08	794,629.18	32° 20' 45.613 N	103° 30' 47.336 W
16,301.00	91.43	358.68	11,533.97	4,366.58	704.18	490,673.03	794,630.70	32° 20' 46.553 N	103° 30' 47.310 W
16,395.00	93.42	356.46	11,529.99	4,460.40	700.20	490,766.85	794,626.72	32° 20' 47.481 N	103° 30' 47.348 W
16,490.00	93.81	357.04	11,524.00	4,555.06	694.83	490,861.51	794,621.35	32° 20' 48.418 N	103° 30' 47.402 W
16,585.00	93.92	357.39	11,517.60	4,649.73	690.22	490,956.18	794,616.74	32° 20' 49.355 N	103° 30' 47.447 W
16,680.00	94.01	357.35	11,511.03	4,744.40	685.88	491,050.85	794,612.39	32° 20' 50.293 N	103° 30' 47.490 W

Kaiser-Francis Oil Company

Survey Report - Geographic



Company:	Kaiser-Francis Oil Co.	Local Co-ordinate Reference:	Well BELL LAKE UNIT NORTH 426H
Project:	Lea County, NM (NAD 83)	TVD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Site:	SEC 6, T23S, R34E	MD Reference:	23.9' KB @ 3509.90usft (Cactus 171)
Well:	BELL LAKE UNIT NORTH 426H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	FINAL	Database:	USA EDM 5000 Multi Users DB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,775.00	90.78	357.13	11,507.06	4,839.19	681.31	491,145.65	794,607.82	32° 20' 51.231 N	103° 30' 47.534 W
16,870.00	91.74	357.11	11,504.97	4,934.05	676.53	491,240.50	794,603.05	32° 20' 52.170 N	103° 30' 47.582 W
16,965.00	91.32	356.22	11,502.44	5,028.85	671.01	491,335.31	794,597.53	32° 20' 53.108 N	103° 30' 47.638 W
17,059.00	91.68	356.28	11,499.97	5,122.62	664.86	491,429.07	794,591.38	32° 20' 54.037 N	103° 30' 47.701 W
17,154.00	90.92	357.48	11,497.82	5,217.45	659.69	491,523.90	794,586.21	32° 20' 54.975 N	103° 30' 47.753 W
17,249.00	90.53	357.93	11,496.62	5,312.37	655.89	491,618.82	794,582.41	32° 20' 55.915 N	103° 30' 47.789 W
17,344.00	90.39	357.29	11,495.85	5,407.28	651.93	491,713.73	794,578.45	32° 20' 56.854 N	103° 30' 47.826 W
17,439.00	90.70	357.04	11,494.95	5,502.16	647.23	491,808.61	794,573.75	32° 20' 57.793 N	103° 30' 47.873 W
17,533.00	88.88	357.60	11,495.30	5,596.05	642.84	491,902.51	794,569.35	32° 20' 58.723 N	103° 30' 47.915 W
17,628.00	88.71	357.84	11,497.29	5,690.96	639.06	491,997.41	794,565.57	32° 20' 59.662 N	103° 30' 47.951 W
17,723.00	89.13	358.42	11,499.08	5,785.89	635.96	492,092.34	794,562.47	32° 21' 0.602 N	103° 30' 47.979 W
17,818.00	88.66	358.03	11,500.92	5,880.83	633.02	492,187.28	794,559.53	32° 21' 1.541 N	103° 30' 48.004 W
17,913.00	88.24	357.93	11,503.49	5,975.73	629.67	492,282.18	794,556.19	32° 21' 2.481 N	103° 30' 48.035 W
18,008.00	88.29	357.95	11,506.36	6,070.63	626.25	492,377.08	794,552.77	32° 21' 3.420 N	103° 30' 48.066 W
18,102.00	88.01	357.88	11,509.40	6,164.52	622.84	492,470.97	794,549.35	32° 21' 4.349 N	103° 30' 48.098 W
18,197.00	87.81	357.72	11,512.86	6,259.38	619.19	492,565.83	794,545.71	32° 21' 5.288 N	103° 30' 48.132 W
18,292.00	88.29	358.27	11,516.09	6,354.27	615.87	492,660.72	794,542.39	32° 21' 6.227 N	103° 30' 48.162 W
18,387.00	87.95	358.42	11,519.21	6,449.18	613.13	492,755.63	794,539.65	32° 21' 7.167 N	103° 30' 48.185 W
18,481.00	87.22	358.57	11,523.17	6,543.06	610.66	492,849.51	794,537.18	32° 21' 8.096 N	103° 30' 48.206 W
18,576.00	86.72	358.78	11,528.19	6,637.90	608.47	492,944.35	794,534.99	32° 21' 9.034 N	103° 30' 48.223 W
18,671.00	88.91	358.09	11,531.81	6,732.79	605.87	493,039.24	794,532.39	32° 21' 9.973 N	103° 30' 48.245 W
18,766.00	87.79	358.56	11,534.55	6,827.71	603.10	493,134.16	794,529.62	32° 21' 10.913 N	103° 30' 48.269 W
18,861.00	89.52	358.84	11,536.78	6,922.66	600.94	493,229.11	794,527.46	32° 21' 11.853 N	103° 30' 48.285 W
18,956.00	89.47	358.39	11,537.62	7,017.62	598.65	493,324.08	794,525.17	32° 21' 12.792 N	103° 30' 48.304 W
19,051.00	87.70	357.71	11,539.96	7,112.54	595.42	493,418.99	794,521.93	32° 21' 13.732 N	103° 30' 48.333 W
19,145.00	88.82	356.82	11,542.82	7,206.38	590.93	493,512.83	794,517.45	32° 21' 14.661 N	103° 30' 48.377 W
19,240.00	92.07	358.07	11,542.08	7,301.27	586.70	493,607.72	794,513.22	32° 21' 15.600 N	103° 30' 48.417 W
19,335.00	92.86	358.05	11,537.99	7,396.13	583.49	493,702.58	794,510.00	32° 21' 16.539 N	103° 30' 48.446 W
19,430.00	92.77	358.50	11,533.33	7,490.97	580.63	493,797.42	794,507.15	32° 21' 17.477 N	103° 30' 48.471 W
19,466.00	92.63	358.44	11,531.63	7,526.92	579.67	493,833.37	794,506.19	32° 21' 17.833 N	103° 30' 48.479 W
FINAL SURVEY @ 19466'									
19,533.00	92.63	358.44	11,528.56	7,593.82	577.85	493,900.27	794,504.37	32° 21' 18.495 N	103° 30' 48.495 W
PROJECTION TO TD @ 19533'									

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
141.00	141.00	0.48	-0.34	FIRST SURVEY @ 141'
19,466.00	11,531.63	7,526.92	579.67	FINAL SURVEY @ 19466'
19,533.00	11,528.56	7,593.82	577.85	PROJECTION TO TD @ 19533'

Checked By: _____ Approved By: _____ Date: _____

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 31867

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 31867
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 31867

CONDITIONS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 31867
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 expires 09/17/2021; submit all drilling, casing, and completion sundries/reports. Do not use pdf forms with signature function as it prevents OCD from signing approval section of form.	8/17/2021