UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM137470 If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.			
Type of Well	er				8. Well Name and No. HOLLY 26 36 05 FED COM 104H			
Name of Operator AMEREDEV OPERATING LL	Contact: C E-Mail: CHANNA@	CHRISTIE H.			9. API Well No. 30-025-46665-00-X1			
3a. Address 5707 SOUTHWEST PARKWAY BLDG 1 STE 275 AUSTIN, TX 78735 3b. Phone No. (include area code) Ph: 7373004723					10. Field and Pool or Exploratory Area WC-025 G09 S263619C-WOLFCAMP			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State			
Sec 5 T26S R36E 230FNL 1750FWL 32.078941 N Lat, 103.290024 W Lon					LEA COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA		
TYPE OF SUBMISSION			TYPE OF	ACTION				
☐ Notice of Intent	☐ Acidize	□ Dee	pen	☐ Producti	ion (Start/Resume)	☐ Water Shut-Off		
_	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclama	ation	■ Well Integrity		
Subsequent Report	□ Casing Repair	□ New	Construction	□ Recomp	lete			
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	□ Temporarily Abandon		Drining Operation	S	
	☐ Convert to Injection	☐ Plug	Back	☐ Water Disposal				
If the proposal is to deepen directional Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit Spud: 2/6/2020 Casing Ran: 1,195' - 13.375" (Surface Cement: Pressure test of cement (1,225 sks) @ 14.8 latch-in top plug and began dis with a final lift pressure of 600 1 bbl. Floats Held. There were (316 sks) of cement to surface Casing Test: Test Casing to 1.	ck will be performed or provide operations. If the operation repandonment Notices must be fill nal inspection. 68# J-55 BTC sted lines to 500 psi. Pumppg (1.32 cuft/sk, Class Operation) ppg (1.32 cuft/sk, Class Operation) ppg Pressured up to 1,2 and poor the poor operation.	the Bond No. or sults in a multipled only after all onped 40 bbls C w/ 0.125 lb/ 0 bbls of fresh 30 psi, held fo	of file with BLM/BIA e completion or reco requirements, includ- of fresh water. P sk LCM Fiber). I n water. Bumped or 2 minutes and	. Required submpletion in a ring reclamation from the control of t	psequent reports must be lew interval, a Form 316 n, have been completed a bbls	filed within 30 days 0-4 must be filed once		
14. I hereby certify that the foregoing is	Electronic Submission #	507911 verifie	d by the BLM Wel	I Information	System			
Committed to AFMSS for processing by PRISCILLA PEREZ on 03/21/20					(20PP1759SE)			
Name(Printed/Typed) SHANE M	CNEELY		Title ENGINE	EK				
Signature (Electronic S	Submission)		Date 03/20/20	020				
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE US	SE			
Approved By ACCEPT	ED		JONATHO _{Title} PETROEL	N SHEPAR UM ENGINE		Date 03/24/20	020	
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	nitable title to those rights in the act operations thereon.	e subject lease	Office Hobbs					
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a statements or representations as	crime for any pe to any matter w	rson knowingly and ithin its jurisdiction.	willfully to ma	ike to any department or	agency of the United		

Additional data for EC transaction #507911 that would not fit on the form

32. Additional remarks, continued

Rig Release: N/A

Revisions to Operator-Submitted EC Data for Sundry Notice #507911

BLM Revised (AFMSS) Operator Submitted

DRG SR Sundry Type: NOI

Lease: NMNM137470 NMNM137470

Agreement:

Operator: AMEREDEV OPERATING, LLC

AMEREDEV OPERATING LLC 5707 SOUTHWEST PARKWAY BLDG 1 STE 275 AUSTIN, TX 78735 2901 VIA FORTUNA SUITE 600 AUSTIN, TX 78746

Ph: 737-300-4700 Ph: 737-300-4700

Admin Contact: CHRISTIE HANNA CHRISTIE HANNA

REGULATORY COORDINATOR SENIOR ENGINEERING TECHNICIAN E-Mail: channa@ameredev.com E-Mail: CHANNA@AMEREDEV.COM

Ph: 737-300-4700 Fx: 737-300-4701 Ph: 7373004723

SHANE MCNEELY ENGINEER Tech Contact: SHANE MCNEELY

ENGINEER

E-Mail: smcneely@ameredev.com E-Mail: smcneely@ameredev.com

Ph: 737-300-4700 Ph: 737-300-4729

Fx: 737-300-4701

Location:

State: NM County: LEA LEA

Field/Pool: WC-025 G-09 S263619C/WC WC-025 G09 S263619C-WOLFCAMP

Well/Facility:

HOLLY 26 36 05 FED COM 091H Sec 5 T26S R36E Mer NMP 230FNL 1750FWL HOLLY 26 36 05 FED COM 104H Sec 5 T26S R36E 230FNL 1750FWL 32.078941 N Lat, 103.290024 W Lon

32.078940 N Lat, 103.290020 W Lon

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS					NMNM137470			
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on page 2					If Indian, Allottee or Tribe Name If Unit or CA/Agreement, Name and/or No.			
		CHDISTIE H	ΛΝΝΛ		9. API Well No.	TEB COM TO THE		
2. Name of Operator Contact: CHRISTIE HANNA AMEREDEV OPERATING LLC E-Mail: CHANNA@AMEREDEV.COM					30-025-46665-00-X1			
3a. Address 5707 SOUTHWEST PARKWA AUSTIN, TX 78735	AY BLDG 1 STE 275	3b. Phone No Ph: 737300	. (include area code) 04723		10. Field and Pool or WC-025 G09 S	Exploratory Area 263619C-WOLFCAMP		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State			
Sec 5 T26S R36E 230FNL 1750FWL 32.078941 N Lat, 103.290024 W Lon					LEA COUNTY, NM			
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	HER DATA		
TYPE OF SUBMISSION			TYPE OF	F ACTION				
☐ Notice of Intent	☐ Acidize	□ Dee	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off		
_	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclam	ation	■ Well Integrity		
Subsequent Report	☐ Casing Repair	□ New	Construction	☐ Recomplete		Other		
☐ Final Abandonment Notice	☐ Change Plans ☐ Plug ar		and Abandon	□ Temporarily Abandon		Drilling Operations		
	☐ Convert to Injection ☐ Plug Back ☐ Water Disposal		Disposal					
13. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f	ally or recomplete horizontally, g rk will be performed or provide t I operations. If the operation rest candonment Notices must be file	give subsurface the Bond No. or ults in a multipl	locations and measu in file with BLM/BIA e completion or reco	red and true ve Required sul mpletion in a r	ertical depths of all pertir because the posts must be new interval, a Form 316	nent markers and zones. filed within 30 days 60-4 must be filed once		
Spud: 2/6/2020								
Casing Ran: 11,050' - 7.625"	29.7# L-80 BTC							
Intermediate Cement: Pressurby, 10 bbls of fresh water. Pur Lightweight Blend 1.3% Salt + Retarder + 3 lb/sk Kolseal + 0 LCM fibers in the downhole of (870 sks) @ 15.6 ppg (1.18 cutop plug and began displacem Pressured up to 2,600 psi. Se	mped 715 bbls of lead cem - 30% Microspheres + 0.2% .8 lb/sk Defoamer + 1.2% ement tub to the entire lead uft/sk, Class H w/ 0.5% Flunent. Pumped 529 bbls of	nent (900 sks % Fluid Loss Anti Setting) d slurry. Pum iid Loss + 0.2 fresh water,	 e) @ 9.2 ppg (4.4) + 10% Strength Added approx ped 183 bbls of 2% Retarder). Dr and bumped plu 	I6 cuft/sk, Enhancer + 1/4 lb/sk of tail cement opped latch g @ 2,100 p	1.2% -in			
14. I hereby certify that the foregoing is	Electronic Submission #5	07913 verifie	d by the BLM Wel	I Information	System			
Con	For AMEREDE nmitted to AFMSS for proce		IG ĹLC, sent to tl SCILLA PEREZ or		(20PP1760SE)			
Name(Printed/Typed) SHANE N	ICNEELY		Title ENGINE	EER				
Signature (Electronic S	Submission)		Date 03/20/20	020				
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE			
Approved By ACCEPT	ED		JONATHO _{Title} PETROEL	N SHEPAR UM ENGINI	D EER	Date 03/24/2020		
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to condu	uitable title to those rights in the		Office Hobbs					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #507913 that would not fit on the form

32. Additional remarks, continued

Circulated \sim 200 bbls (252 sks) of cement so surface. ***Assuming there was severe channeling to cause this large amount of cement to be circulated to surface***

Casing Test: Tested Casing to 2,600psi (Good)

Rig Release: N/A

Revisions to Operator-Submitted EC Data for Sundry Notice #507913

BLM Revised (AFMSS) Operator Submitted

DRG SR Sundry Type: NOI

Lease: NMNM137470 NMNM137470

Agreement:

Operator: AMEREDEV OPERATING, LLC

AMEREDEV OPERATING LLC 5707 SOUTHWEST PARKWAY BLDG 1 STE 275 AUSTIN, TX 78735 2901 VIA FORTUNA SUITE 600 AUSTIN, TX 78746

Ph: 737-300-4700 Ph: 737-300-4700

Admin Contact: CHRISTIE HANNA CHRISTIE HANNA

REGULATORY COORDINATOR SENIOR ENGINEERING TECHNICIAN E-Mail: channa@ameredev.com E-Mail: CHANNA@AMEREDEV.COM

Ph: 737-300-4700 Fx: 737-300-4701 Ph: 7373004723

SHANE MCNEELY ENGINEER Tech Contact: SHANE MCNEELY

ENGINEER

E-Mail: smcneely@ameredev.com E-Mail: smcneely@ameredev.com

Ph: 737-300-4700 Ph: 737-300-4729

Fx: 737-300-4701

Location:

State: NM County: LEA LEA

Field/Pool: WC-025 G-09 S263619C/WC WC-025 G09 S263619C-WOLFCAMP

Well/Facility:

HOLLY 26 36 05 FED COM 091H Sec 5 T26S R36E Mer NMP 230FNL 1750FWL HOLLY 26 36 05 FED COM 104H Sec 5 T26S R36E 230FNL 1750FWL 32.078941 N Lat, 103.290024 W Lon

32.078940 N Lat, 103.290020 W Lon

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM137470 6. If Indian, Allottee or Tribe Name			
1. Type of Well					8. Well Name and No			
☐ Oil Well ☐ Gas Well ☐ Oth					HOLLY 26 36 05 FED COM 104H			
2. Name of Operator AMEREDEV OPERATING LL	Contact: C E-Mail: CHANNA				9. API Well No. 30-025-46665-00-X1			
3a. Address 5707 SOUTHWEST PARKWA AUSTIN, TX 78735	AY BLDG 1 STE 275	3b. Phone No Ph: 737300	. (include area code) 04723		10. Field and Pool or Exploratory Area WC-025 G09 S263619C-WOLFCAMP			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State			
Sec 5 T26S R36E 230FNL 1750FWL 32.078941 N Lat, 103.290024 W Lon					LEA COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	HER DA	TA	
TYPE OF SUBMISSION			TYPE OF	ACTION				
☐ Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Product	roduction (Start/Resume)		ter Shut-Off	
	☐ Alter Casing	☐ Hyd	raulic Fracturing	□ Reclam	ation	☐ Wel	ll Integrity	
Subsequent Report	□ Casing Repair	□ New	Construction	☐ Recomp	olete	Oth		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	□ Tempor	arily Abandon	Dillilli	ng Operations	
	☐ Convert to Injection	□ Plug	Back					
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fi Spud: 2/6/2020 Casing Ran: 22,110' - 5.5" 23a Production Cement: Pressure ppg. Pumped 182 bbls of lead of tail cement (1010 sks) @ 14 Retarder) followed by 5 bbls of began displacement. Pumped time with a final displacement began to drop (assuming we be Circulated ~ 50 bbl (137sks) of the state	k will be performed or provide operations. If the operation reandonment Notices must be final inspection. P-110 BTC tested lines to 8,000 psi. cement (500 sks) @ 12.4.5 ppg (1.22 cuft/sk, Verf sugar water. Shut down 20 bbls of sugar water of 472 bbls at 5,600 psi. burst the disk). Immediate f cement to surface.	e the Bond No. or esults in a multipl led only after all . Pumped 60 .1 ppg (2.04 cr rsaCemH 50:5 n, washed pun followed by 45 Pressured up	bbls of weighted uft/sk, NeoCem). 0:2 w/ 0.4% Fluing, dropped latch 2 bbls of fresh. E	spacer @ 1 Pumped 2 d Loss + 0.2 Inin top plug	bsequent reports must be new interval, a Form 316 n, have been completed a 2.0 20 bbls 25% and g on	filed withi 0-4 must b	in 30 days se filed once	
, , , , ,	Electronic Submission #	DEV OPERATII	IG ĹLC, sent to tl	ne Hobbs	•			
Name(Printed/Typed) SHANE MCNEELY			Title ENGINE	ER				
Signature (Electronic S	Submission)		Date 03/20/20	020				
	THIS SPACE F	OR FEDERA	L OR STATE	OFFICE U	SE			
Approved By ACCEPT	ED		JONATHO _{Title} PETROEL	N SHEPAR UM ENGIN		Da	ate 03/24/2020	
Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	iitable title to those rights in th		Office Hobbs					
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ake to any department or	agency of	the United	

Additional data for EC transaction #507916 that would not fit on the form

32. Additional remarks, continued

Rig Release: N/A

Revisions to Operator-Submitted EC Data for Sundry Notice #507916

BLM Revised (AFMSS) Operator Submitted

Sundry Type: NOI

Lease: NMNM137470 NMNM137470

Agreement:

Operator: AMEREDEV OPERATING, LLC

AMEREDEV OPERATING LLC 5707 SOUTHWEST PARKWAY BLDG 1 STE 275 AUSTIN, TX 78735 2901 VIA FORTUNA SUITE 600 AUSTIN, TX 78746

DRG SR

Ph: 737-300-4700 Ph: 737-300-4700

Admin Contact: CHRISTIE HANNA CHRISTIE HANNA

REGULATORY COORDINATOR SENIOR ENGINEERING TECHNICIAN E-Mail: channa@ameredev.com E-Mail: CHANNA@AMEREDEV.COM

Ph: 737-300-4700 Fx: 737-300-4701 Ph: 7373004723

SHANE MCNEELY ENGINEER Tech Contact: SHANE MCNEELY

ENGINEER

E-Mail: smcneely@ameredev.com E-Mail: smcneely@ameredev.com

Ph: 737-300-4700 Ph: 737-300-4729

Fx: 737-300-4701

Location:

State: NM County: LEA LEA

Field/Pool: WC-025 G-09 S263619C/WC WC-025 G09 S263619C-WOLFCAMP

Well/Facility:

HOLLY 26 36 05 FED COM 091H Sec 5 T26S R36E Mer NMP 230FNL 1750FWL HOLLY 26 36 05 FED COM 104H Sec 5 T26S R36E 230FNL 1750FWL 32.078941 N Lat, 103.290024 W Lon

32.078940 N Lat, 103.290020 W Lon

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 42673

CONDITIONS

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	42673
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/18/2021